

9 REFERENČNÍ SEZNAM

- Agarwal, V., Tetenta, S., Bautista, J., ZuWallack, R., & Lahiri, B. (2012). Longitudinal changes in directly measured physical activity in patients with chronic obstructive pulmonary disease: the trajectory of change. *Journal of Cardiopulmonary Rehabilitation and Prevention*, 32(5), 292-295. doi: HCR.0b013e31825c4242
- American Thoracic Society (2003). ATS/ACCP statement on cardiopulmonary exercise testing. *American Journal of Respiratory and Critical Care Medicine*, 167(2), 211-277.
- Alahmari, A. D., Patel, A. R. C., Kowlessar, B. S., Mackay, A. J., Singh, R., Wedzicha, J. A., & Donaldson, G. C. (2014). Daily activity during stability and exacerbation of chronic obstructive pulmonary disease. *BMC Pulmonary Medicine*, 14(1). doi: 10.1186/1471-2466-14-98
- Alahmari, A. D., Mackay, A. J., Patel, A. R., Kowlessar, B. S., Singh, R., Brill, S. E., ... & Donaldson, G. C. (2015). Influence of weather and atmospheric pollution on physical activity in patients with COPD. *Respiratory Research*, 16(1), 71. doi: 10.1186/s12931-015-0229-z
- Altenburg, W. A., Bossenbroek, L., de Greef, M. H., Kerstjens, H. A., ten Hacken, N. H., & Wempe, J. B. (2013). Functional and psychological variables both affect daily physical activity in COPD: a structural equations model. *Respiratory Medicine*, 107(11), 1740-1747. doi: 10.1016/j.rmed.2013.06.002
- Ambrosino, N., & Strambi, S. (2004). New strategies to improve exercise tolerance in chronic obstructive pulmonary disease. *European Respiratory Journal*, 24(2), 313-322. doi: 10.1183/09031936.04.00002904
- Agusti, A. (2014). The path to personalised medicine in COPD. *Thorax*, 69(9), 857-864. doi: 10.1136/thoraxjnl-2014-205507
- Agusti, A. (2005). COPD, a multicomponent disease: implications for management. *Respiratory Medicine*, 99(6), 670-682. doi: 10.1016/j.rmed.2004.11.006
- Agusti, A., Calverley, P. M., Celli, B., Coxson, H. O., Edwards, L. D., Lomas, D. A., ... & Tal-Singer, R. (2010). Characterisation of COPD heterogeneity in the ECLIPSE cohort. *Respiratory Research*, 11(1), 122-135. doi: 10.1186/1465-9921-11-122
- Agustí, A. G., Sauleda, J., Miralles, C., Gomez, C., Togores, B., Sala, E., ... & Busquets, X. (2002). Skeletal muscle apoptosis and weight loss in chronic

- obstructive pulmonary disease. *American Journal of Respiratory and Critical Care Medicine*, 166(4), 485-489. doi: 10.1164/rccm.2108013
- Arne, M., Lundin, F., Boman, G., Janson, C., Janson, S., & Emtner, M. (2011). Factors associated with good self-rated health and quality of life in subjects with self-reported COPD. *International Journal of Chronic Obstructive Pulmonary Disease*, 6, 511-519. doi: 10.2147/COPD.S24230
- Baghai-Ravary, R., Quint, J. K., Goldring, J. J., Hurst, J. R., Donaldson, G. C., & Wedzicha, J. A. (2009). Determinants and impact of fatigue in patients with chronic obstructive pulmonary disease. *Respiratory Medicine*, 103(2), 216-223. doi: 10.1016/j.rmed.2008.09.022
- Bahadori, K., & FitzGerald, J. M. (2007). Risk factors of hospitalization and readmission of patients with COPD exacerbation—systematic review. *International Journal of Chronic Obstructive Pulmonary Disease*, 2(3), 241-251.
- Bartoš, V., & Koblížek, V. (2017). Dlouhodobá domácí oxygenoterapie (pp. 478-483). In V. Kolek, V. Kašák, M. Vašáková et al. *Pneumologie* (3rd ed.). Praha: Maxdorf Jessenius.
- Barreiro, E., Peinado, V. I., Galdiz, J. B., Ferrer, E., Marin-Corral, J., Sánchez, F., ... & Barberà, J. A. (2010). Cigarette smoke-induced oxidative stress: a role in chronic obstructive pulmonary disease skeletal muscle dysfunction. *American Journal of Respiratory and Critical Care Medicine*, 182(4), 477-488. doi: 10.1164/rccm.200908-1220OC
- Beauchamp, M. K., Brooks, D., & Goldstein, R. S. (2010). Deficits in postural control in individuals with COPD - Emerging evidence for an important secondary impairment. *Multidisciplinary Respiratory Medicine*, 5(6), 417-421. doi: 10.1186/2049-6958-5-6-417
- Beauchamp, M. K., Sibley, K. M., Lakhani, B., Romano, J., Mathur, S., Goldstein, R. S., & Brooks, D. (2012). Impairments in systems underlying control of balance in COPD. *Chest*, 141(6), 1496-1503. doi: 10.1378/chest.11-1708
- Belza, B., Steele, B. G., Hunziker, J., Lakshminaryan, S., Holt, L., & Buchner, D. M. (2001). Correlates of physical activity in chronic obstructive pulmonary disease. *Nursing Research*, 50(4), 195-202.
- Bentsen, S. B., Henriksen, A. H., Wentzel-Larsen, T., Hanestad, B. R., & Wahl, A. K. (2008). What determines subjective health status in patients with chronic obstructive pulmonary disease: importance of symptoms in subjective health status of COPD

- patients. *Health and Quality of Life Outcomes*, 6(1), 115. doi: 10.1186/1477-7525-6-115
- Benzo, R. P., Chang, C. C. H., Farrell, M. H., Kaplan, R., Ries, A., Martinez, F. J., ... & NETT Research Group. (2010). Physical activity, health status and risk of hospitalization in patients with severe chronic obstructive pulmonary disease. *Respiration*, 80(1), 10-18. doi: 10.1159/000296504
- Bertici, N., Fira-Mlădinescu, O., Oancea, C., & Tudorache, V. (2013). The usefulness of pedometry in patients with chronic obstructive pulmonary disease. *Multidisciplinary Respiratory Medicine*, 8(1). doi: 10.1186/2049-6958-8-7
- Bestall, J. C., Paul, E. A., Garrod, R., Garnham, R., Jones, P. W., & Wedzicha, J. A. (1999). Usefulness of the Medical Research Council (MRC) dyspnoea scale as a measure of disability in patients with chronic obstructive pulmonary disease. *Thorax*, 54(7), 581-586.
- Biswas, A., Oh, P. I., Faulkner, G. E., Bajaj, R. R., Silver, M. A., Mitchell, M. S., & Alter, D. A. (2015). Sedentary time and its association with risk for disease incidence, mortality, and hospitalization in adults: a systematic review and meta-analysis. *Annals of Internal Medicine*, 162(2), 123-132. doi: 10.7326/M14-1651
- Blakemore, A., Dickens, C., Guthrie, E., Bower, P., Kontopantelis, E., Afzal, C., & Coventry, P. A. (2014). Depression and anxiety predict health-related quality of life in chronic obstructive pulmonary disease: systematic review and meta-analysis. *International Journal of Chronic Obstructive Pulmonary Disease*, 9, 501. doi: 10.2147/COPD.S58136
- Blonshine, S., Foss, C., Mottram, C., Ruppel, G., & Wanger, J. (2001). AARC clinical practice guideline: body plethysmography: 2001 revision and update. *Respir Care*, 46, 506-513.
- Bolton, C. E., Bevan-Smith, E. F., Blakey, J. D., Crowe, P., Elkin, S. L., Garrod, R., ... Walmsley, S. (2013). British Thoracic Society guideline on pulmonary rehabilitation in adults. *Thorax*, 68(Suppl. 2), ii1-ii30. doi: 10.1136/thoraxjnl-2013-203808
- Bouchard, C., Blair, S. N., & Haskell, W. L. (Eds.). (2007). *Physical Activity and Health*. Champaign, IL: Human Kinetics.
- Bourbeau, J., & Bartlett, S. J. (2008). Patient adherence in COPD. *Thorax*, 63(9), 831-838. doi: 10.1136/thx.2007.086041

- Buist, A. S., McBurnie, M. A., Vollmer, W. M., Gillespie, S., Burney, P., Mannino, D. M., ... & Jensen, R. L. (2007). International variation in the prevalence of COPD (the BOLD Study): a population-based prevalence study. *The Lancet*, 370(9589), 741-750. doi: 10.1016/S0140-6736(07)61377-4
- Burge, S., & Wedzicha, J. A. (2003). COPD exacerbations: definitions and classifications. *European Respiratory Journal*, 21(41 suppl), 46s-53s. doi: 10.1183/09031936.03.00078002
- Burgel, P. R., Escamilla, R., Perez, T., Carré, P., Caillaud, D., Chanez, P., ... & Paillasseur, J. L. (2013). Impact of comorbidities on COPD-specific health-related quality of life. *Respiratory Medicine*, 107(2), 233-241. doi: 10.1016/j.rmed.2012.10.002
- Butcher, S. J., Meshke, J. M., & Sheppard, M. S. (2004). Reductions in functional balance, coordination, and mobility measures among patients with stable chronic obstructive pulmonary disease. *Journal of Cardiopulmonary Rehabilitation*, 24(4), 274-280. doi: 10.1097/00008483-200407000-00013
- Camp, P. G., Hernandez, P., Bourbeau, J., Kirkham, A., Debigare, R., Stickland, M. K., ... & Dechman, G. (2015). Pulmonary rehabilitation in Canada: a report from the Canadian thoracic society COPD clinical assembly. *Canadian Respiratory Journal*, 22(3), 147-152. doi: 10.1155/2015/369851
- Carlin, B. W., Wiles, K. S., McCoy, R. W., Brennan, T., Easley, D., & Thomashow, R. J. (2015). Effects of a highly portable noninvasive open ventilation system on activities of daily living in patients with COPD. *Chronic Obstructive Pulmonary Diseases: Journal of the COPD foundation*, 2(1), 35-47. doi: 10.15326/jcopdf.2.1.2014.0116
- Casanova, C., Cote, C., De Torres, J. P., Aguirre-Jaime, A., Marin, J. M., Pinto-Plata, V., & Celli, B. R. (2005). Inspiratory-to-total lung capacity ratio predicts mortality in patients with chronic obstructive pulmonary disease. *American Journal of Respiratory and Critical Care Medicine*, 171(6), 591-597. doi: 10.1164/rccm.200407-867OC
- Casaburi, R., Porszasz, J., Hecht, A., Tiep, B., Albert, R. K., Anthonisen, N. R., ... & Curtis, J. (2012). Influence of lightweight ambulatory oxygen on oxygen use and activity patterns of COPD patients receiving long-term oxygen therapy. *COPD: Journal of Chronic Obstructive Pulmonary Disease*, 9(1), 3-11. doi: 10.3109/15412555.2011.630048

- Casaburi, R., Kukafka, D., Cooper, C. B., Witek, T. J., & Kesten, S. (2005). Improvement in exercise tolerance with the combination of tiotropium and pulmonary rehabilitation in patients with COPD. *Chest*, 127(3), 809-817. doi: 10.1378/chest.127.3.809
- Casaburi, R. (2001). Skeletal muscle dysfunction in chronic obstructive pulmonary disease. *Medicine and Science in Sports and Exercise*, 33(7 Suppl), S662-70. doi: 10.1186/rr60
- Cavallès, A., Brinchault-Rabin, G., Dixmier, A., Goupil, F., Gut-Gobert, C., Marchand-Adam, S., ... & Diot, P. (2013). Comorbidities of COPD. *European Respiratory Review*, 22(130), 454-475. doi: 10.1183/09059180.00008612
- Celli, B. R., Cote, C. G., Marin, J. M., Casanova, C., Montes de Oca, M., Mendez, R. A., ... & Cabral, H. J. (2004). The body-mass index, airflow obstruction, dyspnea, and exercise capacity index in chronic obstructive pulmonary disease. *New England Journal of Medicine*, 350(10), 1005-1012. doi: 10.1056/NEJMoa021322
- Clarenbach, C. F., Sievi, N. A., Haile, S. R., Brack, T., Brutsche, M. H., Frey, M., ... & Kohler, M. (2017). Determinants of annual change in physical activity in COPD. *Respirology*, 22, 1133-1139. doi: 10.1111/resp.13035
- Cohen, M. D., & Cutaia, M. (2010). A novel approach to measuring activity in chronic obstructive pulmonary disease: Using 2 activity monitors to classify daily activity. *Journal of Cardiopulmonary Rehabilitation and Prevention*, 30(3), 186-194. doi: 10.1097/HCR.0b013e3181d0c191
- Commission of the European communities (2007). White paper on a strategy for Europe on nutrition, overweight and obesity related health issues. http://ec.europa.eu/health/archive/ph_determinants/life_style/nutrition/documents/nutrition_wp_en.pdf
- Cooper, C. B. (2006). The connection between chronic obstructive pulmonary disease symptoms and hyperinflation and its impact on exercise and function. *The American Journal of Medicine*, 119(10), 21-31. doi: 10.1016/j.amjmed.2006.08.004
- Corner, E., & Garrod, R. (2010). Does the addition of non-invasive ventilation during pulmonary rehabilitation in patients with chronic obstructive pulmonary disease augment patient outcome in exercise tolerance? A literature review. *Physiotherapy Research International*, 15(1), 5-15. doi: 10.1002/pri.451

- Cote, C. G., & Chapman, K. R. (2009). Diagnosis and treatment considerations for women with COPD. *International Journal of Clinical Practice*, 63(3), 486-493. doi: 10.1111/j.1742-1241.2008.01987.x
- Craig, C. L., Marshall, A. L., Sjöström, M., Bauman, A. E., Booth, M. L., Ainsworth, B. E., ... Oja, P. (2003). International physical activity questionnaire: 12-Country reliability and validity. *Medicine and Science in Sports and Exercise*, 35(8), 1381-1395.
- Creditor, M. C. (1993). Hazards of hospitalization of the elderly. *Annals of Internal Medicine*, 118(3), 219-223.
- Crisafulli, E., Costi, S., Luppi, F., Cirelli, G., Cilione, C., Coletti, O., ... & Clini, E. M. (2008). Role of comorbidities in a cohort of patients with COPD undergoing pulmonary rehabilitation. *Thorax*, 63(6), 487-492. doi: 10.1136/thx.2007.086371
- Cruz, J., Marques, A., Jacome, C., Gabriel, R., & Figueiredo, D. (2014). Global functioning of COPD patients with and without functional balance impairment: An exploratory analysis based on the ICF framework. *COPD: Journal of Chronic Obstructive Pulmonary Disease*, 12, 207-216. doi: 10.3109/15412555.2014.933793
- Debigaré, R., & Maltais, F. (2008). The major limitation to exercise performance in COPD is lower limb muscle dysfunction. *Journal of Applied Physiology*, 105(2), 751-753. doi: 10.1152/jappphysiol.90336.2008a
- De Blok, B. M., de Greef, M. H., ten Hacken, N. H., Sprenger, S. R., Postema, K., & Wempe, J. B. (2006). The effects of a lifestyle physical activity counseling program with feedback of a pedometer during pulmonary rehabilitation in patients with COPD: a pilot study. *Patient Education and Counseling*, 61(1), 48-55. doi: 10.1016/j.pec.2005.02.005
- Decramer, M., Lacquet, L. M., Fagard, R., & Rogiers, P. (1994). Corticosteroids contribute to muscle weakness in chronic airflow obstruction. *American Journal of Respiratory and Critical Care Medicine*, 150(1), 11-16.
- De Miguel Díez, J., García, T. G., & Maestu, L. P. (2010). Comorbidities in COPD. *Archivos de Bronconeumología*, 46, 20-25. doi: 10.1016/S0300-2896(10)70058-2
- De Los Monteros, M. J. E., Pena, C., Hurtado, E. J. S., Jareno, J., & Miravittles, M. (2012). Variability of respiratory symptoms in severe COPD. *Archivos de Bronconeumología (English Edition)*, 48(1), 3-7. doi: 10.1016/j.arbres.2011.07.004
- Demeyer, H., Louvaris, Z., Frei, A., Rabinovich, R. A., de Jong, C., Gimeno-Santos, E., ... & Hopkinson, N. S. (2017). Physical activity is increased by a 12-week

- semiautomated telecoaching programme in patients with COPD: a multicentre randomised controlled trial. *Thorax*, 72(5), 415-423. doi: 10.1136/thoraxjnl-2016-209026
- De Torres, J. P., Cote, C. G., Lopez, M. V., Casanova, C., Diaz, O., Marin, J. M., ... & Aguirre-Jaime, A. (2009). Sex differences in mortality in patients with COPD. *European Respiratory Journal*, 33(3), 528-535. doi: 10.1183/09031936.00096108
- De Torres, J. P., Casanova, C., Hernández, C., Abreu, J., de Garcini, A. M., Aguirre-Jaime, A., & Celli, B. R. (2006). Gender associated differences in determinants of quality of life in patients with COPD: a case series study. *Health and Quality of Life Outcomes*, 4(1), 72-79. doi: 10.1186/1477-7525-4-72
- Ding, D., Lawson, K. D., Kolbe-Alexander, T. L., Finkelstein, E. A., Katzmarzyk, P. T., van Mechelen, W., ... & Lancet Physical Activity Series 2 Executive Committee. (2016). The economic burden of physical inactivity: a global analysis of major non-communicable diseases. *The Lancet*, 388(10051), 1311-1324. doi: 10.1016/S0140-6736(16)30383-X
- Dodd, J. W., Getov, S. V., & Jones, P. W. (2010). Cognitive function in COPD. *European Respiratory Journal*, 35(4), 913-922. doi: 10.1183/09031936.00125109
- Donaire-Gonzalez, D., Gimeno-Santos, E., Balcells, E., Rodríguez, D. A., Farrero, E., de Batlle, J., ... & Rodriguez-Roisin, R. (2013). Physical activity in COPD patients: patterns and bouts. *European Respiratory Journal*, 42(4), 993-1002. doi: 10.1183/09031936.00101512
- Donaldson, G. C., Wilkinson, T. M., Hurst, J. R., Perera, W. R., & Wedzicha, J. A. (2005). Exacerbations and time spent outdoors in chronic obstructive pulmonary disease. *American Journal of Respiratory and Critical Care Medicine*, 171(5), 446-452. doi: 10.1164/rccm.200408-1054OC
- Dueñas-Espín, I., Demeyer, H., Gimeno-Santos, E., Polkey, M. I., Hopkinson, N. S., Rabinovich, R. A., ... & Garcia-Aymerich, J. (2016). Depression symptoms reduce physical activity in COPD patients: a prospective multicenter study. *International Journal of Chronic Obstructive Pulmonary Disease*, 11, 1287. doi: 10.2147/COPD.S101459
- Duiverman, M. L., Wempe, J. B., Bladder, G., Jansen, D. F., Kerstjens, H. A., Zijlstra, J. G., & Wijkstra, P. J. (2008). Nocturnal noninvasive ventilation in addition to rehabilitation in hypercapnic COPD patients. *Thorax*, 63, 1052-1057. doi: 10.1136/thx.2008.099044