

## LITERATURA

- [1] Bezanilla F., Perozo E., Papazian D. M., Stefani E.: Molecular basis of gating charge immobilization in Shaker potassium channels. *Science* 254:679-683, 1991.
- [2] Brown A. M., Lee K. S., Powell T.: Sodium current in single rat heart muscle cells. *J. Physiol.* 318:479-500, 1981.
- [3] Campbell D. L., Rasmusson R.L., Qu Y., Strauss H. C.: The calcium-independent transient outward potassium current in isolated ferret right ventricular myocytes. I. Basic characterisation and kinetic analysis. *J. Gen. Physiol.* 101:571-601, 1993.
- [4] Campbell D. L., Qu Y., Rasmusson R. L., Strauss H.: The Calcium-independent transient outward potassium current in isolated ferret right ventricular myocytes. II. Closed state reverse use-dependent block by 4-aminopyridine. *J. Gen. Physiol.* 101:603-626, 1993.
- [5] Castle N. A., Slawsky M. T.: Characterization of 4-aminopyridine block of the transient outward  $K^+$  current in adult rat ventricular myocytes. *J. Pharmacol. Exp. Ther.* 264:450-1459, 1992.
- [6] Di Francesco D., Noble D.: A model of cardiac electrical activity incorporating ionic pumps and concentration changes. *Philos. Trans. R. Soc. Lond. B. Biol. Sci.* 307:353-398, 1985.
- [7] Egan T. M., Noble D., Noble S. J., Powell T., Spindler A. J., Twist V. W.: Sodium-calcium exchange during the action potential in guinea-pig ventricular cells. *J. Physiol. Lond.* 411:639-661, 1989.
- [8] Gadsby D. C., Nakao M.: Steady-state current-voltage relationship of the Na/K pump current in guinea-pig ventricular myocytes. *J. Gen. Physiol.* 94:511-537, 1989.
- [9] Hilgemann D. W., Noble D.: Excitation-contraction coupling and extracellular calcium transient in rabbit atrium: reconstruction of basic cellular mechanisms. *Proc. R. Soc. Lond. B320*:163-205, 1987.
- [10] Hondeghem L. M., Snyders D. J.: Class III antiarrhythmic agents have a lot of potential but a long way to go. Reduced effectiveness and dangers of reverse use dependence. *Circulation* 81:686-690, 1990.
- [11] Honjo H., Watanabe T., Kamiya K., Kodama I., Toyama J.: Effects of propafenone on electrical and mechanical activities of single ventricular myocytes isolated from guinea-pig hearts. *Br. J. Pharmacol.* 97:731-738, 1989.
- [12] Kimura J., Miyamae S., Noma A.: Identification of sodium-calcium exchange current in single ventricular cells of guinea-pig. *J. Physiol.* 384:199-222, 1987.
- [13] Kirsch G. E., Narahashi T. J.: Site of action and active form of aminopyridines in squid axon membranes, *J. Pharmacol. Exp. Ther.* 226:174-179, 1983.

- [14] Kodama I., Suzuki R., Honjo H., Toyama J.: Electrophysiological effects of diprafenone, a dimethyl congener of propafenone on guinea-pig ventricular cells. *Br. J. Pharmacol.* 107:813-820, 1992.
- [15] Kohlhardt M.: Block of sodium currents by antiarrhythmic agents: analysis of the electro-physiologic effects of propafenone in heart muscle. *Am. J. Cardiol.* 54:13D-19D, 1984.
- [16] Kohlhardt M., Fichtner H.: Block of single cardiac Na<sup>+</sup> channels by antiarrhythmic drugs: the effects of amiodarone, propafenone and diprafenone. *J. Membr. Biol.* 102:105-119, 1988.
- [17] Lee C. Y.: On the activation-inactivation coupling in Shaker potassium channels (Hypothesis), *FEBS Lett.* 306:95-97, 1992.
- [18] Nordin C., Siri F. M., Aronson R. S.: Electrophysiologic characteristics of single myocytes isolated from hypertrophied guinea pig hearts. *J. Mol. Cell. Cardiol.* 21:728-739, 1989.
- [19] Nordin C., Siri F. M., Aronson R. S.: Calcium current in myocytes isolated from hypertrophied guinea pig hearts (Abstract). *Clin. Res.* 38:49A, 1990.
- [20] Nordin C.: Computer model of membrane current and intracellular Ca<sup>2+</sup> flux in the isolated guinea pig ventricular myocyte. *Am. J. Physiol.* 265:H2117-H2136, 1993.
- [21] Perozo E, Papazian D. M., Stefani E., Bezanilla F.: Gating currents in Shaker K<sup>+</sup> channels. Implications for activation and inactivation models. *Biophys. J.* 62:160-171, 1992.
- [22] Schreibmayer W., Lindner W.: Stereoselective interactions of (R)- and (S)-propafenone with the cardiac sodium channel. *J. Cardiovasc. Pharmacol.* 20:324-331, 1992.
- [23] Šimurda J., Šimurdova M., Čupera P.: 4-Aminopyridine sensitive transient outward current in dog ventricular fibres. *Pflügers. Arch.* 411:442-449, 1988.
- [24] Šimurda J., Šimurdová M., Christé G.: Use-dependent effects of 4-aminopyridine on transient outward current in dog ventricular muscle. *Pflügers. Arch.* 415:244-246, 1989.
- [25] Šimurdová M., Nováková M., Nováková Z., Šumbera J., Šimurda J.: Reconstruction of the time course of I<sub>Na</sub> block induced by antiarrhythmic drugs in ventricular myocytes. In: Proceedings of the conference "Analysis of biomedical signals and images '96" 243-245, Brno.
- [26] Šimurdová M., Nováková Z., Nováková M., Šumbera J., Christé G., Šimurda J.: Kinetics of propafenone-induced block of sodium current in rat ventricular myocytes. *Scripta medica (Brno).* 70:263-275, 1997.
- [27] Zagotta W. N., Aldrich R. W.: Voltage-dependent gating of shaker A-type potassium channels in drosophila muscle. *J. Gen. Physiol.* 95:29-60, 1990.