

## 9 Referenční seznam

- 2015 – 2020 Dietary Guidelines for Americans. (2015). U.S. Department of Health and Human Services and U.S. Department of Agriculture. <https://doi.org/10.1097/NT.0b013e31826c50af>
- Altenburg, T. M., Degens, H., van Mechelen, W., Sargeant, A. J., & de Haan, A. (2007). Recruitment of single muscle fibers during submaximal cycling exercise. *Journal of Applied Physiology*, 103(5), 1752–1756. <https://doi.org/10.1152/jappphysiol.00496.2007>
- Antelmi, I., De Paula, R. S., Shinzato, A. R., Peres, C. A., Mansur, A. J., & Grupi, C. J. (2004). Influence of age, gender, body mass index, and functional capacity on heart rate variability in a cohort of subjects without heart disease. *American Journal of Cardiology*, 93(3), 381–385. <https://doi.org/10.1016/j.amjcard.2003.09.065>
- Åstrand, I., Åstrand, P.-O., Christensen, E. H., & Hedman, R. (1960a). Intermittent Muscular Work. *Acta Physiologica Scandinavica*, 48(3–4), 448–453. <https://doi.org/10.1111/j.1748-1716.1960.tb01879.x>
- Åstrand, I., Åstrand, P.-O., Christensen, E. H., & Hedman, R. (1960b). Myohemoglobin as an Oxygen-Store in Man. *Acta Physiologica Scandinavica*, 48(3–4), 454–460. <https://doi.org/10.1111/j.1748-1716.1960.tb01880.x>
- Atkinson, G., & Nevill, A. (1998). Statistical Methods for Assessing Measurement Error (Reliability) in Variables Relevant to Sports Medicine. *Sports Medicine*, 26(4), 217–238. <https://doi.org/10.2165/00007256-199826040-00002>
- Bangsbo, J. (1998). Quantification of anaerobic energy production during intense exercise. *Medicine and Science in Sports and Exercise*, 30(1), 47–52. <https://doi.org/10.1097/00005768-199801000-00007>
- Beneke, R., Leithäuser, R. M., & Ochentel, O. (2011). Blood lactate diagnostics in exercise testing and training. *International Journal of Sports Physiology and Performance*, 6(1), 8–24. <https://doi.org/10.1123/ijsp.6.1.8>
- Bergman, B. C., Wolfel, E. E., Butterfield, G. E., Lopaschuk, G. D., Casazza, G. A., Horning, M. A., & Brooks, G. A. (1999). Active muscle and whole body lactate kinetics after endurance training in men. *Journal of Applied Physiology (Bethesda, Md. : 1985)*, 87(5), 1684–96. <https://doi.org/10.1097/00005768-199905001-00505>
- Bergström, J., Hermansen, L., Hultman, E., & Saltin, B. (1967). Diet, Muscle Glycogen and Physical Performance. *Acta Physiologica Scandinavica*, 71(2–3), 140–150. <https://doi.org/10.1111/j.1748-1716.1967.tb03720.x>
- Bernecker, C., Scherr, J., Schinner, S., Braun, S., Scherbaum, W. A., & Halle, M. (2013). Evidence for an exercise induced increase of TNF- $\alpha$  and IL-6 in marathon runners. *Scandinavian Journal of Medicine and Science in Sports*, 23(2), 207–214. <https://doi.org/10.1111/j.1600-0838.2011.01372.x>
- Berthelot, G., Sedeaud, A., Marck, A., Antero-Jacquemin, J., Schipman, J., Saulière, G., ... Toussaint, J.-F. (2015). Has Athletic Performance Reached its Peak? *Sports Medicine*, 45(9), 1263–1271. <https://doi.org/10.1007/s40279-015-0347-2>

- Billat, L. V. (2001). Interval Training for Performance: A Scientific and Empirical Practice. *Sports Medicine*, 31(2), 75–90. <https://doi.org/10.2165/00007256-200131020-00001>
- Billat, L. V., & Koralsztejn, J. P. (1996). Significance of the velocity at VO<sub>2</sub>max and time to exhaustion at this velocity. *Sports Med.*, 22(2), 90–108. <https://doi.org/10.2165/00007256-199622020-00004>
- Bloomer, R. J. (2008). Effect Of Exercise On Oxidative Stress Biomarkers. *Advances in Clinical Chemistry*. Elsevier. [https://doi.org/10.1016/S0065-2423\(08\)00401-0](https://doi.org/10.1016/S0065-2423(08)00401-0)
- Bogdanis, G. C., Nevill, M. E., Hoobis, L. H., & Lakomy, H. K. (1996). Contribution of phosphocreatine and aerobic metabolism to energy supply during repeated sprint exercise Contribution of phosphocreatine and aerobic metabolism to energy supply during repeated sprint exercise. *Journal of Applied Physiology*, 80(3), 876–884.
- Bogdanis, G. C., Stavrinou, P., Fatouros, I. G., Philippou, A., Chatzinikolaou, A., Draganidis, D., ... Maridaki, M. (2013). Short-term high-intensity interval exercise training attenuates oxidative stress responses and improves antioxidant status in healthy humans. *Food and Chemical Toxicology*, 61, 171–177. <https://doi.org/10.1016/j.fct.2013.05.046>
- Britton, A., Shipley, M., Malik, M., Hnatkova, K., Hemingway, H., & Marmot, M. (2007). Changes in Heart Rate and Heart Rate Variability Over Time in Middle-Aged Men and Women in the General Population (from the Whitehall II Cohort Study). *The American Journal of Cardiology*, 100(3), 524–527. <https://doi.org/10.1016/j.amjcard.2007.03.056>
- Brooks, G. A. (2009). Cell-cell and intracellular lactate shuttles. *The Journal of Physiology*, 587(23), 5591–5600. <https://doi.org/10.1113/jphysiol.2009.178350>
- Buchheit, M. (2014). Monitoring training status with HR measures: do all roads lead to Rome? *Frontiers in Physiology*, 5, 73. <https://doi.org/10.3389/fphys.2014.00073>
- Buchheit, M., Cormie, P., Abbiss, C. R., Ahmaidi, S., Nosaka, K. K., & Laursen, P. B. (2009). Muscle deoxygenation during repeated sprint running: Effect of active vs. passive recovery. *International Journal of Sports Medicine*, 30(6), 418–25. <https://doi.org/10.1055/s-0028-1105933>
- Buchheit, M., & Laursen, P. B. (2013a). High-intensity interval training, solutions to the programming puzzle: Part I: Cardiopulmonary emphasis. *Sports Medicine*, 43(5), 313–338. <https://doi.org/10.1007/s40279-013-0029-x>
- Buchheit, M., & Laursen, P. B. (2013b). High-intensity interval training, solutions to the programming puzzle: Part II: Anaerobic energy, neuromuscular load and practical applications. *Sports Medicine*, 43(10), 927–954. <https://doi.org/10.1007/s40279-013-0066-5>
- Cahill, G. F. (2006). Fuel Metabolism in Starvation. *Annual Review of Nutrition*, 26(1), 1–22. <https://doi.org/10.1146/annurev.nutr.26.061505.111258>
- Cipryan, L. (2016a). The effect of fitness level on cardiac autonomic regulation, IL-6, total antioxidant capacity, and muscle damage responses to a single bout of high-intensity interval training. *Journal of Sport and Health Science*, 6(November), 1–9. <https://doi.org/10.1016/j.jshs.2016.11.001>

- Cipryan, L. (2016b). Within-Session Stability of Short-Term Heart Rate Variability Measurement. *Journal of Human Kinetics*, 50(1), 85–92. <https://doi.org/10.1515/hukin-2015-0146>
- Cipryan, L. (2017). IL-6, Antioxidant Capacity and Muscle Damage Markers Following High-Intensity Interval Training Protocols. *Journal of Human Kinetics*, 56(1), 139–148. <https://doi.org/10.1515/hukin-2017-0031>
- Cipryan, L., Laursen, P. B., & Plews, D. J. (2016). Cardiac autonomic response following high-intensity running work-to-rest interval manipulation. *European Journal of Sport Science*, 16(7), 808–817. <https://doi.org/10.1080/17461391.2015.1103317>
- Cipryan, L., & Litschmannova, M. (2013). Intra-day and inter-day reliability of heart rate variability measurement. *Journal of Sports Sciences*, 31(2), 150–158. <https://doi.org/10.1080/02640414.2012.721931>
- Cipryan, L., & Litschmannova, M. (2014). Intra-session stability of short-term heart rate variability measurement: gender and total spectral power influence. *Journal of Human Sport and Exercise*, 9(1), 68–80. <https://doi.org/10.4100/jhse.2014.91.08>
- Cipryan, L., Svagera, Z., & Vala, R. (2015). IL-6 and CRP response to maximal exercise intervention. *Journal of Sports Medicine and Physical Fitness*, 55(7–8), 813–823.
- Cipryan, L., Tschakert, G., & Hofmann, P. (2017). Acute and Post-Exercise Physiological Responses to High-Intensity Interval Training in Endurance and Sprint Athletes. *Journal of Sports Science and Medicine*, 16(June), 219–229.
- Cipryan, L., & Vala, R. (2015). Cardiac autonomic regulation after continuous and intermittent maximal exercise interventions. *J Sports Med Phys Fitness*, 55(5), 495–505. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/25678203>
- Clarkson, P. M., Kearns, A. K., Rouzier, P., Rubin, R., & Thompson, P. D. (2006). Serum creatine kinase levels and renal function measures in exertional muscle damage. *Medicine and Science in Sports and Exercise*, 38(4), 623–627. <https://doi.org/10.1249/01.mss.0000210192.49210.fc>
- Cullen, T., Thomas, A. W., Webb, R., & Hughes, M. G. (2016). Interleukin-6 and associated cytokine responses to an acute bout of high-intensity interval exercise: the effect of exercise intensity and volume. *Applied Physiology, Nutrition, and Metabolism*, 41(8), 803–808. <https://doi.org/10.1139/apnm-2015-0640>
- De Meersman, R. E., & Stein, P. K. (2007). Vagal modulation and aging. *Biological Psychology*, 74(2), 165–173. <https://doi.org/10.1016/j.biopsycho.2006.04.008>
- di Prampero, P. E. (2005). Sprint running: a new energetic approach. *Journal of Experimental Biology*, 208(14), 2809–2816. <https://doi.org/10.1242/jeb.01700>
- Dias, K. A., Ingul, C. B., Tjønnå, A. E., Keating, S. E., Gomersall, S. R., Follestad, T., ... Coombes, J. S. (2017). Effect of High-Intensity Interval Training on Fitness, Fat Mass and Cardiometabolic Biomarkers in Children with Obesity: A Randomised Controlled Trial. *Sports Medicine*, 1–14. <https://doi.org/10.1007/s40279-017-0777-0>
- Dorado, C., Sanchis-Moysi, J., & Calbet, J. A. L. (2004). Effects of recovery mode on performance, O<sub>2</sub> uptake, and O<sub>2</sub> deficit during high-intensity intermittent exercise. *Canadian Journal of Applied Physiology = Revue Canadienne de Physiologie*

- Appliquee*, 29(3), 227–44. <https://doi.org/doi:10.1139/h04-016>
- Eckberg, D. L. (1997). Sympathovagal Balance. *Circulation*, 96(9). Retrieved from <http://circ.ahajournals.org/content/96/9/3224.full>
- Elghozi, J. L., & Julien, C. (2007). Sympathetic control of short-term heart rate variability and its pharmacological modulation. *Fundamental and Clinical Pharmacology*, 21(4), 337–347. <https://doi.org/10.1111/j.1472-8206.2007.00502.x>
- Fallen, E. L., Kamath, M. V., Tougas, G., & Upton, A. (2001). Afferent vagal modulation: Clinical studies of visceral sensory input. *Autonomic Neuroscience: Basic and Clinical*, 90(1–2), 35–40. [https://doi.org/10.1016/S1566-0702\(01\)00265-X](https://doi.org/10.1016/S1566-0702(01)00265-X)
- Febbraio, M. A., & Pedersen, B. K. (2002). Muscle-derived interleukin-6: mechanisms for activation and possible biological roles. *FASEB Journal : Official Publication of the Federation of American Societies for Experimental Biology*, 16(11), 1335–47. <https://doi.org/10.1096/fj.01-0876rev>
- Fisher-Wellman, K., Bell, H. K., & Bloomer, R. J. (2009). Oxidative stress and antioxidant defense mechanisms linked to exercise during cardiopulmonary and metabolic disorders. *Oxidative Medicine and Cellular Longevity*, 2, 43–51.
- Fisher, G., Schwartz, D. D., Quindry, J., Barberio, M. D., Foster, E. B., Jones, K. W., & Pascoe, D. D. (2011). Lymphocyte enzymatic antioxidant responses to oxidative stress following high-intensity interval exercise. *Journal of Applied Physiology*, 110(3), 730–737. <https://doi.org/10.1152/jappphysiol.00575.2010>
- Fischer, C. P. (2006). Interleukin-6 in acute exercise and training: What is the biological relevance? *Exercise Immunology Review*, 12(115), 6–33.
- Gabbett, T. J., & Ullah, S. (2012). Relationship Between Running Loads and Soft-Tissue Injury in Elite Team Sport Athletes. *Journal of Strength and Conditioning Research*, 26(4), 953–960. <https://doi.org/10.1519/JSC.0b013e3182302023>
- Gibala, M. J., Little, J. P., MacDonald, M. J., & Hawley, J. A. (2012). Physiological adaptations to low-volume, high-intensity interval training in health and disease. *The Journal of Physiology*, 590(5), 1077–1084. <https://doi.org/10.1113/jphysiol.2011.224725>
- Goldberger, J. J. (1999). Sympathovagal balance: how should we measure it? *The American Journal of Physiology*, 276(4 Pt 2), H1273–H1280. <https://doi.org/10.1016/j.ejim.2004.06.016>
- Hetlelid, K. J., Plews, D. J., Herold, E., Laursen, P. B., & Seiler, S. (2015). Rethinking the role of fat oxidation: substrate utilisation during high-intensity interval training in well-trained and recreationally trained runners. *BMJ Open Sport & Exercise Medicine*, 1(1), e000047. <https://doi.org/10.1136/bmjsem-2015-000047>
- Higashihara, A., Ono, T., Kubota, J., Okuwaki, T., & Fukubayashi, T. (2010). Functional differences in the activity of the hamstring muscles with increasing running speed. *Journal of Sports Sciences*, 28(10), 1085–1092. <https://doi.org/10.1080/02640414.2010.494308>
- Hopkins, W. G., & Batterham, A. M. (2016). Error Rates, Decisive Outcomes and Publication Bias with Several Inferential Methods. *Sports Medicine*, 1–11. <https://doi.org/10.1007/s40279-016-0517-x>

- Hopkins, W. G., Marshall, S. W., Batterham, A. M., & Hanin, J. (2009). Progressive Statistics for Studies in Sports Medicine and Exercise Science. *Medicine & Science in Sports & Exercise*, 41(1), 3–13. <https://doi.org/10.1249/MSS.0b013e31818cb278>
- Hunter, C. A., & Jones, S. A. (2015). IL-6 as a keystone cytokine in health and disease. *Nature Immunology*, 16(5), 448–457. <https://doi.org/10.1038/ni.3153>
- Chazaud, B. (2016). Inflammation during skeletal muscle regeneration and tissue remodeling: application to exercise-induced muscle damage management. *Immunology and Cell Biology*, 94(2), 140–145. <https://doi.org/10.1038/icb.2015.97>
- Chen, T., Nosaka, K., & Sacco, P. (2007). Intensity of eccentric exercise, shift of optimum angle, and the magnitude of repeated-bout effect. *Journal of Applied Physiology*, 102, 992–999. <https://doi.org/10.1152/jappphysiol.00425.2006>
- Jackson, M. J., Vasilaki, A., & McArdle, A. (2016). Cellular mechanisms underlying oxidative stress in human exercise. *Free Radical Biology and Medicine*, 98, 13–17. <https://doi.org/10.1016/j.freeradbiomed.2016.02.023>
- Jacobs, I., & Kaiser, P. (1982). Lactate in blood, mixed skeletal muscle, and FT or ST fibres during cycle exercise in man. *Acta Physiologica Scandinavica*, 114(3), 461–6. <https://doi.org/10.1111/j.1748-1716.1982.tb07010.x>
- Jáuregui-Renaud, K., Hermosillo, A. G., Márquez, M. F., Ramos-Aguilar, F., Hernández-Goribar, M., & Cárdenas, M. (2001). Repeatability of Heart Rate Variability During Simple Cardiovascular Reflex Tests on Healthy Subjects. *Archives of Medical Research*, 32, 21–26. Retrieved from [http://ac.els-cdn.com/S0188440900002551/1-s2.0-S0188440900002551-main.pdf?\\_tid=761cf4ae-9d0c-11e7-9a39-00000aab0f6b&acdnat=1505806430\\_f52e7617d7d307acbe15d3dff1b10400](http://ac.els-cdn.com/S0188440900002551/1-s2.0-S0188440900002551-main.pdf?_tid=761cf4ae-9d0c-11e7-9a39-00000aab0f6b&acdnat=1505806430_f52e7617d7d307acbe15d3dff1b10400)
- Jelleyman, C., Yates, T., O'Donovan, G., Gray, L. J., King, J. A., Khunti, K., & Davies, M. J. (2015). The effects of high-intensity interval training on glucose regulation and insulin resistance: A meta-analysis. *Obesity Reviews*, 16(11), 942–961. <https://doi.org/10.1111/obr.12317>
- Kearns, C. E., Schmidt, L. A., & Glantz, S. A. (2016). Sugar Industry and Coronary Heart Disease Research. *JAMA Internal Medicine*, 176(11), 1680. <https://doi.org/10.1001/jamainternmed.2016.5394>
- Kenney, W. L., Wilmore, J. H., & Costill, D. L. (2015). *Physiology of sport and exercise*. Champaign: Human Kinetics.
- Laursen, P. B., & Jenkins, D. G. (2002). The scientific basis for high-intensity interval training: optimising training programmes and maximising performance in highly trained endurance athletes. *Sports Med.*, 32(1), 53–73. <https://doi.org/10.2165/00007256-200232010-00003>
- MacDougall, D., & Sale, D. (1981). Continuous vs. interval training: a review for the athlete and the coach. *Can J Appl Sport Sci*, 6(2), 93–97. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/7016358>
- Malik, M., Bigger, J., Camm, A., & Kleiger, R. (1996). Heart rate variability. Standards of measurement, physiological interpretation, and clinical use. Task Force of the European Society of Cardiology and the North American Society of Pacing and Electrophysiology. *European Heart Journal*, 17, 354–381. <https://doi.org/0195->

668X/96/030354 + 28

- Mendham, A. E., Donges, C. E., Liberts, E. A., & Duffield, R. (2011). Effects of mode and intensity on the acute exercise-induced IL-6 and CRP responses in a sedentary, overweight population. *European Journal of Applied Physiology*, *111*(6), 1035–1045. <https://doi.org/10.1007/s00421-010-1724-z>
- Midgley, A. W., & McNaughton, L. R. (2006). Time at or near VO<sub>2</sub>max during continuous and intermittent running. *J Sports Med Phys Fitness*, *46*, 1–14.
- Midgley, A. W., McNaughton, L. R., & Wilkinson, M. (2006). Is there an Optimal Training Intensity for Enhancing the Maximal Oxygen Uptake of Distance Runners? *Sports Medicine*, *36*(2), 117–132. <https://doi.org/10.2165/00007256-200636020-00003>
- Milanović, Z., Sporiš, G., & Weston, M. (2015). Effectiveness of High-Intensity Interval Training (HIT) and Continuous Endurance Training for VO<sub>2</sub>max Improvements: A Systematic Review and Meta-Analysis of Controlled Trials. *Sports Medicine*, *45*(10), 1469–1481. <https://doi.org/10.1007/s40279-015-0365-0>
- Ouchi, N., Parker, J. L., Lugus, J. J., & Walsh, K. (2011). Adipokines in inflammation and metabolic disease. *Nature Reviews Immunology*, *11*(2), 85–97. <https://doi.org/10.1038/nri2921>
- Pal, M., Febbraio, M. A., & Whitham, M. (2014). From cytokine to myokine: the emerging role of interleukin-6 in metabolic regulation. *Immunology and Cell Biology*, *92*(4), 331–339. <https://doi.org/10.1038/icb.2014.16>
- Paoli, A., Bianco, A., & Grimaldi, K. A. (2015). The Ketogenic Diet and Sport. *Exercise and Sport Sciences Reviews*, *43*(3), 153–162. <https://doi.org/10.1249/JES.0000000000000050>
- Parker, L., McGuckin, T. A., & Leicht, A. S. (2014). Influence of exercise intensity on systemic oxidative stress and antioxidant capacity. *Clinical Physiology and Functional Imaging*, *34*(5), 377–383. <https://doi.org/10.1111/cpf.12108>
- Parolin, M. L., Chesley, a, Matsos, M. P., Spriet, L. L., Jones, N. L., & Heigenhauser, G. J. (1999). Regulation of skeletal muscle glycogen phosphorylase and PDH during maximal intermittent exercise. *The American Journal of Physiology*, *277*(5 Pt 1), E890–E900.
- Paulsen, G., Mikkelsen, U. R., Raastad, T., & Peake, J. M. (2012). Leucocytes, cytokines and satellite cells: what role do they play in muscle damage and regeneration following eccentric exercise? *Exercise Immunology Review*, *18*, 42–97. <https://doi.org/10.1249/MSS.0b013e3181ac7afa>
- Pedersen, B. K., Akerstrom, T. C., Nielsen, A. R., & Fischer, C. P. (2007). Role of myokines in exercise and metabolism. *J Appl Physiol*, *103*(3), 1093–1098. <https://doi.org/10.1152/jappphysiol.00080.2007>
- Pedersen, B. K., & Febbraio, M. A. (2012). Muscles, exercise and obesity: skeletal muscle as a secretory organ. *Nature Reviews Endocrinology*, *8*(8), 457–465. <https://doi.org/10.1038/nrendo.2012.49>
- Penttila, J., Helminen, A., Jartti, T., & Kuusela, T. (2001). Time domain, geometrical and frequency domain analysis of cardiac vagal outflow: effects of various {...}. *Clinical*

- Physiology*, 1, 365–376. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1046/j.1365-2281.2001.00337.x/full>
- Peternej, T.-T., & Coombes, J. S. (2011). Antioxidant Supplementation during Exercise Training. *Sports Medicine*, 41(12), 1043–1069. <https://doi.org/10.2165/11594400-000000000-00000>
- Pingitore, A., Lima, G. P. P., Mastorci, F., Quinones, A., Iervasi, G., & Vassalle, C. (2015). Exercise and oxidative stress: Potential effects of antioxidant dietary strategies in sports. *Nutrition*, 31(7–8), 916–922. <https://doi.org/10.1016/j.nut.2015.02.005>
- Pinna, G. D., Maestri, R., Torunski, A., Danilowicz-Szymanowicz, L., Szwoch, M., La Rovere, M. T., & Raczak, G. (2007). Heart rate variability measures: a fresh look at reliability. *Clinical Science*, 113(3), 131–140. <https://doi.org/10.1042/CS20070055>
- Plews, D. J., Laursen, P. B., & Buchheit, M. (2016). Day-to-day Heart Rate Variability (HRV) Recordings in World Champion Rowers: Appreciating Unique Athlete Characteristics. *International Journal of Sports Physiology and Performance*, (October), 1–19. <https://doi.org/10.1123/ijsp.2016-0343>
- Plews, D. J., Laursen, P. B., Meur, Y. Le, Hausswirth, C., Kilding, A. E., & Buchheit, M. (2014). Monitoring Training with Heart-Rate Variability: How Much Compliance Is Needed for Valid Assessment? *International Journal of Sports Physiology and Performance*, 9(5), 783–790. <https://doi.org/10.1123/ijsp.2013-0455>
- Plews, D. J., Laursen, P. B., Stanley, J., Kilding, A. E., & Buchheit, M. (2013). Training Adaptation and Heart Rate Variability in Elite Endurance Athletes: Opening the Door to Effective Monitoring. *Sports Medicine*, 43(9), 773–781. <https://doi.org/10.1007/s40279-013-0071-8>
- Plews, D. J., Scott, B., Altini, M., Wood, M., Kilding, A. E., & Laursen, P. B. (2017). Comparison of Heart Rate Variability Recording With Smart Phone Photoplethysmographic, Polar H7 Chest Strap and Electrocardiogram Methods. *International Journal of Sports Physiology and Performance*, 1–17. <https://doi.org/10.1123/ijsp.2016-0668>
- Proske, U., & Morgan, D. L. (2001). Muscle damage from eccentric exercise: Mechanism, mechanical signs, adaptations and clinical applications. *Journal of Physiology*, 537(2), 333–345. <https://doi.org/10.1111/j.1469-7793.2001.00333.x>
- Ramos, J. S., Dalleck, L. C., Tjonna, A. E., Beetham, K. S., & Coombes, J. S. (2015). The Impact of High-Intensity Interval Training Versus Moderate-Intensity Continuous Training on Vascular Function: a Systematic Review and Meta-Analysis. *Sports Medicine*, 45(5), 679–692. <https://doi.org/10.1007/s40279-015-0321-z>
- Raschke, S., & Eckel, J. (2013). Adipo-Myokines: Two Sides of the Same Coin—Mediators of Inflammation and Mediators of Exercise. *Mediators of Inflammation*, 2013, 1–16. <https://doi.org/10.1155/2013/320724>
- Reihmane, D., Jurka, A., Tretjakovs, P., & Dela, F. (2013). Increase in IL-6, TNF- $\alpha$ , and MMP-9, but not sICAM-1, concentrations depends on exercise duration. *European Journal of Applied Physiology*, 113(4), 851–858. <https://doi.org/10.1007/s00421-012-2491-9>