

13 REFERENČNÍ SEZNAM

- Anonymous (1999). Leg length discrepancy [Abstrakt]. *Orthseek Message Forum*. Retrieved 08. 04. 2006 from World Wide Web:
<http://www.orthoseek.com/articles/leglength.html>
- Anonymous (2000). True leg length discrepancy [Abstrakt]. *Family Practice Notebook* (p. 4141). Retrieved 08. 04. 2006 from World Wide Web:
<http://www.fpnotebook.com/ORT190.html>
- Anonymous (2001). Limb length discrepancy [Abstrakt]. *Children's & Women's Health Centre of British Columbia*. Retrieved 08. 04. 2006 from World Wide Web:
<http://www.cw.bc.ca/orthopaedics/llength.asp>
- Batchelor, D (2002). Short – leg syndrome in runners. Retrieved 10. 08. 2006 from the World Wide Web:
<http://www.chiroweb.com/archieves/20/18/02.html>
- Beckers, D., & Deckers, J. (1997). *Gangalyse und Gangschulung (Therapeutische Strategien für die Praxis)*. Springer – Verlag Berlin Heidelberg: Germany.
- Bhave, A., Paley, D., & Herzenberg, J. E. (1999). Improvement in gait parameters after lengthening for the treatment of limb – length discrepancy [Abstrakt]. Retrieved 10. 08. 2006 from MEDLINE database on the World Wide Web:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=10225798&query_hl=12&itool=pubmed_docsum
- Blake, R. L., & Ferguson, H. J. (1993). Correlation between limb length discrepancy and asymmetrical rearfoot position [Abstrakt]. Retrieved 16. 08. 2006 from MEDLINE database on the World Wide Web:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=8258774&query_hl=16&itool=pubmed_docsum
- Blake, R. L., & Ferguson, H. J. (1992). Limb length discrepancies [Abstrakt]. Retrieved 16. 08. 2006 from MEDLINE database on the World Wide Web:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=1545368&query_hl=16&itool=pubmed_DocSum

- Bloedel, P. K., & Hauger, B. (1995). The effects of limb length discrepancy on subtalar joint kinematics during running [Abstrakt]. Retrieved 10. 08. 2006 from MEDLINE database on the World Wide Web:
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?CMD=Search&DB=pubmed>
- Boughton, B. (2000). Experts debate long and short of limb – length discrepancy. Retrieved 10. 08. 2006 from the World Wide Web:
http://www.biomech.com/db_area/archives/2000/0003orthoses.53-63.bio-.html
- Brand, R. A., & Yack, H. J. (1996). Effects of leg length discrepancies on the forces at the hip joint [Abstrakt]. Retrieved 16. 08. 2006 from MEDLINE database on the World Wide Web:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=8981893&query_hl=9&itool=pubmed_docsum
- Brunet, M. E., Cook, C. D., Brinker, M. R., & Dickinson, J. A. (1990). A survey of running injuries in 1505 competitive and recreational runners [Abstrakt]. Retrieved 16. 08. 2006 from MEDLINE database on the World Wide Web:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=2266763&query_hl=14&itool=pubmed_docsum
- Clarke, T. E., Frederick, E. C., & Hamill, C. L. (1983). The effects of shoe design parameters on rearfoot control in running [Abstrakt]. Retrieved 10. 08. 2006 from MEDLINE database on the World Wide Web:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=6645865&query_hl=23&itool=pubmed_docsum
- Cummings, G., Scholz, J. P., & Barnes, K. (1993). The effect of imposed leg length difference on pelvic bone symmetry. *Spine*, 18, 368 – 373.
- D'Amico, M. (2003). Scoliosis and leg asymmetries: a reliable approach to assess wedge solutions efficacy [Abstrakt]. Retrieved 16. 08. 2006 from MEDLINE database on the World Wide Web:
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?CMD=search&DB=pubmed>
- Defrin, R., Ben Benvamin, S., Aldubi, R. D., & Pick, C. G. (2005). Conservative correction of leg – length discrepancies of 10 mm or less for the relief of chronic low back pain [Abstrakt]. Retrieved 16. 08. 2006 from MEDLINE database on the World Wide Web:
<http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?CMD=search&DB=pubmed>
- Dvořák, R., Krainová, Z., Janura, M., & Elfmark, M. (2000). Standardizace metodiky klinického vyšetření stoje na dvou vahách. *Rehabilitace a fyzikální lékařství*, 7, 102 – 105.

- Foldyna, K., Mustak., J., & Pitrik, J. (1989). Personal experience with lower extremity lengthening [Abstrakt]. Retrieved 10. 08. 2006 from MEDLINE database on the World Wide Web:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=2620331&query_hl=5&itool=pubmed_docsum
- Friberg, O. (1983). Clinical symptoms and biomechanics of lumbar spine and hip joint in leg length inequality [Abstrakt]. Retrieved 16. 08. 2006 from MEDLINE database on the World Wide Web:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=6228021&query_hl=11&itool=pubmed_DocSum
- Friberg, O., Nurminen, M., Korhonen K., Soininen, E., & Manttari, T. (1988). Accuracy and precision of clinical estimation of leg length inequality and lumbar scoliosis: comparison of clinical a radiological measurements [Abstrakt]. Retrieved 16. 08. 2006 from MEDLINE database on the World Wide Web:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=3403498&query_hl=11&itool=pubmed_docsum
- Gage, J. R. (1991). *Gait Analysis in Cerebral Palsy*. London: MacKeith Press.
- Goel A., Loudoun J., Nazare, A., Rondinelli R., & Hassanein K. (1997). Joint moments in minor limb length discrepancy: a pilot study. *Orthopade*, 26, 852 – 856.
- Gofton, J. P. (1985). Persistent low back pain and leg length disparity [Abstrakt]. Retrieved 16. 08. 2006 from MEDLINE database on the World Wide Web:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=2932553&query_hl=5&itool=pubmed_docsum
- Gross, R. H. (1983). Leg length discrepancy in marathon runners [Abstrakt]. Retrieved 10. 08. 2006 from MEDLINE database on the World Wide Web:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=6869652&query_hl=3&itool=pubmed_docsum
- Guichet, J. M., Spivak, J. M., Trouilloud, P., & Grammont, P. M. (1991). Lower limb – length discrepancy. An epidemiologic study [Abstrakt]. Retrieved 10. 08. 2006 from MEDLINE database on the World Wide Web:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=1934739&query_hl=29&itool=pubmed_docsum
- Gurney, B. (2002). Leg length discrepancy. *Gait and Posture*, 15, 195 – 206.

- Gurney, B., Mermier, C., Robergs, R., Gibson, A., & Rivero, D. (2001). Effects of limb – length discrepancy on gait economy and lower – extremity muscle activity in older adults [Abstrakt]. Retrieved 10. 08. 2006 from MEDLINE database on the World Wide Web:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=11407800&query_hl=2&itool=pubmed_docsum
- Gúth, A. (1998). *Vyšetřovacie a liečebné metodiky pre fyzioterapeutov* (2nd ed). Bratislava:
- Hanada, E., Kirby, R. L., Mitchell, M. & Swuste, J. M., (2001). Measuring leg – length discrepancy by the “iliac crest palpation and book correction” method: reliability and validity. *Archives of Physical Medicine and Rehabilitation*, 7, 938 – 942.
- Harris, I., Hatfield, A., & Walton, J. (2005). Assessing leg length discrepancy after femoral fracture: clinical examination or computed tomography? [Abstrakt]. Retrieved 16. 08. 2006 from MEDLINE database on the World Wide Web:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=15932444&query_hl=52&itool=pubmed_docsum
- Hasler, C. C. (2000). Leg length inequality. Indications for treatment and importance of shortening procedures. *Orthopade*, 29, 766 – 774.
- Hellsing, A. L. (1988). Leg length inequality. A prospective study of young men during their military service [Abstrakt]. Retrieved 16. 08. 2006 from MEDLINE database on the World Wide Web:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=2977001&query_hl=26&itool=pubmed_docsum
- Hoikka, V., Ylikoski, M., & Tallroth, K. (1989). Leg – length inequality has poor correlation with lumbar scoliosis. A radiological study of 100 patients with chronic low – back pain [Abstrakt]. Retrieved 16. 08. 2006 from MEDLINE database on the World Wide Web:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=2525016&query_hl=32&itool=pubmed_DocSum
- Innes, K. (2003). Leg length discrepancy, its causes, and its importance. Retrieved 10. 08. 2006 from the World Wide Web:
<http://www.chiroweb.com/archives/14/21/22.html>

- Janovec, M., & Polach, J. (1990). Analysis of the results of femoral lengthening in 34 children and adolescents [Abstrakt]. Retrieved 16. 08. 2006 from MEDLINE database on the World Wide Web:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=2275306&query_hl=54&itool=pubmed_docsum
- Janura, M., Mayer, M., Dlabolová, I., Elfmark, M., Murcková, P., Salinger, J., & Vaverka, F. (1998). Application of a 3D videography in the analysis of gait – basic information. *Acta Universitatis Palackianae Olomucensis Gymnica*, 28, 25 – 32.
- Jones, K. B., Sponseller, P. D., Hobbs, W., & Pyeritz, R. E. (2002). Leg – length discrepancy and scoliosis in Marfan syndrome [Abstrakt]. Retrieved 10. 08. 2006 from MEDLINE database on the World Wide Web:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=12409912&query_hl=1&itool=pubmed_DocSum
- Karas, V. (1978). *Biomechanika pohybového systému člověka*. Praha: Univerzita Karlova.
- Kaufman, K. R., Miller, L. S., & Sutherland, D. H. (1996). Gait asymmetry in patients with limb - length inequality. *Journal of Pediatric Orthopaedics*, 16, 144 – 150.
- Kendall, F. P., McCreary, E. K., & Provance, P. G. (1993). *Muscle testing and function*. Baltimore (Maryland, USA): Williams & Wilkins.
- Králíček, P. (1995). *Úvod do speciální neurofyziologie*. Praha: Karolinum.
- Lánik, V. (1990). *Kineziologie*. Martin: Osveta.
- Latash, M. L. (1998). *Human kinetics*. The Pennsylvania: State University.
- Leitzes, A. H., Potter, H. G., Amaral, T., Marx, R. G., Lyman, S., & Widmann, R. T. (2005). Reliability and accuracy of MRI scanogram in the evaluation of limb length discrepancy [Abstrakt]. Retrieved 16. 08. 2006 from MEDLINE database on the World Wide Web:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=16294130&query_hl=57&itool=pubmed_docsum
- Levine, D. (2004). How to evaluate for leg length discrepancy. Retrieved 10. 08. 2006 from the World Wide Web:
<http://www.podiatrytoday.com/article/2698>
- Lewit, K. (1996). *Manipulační léčba* (4th ed.). Heidelberg – Leipzig. J. A. Barth Verlag.
- Liu, X. C., Fabry, G., Molenaers, G., Lammens, J., & Moens, P. (1998). Kinematic and kinetic asymmetry in patients with leg-length discrepancy. *Journal of Pediatric Orthopaedics*, 18, 187 – 189.

- Liu, X. C., Thomes, J., Fabry, G., Molenaers, G., Lammens, J., & Moens, P. (1998). Leg length discrepancy defines gait patterns. Retrieved 10. 08. 2006 from the World Wide Web:
http://www.biomech.com/db_area/archives/1998/9812function.47-50.bio-.html
- Mayer, M. (2000). Některé metody a prostředky technické podpory rehabilitace chůze. *Rehabilitace a fyzikální lékařství*, 2, 66 – 73.
- Měkota, K. (1974). *Kapitoly z antropomotoriky – II. Pohybová lateralita*. Tělesná výchova mládeže, XLI, č. 1, str. 193 – 201.
- Měkota, K. (1984). *Syntetická studie o pohybové lateralitě*. Acta Universitatis Palackianae Olomucensis Facultas Paedagogica Gymnica XIV (pp. 93 – 121). Praha: SPN.
- Mielke, C. H., & Stevens, P. M. (1996). Hemiepiphyseal stapling for knee deformities in children younger than 10 years: a preliminary report [Abstrakt]. Retrieved 10. 08. 2006 from MEDLINE database on the World Wide Web:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=8784692&query_hl=6&itool=pubmed_docsum
- Moseley, C. F. (1989). Assessment and prediction in leg – length discrepancy [Abstrakt]. Retrieved 10. 08. 2006 from MEDLINE database on the World Wide Web:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=2703719&query_hl=1&itool=pubmed_docsum
- Murrell, P., Cornwall, M. W., & Doucet, S. K. (1991). Leg – length discrepancy: effect on the amplitude of postural sway [Abstrakt]. Retrieved 16. 08. 2006 from MEDLINE database on the World Wide Web:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=1859258&query_hl=7&itool=pubmed_docsum
- Nadler, S. F., Wu, K. D., Galski, T., & Feinberg, J. H. (1998). Low back pain in college athletes. A prospective study correlating lower extremity overuse or acquired ligamentous laxity with low back pain [Abstrakt]. Retrieved 16. 08. 2006 from MEDLINE database on the World Wide Web:
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=9563115&query_hl=28&itool=pubmed_DocSum

Nagi, O. N., Dhillon, M. S., & Goni, V. (1999). Does the piriformis compress the sciatic nerve during limb length equalization? [Abstrakt]. Retrieved 10. 08. 2006 from MEDLINE database on the World Wide Web:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=10709426&query_hl=14&itool=pubmed_docsum

Nogueira, M. P., Paley, D., Bhave, A., Herbert, A., Nocente, C., & Herzenberg, J. E. (2003). Nerve lesion associated with limb – lengthening [Abstrakt]. Retrieved 10. 08. 2006 from MEDLINE database on the World Wide Web:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=12925630&query_hl=10&itool=pubmed_docsum

Paley, J., Gelman, A., Paley, D., & Herzenberg, J. E. (2005). The prenatal multiplier method for prediction of limb length discrepancy [Abstrakt]. Retrieved 10. 08. 2006 from MEDLINE database on the World Wide Web:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=15966033&query_hl=8&itool=pubmed_docsum

Pfeiffer, J. (1976). *Facilitační metody v léčebné rehabilitaci*. Praha: Avicem.

Rose, J., & Gamble, J. G. (Eds.). (1994). *Human Walking* (2nd ed.). Baltimore: Williams & Wilkins.

Rossvoll, T., Junks, S., & Terjesen, T. (1992). The effect on low back pain of shortening osteotomy for leg length inequality [Abstrakt]. Retrieved 16. 08. 2006 from MEDLINE database on the World Wide Web:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=1473895&query_hl=22&itool=pubmed_DocSum

Ruther, W., Munzenberg, K. J., & de Mello, G. A. (1987). Idiopathic leg length inequality in childhood and its prognosis [Abstrakt]. Retrieved 16. 08. 2006 from MEDLINE database on the World Wide Web:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=3586558&query_hl=61&itool=pubmed_docsum

Schuit, D., Adrian, M., & Pidcoe, P. (1989). Effect of heel lifts on ground reaction force patterns in subject with structural leg – length discrepancies [Abstrakt]. Retrieved 16. 08. 2006 from MEDLINE database on the World Wide Web:

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=2748721&query_hl=45&itool=pubmed_docsum