

10 REFERENČNÍ SEZNAM


- Ambrosius, W. T., Compton, J. A., Bowsher, R. R., & Pratt, J. H. (1998). Relation of race, age, and sex hormone differences to serum leptin concentrations in children and adolescents. *Hormone Research, 49* (5), 240-246.
- Arner, P. (1999). Catecholamine-induced lipolysis in obesity. *International Journal of Obesity, 23*, 10-13.
- Arner, P., Kriegholm, E., Engfeldt, P., & Bolinder, J. (1990). Adrenergic regulation of lipolysis in situ at rest and during exercise. *Journal of Clinical Investigation, 85*, 893-898.
- Arvaniti, K., Deshaies, Y., & Richard, D. (1998). Effect of leptin on energy balance does not require the presence of intact adrenals. *Regulatory Integrative and Comparative Physiology, 44*, R105-R111.
- Astrup, A. (1996). Obesity and metabolic efficiency. *Ciba Found Symposium, 201*, 159-168.
- Banks, W. A., Kastin, A. J., Huang, W., Jaspan, J. B., & Maness, L. M. (1996). Leptin enters the brain by a saturable system independent of insulin. *Peptides, 17* (2), 305-311.
- Banks, W. A., McLay, R. N., Kastin A. J., Sarmiento, U., & Scully, S. (1999). Passage of leptin across the blood-testis barrier. *American Journal of Physiology, 276* (6), E1099-E1104.
- Barbe, P., Štich, V., Galitzky, J., Kunešová, M., Hainer, V., Lafontan, M., & Berlan, M. (1997). In vivo increase in β -adrenergic lipolytic response in subcutaneous adipose tissue of obese subjects submitted to a hypercaloric diet. *Journal of Clinical Endocrinology and Metabolism, 82*, 63-69.
- Barinaga, M. (1996). Obesity: Leptin receptor weighs in. *Science, 271*, 29.
- Basdevandt, A., LeBarzic, M., & Guy-Grand, B. (1996). *Obesity and the obese*. Paris: PIL-Servier.
- Baumgartner, R. N., Waters, D. L., Morley, J. E., Patrick, P. Montoya, G. D., & Garry, P. J. (1999). Age-related changes in sex hormones

- affect the sex difference in serum leptin independently of changes in body fat. *Metabolism*, 48 (3), 378-384.
- Beaumont, W., Greenleaf, J. E., & Juhas, L. (1972). Disproportional changes in hematocrit, plasma volume, and proteins during exercise and bed rest. *Journal of Applied Physiology*, 33, 55-61.
- Berman, D. M., Rogus, E. M., Busby-Whitehead, M. J., Katzel, L. I., & Goldberg, A. P. (1999). Predictors of adipose tissue lipoprotein lipase in middle-aged and older men: relationship to leptin and obesity, but not cardiovascular fitness. *Metabolism*, 48 (2), 183-189.
- Bramlett, S. B., Zhou, J., Harris, R. B., Hendry, S. L., Witt, T. L., & Zachwieja, J. J. (1999). Does beta(3)-adrenoreceptor blockade attenuate acute exercise-induced reductions in leptin mRNA? *Journal of Applied Physiology*, 87 (5), 1678-1683.
- Bray, G. A. (1987). Obesity- A disease of nutrient or energy balance? *Nutrition Review*, 45, 33-43.
- Bray, G. A. (1991) Obesity, a disorder of nutrient partitioning: the MONA LISA hypothesis. *Journal of Nutrition*, 121, 1146-1162.
- Campbell, F. M., Gordon, M. J., Hoggard, N., & Dutta-Roy, A. K. (1998). Interaction of Free Fatty Acids with Human Leptin. *Biochemical and Biophysical Research Communication*, 247, 654-658.
- Campfield, L. A., Smith, F. J., Guisez, Y., Devos, R., & Burn, P. (1995) Recombinant mouse Ob protein: evidence for periferal signal linking adiposity and central neural networks. *Science*, 269, 546-549.
- Caro, J.F., Kolaczynski, J. W., Nyce, M. R., Ohannesian, J. P., Opentanova, I., Goldman, W. H., Lynn, R. B., Zhang, P. L., Sinha, M. K., & Considine, R. V. (1996). Decreased cerebrospinal-fluid/serum leptin ratio in obesity: a possible mechanism for leptin resistance. *Lancet*, 348, 159-161.
- Castracane, V. D., Craemer, R. R., Franken, M. A., Kraemer, G. R., & Gimpel, T. (1998). Serum leptin concentration in women: effect of age, obesity, and estrogen administration. *Fertility and Sterility*, 70 (3), 472-477.

- Cioffi, J. A., Shafer, A. W., Zupancic, T. J., Smith-Gbur, J., Mikhail, A., Platika, D., & Snodgrass, H. R. (1996). Novel B219/OB receptor isoforms possible role of leptin in hematopoiesis and reproduction. *Nature Medicine*, 2 (5), 585-589.
- Considine V. R., Nyce, M. R., Morales, L. M., Magosin, S. A., Sinha, M. K., Bauer, T. L., Rosato, E. L., Colberg, J., & Caro, J. F., (1996a). Paracrine stimulation of preadipocyte-enriched cell cultures by mature adipocytes. *Diabetologia*, 270 (5), E895-E899
- Considine, R. V., Considine, E. L., Williams, Ch. J., Hyde, T., & Caro, J. F. (1996b). The hypothalamic leptin receptor in humans. Identification of incidental sequence polymorphism and absence of the db/db mouse and fa/fa rat mutations. *Diabetes*, 19, 992-994.
- Considine, R. V., Sinha, M. K., Heiman, M. L., Kriauciunas, A., Stephens, T. W., Nyce, M. R., Ohannesian J. P., Marco C. C., McKee, L. J., & Bauer, T. L. (1996c). Serum immunoreactive leptin concentration in normal-weight and obese humans. *The New England Journal of Medicine*, 334, 292-295.
- Cooling, J., Barth, J., & Blundell, J. (1998). The high-fat phenotype: is leptin involved in the adaptive response to a high fat (high energy) diet? *International Journal of Obesity and Related Metabolic Disorders*, 22 (11), 1132-1135.
- Coutant, R., Lahlou, N., Bouvattier, C., & Bougnères, P. (1998). Circulating leptin level and growth hormone response to stimulation tests in obese and normal children. *European Journal of Endocrinology*, 139, 591-597.
- Cumin, F., Baum, H. P., Levens, N. (1996). Leptin is cleared from the circulation primarily by the kidney. *International Journal of Obesity and Related Metabolic Disorders*, 20, 1120-1126.
- Čepický, P. (1999). Hypofýzo-ovariální osa u obézních žen. *Praktický lékař*, 79 (1), 15-17.
- De Glisezinski, I., Crampes, F., Harant, I., Berlin, M., Hejnová, J., Langin, D., Riviere, D., & Štich, V. (1998). Endurance training

- changes in lipolytic responsiveness of obese adipose tissue. *American Journal of Physiology – Endocrinology and Metabolism*, 38 (6), E951-E956.
- De Silva, A., De Courten, M., Zimmet, P., Nicholson, G., Kotowitz, M., Pasco, J., & Collier, G. R. (1998). Lifestyle factors fail to explain the variation in plasma leptin concentrations in women. *Nutrition*, 14 (9), 653-657.
- Dirlewanger, M., Di Vetta, V., Giusti, V., Schneiter, P., Jéquier, E., & Tappy, L. (1999). Effect of moderate physical activity on plasma leptin concentration in humans. *European Journal of Applied Physiology*, 79 (4), 331-5.
- Donahue, R. P., Zimmet, P., Bean, J. A., Decourten, M., Donahue, R. A., Collier, G., Goldberg, R. B., Prineas, R. J., Skyler, J., & Schneiderman, N. (1999). Cigarette smoking, alcohol use, and physical activity in relation to serum leptin levels in a multiethnic population: The Miami Community Health Study. *Annals of Epidemiology*, 9 (2), 101-113.
- Drbalová, K., Nedvídková, J., & Stárka, L. (1998). Leptin. *Diabetologie Metabolismus Endocrinologie Výživa*, 1(2), 55-62.
- Duclos, M., Corcuff, J. B., Ruffie, A., Roger, P., & Manier, G. (1999). Rapid leptin decrease in immediate post exercise recovery. *Clinical Endocrinology*, 50 (3), 337-342.
- Eckel, L.A, Langhans, W., Kahler, A., Campfield, L. A., Smith, F. J., & Geary, N. (1998). Chronic administration of OB protein decreases food by selectively reducing meal size in female rats. *American Journal of Physiology*, 275, R186-R193.
- Echwald, S. M., Clausen, J. O., Hansen, T., Urhammer, S. A., Hansen, L., Dinensen, B., Borc-Johnsen, K., & Pedersen, O. (1999). Analysis of the relationship between fasting serum leptin levels and estimates of beta-cell function and insulin sensitivity in population sample of 380 healthy young Caucasians. *European Journal of Endocrinology*, 140 (2), 180-185.

- Erickson, J. C., Ahima, R. S., Hollopeter, G., Flier, J. S., & Palmiter, R. D. (1997). Endocrine function of neuropeptide Y knockout mice. *Regulatory Peptides*, 70, 199-202.
- Fehmann, H. C., Peiser, C., Bode, H. P., Stamm, M., Staats, P., Hedetoft, C., Lang, R. E., & Göke, B. (1997). Leptin a potent inhibitor of insulin secretion. *Peptides*, 8, 1267-1273.
- Folson, A. R., Jensen, M. D., Jacobs, D. R. Jr., Hilner, J. E., Tsai, A. W., & Schreiner, P. J. (1999). Serum leptin and weight gain over 8 years in African American and Caucasian young adults. *Obesity Research*, 7 (1), 1-8.
- Ganong, W. F. (1995). *Přehled lékařské fyziologie*. Jinočany: Nakladatelství a vydavatelství H&H.
- Golden, P. L., Maccagnan, T. J., Pardridge, W. M. (1997). Human blood-brain barrier leptin receptor. Binding and endocytosis in isolated human brain microvessels. *Journal of Clinical Investigation*, 99, 14-18.
- Grassi, G., Seravalle, G., Colombo, M., Bolla, G., Cataneo, B. M., Cavagnini, F., & Mancina, G. (1998). Body weight reduction, sympathetic nerve traffic, and arterial baroreflex in obese normotensive humans. *Circulation*, 97 (20), 2037-2042.
- Haffner, S. M., Mykkänen, L. A., Gonzalez, C. C., & Stern, M. P. (1998). Leptin concentrations do not predict weight gain: The Mexico City Diabetes Study. *International Journal of Obesity*, 22, 695-699.
- Hainer & Kunešová (1998). Doporučený standartní postup při léčbě obezity v dospělosti. *Diabetologie Metabolismus Endocrinologie Výživa*, 4, 191-196.
- Hainer, V., Kunešová, M., Janco, A., & Svačina, Š. (1997). *Obezita*. Praha: Galén.
- Haluzík, M., Boudová, I., Nedvídková, J., Haluzíková, D., Novotný, V., Baráčková, M., Brandejský, P., & Vilikus, Z. (1998). Sérové koncentrace leptinu u hráčů rugby, korelace s antropometrickými a biochemickými parametry. *Medicina Sportiva Bohemica & Slovaca*, 7



- (2), 44-47.
- Havel, P. J., Townsend, R., Chaup, L., & Teff, K. (1999). High-fat meals reduce 24-h circulating leptin concentration in women. *Diabetes*, 48, 334-341.
- Heini, A. F., Lara-Castro, C., Kirk, K. A., Considine, R. V., Caro, J. F., & Weinsier, R. L. (1998). Association of leptin and hunger-satiety ratings in obese women. *International Journal of Obesity*, 22, 1084-1087.
- Hellström, L., Blaak, E., & Hagström-Toft, E. (1996). Gender differences in adrenergic regulation of lipid mobilization during exercise. *International Journal of Sports Medicine*, 17 (6), 439-447.
- Hickey, M. S., Houmard, J. A., Considine, R. V., Tyndall, G. L., Midgette, J. B., Gavigan, K. E., Weidner, M. L., Mc Cammon, M. R., Israel, R. G., & Caro, J. F. (1997). Gender-dependent effects of exercise training on serum leptin levels in humans. *American Journal of Physiology*, 272(4), E562-566.
- Hickey, M. S., Considine, R. V., Israel, R. G., Mahar, T. T., McCammon, M.R., & Tyndall, G. L. (1996). Leptin is related to body fat content in male distance runners. *American Journal of Physiology*, 271 (5), 938-940.
- Hickey, M. S., Gardiner, S. N., Thomson, D. P., & Barakat, H. A. (1998). Gender differences in plasma leptin concentration are not influenced by menopause or hormone replacement therapy. *Medical Science Research*, 26, 271-273.
- Hirose, H., Saito, I., Kaway, T., Nakamura, K., Maruyama, H., & Saruta, T. (1998). *Clinical Science*, 94 (6), 633-636.
- Hirsch, J., Leibel, R. L., Mackintosh, R., & Aguirre, A. (1991). Heart rate variability as a measure of autonomic function during weight change in humans. *American Journal of Physiology*, 261, R1418-1423.
- Hlúbik, P. (1994). *Úvod do problematiky obezity*. Hradec Králové: Vojenská lékařská akademie J. E. Purkyně.