

10 REFERENČNÍ SEZNAM

- Adler, S. S., Beckers, D., & Buck, M. (1993). *PNF in Practice*. Berlin: Springer.
- Ahern, D. K., Follick, M. J., Council, J. R., & Laser-Wolston, N. (1986). Reliability of lumbar paravertebral EMG assessment in chronic low back pain. *Archive of Physical Medicine and Rehabilitation*, 67(10), 762-765.
- Aláčová, P. (2001). *Analýza vstávání ze sedu při posturálně různě náročných situacích*. Diplomová práce, Univerzita Palackého, Fakulta tělesné kultury, Olomouc.
- Alkner, B. A., Tesch, P. A., & Berg, H. E. (2000). Quadriceps EMG/force relationship in knee extension and leg press. *Medicine and Science in Sports and Exercise*, 32(2), 459-463.
- Ambler, Z. (1994). *Neurologie pro posluchače všeobecného lékařství*. Praha: Karolinum.
- Anders, Ch., Kankaanpää, M., Scholle, H.-Ch., Hänninen, O., & Airaksinen, O. (1999). Trunk muscle co-ordination and fatigability studied by surface EMG. In P. M. Rossini & G. G. Celesia (Eds.), *Abstracts of the XI. International Congress of EMG and Clinical Neurophysiology, Praha* (p. 68). Amsterdam: Elsevier.
- Antich, T. J., & Brewster, C. E. (1986). Modification of quadriceps femoris muscle exercises during knee rehabilitation. *Physical Therapy*, 66(8), 1246-1251.
- Arokoski, J. P., Kankaanpää, M., Valta, T., Juvonen, I., Partanen, J., Taimela, S., Lindgren, K. A., & Airaksinen, O. (1999). Back and hip extensor muscle function during therapeutic exercises. *Archive of Physical Medicine and Rehabilitation*, 80(7), 842-850.
- Baratta, R. V., Solomonow, M., Zhou, B.-H., & Zhu, M. (1998). Methods to reduce the variability of EMG power spectrum estimates. *Journal of Electromyography and Kinesiology*, 8(5), 279-285.
- Basmajian, J. V. (1979). *Biofeedback – Principles and practice for clinicians*. Baltimore, MD: Williams & Wilkins.
- Basmajian, J. V., & De Luca, C. J. (1985). *Muscle alive: their function revealed by electromyography*. Baltimore, MD: Williams & Wilkins.
- Basmajian, J. V., & Wolf, S. L. (1991). *Therapeutic exercise*. Baltimore, MD: Williams & Wilkins.
- Bednařík, J., Gaillyová, R., Kadaňka, Z., Lukáš, Z., Mechl, M., Vohánka, S., & Vytopil, M. (2001). *Nemoci kosterního svalstva*. Praha: Triton.

- Berg, H. E., & Tesch, P. A. (1996). Changes in muscle function in response to 10 days of lower limb unloading in humans. *Acta Physiologica Scandinavica*, 157(1), 63-70.
- Bernardi, M., Solomonow, M., Sanchez, J. H., Baratta, R. V., & Nguyen, G. (1995). Motor unit recruitment strategy of knee antagonist muscles in a step-wise, increasing isometric contraction. *European Journal of Applied Physiology and Occupational Physiology*, 70(6), 493-501.
- Bigland-Ritchie, B., Bellemare, F., & Woods, J. J. (1989). Frekvence vzrušení a místa únavy. In M. Ejem (Ed.), *Výkon lidského svalu* (pp. 207-231). Praha: Olympia.
- Bigland-Ritchie, B., Cafarelli, E., & Vøllestad, N. K. (1986). Fatigue of submaximal static contractions. *Acta Physiologica Scandinavica*, 556, 137-148.
- Bigland-Ritchie, B., Furbush, F., & Woods, J. J. (1986). Fatigue of intermittent submaximal voluntary contractions: central and peripheral factors. *Journal of Applied Physiology*, 61(2), 421-429.
- Bilodeau, M., Cincera, M., Gervais, S., Arsenault, A. B., Gravel, D., Lepage, Y., & McKinley, P. (1995). Changes in the electromyographic spectrum power distribution caused by a progressive increase in the force level. *European Journal of Applied Physiology and Occupational Physiology*, 71(2-3), 113-123.
- Blahuš, P. (1996). *K systémovému pojetí statistických metod v metodologii empirického výzkumu chování*. Praha: Karolinum.
- Blahuš, P. (2000). *Statistická versus věcná významnost výzkumných dat a velikost experimentálního účinku*. Příspěvek na mezinárodní vědecké konferenci „Physical Education and Sport 2000, Liberec, Euroregion NISA”, Liberec.
- Bolhuis, B. M., Gielen, C. C., & Van Ingen Schenau, G. J. (1998). Activation patterns of mono- and bi-articular arm muscles as a function of force and movement direction of the wrist in humans. *Journal Physiology*, 508(1), 313-324.
- Bottinelli, R., & Reggiani, C. (2000). Human skeletal muscle fibres: molecular and functional diversity [Review]. *Progress in Biophysics and Molecular Biology*, 73(2-4), 195-262.
- Burke, R. E. (1989). Řízení svalové účinnosti: Nábor motorické jednotky a podnětové modely. In M. Ejem (Ed.), *Výkon lidského svalu* (pp. 101-115). Praha: Olympia.
- Carolan, B., & Cafarelli, E. (1992). Adaptations in coactivation after isometric resistance training. *Journal of Applied Physiology*, 73(9), 11-17.
- Castro, F. S., Scheeren, E. M., Pressi, A. M., Candotti, C. T., Loss, J. F., Vaz, M. A., & Guimaraes, A. C. (2001). Comparative study of the EMG signal of human vastus lateralis and soleus muscles during fatigue and recovering. In R. Müller, H. Gerber & A.

- Stacoff (Eds.), *Book of abstracts, XVIIIth Congress of the International Society of Biomechanics, ETH Zürich, Switzerland* (p. 132-133). Münchenstein: Interrepro.
- Cibulčík, F., & Šóth, J. (1998). *Základná príručka elektromyografických techník – EMG atlas*. Martin: Osveta.
- Clarys, J. P. (2000). Electromyography in sports and occupational settings: an update of its limits and possibilities. *Ergonomics*, 43(10), 1750-1762.
- Conwit, R. A., Stashuk, D., Tracy, B., Mc Hugh, M., Brown, W. F., & Metter E. J. (1999). The relationship of motor unit size, firing rate and force. *Clinical Neurophysiology*, 110(7), 1270-1275.
- Cornwall, M. W., Krock, L. P., & Wagner L. M. (1994). Muscular fatigue and recovery following alternating isometric contractions at different levels of force. *Aviat, Space, and Environmental Medicine*, 65(4), 309-314.
- Croce, R. V., Miller, J. P., & St Pierre, P. (2000). Effect of ankle position fixation on peak torque and electromyographic activity of the knee flexors and extensors. *Electromyography and Clinical Neurophysiology*, 40(6), 365-373.
- Čech, O., Sosna, A., & Bartoniček, J. (1986). *Poranění vazivového aparátu kolenního kloubu*. Praha: Avicenum.
- Daanen, H. A. M., Mazure, M., Holewijn, M., & Van der Velde, E. A. (1990). Reproducibility of the mean power frequency of the surface electromyogram. *European Journal of Applied Physiology and Occupational Physiology*, 61(3-4), 274-277.
- Dainty, D. A. (1987). *Standardizing Biomechanical Testing in Sport*. Champaign, IL: Human Kinetics.
- Deeb, J. M., Drury, C. G., & Pendergast, D. R. (1992). An exponential model of isometric muscular fatigue as a function of age and muscle groups. *Ergonomics*, 35(7-8), 899-918.
- De Luca, C. J. (1993). *The use of surface electromyography in biomechanics*. The International Society for Biomechanics. Retrieved 14.10.1998 from the World Wide Web: <http://www.delsys.com/library/tutorials.htm>
- De Luca, C. J. (1997). The Surface Electromyography in Biomechanics. *Journal of Applied Biomechanics*, 13, 135 –163.
- Delsys (1996). *Surface electromyography: detection and recording*. Retrieved 1.9.1999 from the World Wide Web: <http://www.delsys.com/library/papers/SEMGintro.pdf>
- Delsys (2000). *Signal acquisition and analysis software*. Retrieved 15.8.2001 from the World Wide Web: <http://delsys.com/library/manuals/emgworks1.pdf>

- Deschenes, M. R., Brewer, R. E., Bush, J. A., McCoy, R. W., Volek, J. S., & Kraemer, W. J. (2000). Neuromuscular disturbance outlasts other symptoms of exercise-induced muscle damage. *Journal of the Neurological Sciences*, 174(2), 92-99.
- Dietz, V. (1994). Der Aussagewert der Elektromyographie bei der spastischen Bewegungstörung. In *EMG Meeting 94 - Beilage*. Berlin: Noraxon.
- Ditmar, R. (1992). *Instability kolenního kloubu*. Olomouc: Univerzita Palackého.
- Draganich, L. F., Jaeger, R. J., & Kralj, A. R. (1989). Coactivation of the hamstrings and quadriceps during extension of the knee. *Journal of Bone and Joint Surgery. American Volume*, 71(7), 1075-1081.
- Dufek, J. (1995). *Elektromyografie*. Brno: Institut pro další vzdělávání pracovníků ve zdravotnictví.
- Dvořák, R., Krainová, Z., Janura, M., & Elfmark, M. (2000). Standardizace metodiky klinického vyšetření stoje na dvou vahách. *Rehabilitace a fyzikální lékařství*, 7(3), 102-105.
- Ebenbichler, G., Kollmitzer, J., Quittan, M., Uhl, F., Kirtley, Ch., & Fialka, V. (1998). EMG fatigue patterns accompanying isometric fatiguing knee-extensions are different on mono- and bi-articular muscles. *Electroencephalography and Clinical Neurophysiology/Electromyography and Motor Control*, 109(3), 256-262.
- Ebersole, K. T., Housh, T. J., Johnson, G. O., Evetovich, T. K., Smith, D. B., & Perry, S. R. (1999). MMG and EMG responses of the superficial quadriceps femoris muscles. *Journal of Electromyography and Kinesiology*, 9(3), 219-227.
- Edelmann-Nusser, J., Witte, K., & Schack, B. (2001). Time-variant spectral analysis of surface EMG signals – exemplarily shown for archery. In J. R. Blackwell (Ed.), *Proceedings of Oral Sessions, XIX. International Symposium on Biomechanics in Sports, 2001* (pp. 166-169). San Francisco: University of San Francisco.
- Edgerton, V. R., Roy, R. R., Gregor, R. J., & Rugg, S. (1989). Morfologický základ kosterního svalu – silový výkon. In M. Ejem (Ed.), *Výkon lidského svalu* (pp. 41-66). Praha: Olympia.
- Enoka, R. (1994). *Neuromechanical basis of kinesiology*. Champaign, IL: Human Kinetics.
- Finucane, S. D., Rafeei, T., Kues, J., Lamb, R. L., & Mayhew, R. P. (1998). Reproducibility of electromyographic recordings of submaximal concentric and eccentric muscle contractions in humans. *Electroencephalography and Clinical Neurophysiology/Electromyography and Motor Control*, 109(4), 290-296.
- Ganong, W. F. (1995). *Přehled lékařské fyziologie*. Jinočany: H&H.

- Georgakis, A., Giakas, G., & Stergioulas, L. K. (2001). Instantaneous frequency analysis of EMG signals during isometric exercise of the paraspinal muscles. In R. Müller, H. Gerber & A. Stacoff (Eds.), *Book of abstracts, XVIIIth Congress of the International Society of Biomechanics, ETH Zürich, Switzerland* (p. 39). Münchenstein: Interrepro.
- Gerdle, B., Henriksson-Larsen, K., Lorentzon, R., & Wretling, M.-L. (1991). Dependence of the mean power frequency of the electromyogram on muscle force and fibre type. *Acta Physiologica Scandinavica*, 142, 457-65.
- Gerdle, B., & Karlsson, S. (1994). The mean frequency of the EMG of the knee extensors is torque dependent both in the unfatigued and the fatigued states. *Clinical Physiology*, 14, 457-465.
- Gerdle, B., Karlsson, S., Crenshaw, A. G., & Friden, J. (1997). The relationships between EMG and muscle morphology throughout sustained static knee extension at two submaximal force levels. *Acta Physiologica Scandinavica*, 160, 341-351.
- Gollnick, P. D., & Bayly, W. M. (1989). Biomechanické přizpůsobení tréninku a maximální síla. In M. Ejem (Ed.), *Výkon lidského svalu* (pp. 279-290). Praha: Olympia.
- Goulart, F. R. P., & Valls-Solé, J. (1999). Patterned electromyographic activity in the sit-to-stand movement. *Clinical Neurophysiology*, 110(9), 1634-1640.
- Grabiner, M. D. (1994). Maximum rate of force development is increased by antagonist conditioning contraction. *Journal of Applied Physiology*, 77(2), 807-811.
- Granata, K. P., Wilson, S. E., & Padua, D. A. (2002). Gender differences in active musculoskeletal stiffness. Part I. Quantification in controlled measurements of knee joint dynamics. *Journal of Electromyography Kinesiology*, 12(2), 119-126.
- Green, H. J. (1989). Svalová síla, typy vláken, nábor, metabolismus a únava. In M. Ejem (Ed.), *Výkon lidského svalu* (pp. 67-83). Praha: Olympia.
- Grimby, L. (1989). Vývoj jedné motorické jednotky během volní aktivity a lokomoce. In M. Ejem (Ed.), *Výkon lidského svalu* (pp. 116-136). Praha: Olympia.
- Gross, M. M., Stevenson, P. J., Charette, S. L., Pyka, G., & Marcus, R. (1998). Effect of muscle strength and movement speed on the biomechanics of rising from a chair in healthy elderly and young women. *Gait and Posture*, 8, 175-185.
- Gúth, A. (1998). *Vyšetřovací a léčebné metodiky pre fyzioterapeutov*. Bratislava: Liečreh.
- Hagberg, C., & Hagberg, M. (1988). Surface EMG amplitude and frequency dependence on exerted force for the upper trapezius muscle: a comparison between right and left sides. *European Journal of Applied Physiology and Occupational Physiology*, 58(6), 641-645.

- Hagg, G. M. (1992). Interpretation of EMG spectral alterations and alteration indexes at sustained contraction. *Journal of Applied Physiology*, 73(4), 1211-1217.
- Hájek, J. (2001). *Antropomotorika*. Praha: Univerzita Karlova.
- Hashimoto, T. (1999). A multi-channel surface EMG study of involuntary muscle contractions. In P. M. Rossini & G. G. Celesia (Eds.), *Abstracts of the XI. International Congress of EMG and Clinical Neurophysiology, Praha* (p. 68). Amsterdam: Elsevier.
- Hiranaka, T., & Takeuchi, K. (1995). Electromyographic findings in muscles around the osteoarthritic knee: integrated electromyography and frequency analysis. *Nippon Seikeigeka Gakkai Zasshi*, 69(9), 675-684.
- Hodges, P. W., & Richardson, C. A. (1993). The influence of isometric hip adduction on quadriceps femoris activity. *Scandinavian Journal of Rehabilitation Medicine*, 25(2), 57-62.
- Chen, J.-J. J., Sun, T.-Y., & Lin, T.-S. (1999). Quantification of motor units firing patterns in pathological subjects using multielectrode surface EMG. In P. M. Rossini & G. G. Celesia (Eds.), *Abstracts of the XI. International Congress of EMG and Clinical Neurophysiology, Praha* (p. 251). Amsterdam: Elsevier.
- Cheng, C. K., Hsiung, H. S., & Lai, J. S. (1994). The use of surface EMG in knee extensor moment prediction. *Proceedings of National Science Council, Republic of China*, 18(4), 179-186.
- Isear, J. A., Erickson, J. C., & Worrell, T. W. (1997). EMG analysis of lower extremity muscle recruitment patterns during an unloaded squat. *Medicine and Science in Sports and Exercise*, 29(4), 532-539.
- Jakobi, J. M., & Cafarelli, E. (1998). Neuromuscular drive and force production are not altered during bilateral contractions. *Journal of Applied Physiology*, 84(1), 200-206.
- James, C., Sacco, P., Hurley, M. V., & Jones, D. A. (1994). An evaluation of different protocols for measuring the force-velocity relationship of the human quadriceps muscles. *European Journal of Applied Physiology and Occupational Physiology*, 68(1), 41-47.
- Janda, V. (1982). *Základy funkčních (neparetických) poruch hybného systému*. Brno: Institut pro další vzdělávání pracovníků ve zdravotnictví.
- Janda, V. (1996). *Funkční svalový test*. Praha: Grada.
- Janda, V., & Pavlů, D. (1993). *Goniometrie [učební text]*. Brno: Institut pro další vzdělávání pracovníků ve zdravotnictví.

- Jensen, B. R., Jürgensen, K., Hargens, A. R., Nielsen, P. K., & Nicolaisen, T. (1999). Physiological response to submaximal isometric contractions of the paravertebral muscles. *Spine*, 24(22), 2332-2338.
- Jöllenbeck, T. (2001). Low reliability of median and mean power frequency analysing muscle function. In R. Müller, H. Gerber & A. Stacoff (Eds.), *Book of abstracts, XVIIIth Congress of the International Society of Biomechanics, ETH Zürich, Switzerland* (p. 128). Münchenstein: Interrepro.
- Kadaňka, Z., Bednařík, J., & Vohánka S. (1994). *Praktická elektromyografie*. Brno: Institut pro další vzdělávání pracovníků ve zdravotnictví.
- Kapandji, I. A. (1987). *The physiology of the joints – volume two – lower limb* (5th ed.). New York: Churchill Livingstone.
- Karas, V., & Otáhal, S. (1972). *Úvod do biomechaniky svalové činnosti při tělesném pohybu člověka*. Praha: Státní pedagogické nakladatelství.
- Karas, V., Otáhal, S., & Sušanka, P. (1990). *Biomechanika tělesných cvičení*. Praha: Státní pedagogické nakladatelství.
- Karlsson, S., & Gerdle, B. (2001). Mean frequency and signal amplitude of the surface EMG of the quadriceps muscles increase with increasing torque – a study using the continuous wavelet transform. *Journal of Electromyography and Kinesiology*, 11(2), 131-140.
- Karst, G. M., & Jewett, P. D. (1993). Electromyographic analysis of exercises proposed for differential activation of medial and lateral quadriceps femoris muscle components. *Physical Therapy*, 73(5), 295-299.
- Keller, O. (1999). *Obecná elektromyografie*. Praha: Triton.
- Kelley, D. L., Dainis, A., & Wood, G. K. (1976). Mechanics and muscular dynamics of rising from a seated position. In P. V. Komi (Ed.), *Biomechanics* (pp. 127-134). Baltimore, MD: University Park Press.
- Kellis, E., & Kellis, S. (2001). Knee extensor and flexor moment of force and EMG following a reciprocal isokinetic fatigue test in pubertal boys. In R. Müller, H. Gerber & A. Stacoff (Eds.), *Book of abstracts, XVIIIth Congress of the International Society of Biomechanics, ETH Zürich, Switzerland* (p. 132). Münchenstein: Interrepro.
- Kellis, E., & Unnithan, V. B. (1999). Co-activation of vastus lateralis and biceps femoris muscles in pubertal children and adults. *European Journal of Applied Physiology*, 79(6), 504-511.