

13 REFERENČNÍ SEZNAM

- Aarnio, M., Winter, T., Peltonen, J., Kujala, U. M., & Kaprio, J. (2002). Stability of leisure-time physical activity during adolescence – a longitudinal study among 16-, 17- and 18-year-old Finish study. *Scandinavian Journal of Medicine and Science in Sport*, 12, 179-185.
- Abusabha, R., & Woelfel, M. L. (2003). Qualitative vs. quantitative methods: Two opposites that make a perfect match. *Journal of The American Dietetic Association*, 103(5), 566-569.
- Ainsworth, B. E., Montoye, H. J., & Leon, A. S. (1994). Methods of assessing physical activity during leisure and work. In C. Bouchard, R. J. Shephard, & T. Stephens (Eds.), *Physical activity, fitness, and health: International proceedings and consensus statement* (pp. 146-159). Champaign, IL: Human Kinetics.
- Allensworth, D. (1996). Cardiovascular objectives for youth in Healthy people 2000: Update on the status of risk factors. *Journal of Health Education*, 27(5), Supplement, 17-23.
- Allor, K. M., & Pivarnik, J. M. (2001). Stability and convergent validity of three physical activity assessments. *Medicine and Science in Sports and Exercise*, 33(4), 671-676.
- American Academy of Child and Adolescent Psychology. (1997). *ADOL, Normal adolescent development*. Retrieved 5. 6. 2002 from the World Wide Web: <http://education.indiana.edu/cas/adol/development.html>
- American Psychological Association. (2002). *Publication manual of the American Psychological Association* (5th ed.). Washington, DC: Author.
- Barker, C., Pistrang, N., & Elliott, R. (1994). *Research methods in clinical and counselling psychology*. Chichester: John Wiley & Sons.
- Barnekow–Bergkvist, M., Hedberg, G., Janlert, U., & Jansson, E. (1996). Physical activity patterns in men and women at the ages of 16 and 34 and development of physical activity from adolescence to adulthood. *Scandinavian Journal of Medicine and Science in Sports*, 6, 359-370.
- Barnett, T. A., O'Loughlin, J., & Paradis, G. (2002). One and two year predictors of decline physical activity among inner – city schoolchildren. *American Journal of Preventive Medicine*, 23(2), 121-128.
- Bassett, D. R., Ainsworth, B. E., Swartz, A. M., Strah, S. J., O'Brien, W. L., & King, G. A. (2000). Validity of four motion sensors in measuring moderate intensity physical activity. *Medicine and Science in Sports and Exercise*, 32(9), Supplement, 471-480.

- Baumann, A. E., Sallis, J. F., Dzewaltowski, D. A., & Owen, N. (2002). Toward a better understanding of the influences on physical activity: The role of determinants, correlates, causal variables, mediators, moderators, and confounders. *American Journal of Preventive Medicine, 23*(2), Supplement, 5-14.
- Becker, L. A. (1999). Effect size (ES) [On-line]. Retrieved 9. 9. 2003 from the World Wide Web: <http://www.uccs.edu/~lbecker/psy590/es.htm>
- Behrens, T. K., & Dinger, M. K. (2003). A preliminary investigation of college students' physical activity patterns. *American Journal of Health Studies, 18*(2/3), 169-172.
- Biddle, S., Sallis, J. F., & Cavill, N. A. (Eds.). (1998). *Young and active? Young people and health enhancing physical activity: Evidence and implications*. London: Health education authority.
- Blahuš, P. (1996). *K systémovému pojetí statistických metod v metodologii empirického výzkumu chování*. Praha: Karolinum.
- Blahuš, P. (1997). K úloze tzv. kvantitativních metod v kinantropologii. *Česká kinantropologie, 1*(1), 7-17.
- Blahuš, P. (2000). Statistická významnost proti vědecké průkaznosti výsledků výzkumu. *Česká kinantropologie, 4*(2), 53-71.
- Blecha, J. (1966). *Biologie dospívání*. Praha: Státní zdravotnické nakladatelství.
- Bolt, B. R. (2000). Using computers for qualitative analysis of movement. *Journal of Physical Education, Recreation and Dance, 71*(3), 15-18.
- Boreham, C., & Riddoch, C. (2001). The physical activity, fitness and health of children. *Journal of Sports Sciences, 19*, 915-929.
- Borenstein, M. (1997). Hypothesis testing and effect size estimation in clinical trials. *Annals of Allergy, Asthma, and Immunology, 78*(1), 5-11.
- Bouchard, C., Shephard, R. J., & Stephens, T. (1994). The consensus statement. In C. Bouchard, R. J. Shephard, & T. Stephens (Eds.), *Physical activity, fitness, and health: International proceedings and consensus statement* (pp. 9-76). Champaign, IL: Human Kinetics.
- Bouchard, C., & Shephard, R. J. (1994). Physical activity, fitness, and health: The model and key concepts. In C. Bouchard, R. J. Shephard, & T. Stephens (Eds.), *Physical activity, fitness, and health: International proceedings and consensus statement* (pp. 77-88). Champaign, IL: Human Kinetics.

- Bouchard, C., Shephard, R. J., Stephens, T., Sutton, J. R., & McPherson, B. D. (1990). *Exercise, fitness, and health: A consensus of current knowledge*. Champaign, IL: Human Kinetics.
- Bourdeaudhuij, I. D., Sallis, J., & Vandelanotte, C. (2002). Tracking and explanation of physical activity in young adults over a 7-year period. *Research Quarterly for Exercise and Sport*, 73(4), 376-385.
- Bradley, C. B., McMurray, R. G., Harrell, J. S., & Deng, S. (2000). Changes in common activities of 3rd through 10th graders: The CHIC study. *Medicine and Science in Sports and Exercise*, 32(12), 2071-2078.
- Bray, M. S. (2000). Genomics, genes, and environmental interaction: The role of exercise. *Journal of Applied Physiology*, 88, 788-792.
- Bray, M. S., Morrow, J. R., Pivarnik, J. M., & Bricket, J. T. (1992). Caltrac validity for estimating caloric expenditure with children. *Pediatric Exercise Science*, 4, 166-179.
- Brownson, R. C., Baker, E. A., Housemann, R. A., Brennan, L. K., & Bacak, S. J. (2001). Environmental and policy determinants of physical activity in the United States. *American Journal of Public Health*, 91(12), 1995-2003.
- Brownson, R. C., Eyler, A. A., King, A. C., Brown, D. R., Shyu, Y. L., & Sallis, J. F. (2000). Patterns and correlates of physical activity among US women 40 years and older. *American Journal of Public Health*, 90(2), 264-270.
- Bunc, V. (1998). Minimální množství pohybové zátěže pro ovlivnění aerobní zdatnosti. In B. Komešník (Ed.), *Optimální působení tělesné zátěže* (pp. 18-25). Hradec Králové: Gaudeamus.
- Caelli, K. (2002). Quantitative and qualitative research: Competition or parallel play? *Journal of Wound, Ostomy and Continence Nursing*, 29(2), 74-75.
- Campbell, P. G., MacAuley, D., McCrum, E., & Evans, A. (2001). Age differences in motivating factors for exercise. *Journal of Sport and Exercise Psychology*, 23, 191-199.
- Caspersen, C. J., Pereira, M. A., & Curran, K. M. (2000). Changes in physical activity patterns in the United States, by sex and cross-sectional age. *Medicine and Science in Sports and Exercise*, 32(9), 1601-1609.
- Charvát, M., & Blahutková, M. (2001). Podíl tělesné výchovy a sportu na formování profilu osobnosti adolescentů. In O. Řehulková & E. Řehulka (Eds.), *Psychologické otázky adolescence* (pp. 129-133). Brno: Psychologický ústav Akademie věd ČR.
- Chase, M. A. (2001). Children's self-efficacy, motivational intentions, and attributions in physical education and sport. *Research Quarterly for Exercise and Sport*, 72(1), 47-54.

- Cheung, L. W. Y. (1995). Current views and future perspectives. In L. W. Y. Cheung & J. B. Richmond (Eds.), *Child health nutrition, and physical activity* (pp. 301-320). Champaign, IL: Human Kinetics.
- Chmelík, F., Frömel, K., Bláha, L., Dvořáková, H., Feltová, D., Gajda, V., Hájek, J., Horák, S., Klobouk, T., Ludva, P., Lukavská, M., Mitáš, J., Neuls, F., Nykodým, J., Pelclová, J., Ryba, J., Řepka, E., Sigmund, E., Sigmundová, D., Suchomel, A., Šebrle, Z., Vojtík, J., Ainsworth, B., Bull, F., Baumann, A., & Sallis, J. F. (2004). Vztahy mezi pohybovou aktivitou a kouřením mládeže. In D. Tomajko (Ed.), *Efekty pohybového zatížení v edukačním prostředí tělesné výchovy a sportu* (pp. 83-89). Olomouc: Univerzita Palackého.
- Chytil, J. (2000). *Program PaTj2000 – program pro sledování, záznam a hodnocení pohybové aktivity, vyučovacích, cvičebních a tréninkových jednotek v týdenním režimu* [Computer software]. Olomouc: Software centrum.
- Cooper, A. R., Page, A. S., Foster, L. J., & Qahwaji, D. (2003). Are children who walk physically active? *American Journal of Preventive Medicine*, 25(4), 273-276.
- Corbin, C. B. (2002). Physical activity for everyone: What every physical educator should know about promoting lifelong physical activity. *Journal of Teaching in Physical Education*, 21, 128-144.
- Cortina, J. M., & Nouri, H. (2000). *Effect size for ANOVA design*. Thousand Oaks, CA: Sage publications.
- Coyle, E. F. (2000). Physical activity as a metabolic stressor. *American Journal of Clinical Nutrition*, 72, Supplement, 512-520.
- Crespi, B. J. (1999). The evolution of maladaptation. *Heredity*, 84, 623-629.
- Crespo, C. J., Smit, E., Troiano, R. P., Barlett, S. J., & Macera, C. A. (2001). Television watching, energy intake and obesity in US children: Results from the Third National Health and Nutrition Examination Survey, 1988-1994. *Archives of Pediatrics and Adolescent Medicine*, 155(3), 360-365.
- Crocker, P. R. E., Eklund, R. C., & Kowalski, K. C. (2000). Children's physical activity and physical self-perceptions. *Journal of Sport Sciences*, 18, 383-394.
- Čáp, J., & Mareš, J. (2001). *Psychologie pro učitele*. Praha: Portál.
- Daley, A. (2002). School physical activity in the United Kingdom: Can it create physical active adults? *Quest*, 54, 21-33.
- Demetrovič, E. et al. (1988). *Encyklopedie tělesné kultury P-Ž*. Praha: Olympia.



- DiPietro, L. (1999). Physical activity in the prevention of obesity: Current evidence and research issues. *Medicine and Science in Sports and Exercise*, 31(11), Supplement, 542-546.
- Dovalil, J. et al. (1992). *Sportovní trénink (lexikon základních pojmů)*. Praha: Univerzita Karlova.
- Dowda, M., Ainsworth, B. E., Addy, C. L., Saunders, R., & Riner, W. (2001). Environmental influence, physical activity, and weight status in 8- to 16-year-olds. *Archives of Pediatrics and Adolescent Medicine*, 155, 711-717.
- Dunn, A. L., Andersen, R. E., & Jakicic, J. M. (1998). Lifestyle physical activity interventions: History, short- and long-term effects, and recommendations. *American Journal of Preventive Medicine*, 15(4), 398-412.
- Eston, R. G., Rowlands, A. V., & Ingledew, D. K. (1998). Validity of heart rate, pedometry, and accelerometry for predicting the energy cost of children's activities. *Journal of Applied Physiology*, 84(1), 362-371.
- Fan, X. (2001). Statistical significance and effect size in education research: Two sides of a coin. *The Journal of Educational Research*, 94(5), 275-282.
- Ferrer-Caja, E., & Weiss, M. R. (2000). Predictors of intrinsic motivation among adolescent students in physical education. *Research Quarterly for Exercise and Sport*, 71(3), 267-279.
- Fletcher, B., Gulanick, M., & Lamendola, C. (2002). Risk factors for type 2 diabetes mellitus. *Journal of Cardiovascular Nursing*, 16(2), 17-23.
- Fraczek, A. (1980). *Metódy psychologických výskumov* (J. Štefanovičová, Trans.). Bratislava: Slovenské pedagogické nakladateľstvo. (Original work published 1973)
- Frömel, K., Novosad, J., & Svozil, Z. (1999). *Pohybová aktivita a sportovní zájmy mládeže*. Olomouc: Univerzita Palackého.
- Ganley, T., & Sherman, C. (2000). Exercise and children's health [On-line]. *The Physician and Sportmedicine*, 28(2). Retrieved 15. 2. 2002 from the World Wide Web: http://www.physsportsmed.com/issues/2000/02_00/ganley.htm
- Gavarry, O., Giacomoni, M., Bernard, T., Seymat, M., & Falgairette, G. (2001). Habitual physical activity in children and adolescent during school and free days. *Medicine and Science in Sports and Exercise*, 35, 525-531.
- Gavora, P. (2000). *Úvod do pedagogického výzkumu*. Brno: Paido.
- Gordon-Larsen, P., Nelson, M. C., & Popkin, B. M. (2004). Longitudinal physical activity and sedentary behavior trends. *American Journal of Preventive Medicine*, 27(4), 277-283.

- Gordon-Larsen, P., McMurray, R. G., & Popkin, B. M. (2000). Determinants of adolescent physical activity and inactivity patterns. *Pediatrics*, *105*(6), 83-91.
- Gormley, J. (2001). Childhood obesity in the U.S.-and China too? *Better Nutrition*, *63*(9), 8.
- Hagger, M., Ashford, B., & Stambulova, N. (1998). Russian and British children's physical self-perceptions and physical activity participation. *Pediatric Exercise Science*, *10*, 137-152.
- Hancox, R. J., Milne, B. J., & Poulton, R. (2004). Association between child and adolescent television viewing and adult health: A longitudinal birth cohort study. *The Lancet*, *364*(17), 257-262.
- Hassandra, M., Goudas, M., & Chroni, S. (2003). Examining factors associated with intrinsic motivation in physical education: A qualitative approach. *Psychology of Sport and Exercise*, *4*, 211-223.
- Hatano, Y. (1993). Use of the pedometer for promoting daily walking exercise. *International Council for Health, Physical Education, and Recreation*, *29*, 4-8.
- Haymes, E. M., & Byrnes, W. C. (1993). Walking and running energy expenditure estimated by Caltrac and indirect calorimetry. *Medicine and Science in Sports and Exercise*, *25*(12), 1365-1369.
- Hendl, J. (1997). Poznávání pomocí kvalitativního výzkumu. *Česká kinantropologie*, *1*(1), 19-27.
- Hill, J. O., & Melanson, E. L. (1999). Overview of the determinants of overweight and obesity: Current evidence and research issues. *Medicine Science in Sport and Exercise*, *31*(11), Supplement, 515-521.
- Hopkins, W. G. (2000). Quantitative research design. *Sportscience* [On-line], *4*(1). Retrieved 6. 2. 2002 from the World Wide Web <http://www.sportsci.org/jour/0001/wghdesign.html>
- Hovel, M. F., Sallis, J. F., Kolody, B., & McKenzie, T. L. (1999). Children's physical activity choices: A developmental analysis of gender, intensity levels, and time. *Pediatric Exercise Science*, *11*, 158-168.
- Howley, E. T. (2001). Type of activity: Resistance, aerobic and leisure versus occupational physical activity. *Medicine and Science in Sport and Exercise*, *33*(6), Supplement, 364-369.
- Iltis, P. W., & Givens, M. W. (2000). Validation of the Caltrac accelerometer during simulated multi-gear cycling at different work rates. *Journal of Exercise Physiology Online*, *3*(2). Retrieved 14. 8. 2002 from the World Wide Web: <http://www.css.edu/users/tboone2/asep/jepiltis.html>

- IPAQ. (2002). *Long last 7 days self-administered format*. Retrieved from the World Wide Web: <http://ipaq.ki.se>
- Jackson, A. W., Morrow, J. R., Hill, D. W., & Dishman, R. K. (1999). *Physical activity for health and fitness*. Champaign, IL: Human Kinetics.
- Janz, K. F., Witt, J., & Mahoney, L. T. (1995). The stability of children's physical activity as measured by accelerometry and self-report. *Medicine and Science in Sports and Exercise*, 27(9), 1326-1332.
- Kalakanis, L. E., Goldfield, G. S., Paluch, R. A., & Epstein, L. (2001). Parental activity as a determinant of activity level and patterns of activity in obese children. *Research Quarterly for Exercise and Sport*, 72(3), 202-209.
- Kaplan, C. P., Zabkiewicz, D., McPhee, S. J., Nguyen, T., Gregorich, S. E., Disorga, C., Hilton, J. F., & Jenkins, C. (2003). Health-compromising behaviors among vietnamese adolescents: The role of education and extracurricular activities. *Journal of Adolescent Health*, 32, 374-383.
- Kaplan, R. M., Sallis, J. F., & Patterson, T. L. (1996). *Zdravie a správanie človeka* (Maršálová, L., & Březný, I., Trans.). Bratislava: Slovenské pedagogické nakladateľstvo.
- Katzmarczyk, P. T., Gledhill, N., & Shephard, R. J. (2000). The economic burden of physical inactivity in Canada. *Canadian Medical Association Journal*, 193(11), 1435-1440.
- Kerlinger, F. N. (1972). *Základy výzkumu chování*. Praha: Academia.
- Kiess, W., Galler, A., Reich, A., Müller, G., Kapellen, T., Deutscher, J., Raile, K., & Kratzsch, J. (2001). Clinical aspects of obesity in childhood and adolescence. *Obesity Reviews*, 2, 29-36.
- Kimm, S. Y. S., Glynn, N. W., Kriska, A. M., Fitzgerald, S. L., Aaron, D. J., Similo, S. L., McMahon, R. P., & Barton, B. A. (2000). Longitudinal changes in physical activity in a biracial cohort during adolescence. *Medicine and Science in Sports and Exercise*, 32(8), 549-555.
- Knudson, D. V., & Morrison, C. S. (1997). *Qualitative analysis of human movement*. Champaign, IL: Human Kinetics.
- Kon, I. S. (1986). *Kapitoly z psychologie dospívání* (M. Polanský, Trans.). Praha: Státní pedagogické nakladatelství. (Original work published 1980)
- Kováčová, E., Medeková, H., & Ramacsay, L. (1997). Funkčná zdatnosť pohybového systému u mladších žiakov. In P. Tillinger & S. Perič (Eds.), *Tělesná výchova a sport na přelomu století* (pp. 94-95). Praha: Univerzita Karlova.

- Kraut, A., Melamed, S., Gofer, D., & Froom, P. (2003). Effect of school age sports on leisure time physical activity in adults: The CORDIS study. *Medicine and Science in Sports and Exercise, 35*(12), 2038-2042.
- Krech, D., Crutchfield, R. S., & Ballachey, E. L. (1968). *Človek v spoločnosti* (A. Jurovský, V. Kováliková, L. Maršálová, & I. Šípoš, Trans.). Bratislava: Vydavateľstvo Slovenskej akadémie vied.
- Lamonte, M. J., & Ainsworth, B. E. (2001). Quantifying energy expenditure and physical activity in the context of dose response. *Medicine and Science in Sports and Exercise, 33*(6), Supplement, 370-378.
- Leslie, E., Fotheringham, M. J., Owen, N., & Baumann, A. (2001). Age-related differences in physical activity levels of young adults. *Medicine and Science in Sports and Exercise, 33*(2), 255-258.
- Levine, T. R., & Hullett, C. R. (2002). Eta squared, partial eta squared, and misreporting of effect size in communication research. *Human Communication Research, 28*(4), 612-625.
- Macek, P. (1999). *Adolescence: Psychologické a sociální charakteristiky dospívajících*. Praha: Portál.
- Macek, P. (2001). Adolescenti, utváření identity a současní čeští dospívající. In O. Řehulková & E. Řehulka (Eds.), *Psychologické otázky adolescence* (pp. 18-28). Brno: Psychologický ústav Akademie věd ČR.
- MacKay, A. P., Fingerhut, L. A., & Duran, C. R. (2000). *Adolescent health chartbook. Health, United States, 2000*. Hyattsville, MD: National center for health statistics.
- Máček, M., & Máčková, J. (1999). Může pohybová aktivita prodloužit život? In H. Válková & Z. Hanelová (Eds.), *Pohyb a zdraví* (pp. 56-59). Olomouc: Univerzita Palackého.
- Maffeis, C. (2000). Aetiology of overweight and obesity in children and adolescent. *European Journal of Pediatrics, 159*(13), Supplement, 35-44.
- Maia, J. A. R., Thomis, M., & Beunen, G. (2002). Genetic factors in physical activity levels: A twin study. *American Journal of Preventive Medicine, 23*(2S), 87-91.
- Malterud, K. (2001). Qualitative research: Standards, challenges, and guidelines. *The Lancet, 358*, 484-488.
- Martin, K. A., Sinden, A. R., & Fleming, J. C. (2000). Inactivity may be hazardous to your image: The effect of exercise participation on impression formation. *Journal of Sports and Exercise Psychology, 22*, 283-291.