

## 10 REFERENČNÍ SEZNAM

- Aarsland, A., Chinkes, D., & Wolfe, R. R. (1996). Contributions of de novo synthesis of fatty acids to total VLDL-triglyceride secretion during prolonged hyperglycemia/hyperinsulinemia in normal man. *The Journal of Clinical Investigation*, 98, 2008–2017.
- Abbasi, F. et al. (2000). High carbohydrate diets, triglyceride-rich lipoproteins, and coronary heart disease risk. *The American journal of cardiology*, 85, 45–48.
- Abbot, R. D., et al. (1988). High density lipoprotein, total cholesterol screening and myocardial infarction. The Framingham Study. *Arteriosclerosis*, 8, 207–211.
- Alberti, G. (2005). International Diabetes Federation. *The IDF consensus worldwide definition of the metabolic syndrome*. 1st International Congress on “Prediabetes” and the Metabolic Syndrome, Epidemiology, Management and Prevention of Diabetes and Cardiovascular Disease. Retrieved 9.1.2008 from World Wide Web: <http://www.idf.org>
- Alberti, G., & Zimmet, P. Z. (1998). World Health Organization (WHO) Consultation: Definition, diagnosis and classification of diabetes mellitus and its complications. Part I: diagnosis and classification of diabetes mellitus: provisional report of a WHO consultation. *Diabetic Medicine*, 15, 539–553.
- Aldhon, B., Bendlová, B., & Hainer, V. (2005). Úloha genetických faktorů při hmotnostní redukci. *DMEV*, 3, 139–145.
- Alfieri, M., Pomerleau, J., Grace, D. M., & Anderson, L. (1995). Fiber intake of normal weight, moderately obese and severely obese subjects. *Obesity research*, 3, 541–7.
- Amano, Y., et al. (2004). Correlation between dietary glycemic index and cardiovascular disease risk factors among Japanese women. *European journal of clinical nutrition*, 5, 404–407.
- Appleby, P. M., Thorogood, M., Mann, J. I., & Key, T. J. (1998). Low body mass index in non-meat eaters: the possible roles of animal fat, dietary fibre and alcohol. *International journal of obesity and related metabolic disorders: journal of the International Association for the Study of Obesity*, 22, 454–60.

- Arner P. (1996). Regulation of lipolysis in fat cells. *Diabetes Review*, 4, 450 – 463.
- Astrup, A., Buemann, B., Flint, A., & Raben, A. (2002). Low-fat diets and energy balance: how does the evidence stand in 2002? *The Proceedings of the Nutrition Society*, 61(2), 299–309.
- Astrup, A., Ryan, L., Grunwald, G. K., Storgaard, M., Saris, W., Melanson, & E., Hill, J. O. (2000). The role of dietary fat in body fatness: evidence from a preliminary meta-analysis of ad libitum low-fat dietary intervention studies. *British Journal of Nutrition*, 83, 25–32.
- Augustin, L. S. A., et al. (2003). Glycemic index and glycemic load in endometrial cancer. *International journal of cancer*, 105, 404–407.
- Austin, A., Hokanson, J. E., & Edwards, K. L. Hypertriglyceridemia as a cardiovascular risk factor. *American Journal of Cardiology*, 81, 7–12.
- Azizi, F., & Ainy, E. (2003). Coronary heart disease risk factors and menopause: a study in 1980 Tehranian women, the Tehran Lipid and Glucose Study. *Climacteric*, 6(4), 330–336.
- Balkau, B., & Charles, M. A. (1999). The European Group for the Study of Insulin Resistance (EGIR). Comment on the provisional report from the WHO consultation. *Diabetic Medicine*, 16, 442–443.
- Balkau, B., et al. (2002). Frequency of the WHO metabolic syndrome in European cohorts, and an alternative definition of an insulin resistance syndrome. *Diabetes and Metabolism*, 28, 364–376.
- Barzilai, N., Sche, L., Liu, B. Q., Vuguin, P., Cohen, P., Wang, J., & Rossetti, L. (1999). Surgical removal of visceral fat reverses hepatic insulin resistance. *Diabetes*, 48, 94–98.
- Baynes, J. W. (1991). Role of oxidative stress in development of complications of diabetes. *Diabetes*, 40, 205–212.
- Bell, E. A., & Rolls, B. J. (2001). Energy density affects energy intake across multiple levels of fat content in lean and obese women. *American Journal of Clinical Nutrition*, 73, 1010–1018.
- Bergman, R. N., Van Citters, G. W., Mittelman, S. D., Dea, M. K., Hamilton-Wessler, M., Kim, S. P., & Ellmerer, M. (2001). Central role of the adipocyte in the metabolic syndrome. *Journal of investigative medicine : the official publication of the American Federation for Clinical Research*, 49, 119 –126.

- Bertin, E., Nguyen, P., Gusenounou, M., Durlach, V., Potron, G., & Leutenegger, M. (2000). Plasma levels of tumor necrosis factor-alpha (TNF-alpha) are essentially dependent on visceral fat amount in type 2 diabetic patients. *Diabetes and metabolism*, 23, 178-182.
- Blades, B., & Garg, A. (1995). Mechanisms of increase in plasma triacylglycerol concentrations as a result of high carbohydrate intakes in patients with non-insulindependent diabetes mellitus. *American Journal of Clinical Nutrition*, 62, 996-1002.
- Blahuš, P. (1996). *K systémovému pojetí statistických metod v metodologii empirického výzkumu chování (Vybrané kapitoly pro doktorandy)*. Praha: Karolinum.
- Blouin, K., Boivin, A., & Tchernof, A. (2008). Androgens and body fat distribution. *Journal of Biochemical Molecular Biology*, 108, 272-280.
- Bonanome, A. (1999). Factors affecting LDL cholesterol reduction: unsaturated fatty acids. *European heart journal supplements : journal of the European Society of Cardiology*, 1, 24-28.
- Bonanome, A., Pagnan, A., Biffanti, S., Opportuno, A., Sorgato, F., Dorella, M., Maiorino, M., & Ursini, F. (1992). Effect of dietary monounsaturated and polyunsaturated fatty acids on the susceptibility of plasma low-density lipoproteins to oxidative modification. *Arteriosclerosis and thrombosis: a journal of vascular biology/American Heart Association*, 12, 529-533.
- Borkman, M., Campbell, L. V., Chisholm, D. J., & Storlien, L. H. (1991). Comparison of the effect on insulin sensitivity of high carbohydrate and high fat diets in normal subjects. *The Journal of Clinical Endocrinology & Metabolism*, 72, 432-437.
- Bos, G., Dekker, J. M., & Heine, R. J. (2004). Non-HDL cholesterol contributes to the "hypertriglyceridemic waist" as a cardiovascular risk factor: the Hoorn study. *Diabetes Care*, 27 (1), 283-284.
- Salmerón, C., & Tremblay, A. (1997). Genetic influences on the response of body fat distribution to positive and negative energy balances in human identical twins. *Journal of Nutrition*, 127, 943-947.
- Brand-Miller, J. C., Holt, S. H., Pawlak, D. B., & McMillan, J. (2002). Glycemic index and obesity. *American Journal of Clinical Nutrition*, 76, 281-285.

- Brand-Miller, J. C., Thomas, M., Stan, V., Ahmad, Z. I., Petocz, P., & Colagiuri, S. (2003). Physiological validation of the concept of glycemic load in lean young adults. *American Journal of Clinical Nutrition*, 133, 2728–2732.
- Bray, G., & Popkin, B.M. (1998). Dietary fat intake does affect obesity! *American Journal of Clinical Nutrition*, 6, 1157-1173.
- Brehm, B. J., Seeley, R. J., Daniels, R., & D'Alessio, D. A. (2003). A randomised trial comparing a very low carbohydrate diet and calorie-restricted low-fat diet on body weight and cardiovascular risk factors in healthy women. *The Journal of Clinical Endocrinology & Metabolism*, 88(4), 1617–1623.
- Brehm, B. J., Spang, S. E., Lattin, B. L., Seeley, R. J., Daniels, S., & D'Alessio, D. A. (2005). The Role of Energy Expenditure in the Differential Weight Loss in Obese Women on Low-Fat and Low-Carbohydrate Diets. *The Journal of Clinical Endocrinology & Metabolism*, 3( 90), 1475–1482.
- Brynes, A. E., Edwards, M. C., Ghatei, M. A., Dornhorst, A., Morgan, L. M., Bloom, S. R., & Frost, G. S. (2003). A randomised four-intervention crossover study investigating the effect of carbohydrates on daytime profiles of insulin, glucose, nonesterified fatty acids and triacylglycerols in middle-aged men. *The British Journal of Nutrition*, 89, 207–218.
- Bultas, J., & Karetová, D. (2003). Současnost a perspektivy léčby dyslipidemií. *Interní medicína pro praxi*, 10, 505–514.
- Buryška, J. (2004). Triglyceridy a aterogeneze. *Kapitoly z kardiologie*, 3. Retrieved 8.1.2006 from World Wide Web: [http:// www.kapitoly.cz/clanek.php?num=331](http://www.kapitoly.cz/clanek.php?num=331)
- Carr, D. B., et al. (2004). Intra-abdominal fat is a major determinant of the National Cholesterol Education Program Adult Treatment Panel III criteria for the metabolic syndrome. *Diabetes*, 53, 2087–2094.
- Carruth, B. R., & Skinner, J. D. (2001). The role of calcium and other nutrients in moderating body fat in preschool children. *International journal of obesity and related metabolic disorders: journal of the International Association for the Study of Obesity*, 25, 559–566.
- Castelli, W. P., et al. (1992). Lipids and risk of coronary heart disease. The Framingham Study. *Annals of epidemiology*, 2, 23–28.
- Castelli, W. P., et al. (1986). Incidence of coronary heart disease and lipoprotein cholesterol levels: The Framingham Study. *JAMA*, 256, 2835–2842.

- Češka, R. (1999). *Cholesterol a ateroskleróza*. Praha: MAXDORF s. r. o.
- Češka, R. (2002). HDL cholesterol ve světle nejnovějších poznatků a doporučení. Možnosti jeho ovlivnění. *Kapitoly z kardiologie*, 4. Retrieved 9.1.2008 from World Wide Web: <http://www.kapitoly.cz/clanek.php?num=233>
- Češka, R. (2004). HDL cholesterol ve světle nejnovějších poznatků a doporučení. *Kapitoly z kardiologie*, 2, 43–48.
- Češka, R., & Šnajdrová, M. (2008). Ženy, lipidy a ateroskleróza: naděje, kontroverze, zklamání, ale i přísliby do budoucnosti. *Postgraduální medicína*, 1/2008, 37–40.
- Cnopp, M., et al. (2003). Relationship of adiponectin to body fat distribution, insulin sensitivity and plasma lipoproteins: evidence for independent roles of age and sex. *Diabetologia*, 46, 459–469.
- Crouse, J. R., & Grundy, S. M. (1984). Effects of alcohol on plasma lipoproteins and cholesterol and triglyceride metabolism in man. *Journal of lipid research.*, 25, 1721–1724.
- Dad'ová, K., Hyťhová, P., Pelíšková, P., Slabý, K., & Hošková, B. (2007). Adherence k pohybovým aktivitám. *Medicina Sportiva Bohemica et Slovaca*, 16(4), 170–177.
- Davies, K.M. et al. (2000). Calcium intake and body weight. *The Journal of clinical endocrinology and metabolism*, 85, 4635–4638.
- Demaison, L., & Moreau, D. (2002). Dietary n-3 polyunsaturated fatty acids and coronary heart disease-related mortality: a possible mechanism of action. *Cellular and molecular life sciences*, 59, 463–477.
- Després, J., & Lamarche, B. (2000). Physical Activity and the Metabolic Complications of Obesity. In C. Bouchard (Ed.), *Physical Activity and Obesity 2000* (pp. 331–354). Champaign, IL: Human Kinetics.
- Djuric, Z., Lababidi, S., Heilbrun, L. K., Depper, J. B., Poore, K. M., & Uhley, V. E. (2002). Effect of low-fat and/or low-energy diets on anthropometric measures in participants of the women's diet study. *Journal of the American College of Nutrition*, 21(1), 38–46.
- Donnelly, J. E., et al. (2003). Effects of a 16-month randomized controlled exercise trial on body weight and composition in young, overweight men and women. *Archives internationales*, 163, 1343–1350.

- Donnelly, J. E., et al. (2004). Is resistance exercise effective for weight management? *Evidence-Based Preventive Medicine, 1*, 21–9.
- Dreon, D.M., Fernstrom, H.A., Miller, B., & Krauss, R.M. (1994). Low-density lipoprotein subclass patterns and lipoprotein response to a reduced fat diet in men. *FASEB Journal, 8*, 121–126.
- Einhorn, D., Reaven, G. M., Cobin, R. H., Ford, E., Ganda, O. P., Handelsman, Y., & et al. (2003). American College of Endocrinology position statement on the insulin resistance syndrome. *Endocrine practice: official journal of the American College of Endocrinology and the American Association of Clinical Endocrinologists, 9*, 237–252.
- Executive summary of the third report of the national Cholesterol Education program (NCEP) Expert panel on detection, evaluation and treatment of high blood cholesterol in adults (Adults treatment panel III). (2001). *JAMA, 285*, 2486–2497.
- Failor, R. A., Childs, M. T., & Bierman, E. L. (1988). The effects of omega-3 and omega-6 fatty acid-enriched diets on plasma lipoproteins and apoproteins in familiar combined hyperlipemia. *Metabolism, 37*, 1021–1128.
- Farnsworth, E., Luscombe, N. D., Noakes, M. Wittert, G., Argyiou, E., & Clifton, P.M. (2003). Effect of a high-protein, energy-restricted diet on body composition, glycemic control, and lipid concentrations in overweight and obese hyperinsulinemic men and women. *American Journal of Clinical Nutrition, 78*, 31–39.
- Fogelholm, M., & Kukkonen-Harjula, K. (2000). Does physical activity prevent weight gain – a systematic review? *Obesity reviews: an official journal of the International Association for the Study of Obesity, 1*, 95–111.
- Foster, G. D., et al. (2003). A randomised trial of a low-carbohydrate diet for obesity. *The New England journal of medicine, 348*, 2082–2090.
- Francone, O. L., Kalopissis, A. D., & Griffaton, G. (1992). Effect of a high-fat diet on the incorporation of stored triacylglycerol into hepatic VLDL. *American Journal of Physiology, 263*, 615–623.
- Friedenreich, C. M. (2001). Review of anthropometric factors and breast cancer risk. *European journal of cancer prevention : the official journal of the European Cancer Prevention Organisation, 10*, 15–32.
- Freiberger, T., & Vrablík, M. (2007). Genetika hyperlipoproteinemií. Familiární hypercholesterolemie. *Postgraduální medicína, 4*, 409-415.