

## 10 REFERENČNÍ SEZNAM

- Abuel-Atta, A. A., DeSantis, M., & Wong, A. (1997). Encapsulated sensory receptors within intraorbital skeletal muscles of a camel. *Anat Rec*, 247, 189–198.
- Adamcova, N., & Hlavacka, F. (2006). Modification of human postural responses to soleus muscle vibration by rotation of visual scene. *Gait & Posture*, 25, 99–105.
- Adkin, L. A., Frank, J. S., Carpenter, M. G., & Peysar, G. W. (2000). Postural control is scaled to level of postural threat. *Gait & Posture*, 8(12), 87–93.
- Allum, J. H. J., Bloem, B. R., Carpenter, M. G., Hulliger, M., & Hadders-Algra, M. (1998). Proprioceptive control of posture: a review of new concepts. *Gait & Posture*, 8, 214–242.
- Amblard, B., & Carblanc, A. (1980). Role of foveal and peripheral visual information in maintenance of postural equilibrium in man. *Percept Motor Skill*, 51, 903–912.
- Anand, V., Buckley, J. G., Scally, A., & Elliott, D. B. (2003). Postural Stability in the elderly during sensory perturbations and dual tasking: The influence of refractive blur. *Invest Ophth Vis Sci*, 44(7), 2885–2891.
- Aruin, A. S., Forrest, W. R., & Latash, M. L. (1998). Anticipatory postural adjustments in conditions of postural instability. *Electroenceph Clin Neurophysiol*, 109, 350–359.
- Aruin, A. S., & Latash, M. L. (1995). The role of motor action in anticipatory postural adjustments studied with self-induced and externally triggered perturbations. *Exp Brain Res*, 106, 291–300.
- Aune, A. K., Hukkanen, M., Madsen, J. E., Polak, J. M., & Nordsletten, L. (1996). Nerve regeneration during patellar tendon autograft remodelling after anterior cruciate ligament reconstruction: an experimental and clinical study. *J Orthop Res*, 14, 193–199.
- Baccini, M., Rinaldi, L. A., Federighi, G., Vannucchi, L., Paci, M., & Masotti, G. (2007). Effectiveness of fingertip light contact in reducing postural sway in older people. *Age Aging*, 36, 30–35.
- Baker, M. W., Chiasson, B. J., & Croll, R. P. (1996). Contralateral sprouting and compensatory innervation following the permanent lesion of a ganglionic connective in the snail. *J Exp Biol*, 199, 2631–2643.
- Baratto, L., Morasso, P. G., Re, C., & Spada, G. (2002). A new look at posturographic analysis in the clinical context: Sway-density versus other parameterization techniques. *Motor Control*, 6(3), 246–270.
- Barrack, R., L., Lund, P. J., Munn, B. G., Wink, C., & Happel, L. (1997). Evidence of reinnervation of free patellar tendon autograft used for anterior cruciate ligament reconstruction. *Am J Sport Med*, 25, 196–202.
- Barrack, R., L., & Munn, B. G. (2000). Effects of knee ligament injury and reconstruction on proprioception. In S. M. Lephart & F. H. Fu (Eds.), *Proprioception and neuromuscular control in joint stability* (pp. 197–211). Champaign, IL: Human Kinetics.
- Barrett, D. S. (1991). Proprioception and function after anterior cruciate reconstruction. *J Bone Joint Surg Br*, 73-B, 833–837.

- Baumberger, B., Isableu, B., Flückiger, M. (2004). The visual control of stability in children and adults: postural readjustments in a ground optical flow. *Exp Brain Res*, 159, 33–46.
- Beard, D. J., Dodd, C. A., Trundle, H. R., & Simpson, A. H. (1994). Proprioception enhancement for anterior cruciate ligament deficiency. A prospective randomised trial of two physiotherapy regimes. *J Bone Joint Surg Br*, 76–B, 654–659.
- Beard, D. J., Kyberd, P. J., Fergusson, C. M., & Dodd, C. A. (1993). Proprioception after rupture of the anterior cruciate ligament. An objective indication of the need for surgery? *J Bone Joint Surg Br*, 75–B(2), 311–315.
- Berger, W., Trippel, M., Assaiante, C., Zijlstra, W., & Dietz, V. (1995). Developmental aspects of equilibrium control during stance: a kinematic and EMG study. *Gait & Posture*, 3, 150–155.
- Bergin, P. S., Bronstein, A. M., Murray, N. M. F., Sancovic, S., & Zeppenfeld, K. (1995). Body sway and vibration perception threshold in normal aging and in patients with polyneuropathy. *J Neurol Neurosurg Psychiatry*, 58, 335–340.
- Bertenthal, B. I. (2007). Perception and Action. In M. Haith & J. Benson (Eds.). *Encyclopedia of infant and early childhood development*. Oxford: Elsevier Ltd.
- Birgusová, G. (2001). *Analýza posturálních reakcí v bipedálním stoji při aplikaci externího silového podnětu*. Diplomová práce, Univerzita Palackého, Fakulta tělesné kultury, Olomouc.
- Blumer, R., Lukas, J. R., Aigner, M., Bittner, R., Baumgartner, I., & Mayr, R. (1999). Fine structural analysis of extraocular muscle spindles of a two-year-old human infant. *Invest Ophth Vis Sci*, 40(1), 55–64.
- Blumer, R., Lukas, J. R., Wasicky, R., & Mayr, R. (1998). Presence and structure of innervated myotendinous cylinders in sheep extraocular muscle. *Neurosci Lett*, 248, 49–52.
- Blumer, R., Lukas, J. R., Wasicky, R., & Mayr, R. (2000). Presence and morphological variability of Golgi tendon organs in the distal portion of sheep extraocular muscle. *Anat Rec*, 258, 359–368.
- Blumer, R., Wasicky, R., Brugger, P. Ch., Hoetzenecker, W., Wicke, W. L. M., & Lukas, J. R. (2001a). Number, distribution, and morphologic particularities of encapsulated proprioceptors in pig extraocular muscles. *Invest Ophth Vis Sci*, 42(13), 3085–3094.
- Blumer, R., Wasicky, R., Hoetzenecker, W., Lukas, J. R. (2001b). Presence and structure of innervated myotendinous cylinders in rabbit extraocular muscle. *Exp Eye Res*, 73, 787–796.
- Bonfim, T. R., Paccola, C. A. J., & Barela, J. A. (2003). Proprioceptive and behavior impairments in individuals with anterior cruciate ligament reconstructed knees. *Arch Phys Med Rehabil*, 84, 1217–1223.
- Bouisset, S., & Le Bozec, S. (2002). Posturo-kinetic capacity and postural function in voluntary movements. In M. L. Latash (Ed.), *Progress in motor control, Vol. 2, Structure-function relations in voluntary movements* (pp. 25–52). Champaign, IL: Human Kinetics.



- Bouisset, S., & Zatarra, M. (1987). Biomechanical study of the programming of anticipatory postural adjustments associated with voluntary movements. *J Biomech*, 20, 735–742.
- Bouisset, S., & Zatarra, M. (1988). Postural and motor components of motor programming. In B. Amblard et al. (Eds.), *Posture and gait: Development, adaptation and modulation* (pp. 199–205). Amsterdam: Elsevier Science Publishers B. V.
- Brandt, T. (1988). Sensory function and posture. In B. Amblard et al. (Eds.), *Posture and gait: Development, adaptation and modulation* (pp. 127–136). Amsterdam: Elsevier Science Publishers B. V.
- Brown, L. A., & Frank, J. S. (1997). Postural compensation to the potential consequences of instability: kinematics. *Gait & Posture*, 6, 89–97.
- Bruenech, R., & Ruskell, G. L. (2000). Myotendinous nerve endings in human infant and adult extraocular muscles. *Anat Rec*, 260, 132–140.
- Bruenech, R., & Ruskell, G. L. (2001). Muscle spindles in extraocular muscles of human infants. *Cells Tissues Organs*, 169, 388–394.
- Bugnariu, N., & Fung, J. (2007). Aging and selective sensorimotor strategies in the regulation of upright balance. *J Neuroengineering Rehabil*, 4(19). Retrieved 27. 9. 2007 from the World Wide Web: <http://www.jneuroengrehab.com/content/pdf/1743-0003-4-19.pdf>.
- Cailliet, R. (1992). *Knee pain and disability* (3rd ed.). Philadelphia, PA: F. A. Davis Company.
- Clark, R., & Demer, J. L. (2002). Effect of aging on human rectus extraocular muscle paths demonstrated by magnetic resonance imaging. *Am J Ophthalmol*, 134(6), 872–878.
- Clark, R., Miller, J. M., & Demer, J. L. (2002). Three-dimensional location of human rectus pulleys by path inflection in secondary gaze positions. *Invest Ophth Vis Sci*, 41, 3787–3797.
- Collins, D. F., Refshauge, K. M., Todd, G., & Gandevia, S. C. (2005). Cutaneous receptors contribute to kinesthesia at the index finger, elbow, and knee. *J Neurophysiol*, 94, 1699–1706.
- Cornilleau-Pérès, V., Shabana, N., Droulez, J., goh, J. C. H., Lee, G. S. M., & Chew, P. T. K. (2005). Measurement of the visual contribution to postural steadiness from the COP movement: methodology and reliability. *Gait & Posture*, 22, 96–106.
- Courtney, C., Rine, R. M., & Kroll, P. (2005). Central somatosensory changes and altered muscle synergies in subjects with anterior cruciate ligament deficiency. *Gait & Posture*, 22, 69–74.
- Creath, R., Kiemel, T., Horak, F., & Jeka, J. J. (2002). Limited control strategies with the loss of vestibular function. *Exp Brain Res*, 145, 323–333.
- Crenna, P., Frigo, C., Massion, J., Pedotti, A. (1987). Forward and backward axial synergies in man. *Exp Brain Res*, 65, 538–548.
- De Bellis, M. D., Keshavan, M. S., Beers, S. R., Hall, J. Frustaci, K., Masalehdan, A., Noll, J., & Boring, A. M. (2001). Sex differences in brain maturation during childhood and adolescence. *Cereb Cortex*, 11(6), 552–557.

- Demer, J. L. (2006). Evidence supporting extraocular muscle pulleys: refuting the platygean view of extraocular muscle mechanics. *J Pediat Ophth Strab*, 43, 296–305.
- Demer, J. L., Poukens, V., Miller, J. M., & Micevych, P. (1997). Innervation of extraocular pulley smooth muscle in monkeys and humans. *Invest Ophth Vis Sci*, 38, 1774–1785.
- Demura, S., Kitabayashi, T., & Uchiyama (2006). Body sway characteristics during static upright posture in young children. *Sport Sci Health*, 1(4), 158–161.
- Deneve, S., & Pouget, A. (2004). Bayesian multisensory integration and cross-modal spatial links. *J Physiol*, 98, 249–258.
- Deniskina, I. V., Levik, Y. S., & Gurfinkel, V. S. (2001). Relative roles of the ankle and hip muscles in human postural control in the frontal plane during standing. *Human Physiol*, 27(3), 317–321.
- Desaki, J. (1990). The morphological variability of neuromuscular junctions in the rat extraocular muscles: a scanning electron microscopical study. *Arch Histol Cytol*, 53(3), 275–281.
- Duh, H. B. L., Lin, J. W., Kenyon, R. V., Parker, D. E., Furness, T. A. (2001). Effects of field of view on balance in an immersive environment. *Virtual Reality, Proceedings of the Virtual Reality 2001 Conference*, p. 235
- Durston, J. H. J. (1974). Histochemistry of primate extraocular muscles and the changes of denervation. *Brit J Ophthal*, 58, 193–216.
- Dvořák, R. (2005). Některé teoretické poznámky k problematice otevřených a uzavřených biomechanických řetězců. *Rehab Fyz Léč*, 12(1), 12–17.
- Dye, S. F. (1987). An evolutionary perspective of the knee. *J Bone Joint Surg Am*, 69, 976–983.
- Dye, S. F., & Vaupel, G. L. (2000). Functional anatomy of the knee: bony geometry, static and dynamic restraints, sensory and motor innervation. In S. M. Laphart & F. H. Fu (Eds.), *Proprioception and neuromuscular control in joint stability* (pp. 59–76). Champaign, IL: Human Kinetics.
- Eberhorn, A. C., Horn, A. K. E., Eberhorn, N., Fischer, P., Boergen, K. P., & Büttner-Ennever, J. A. (2005). Palisade endings in extraocular eye muscles revealed by SNAP-25 immunoreactivity. *J Anat*, 206, 307–315.
- Enoka, R. M. (2002). *Neuromechanics of human movement* (3rd ed.). Champaign, IL: Human Kinetics.
- Farber, S. D. (1982). *Neurorehabilitation: A multisensory approach*. Philadelphia, PA: W. B. Saunders Company.
- Ferrell, W. R., Gandevia, S. C., & McCloskey, D. I. (1987). The role of joint receptors in human kinaesthesia when intramuscular receptors cannot contribute. *J Physiol*, 386, 63–71.
- Fitzpatrick, R. & Mc Closkey, D. I. (1994). Proprioceptive, visual and vestibular threshold for the perception of sway during standing in humans. *J Physiol*, 478, 173–186.
- Fitzpatrick, R., Rogers, D. K., & McCloskey, D. I. (1994). Stable human standing with lower-limb muscle afferents providing the only sensory input. *J Physiol*, 480, 395–403.

- Forssberg, H., & Nashner, L. M. (1982). Ontogenetic development of postural control in man: Adaptation to altered support and visual conditions during stance. *J Neurosci*, 2(5), 545–552.
- Fowler, P. J., & Lubliner, J. (1995). Functional anatomy and biomechanics of the knee joint. In L. Y. Griffin (Ed.), *Rehabilitation of the injured knee* (2nd ed.), (pp. 7–19). St. Louis, MO: Mosby.
- Fremerey, R. W., Lobenhoffer, P., Zeichen, J., Skutek, M., Bosch, U., & Tscherne, H. (2000). Proprioception after rehabilitation and reconstruction in knees with deficiency of the anterior cruciate ligament. *J Bone Joint Surg Br*, 82–B, 801–806.
- Friedrichová, D. (2006). *Hodnocení EMG aktivity vybraných svalů u nemocných po plastice předního zkříženého vazů při aplikaci zevního podnětu a modifikaci vizuální scény*. Diplomová práce, Univerzita Palackého, Fakulta tělesné kultury, Olomouc.
- Fu, F. H., & Schulte, K. R. (1996). Anterior cruciate ligament surgery, 1996: State of the art?. *Clin Orthop Relat Res*, 325, 19–24.
- Fuss, F. K. (1989). Anatomy of the cruciate ligaments and their function in extension and flexion of the human knee joint. *Am J Anat*, 184(2), 165–176.
- Gatev, P., Thomas, S., Kepple, T., & Hallett, M. (1999). Feedforward ankle strategy of balance during quiet stance in adults. *J Physiol*, 514.3, 915–928.
- Geldhof, E., et al. (2006). Static and dynamic standing balance: test-retest reliability and reference values in 9 to 10 year old children, *Eur J Pediatr*, 165, 779–786.
- Gelfand, I. M., & Latash, M. L. (2002). On the problem of adequate language in biology. In M. L. Latash (Ed.), *Progress in motor control, Vol. 2, Structure-function relations in voluntary movements* (pp. 209–227). Champaign, IL: Human Kinetics.
- Gielen, S., Bolhuis, B., Vrijenhoek, E. (1998). On the number of degrees of freedom in biological limbs. In M. L. Latash (Ed.), *Progress in motor control, Vol. 1, Bernstein's traditions in movement studies* (pp. 173–190). Champaign, IL: Human Kinetics.
- Goldfarb, L. Wm. (1993). Why robots fall dawn. Retrieved 13. 9. 2006 from World Wide Web: <http://www.mindinmotion-online.com/media/pdf/robots.pdf>
- Guerraz, M., Gianna, C. C., Burchill, P. M., Gresty, M. A., & Bronstein, A. M. (2001). Effect of visual surrounding motion on body sway in a three-dimensional environment. *Percept & Psychophys*, 63(1), 47–58.
- Hadders-Algra, M., Brogren, E., & Forssberg, H. (1996). Ontogeny of postural adjustments during sitting in infancy: variation, selection and modulation. *J Physiol*, 493, 273–288.
- Hamilton, R. H., & Pascual-Leone, A. (1998). Cortical plasticity associated with Braille learning. *Trends Cogn Sci*, 2(5), 168–174.
- Han, Y., & Lennerstrand, G. (1999). Eye position changes induced by neck muscle vibration in strabismic subjects. *Graefes Arch Clin Exp Ophthalmol*, 237, 21–28.
- Harrison, E., Duenkel, N., Dunlop, R., & Russell, G. (1994). Evaluation of single-leg standing following anterior cruciate ligament surgery and rehabilitation. *Physical Therapy*, 74(3), 245–252.
- Hay, L. (1978). Accuracy of children on an open-loop pointing task. *Percept Mot Skills*, 47, 1079–1082.

- Hay, L. (1979). Spatial-temporal analysis of movements in children: Motor programs versus feedback in the development of reaching. *Motor Behav*, 11(3), 189–200.
- Hlavačková, P., & Janura, M. (2007). Kinematic analysis of postural changes in bipedal stance at application of stimulus from external environment and modification of visual scene in patients with anterior cruciate ligament reconstruction. *Acta Universitatis Palackianae Olomucensis Gymnica*, 37(4), 23–29.
- Hodges, P. W., Lorimer, M. G., Gabrielsson, A., & Gandevia, S. C. (2003). Experimental muscle pain changes feedforward postural responses of the trunk muscles. *Exp Brain Res*, 151(2), 262–271.
- Hodges, P. W., & Richardson (1998). Delayed postural contraction of transversus abdominis in low back pain associated with movement of the lower limb. *J Spinal Disord*, 11(1), 46–56.
- Hodges, P. W., & Richardson (1999). Transversus abdominis and the superficial abdominal muscles are controlled independently in a postural task. *Neurosci Lett*, 265, 91–94.
- Hogervorst, T., & Brand, R. A. (1998). Current concepts review – mechanoreceptors in joint function. *J Bone Joint Surg Am.*, 80, 1365–1378. Retrieved 17. 5. 2006 from the World Wide Web: <http://www.ejbjs.org>.
- Holmes, O. (1993). *Human Neurophysiology: A student text* (2nd ed.). London: Chapman & Hall.
- Hopper, D. M., Creagh, M., Formby, P. A., Goh, S. C., Boyle, J. J., & Strauss, G. R. (2003). Functional measurement of knee joint position sense after anterior cruciate ligament reconstruction. *Arch Phys Med Rehabil*, 84, 868–872.
- Horak, F. B. (1987). Clinical measurement of postural control in adults. *Physical Therapy*, 67(12), 1881–1885.
- Horak, F. B. (1997). Clinical assessment of balance disorders. *Gait & Posture*, 6, 76–84.
- Horak, F. B. (2006). Postural orientation and equilibrium: What do we need to know about neural control of balance to prevent fall?. *Age Aging*, 35-S2, ii7–ii11.
- Horak, F. B., Frank, J. S., & Nutt, J. (1996). Effects of dopamine on postural control in parkinsonian subjects: scaling, set and tone. *J Neurophysiol*, 75, 2380–2396.
- Horak, F. B., Henry, S. M., & Shumway-Cook, A. (1997). Postural perturbations: New insight for treatment of balance disorders. *Physical Therapy*, 77(5), 517–532.
- Horak, F. B., & Hlavacka, F. (2001). Somatosensory loss increases vestibulospinal sensitivity. *J Neurophysiol*, 86, 575–585.
- Horak, F. B., Nutt, J. G., & Nashner, L. M. (1992). Postural inflexibility in parkinsonian subjects. *J Neurol Sci*, 111(1), 46–58.
- Hunt, D. L., Yamoah, E. N., & Krubitzer, L. (2006). Multisensory plasticity in congenitally deaf mice: How are cortical areas functionally specified? *Neuroscience*, 139, 1507–1524.
- Inglis, B., & Woollacott, M. H. (1988). Age-related changes in anticipatory postural adjustments associated with arm movements. *J Gerontol* 43, 105–113.
- Ishii, Y., Tojo, T., Terajima, K., Terashima, S., & Bechtold. (1999). Intracapsular components do not change hip proprioception. *J Bone Joint Surg Br*, 81-B, 345–348.