

## 11 REFERENČNÍ SEZNAM

- Arokoski, J. P. A. (2005). Physical therapy and rehabilitation programs in the management of hip osteoarthritis. *Europa Medicophysica*, 41(2), 155-161.
- Aspden, R. M. (2008). Osteoarthritis: a problem of growth not decay?. *Rheumatology*, 47, 1452-1460.
- Arendt-Nielsen, L., Graven-Nielsen, T., Svarrer, H., & Svensson, P. (1995). The influence of low back pain on muscle activity and coordination during gait: a clinical and experimental study. *Pain*, 64(2), 231-240.
- Basmajian, J. V., & De Luca, C. J. (1985). *Muscle alive: their function revealed by electromyography*. Baltimore, MD: Williams & Wilkins.
- Bekkering, G. E., Hendriks, H. J. M., Koes, B. W., Oostendorp, R. A. B., Ostelo, R. W. J. G., Thomassen, J. M. C., & Van Tulder, M. W. (2003). *National practice guidelines for physical therapy in patients with low back pain*. Retrieved 16.09.2006 from the World Wide Web <http://www.ifomt.org/pdf/Guidelines/LowBackPainGln.pdf>
- Bogey, R. A., Barnes, L. A., & Perry, J. (1992). Computer Algorithms to characterize individual subject EMG profiles during gait. *Arch Phys Med Rehabil*, 73, 835-841.
- Bouisset, S., & Do, M. C. (2008). Posture, dynamic stability and voluntary movement. *Neurophysiologie Clinique*, 38(6), 345-362.
- Boyling, J. D., & Jull, G. A. (2006). *Grieve. Terapia manual contemporanea*. Barcelona: Masson, S.A
- Bruno, P.A., & Bagust, J. (2006). An investigation into the within-subject and between-subject consistency of motor patterns used during prone hip extension in subjects without low back pain. *Clinical Chiropractic*, 9, 11-20.
- Bruno, P. A., & Bagust, J. (2007). An investigation into motor pattern differences used during prone hip extension between subjects with and without low back pain. *Clinical Chiropractic*, 10, 68-80.
- Brutus, R. A., Ericksen, J., Pidcoe, P., Drake, D. F., & Enders, L. (2004). Palpation versus surface electromyography to assess muscle firing patterns in the hip and low back. *Archives of Physical Medicine and Rehabilitation*, 85(9), e29.
- Bullock-Saxton, J. E., Janda, V., & Bullock, M. I. (1994). The influence of ankle sprain injury on muscle activation during hip extension. *International journal of sports medicine*. 15(6), 330-334.

- Burden, A. M., Trew, M., & Baltzopoulos, V. (2003). Normalisation of gait EMGs: a re-examination. *Journal of electromyography and kinesiology*, 13, 519-532.
- Burton, A. K., Balagué, F., Cardon, G., Eriksen, H. R., Henrotin, Y., Lahad, A., Leclerc, A., Müller, G., & Van der Beek, A. J. (2004). *European Guidelines for Prevention in Low Back Pain*. Retrieved 20. 03. 2007 from the World Wide Web:  
[http://www.backpaineurope.org/web/html/wg3\\_results.html](http://www.backpaineurope.org/web/html/wg3_results.html)
- Carr, J. H., & Shepherd, R. B. (1998). *Neurological rehabilitation. Optimizing motor performance*. Great Britain: The Bath Press.
- Clark, B. C., Manini, T. M., Mayer, J. M., Ploutz-Snyder, L. L., & Graves, J. E. (2002). Electromyographic Activity of the Lumbar and Hip Extensors During Dynamic Trunk Extension Exercise. *Archives of Physical Medicine and Rehabilitation*. 83(11), 1547-1552.
- Cordo, P. J., & Nashner, L. M. (1982). Properties of postural adjustments associated with rapid arm movements. *Journal of Neurophysiology*, 47(2), 287-302.
- Craik, R. L., & Oatis, C. A. (1995). *Gait analysis. Theory and application*. St. Louis, Missouri: Mosby-Year Book, Inc.
- De Luca, C. J. (1997). The use of surface electromyography in biomechanics. *Journal of Applied Biomechanics*, 13(2), 135-163.
- De Rosa, C., & Porterfield, J. A. (2008). Conexiones anatómicas y sujeciones musculares de la región lumbopélvica. In Vleeming, A., Money V., & Stoeckart, R. (Eds.), *Movimiento, estabilidad y dolor lumbopélvico. Integración de la investigación con el tratamiento* (pp. 47-62). Barcelona: Elsevier España, S.L – MASSON.
- Elble, R., Cousins, R., Leffler, K., & Hughes, L. (1996). Gait initiation by patients with lower-half parkinsonism. *Brain*, 119(5), 1705-1716.
- Frank, J., & Earl, M. (1990). Coordination of Posture and Movement. *Physical therapy*, 70(12), 855-863.
- Frank, J. S., Horak, F. B., & Nutt, J. (2000). Centrally Initiated Postural Adjustments in Parkinsonian Patients On and Off Levodopa. *Journal of Neurophysiology*, 84(5), 2440-2448.
- Gélat, T., & Brenière, Y. (2000). Adaptation of the gait initiation process for stepping on to a new level using a single step. *Experimental Brain Research*, 133(4), 538-546.
- Gibbons S. (2005). Integrating the psoas major and deep sacral gluteus maximus muscles into the lumbar cylinder model. *Proceedings of: "The Spine": World Congress on Manual Therapy*. October 7th – 9th, 2005, Rome, Italy. Retrieved 22.08.2009 from the World Wide Web  
[www.dogsrugby.ca/c/document\\_library/get\\_file?folderId=5&name](http://www.dogsrugby.ca/c/document_library/get_file?folderId=5&name)

- Gibbons, S. (2008). Anatomía clínica y función del psoas mayor y glúteo mayor sacro profundo. In Vleeming, A., Money V., & Stoeckart, R. (Eds.), *Movimiento, estabilidad y dolor lumbopélvico. Integración de la investigación con el tratamiento* (pp. 95-102). Barcelona: Elsevier España, S.L – MASSON.
- Heasley, K., Buckley, J., Scally, A., Twigg, P., & Elliott, D. B. (2004). Stepping Up to a New Level: Effects of Blurring Vision in the Elderly. *Investigative Ophthalmology & Visual Science*, 45(7), 2122-2128.
- Hermens, H. J., Freriks, B., Disselhorsts-Klug, C., & Rau, G. (2000). Development of recommendations for SEMG sensors and sensor placement procedures. *Journal of Electromyography and Kinesiology*, 10(5), 361-374.
- Hodges, P. W. (1999). Is there a role for transversus abdominis in lumbo-pelvic stability?. *Manual Therapy*, 4(2), 74-86.
- Hodges, P. W., & Bui, B. H. (1996). A comparison of computer-based methods for determination of onset of muscle contraction using electromyography. *Electroencephalography and Clinical Neurophysiology/Electromyography and Motor Control*, 101(6), 511-519.
- Hodges, P. W., & Moseley, G. L. (2003). Pain and motor control of the lumbopelvic region: effect and possible mechanisms. *Journal of Electromyography and kinesiology*, 13(4), 361-370.
- Hodges, P. W., & Richardson, C. A. (1996). Inefficient Muscular Stabilization of the Lumbar Spine Associated With Low Back Pain: A Motor Control Evaluation of Transversus Abdominis. *Spine*, 21(22), 2640-2650.
- Hodges, P. W., & Richardson, C. A. (1997). Contraction of the abdominal muscles associated with movement of the lower limb. *Physical therapy*, 77(2), 132-142.
- Hof, A. L., Elzinga, H., Grimmius, W., & Halbertsma, J. P. K. (2002). Speed dependence of averaged EMG profiles in walking. *Gait and posture*, 16(1), 78-86.
- Horak, F., & Nashner, L. (1986). Central programming of postural movements: adaptation to altered support surface configurations. *Journal of Neurophysiology*, 55, 1369-1381.
- Horčíčka, V. (2004). Osteoartróza. *Interní medicína pro praxi*, 5, 238-243.
- Hoskins, W., & Pollard, H. (2005). The management of hamstring injury – Part 1: Issues in diagnosis. *Manual Therapy* 10, 96-107.
- Hurley, M. V. (1999). The role of muscle weakness in the pathogenesis of osteoarthritis. *Rheumatic Disease Clinics of North America*, 25(2), 283-298.
- Chaitow, L., DeLany, J., & Lee, D. (2008). *Clinical Application of Neuromuscular Techniques, Volume 1: The Upper Body*. China: Churchill Livingstone, Elsevier.