

11 REFERENČNÍ SEZNAM

- Abrahamová, D., & Hlavacka, F. (2008). Age-related changes of human balance during quiet stance. *Physiological Research*, 57(6), 957-64.
- Alexandrov, A. V., Frolov, A. A., Horak, F.B., Carlson-Kuhta. P., & Park, S. (2005). Feedback equilibrium control during human standing. *Biological Cybernetics*, 93(5), 309-22.
- Aruin, A. S., Nicholas, J. J., & Latash, M. L. (1997). Anticipatory postural adjustments during standing in below-the-knee amputees. *Clinical Biomechanics (Bristol, Avon)*, 12, 52-59.
- Arwert, J. H., Doorn-Loogman, M. H., Koning, J., Terburg, M. R., & Roebroek, M. E. (2007). Residual-limb quality and functional mobility 1 year after transtibial amputation caused by vascular insufficiency. *Journal of rehabilitation research and development*, 44, 2007, 717-722.
- Bakirhan, S., Angin, S., Karatosun, V., Ünver, B., & Günel I. (2009). A comparison of static and dynamic balance in patients with unilateral and bilateral total knee arthroplasty. *Joint Disease & Related Surgery*, 20(2), 93-101.
- Barmparas, G., Inaba, K., Teixeira, P. G., Dubose, J. J., Criscuoli, M., Talving, P., Plurad, D., Green, D., & Demetriades, D. (2010). Epidemiology of post-traumatic limb amputation: a National Trauma Databank analysis. *The American Surgeon*, 76(11), 1214-22.
- Barr, A. E., Siegel, K. L., Danoff, J.V., McGarvey, C. L., Tomasko, A., Sable, I., & Stanhope, S. J. (1992). Biomechanical comparison of the energy-storing capabilities of SACH and Carbon Copy II prosthetic feet during the stance phase of gait in a person with below-knee amputation. *Physical Therapy*, 72(5), 344-54.
- Behr, J., Friedly, J., Molton, I., Morgenroth, D., Jensen, M. P., & Smith, D. G. (2009). Pain and pain-related interference in adults with lower-limb amputation: comparison of knee-disarticulation, transtibial, and transfemoral surgical sites. *Journal of Rehabilitation Research and Development*, 46(7), 963-72.
- Berger, S.M. (1980). Conservative management of phantom-limb and amputation-stump pain. *Annals of the Royal college surgeons*, 62(2),102-5.
- Bhangu, S., Devlin, M., & Pauley, T. (2009). Outcomes of individuals with transfemoral and contralateral transtibial amputation due to dysvascular etiologies. *Prosthetics and orthotics international*, 33, 33-40.

- Bierbaum, S., Pepe, A., Karamanidis, K., & Arampatzis, A. (2011). Adaptive feedback potential in dynamic stability during disturbed walking in the elderly. *Journal of Biomechanics*, 44(10), 1921-6.
- Binda, S. M., Culham E. G., & Brouwer, B. (2003). Balance, muscle strength, and fear of falling in older adults. *Experimental Aging Research*, 29(2), 205-19.
- Birgusová, G. (2007) Protetická fyzioterapie pro pokročilé, základní přehled. Seminář Ossur Academy East Europe, konaný 26.01.2007 ve Frýdku-Místku v ING corporation.
- Bloem, B. R., Allum, J. H., Carpenter, M. G., Honegger F. (2000). Is lower leg proprioception essential for triggering human automatic postural responses? *Experimental Brain Research*, 130(3), 375-91.
- Blumentritt, S., Schmalz, T., Jarash, R., & Schneider, M. (1999) Effects of sagittal plane prosthetic alignment on standing transtibial amputee knee loads. *Prosthetics Orthotics International*, 23, 231-238.
- Bonnet, C., Carello, C., & Turvey, M.T. (2009). Diabetes and postural stability: review and hypotheses. *Journal of Motor Behaviour*, 41(2), 172-90.
- Bosmans, J.C., Geertzen, J.H., Post, W.J., Van der Schans, C.P., Dijkstra, P.U. (2010). Factors associated with phantom limb pain: a 3 1/2-year prospective study. *Clinical Rehabilitation*, 24(5), 444-53.
- Bulat, T., Hart-Hughes, S., Ahmed, S., Quigley, P., Palacios, P., Werner, D.C., & Foulis, P. (2007). Effect of a group-based exercise program on balance in elderly. *Clinical Interventions in Aging*, 2(4), 655-60.
- Byrne, K.P. (2011). Survey of phantom limb pain, phantom sensation and stump pain in Cambodian and New Zealand amputees. *Pain Medicine*, 12(5), 794-8.
- Caldwell, G. E., Robertson D. G. E., & Whittlesey, S. N. (2004). Forces and their measurements. In Robertson, D. G. E. et al. (Eds.), *Research methods in biomechanics* (pp. 73-102). Champaign (USA): Human Kinetics. ISBN: 0-7360-3966-X.
- Cameron, M. H., Horak, F.B., Herndon, R.R., & Bourdette D. (2008). Imbalance in multiple sclerosis: a result of slowed spinal somatosensory conduction. *Somatosensory & Motor Research*, 25(2), 113-22.

- Clark, R.C., Saxion, C. E., Cameron, K. L., & Gerber, J. P. N. (2010). Associations between three clinical assessment tools for postural stability. *North American Journal of Sports Physical Therapy*, 5(3), 122-30.
- Colnat-Coulbois, S., Gauchard, G. C., Maillard, L., Barroche, G., Vespignani, H., Auque, J., Perrin, P. P. (2011). Management of postural sensory conflict and dynamic balance control in late-stage Parkinson's disease. *Neuroscience*, 13 (193), 363-9.
- Colné, P., Frelut, M. L., Pérès, G., & Thoumie, P. (2008). Postural Control in obese adolescents assessed by limits of stability and gait initiation. *Gait and Posture*, 28(1), 164-9.
- Cruz, V. T., Nunes, B., Reis, A. M., & Pereira, J. R. (2003). Cortical remapping in amputees and dysmelic patients: A functional MRI study. *NeuroRehabilitation*, 18 (4) , 299-305.
- Činčura, J. (2007). Angiologie pro lékaře v praxi. *Medical Tribune* [online], 13 [cit. 2011-09-03]. Dostupné na WWW: <http://www.tribune.cz/clanek/10529> .
- Darian-Smith, C., & Gilbert, C. D. (1994). Axonal sprouting accompanies functional reorganization in adult cat striate cortex. *Nature*, 68, 737-740.
- Dickstein, R., Peterka, R. J., & Horak, F.B. (2003). Effects of light fingertip touch on postural responses in subjects with diabetic neuropathy. *Journal of Neurology, Neurosurgery, and Psychiatry*, 74(5), 620-6.
- Diener, H. C., Horak, F. B., & Nashner, L. M (1988). Influence of stimulus parameters on human postural responses. *Journal of Neurophysiology*, 59(6),1888-189.
- Donker, S.F., & Beek, P.J. (2002). Interlimb coordination in prosthetic walking: effects of asymmetry and walking velocity. *Acta Psychologica (Amst.)*, 110(2-3), 265-88.
- Duclos, C., Roll, R., Kavounoudias, A., Roll, J-P., & Forot, R. (2007). Vibration-induced post-effects: A means to improve postural asymmetry in lower leg amputees? *Gait and Posture*, 26(4), 595-602.
- Duclos, C., Roll, R., Kavounoudias, A., Mongeau, J. P., Roll, J. P., & Forget, R. (2009). Postural changes after sustained neck muscle contraction in persons with a lower leg amputation. *Journal of Electromyography and Kinesiology*, 19(4), 214-22.
- Duncan, P. W., Werner, D. K. & Chander, J. (1990). Functional Reach: A new clinical measure of balance. *Journal of Gerontology*, 45, 92-197.
- Edelstein, J.E. (1988). Prosthetic feet. State of the Art. *Physical therapy*, 68(12), 1874-81.
- Ehde, D.M., & Smith, D.G. (2004). *Chronic Pain Management*. In Smith, D.G.; Michael, J.W.; Bowle, J. H. (Eds.). *Atlas of Amputations and Limb Deficiencies – Surgical, Prosthetic, and Rehabilitation Principles chapter*, 3rd. ed. Rosemond (USA): American Academy of Orthopedic Surgeons. ISBN 0892033134.