

10 REFERENČNÍ SEZNAM

- Ainsworth, B. E. (2000). Physical activity patterns in women. *The Physician and Sportsmedicine*, 28(10), 25–26.
- Ainsworth, B. E., Haskell, W. L., Whitt, M. C., Irwin, M. L., Swartz, A. M., Strath, S. J. et al. (2000). Compendium of physical activities: An update of activity codes and MET intensities. *Medicine and Science in Sports and Exercise*, 32(9), 498–504.
- American College of Sports Medicine (1990). The recommended quantity and quality of exercise for developing and maintaining cardiorespiratory and muscular fitness in healthy adults. *Medicine and Science in Sports and Exercise*, 22, 265–274.
- American College of Sports Medicine (1998). Position stand: Exercise and physical activity for older adults. *Medicine and Science in Sports and Exercise*, 30(6), 992–1008.
- Annesi J. J. (2004). Relationship of perceived health and appearance improvement and self-motivation with adherence to exercise in previously sedentary women. *Journal of Sports Sciences*, 4(2), 1–13.
- Asikainen, T. M., Kukkonen-Harjula, K., & Miilunpalo S. (2004). Exercise for health for early postmenopausal women: A systematic review of randomised controlled trials. *Sports Medicine*, 34(11), 753–778.
- Balady, G. J. (2002). Survival of the fittest: More evidence. *New England Journal of Medicine*, 346(11), 852–853.
- Bales, A. C. (2000). In search of lipid balance in older women. New studies raise questions about what works best. *Postgraduate Medicine*, 108(7), 57–72.
- Bandura, A. (2001). Social cognitive theory: An agentive perspective. *Annual Review of Psychology*, 52, 1–26.
- Beard, M. K., & Curtis, L. R. (1995). *Přechod a roky po něm*. České Budějovice: Dona.
- Bemben, D. A. et al. (2000). Musculoskeletal response to high- and low-intensity resistance training in early postmenopausal women. *Medicine and Science in Sports and Exercise*, 32(11), 1949–1957.
- Biddle, S. J. H., & Mutrie, N. (1991). *The psychology of physical Activity*. London: Springer-Verlag.
- Blahušová, E. (1999). *Aerobic professional manual*. Praha: Wellness School Evy Blahušové.
- Blahutková, M., Řehulka, E., & Dvořáková, Š. (2005). *Pohyb a duševní zdraví*. Brno: Paido.

- Blair, S. N. et al. (1992). How much physical activity is good for health? *Annual Review of Public Health, 13*, 99–126.
- Boháčková, L., & Kolouch, V. (2001). Optimalizace pohybového režimu perimenopauzálních žen. In „*Sport v České republice na začátku nového tisíciletí*“. Praha: Univerzita Karlova, Fakulta tělesné výchovy a sportu.
- Bolton, A. (1996). *Aerobics instructor course*. Austrálie: Network for Fitness Professionals.
- Boutcher, S. H., & Stein, P. (1995). Association between heart rate variability and training response in sedentary middle aged men. *European Journal of Applied Physiology and Occupational Physiology, 70*(1), 75–80.
- Bowyer, G. R. (1996). Student perceptions of physical education. *Journal of Physical Education, Recreation and Dance, 67*(1), 23–26.
- Brockie, J. (2006). Exercise for women in the early postmenopausal years. *Journal of British Menopause Society, 12*(3), 126–127.
- Bunc, V. (1995). Zásady dlouhodobé kultivace zdravotně orientované tělesné zdatnosti. *Tělesná výchova a sport mládeže, 61*(6), 6–9.
- Bunc, V., & Štilec, M. (2007). Tělesné složení jako indikátor aktivního stylu seniorek. *Česká kinantropologie, 11*(3), 17–23.
- Bunc, V., & Teplý, Z. (1989). Hodnocení energetické náročnosti základních tělesných aktivit. *Časopis lékařství českého, 128*, 1580–1583.
- Cathala, H. (2007). *WELLNESS od vnějšího pohybu k vnitřnímu klidu*. Praha: Grada.
- Cinglová, L. (2002). *Vybrané kapitoly z tělovýchovného lékařství*. Praha: Univerzita Karlova.
- Citerbat, K. (2001). *Gynekologie*. Praha: Galén.
- Cohen, S. (1993). The 20-minutes myth. *Shape, 13*(3), 56–58.
- Cooper, K. H. (1986). *Aerobický program pre aktívne zdravie*. Bratislava: Šport.
- Cooper, K. H. (1990). *Aerobický program pre aktívne zdravie*. Bratislava: Šport.
- Cutt, H. L. et al. (2008). Does getting a dog increase recreational walking? *International Journal of Behavioral Nutrition and Physical Activity, 5*, 17–24.
- Cyr, M. G. (2000). Menopause. *Postgraduate Medicine, 108*(3), 34–43.
- Davy, K. P., Willis, W. L., & Seals, D. R. (1997). Influence of exercise training on heart rate variability in post-menopausal women with elevated arterial blood pressure. *Clinical Physiology, 17*(1), 31–40.
- Degeus, E. J. C., Karsdorp, R., Boer, B., Deregt, G., Orlebeke, J. F., & Vandoornen, L. J. P. (1996). Effect of aerobic fitness training on heart rate variability and cardiac baroreflex sensitivity. *Homeostasis in Health and Disease, 37*, 28–51.

- DeMeersman, R. E. (1993). Heart rate variability and aerobic fitness. *American Heart Journal*, 125, 726–731.
- Diehl, H., & Ludington, A. (2005). *Health power*. USA: Review and Herald.
- Dishman, R. K. (1988). *Exercise adherence: Its impact on public health*. Champaign, IL: Human Kinetics.
- Dishman, R. K., & Buckworth, J. (1996). Increasing physical activity: A quantitative synthesis. *Medicine and Science in Sports and Exercise*, 28, 706–719.
- Dishman, R. K., Washburn, R. A., & Heath, G. W. (2004). *Physical activity epidemiology*. Champaign IL: Human Kinetics.
- Dixon, M., Kamath, V., McKartney, N., & Fallen, L. (1992). Neural regulation of heart rate variability in endurance athletes and sedentary controls. *Cardiovascular Research*, 26(7), 713–719.
- Dobry, L. (2006). Úvod do problematiky vztahu pohybových aktivit a zdraví. *Tělesná výchova a sport mládeže*, 72, 4–13.
- Dobry, L., & Hendl, J. (2010). *Psychologie aktivního způsobu života: motivace lidí k pohybové aktivitě*. Praha: Portál.
- Donát, J. (1989). *Přechod v životě ženy*. Praha: Avicenum.
- Donát, J. (1994). *Klimaktérium: průvodce ženy přechodem*. Praha: Alberta.
- Edwards, S. (1999a). *12 Facts about the Five Heart Zones*. Retrieved 1st February 2000 from the World Wide Web: http://www.heartmonitor.com/12_facts.htm
- Edwards, S. (1999b). *How to determine your maximum heart rate*. Retrieved 30th May 2001 from the World Wide Web: http://www.heartmonitors.com/exercisetips/maximum_heartrate.htm
- Fait, T. (2006). *Klimakterická medicína*. Praha: Maxdorf.
- Fialová, D. (1997). Výzkum efektů aerobiku a kalanetiky. *Tělesná výchova a sport mládeže*, 63(8), 42–47.
- Fialová, D., & Fiala, Z. (2003). Zásady pohybové aktivity v primární prevenci. *Hygiena*, 48(2), 94–101.
- Fialová, L. (2008). Stárnutí, vztah k tělu a životní styl žen ve věku nad 40 let. *Česká kinantropologie*, 12(3), 17–25.
- Findorff, M. J., Wyman, J. F., & Gross, C. R. (2009). Predictors of long-term exercise adherence in a community-based sample of older women. *Journal of Women's Health*, 11, 1769–1776.