

10 Referenční seznam

- Abbott, R. D., Petrovitch, H., Masaki, K. H., Tanner, C. M., Curb, J. D., Grandinetti, A., Blanchette, P. L., & Ross, G. W. (2001). Frequency of bowel movements and future risk of Parkinson's disease, *Neurology*, 57, 456-462.
- Adams, K. J., Barnard K. L., Swank A. M., Mann, E., Kushnick, M. R., & Denny, D. M. (1999). Combined high-intensity strength and aerobic training in diverse phase II cardiac rehabilitation patients. *J Cardiopulmonary Rehabil*, 19, 209-215.
- Akselrod, S., Gordon, D., Ubel, F. A., Shannon, D. C., Barger, A. C., & Cohen, R. J. (1981). Power spectrum analysis of heart rate fluctuations: a quantitative probe of beat – to – beat cardiovascular control. *Science*, 213, 220-222.
- Amino, T., Orimo, S., Itoh, Y., Takahashi A., Uchihara, T., & Mizusawa H. (2005). Profound cardiac sympathetic denervation occurs in Parkinson's disease. *Brain Pathology*, 15, 29-34.
- Arshad, A., Mandava, A. , Kamath, G., & Musat, D. (2008). Sudden cardiac death and the role of medical therapy. *Prog Cardiovasc Dis*, 50 (6), 420-438.
- Barbic, F., Perego, F., Canesi, M., Gianni, M., Biagiotti, S., Costantino, G., Pezzoli, G., Porta, A., Malliani, A., & Furlan, R. (2007). Early abnormalities of vascular and cardiac autonomic control in Parkinson's disease without orthostatic hypotension. *Hypertension*, 49(1), 120-126.
- Bednařík, J., Ambler, Z., & Růžička, E. (2010). *Klinická neurologie - speciální část*. Praha: Triton.
- Bellwon, J., Siebert, J., Rogowski, J., Szulc, J., Ciećwierz, D., Deptulski, T., Narkiewicz, M., & Rynkiewicz, A. (1996). Heart rate power spectral analysis in patients before and 6 weeks after coronary artery bypass grafting. *Clin Sci (Lond)*, 91, 19-21.
- Beniamini, Y., Rubenstein, J. J., Faigenbaum A. D., Lichtenstein, A. H., & Crim, M. C. (1999). High-intensity strength training of patients enrolled in an outpatient cardiac rehabilitation program. *J Cardiopulmonary Rehabil*, 19, 8-17.
- Ben Lamine, S., Calabrese, P., Perrault, H., Pham Dinh, T., Eberhard, A., & Benchetrit, B. (2004). Individual differences in respiratory sinus arrhythmia. *American*

- Journal of Physiology - Heart and Circulatory Physiology*, 286(6), 2305-2312.
- Bergen, J. L., Toole, T., Elliott, R. G., Wallace, B., Robinson, K., & Maitland, C. G. (2002). Aerobic exercise intervention improves aerobic capacity and movement initiation in Parkinson's disease patients. *Neuro Rehabilitation*, 17, 161-168.
- Berntson, G. G., Bigger, J. T., Eckberg, D. L., Grossman, P., Kaufmann, P. G., Malik, M., Nagaraja, H. N., Porges, S. W., Saul, J. P., Stone, P. H., & Van der Molen, M. W. (1997). *Psychophysiology*, 34(6), 623-648.
- Bloom, F. E., Beal, M. F., & Kupfer, D. J. (Eds.). (2006). *The Dana guide to brain health: A practical family reference from medical experts*. Washington: DANA Press.
- Bohannon, R. W., Walsh, S., & Joseph, M. C. (1993). Ordinal and timed balance measurements: reliability and validity in patients with stroke. *Clin Rehab*, 7, 9-13.
- Bonucelli, U., Lucetti, C., Del Dotto, P., Ceravolo, R., Gambaccini, G., Bernardini, S., Rossi, G., & Piaggese, A. (2003). Orthostatic hypotension in de novo Parkinson's disease, *Arch Neurol*, 60, 1400-1404.
- Braak, H., Rub, U., & Gai, W. P. (2003). Idiopathic Parkinson's disease : possible routes by which vulnerable neuronal types may be subject to neuroinvasion by an unknown pathogen. *J Neural Transm*, 110, 517-536.
- Braak, H., Ghebremedhin, E., Rüb, U., Bratzke, H., & Del Tredici, K. (2004). Stages in the development of Parkinson's disease-related pathology. *Cell Tissue Res*, 318(1), 121-134
- Braak, H., de Vos, R. A., & Bohl, J. (2006). Gastric alpha-synuclein immunoreactive inclusions in Meissner's and Auerbach's plexuses in cases staged for Parkinson's disease-related brain pathology, *Neurosci Lett*, 396 (1), 67-72.
- Braune, S. (2001). The role of cardiac metadobenzylguanidine uptake in the differential diagnosis of parkinsonian syndromes. *Clin Auton Res*, 11, 351-355.
- Brown, C. A., Wolfe, L. A., Hains, S. Ropchan, G., & Parlow, J. (2004). Heart rate variability following coronary artery bypass graft surgery as a function of recovery time, posture, and exercise. *Can J Physiol Pharmacol*, 82 (7), 457-464.
- Brubaker, P. H., Kaminsky, L. A., & Whaley, M. (2002). *Coronary Artery Disease. Essential of Prevention and Rehabilitation Programs*. Champaign: Human

Kinetics.

- Bryniarski, L., Kawwa, J., Rajzer, M., Stolarz, K., & Kawecka-Jaszcz, K. (2002). Heart rate variability in patients after coronary artery bypass grafting: early and late effects of cardiac rehabilitation. *Acta Cardiol*, 57(1), 35-36.
- Bucerius, J. (2004). On-pump versus off-pump coronary artery bypass grafting: impact on postoperative renal failure requiring renal replacement therapy. *The Annals of Thoracic Surgery*, 77(4), 1250-1256.
- Budeus, M., Feindt, P., Gams, E., Wieneke, H., Sack, S., Erbel, R., & Perings, C. (2007). Beta-blocker prophylaxis for atrial fibrillation after coronary artery bypass grafting in patients with sympathovagal imbalance. *Ann Thorac Surg*, 84(1), 61-66.
- Bunten, D. C., Warner, A. L., Brunnemann, S. R., & Segal, J. L. (1998) Heart rate variability is altered following spinal cord injury. *Clin Auton Res*, 8(6), 329-334.
- Cakit, B. D., Saracoglu, M., Genc, H., Erdem, H. R., & Inan, L. (2007). The effects of incremental speed-dependent treadmill training on postural instability and fear of falling in Parkinson's disease. *Clinical Rehabilitation*, 21(8), 698-705.
- Carter, J. B., Banister, E. W., & Blaber, A. P. (2003). The effect of age and gender on heart rate variability after endurance training. *Med Sci Sports Exerc*, 35(8), 1333-1340.
- Castiglioni, P., Di Rienzo, M., Veicsteinas, A., Parati, G., & Merati, G. (2007) Mechanism of blood pressure and heart rate variability: an insight from low-level paraplegia. *Am J Physiol Regul Integr Comp Physiol*, 292(4), 1502-1509.
- Claydon, V. E., & Krassioukov, A. V. (2006). Orthostatic hypotension and autonomic pathways after spinal cord injury. *J Neurotrauma*, 23, 1713-1725.
- Claydon, V. E., Steeves, J. D., & Krassioukov, A. V. (2006) Orthostatic hypotension following spinal cord injury: understanding clinical pathophysiology. *Spinal Cord*, 44, 341-351.
- Claydon, V. E., & Krassioukov, A. V. (2008). Clinical correlates of frequency analyses of cardiovascular control after spinal cord injury. *American Journal of Physiology. Heart and Circulatory Physiology*, 294(2), 668-678.
- Consortium for Spinal Cord Medicine (1998). *Neurogenic Bowel Management in Adults*

- with Spinal Cord Injury: Clinical Practice Guidelines for Health-Care Professionals.* Washington DC: Paralyzed Veterans of America.
- Cranton, E. M. (2001). *Bypassing bypass surgery.* Charlottesville: Hampton Roads.
- Cygankiewicz, I., Wranitz, J. K., Bolinska, H., Zaslonka, J., Jaszewski, R., & Zareba, W. (2004). Influence of coronary artery bypass rafting on heart rate turbulence parameters. *Am J Cardiol*, *94*, 186-189.
- Čihák, R. (2011). *Anatomie 3.* Praha: Grada Publishing.
- Česká kardiologická společnost (1999). *Doporučení pro posudkovou činnost v kardiologii.* Retrieved 1. 11. 2012 from the World Wide Web: <http://www.kardio-cz.cz/index.php?&desktop=clanky&action=view&id=101>
- Dela, F., Mohr, T., Jensen, C. M., Haahr, H. L. , Secher, N. H., Biering-Sørensen, F., & Kjaer, M. (2003). Cardiovascular control during exercise: insights from spinal cord-injured humans. *Circulation*, *107*(16), 2127-2133.
- Demirel, S., Akkaya, V., Oflaz, H., Tukek, T., & Erk, O. (2002). Heart rate variability after coronary artery bypass graft surgery: a prospective 3-year follow-up study. *Ann Noninvasive Electrocardiol*, *7*, 247-250.
- DeVivo, M. J., Black, K. J., & Stover , S. L. (1993). Causes of death during the first 12 years after spinal cord injury. *Arch Phys Med Rehabil*, *74*, 248-254
- Devos, D., Koumova, M. Bordet, R., Vodougnon, H., Guieu, J., D., Libersa, C., & Destee, A. (2003). Heart rate variability and Parkinson`s disease severity. *J Neural Transm*, *110* (9), 997-1011.
- Dimmer, C. Dimmer C, Tavernier, R., Gjorgov, N., Van Nooten, G., Clement, D. L., & Jordaens, L. (1998). Variations of autonomic tone preceding onset of atrial fibrillation after coronary artery bypass grafting. *Am J Cardiol*, *82*(1), 22-25.
- Dimopoulos, S., Anastasiou-Nana, M., Sakellariou, D., Drakos, S., Kepsimalakou, S., Maroulidis, G., Roditis, T., Papazachou, O., Vogiatzis, I., Roussos, C., & Nanas, S. (2006). Effects of exercise rehabilitation program on heart rate recovery in patients with chronic heart failure. *Journal of Cardiovascular prevention & Rehabilitation*, *13* (1), 67-73.
- Ditor, D. S., Kamath, M. V., Macdonald, M. J., Bugaresti, J., Mc Cartney, N., & Hicks, A. L. (2005). Reproducibility of heart rate variability and blood pressure variability in individuals with spinal cord injury. *Clin Auton Res*, *15*(6), 387-393.