

11 REFERENČNÍ SEZNAM

- Alberti, K. G. M. M., & Zimmet, P. (1998). Definition, diagnosis and classification of diabetes mellitus and its complications. Part 1: Diagnosis and classification of diabetes mellitus provisional report of a WHO consultation. *Diabetic Medicine*, *15*, 539–553.
- Alberti, K. G. M. M., Zimmet, P., & Shaw, J. (2006). Metabolic syndrome – a new world-wide definition. A consensus statement from the International diabetes federation. *Diabetic Medicine*, *23*, 469–480.
- Albinet, C. T., Boucard, G., Bouquet, C. A., & Audiffren, M. (2010). Increased heart rate variability and executive performance after aerobic training in the elderly. *European Journal of Applied Physiology*, *109*, 617–624.
- Albrecht, K., Meyer, S., & Zahner, L. (2001). *Stretching – Das expertenhandbuch. Grundlagen für trainer und sportler* (3rd ed.). Heidelberg: HAUG.
- Albright, A., Franz, M., Hornsby, G., Kriska, A., Marrero, D., Ullrich, I., & Verity, L. S. (2000). American College of Sports Medicine position stand: Exercise and type 2 diabetes. *Medicine & Science in Sports & Exercise*, *32*(7), 1345–1360.
- American College of Sports Medicine (2006). *ACSM's guidelines for exercise testing and prescription* (7th ed.). Philadelphia, PA: Lippincott Williams & Wilkins.
- Anderson, B. (2000). *Stretching* (20th ed.). Bolinas, CA: Shelter Publications.
- Antelmi, I., De Paula, R. S., Shinzato, A. R., Peres, C. A., Mansur, A. J., & Grupi, C. J. (2004). Influence of age, gender, body mass index, and functional capacity on heart rate variability in a cohort subjects without heart disease. *American Journal of Cardiology*, *93*, 381–385.
- Arslan, F. (2011). The effects of an eight-week step-aerobic dance exercise programme on body composition parameters in middle-aged sedentary obese women. *International SportMed Journal*, *12*(4), 160–168.
- Asikainen, T.-M., Kukkonen-Harjula, K., & Miilunpalo, S. (2004). Exercise for health for early postmenopausal women: A systematic review of randomised controlled trials. *Sports Medicine*, *34*(11), 753–778.
- Asikainen, T.-M., Miilunpalo, S., Oja, P., Rinne, M., Pasanen, M., Uusi-Rasi, K., & Vuori, I. (2002). Randomised, controlled walking trials in postmenopausal women: The minimum dose to improve aerobic fitness? *British Journal of Sports Medicine*, *36*(3), 189–194.

- Åstrand, P.-O., Rodahl, K., Dahl, H. A., & Strømme, S. B. (2003). *Textbook of Work Physiology: Physiological Bases of Exercises* (4th ed.). Champaign, IL: Human Kinetics.
- Aubert, A. E., Beckers, F., & Ramaekers, D. (2001). Short-term heart rate variability in young athletes. *Journal of Cardiology*, 37(1), 85–88.
- Aubert, A. E., Seps, B., & Beckers, F. (2003). Heart rate variability in athletes. *Sports Medicine*, 33(12), 889–919.
- Autumn, L. (2005). *The importance of physical activity and exercise: The fitness factor*. Philadelphia, PA: Mason Crest Publishers.
- Bankoski, A. et al. (2011). Sedentary activity associated with metabolic syndrome independent of physical activity. *Diabetes Care*, 34, 497–503.
- Banz, W. J., Maher, M. A., Thompson, W. G., Bassett, D. R., Moore, W., Ashraf, M., Keefer, D. J., & Zemel, M. B. (2003). Effects of resistance versus aerobic training on coronary artery disease risk factors. *Experimental Biology and Medicine*, 228(4), 434–440.
- Bell, J. M., & Basseby, E. J. (1994). A comparison of the relation between oxygen uptake and heart rate during different styles of aerobic dance and a traditional step test in women. *European Journal of Applied Physiology and Occupational Physiology*, 68(1), 20–24.
- Blair, S. N. (1993). Evidence for success of exercise in weight loss and control. *Annals of Internal Medicine*, 119(7), 702–706.
- Blair, S. N., LaMonte, M. J., & Nichaman, M. Z. (2004). The evolution of physical activity recommendations: how much is enough? *American Journal of Clinical Nutrition*, 79(suppl.), 913S–920S.
- Boettger, M. K., Schulz, S., Berger, S., Tancer, M., Yeragani, V. K., Voss, A., & Bär, K.-J. (2010). Influence of age on linear and nonlinear measures of autonomic cardiovascular modulation. *Annals of Noninvasive Electrocardiology*, 15(2), 165–174.
- Boháčková, L., & Kolouch, V. (2001). Optimalizace pohybového režimu perimenopauzálních žen. In *Sborník příspěvků národní konference „Sport v české republice na začátku nového tisíciletí“* (vol. 2, pp. 97–100). Praha: Karlova univerzita, Fakulta tělesné výchovy a sportu.
- Bouchard, C., & Shephard, R. J. (1994). Physical activity, fitness, and health: The model and key concepts. In C. Bouchard, R. J. Shephard, & T. Stephens (Eds.),

- Physical activity, fitness and health: International proceedings and consensus statement* (pp. 77–88). Champaign, IL: Human Kinetics.
- Bouchard, C., Shephard, R. J., Stephens, T., Sutton, J. R., & McPherson, B. D. (1990). Exercise, fitness, and health: The consensus statement. In C. Bouchard et al. (Eds.), *Exercise, fitness, and health: A consensus of current knowledge* (pp. 3–28). Champaign, IL: Human Kinetics.
- Boutcher, S. H., & Stein, P. (1995). Association between heart rate variability and training response in sedentary middle aged men. *European Journal of Applied Physiology and Occupational Physiology*, 70(1), 75–80.
- Braith, R. W., & Stewart, K. J. (2006). Resistance exercise training: Its role in the prevention of cardiovascular disease. *Circulation*, 113(22), 2642–2650.
- Brambilla, D. J., McKinlay, S. M., & Johannes, C. B. (1994). Defining the perimenopause for application in epidemiologic investigations. *American Journal of Epidemiology*, 140(12), 1091–1095.
- Brannon, L., & Feist, J. (2004). *Health psychology* (5th ed.). Belmont, CA: Wadsworth Thomson Learning.
- Brawner, C. A., Keteyian, S. J., & Ehrman, J. K. (2002). The relationship of heart rate reserve to $\dot{V}O_2$ reserve in patients with heart disease. *Medicine & Science in Sports & Exercise*, 34(3), 418–422.
- Bray, G. A. (1990). Exercise and obesity. In C. Bouchard et al. (Eds.), *Exercise, fitness, and health: A consensus of current knowledge* (pp. 497–510). Champaign, IL: Human Kinetics.
- Brehm, B. A. (2004). *Successful fitness motivation strategies*. Champaign, IL: Human Kinetics.
- Buchheit, M., & Gindre, C. (2006). Cardiac parasympathetic regulation: respective associations with cardiorespiratory fitness and training load. *American Journal of Physiology – Heart and Circulatory Physiology*, 291, H451–H458.
- Buchheit, M., Simon, Ch., Charloux, A., Doutreleau, S., Piquard, F., & Brandenberger, G. (2005). Heart rate variability and intensity of habitual physical activity in middle-aged persons. *Medicine & Science in Sports & Exercise*, 37(9), 1530–1534.
- Buchheit, M., Simon, Ch., Piquard, F., Ehrhart, J., & Brandenberger, G. (2004). Effects of increased training load on vagal-related indexes of heart rate variability: A novel sleep approach. *The American Journal of Physiology – Heart and Circulatory Physiology*, 287, H2813–H2818.