

- Adams, H. B. (1980). Effects of reduced stimulation on institutionalized adult patients. In P. Suedfeld (Ed.), *Restricted Environmental Stimulation* (pp. 320-364). New York: Wiley-Interscience.
- Ainscoe, M., & Hardy, L. (1987). Cognitive warm-up in a cyclical gymnastics skill. *International Journal of Sport Psychology*, 18, 269-275.
- Amasiatu, A. N. (2013). Mental imagery rehearsal as a psychological technique to enhancing sports performance. *Mental*, 1(2). Retrieved 5. 4. 2014 from WWW: [http://www.erint.savap.org.pk/PDF/Vol.1\(2\)/ERInt.2013\(1.2-07\).pdf](http://www.erint.savap.org.pk/PDF/Vol.1(2)/ERInt.2013(1.2-07).pdf)
- American Psychological Association. (2013). *The state-trait anxiety inventory (stai)*. Retrieved 7. 9. 2012 from WWW: <http://www.apa.org/pi/about/publications/caregivers/practice-settings/assessment/tools/trait-state.aspx>
- Anette, K., Hanna, E., Tommy, N. E., & Torsten, N. (2013). Quality of life with flotation therapy for a person diagnosed with attention deficit disorder, atypical autism, PTSD, anxiety and depression. *Open Journal of Medical Psychology*, 2, 134-138. Retrieved 4. 6. 2013 from WWW: <http://www.scirp.org/journal/PaperDownload.aspx?paperID=34022>
- Anshen, A. (2004). ISM: The tripple code model for imagery and psychophysiology. *Journal of mental imagery*, 8, 15-42.
- Arvinen-Barrow, M., Weigand, D. A., Thomas, S., Hemmings, B., & Walley, M. (2007). Elite and novice athletes' imagery use in open and closed sports. *Journal of applied sport psychology*, 19(1), 93-104.
- Auger, J., Loizeau, J., & Agamanolis, S. (2003). Iso-phone: a total submersion telephonic experience. *Proceedings of the 1st international symposium on Information and communication technologies*. 232-236. Trinity College Dublin. Retrieved 16. 5. 2014 from WWW: http://medialabeurope.org/research/library/Auger_Isophone_2003.pdf
- Åsenlöf, K., Olsson, S., Bood, S. Å., & Norlander, T. (2007). Case studies on fibromyalgia and burn-out depression using psychotherapy in combination with flotation-REST: Personality development and increased well-being. *Imagination, Cognition and Personality*, 26(3), 259-271.
- Barabasz, A. (1982). Restricted environmental stimulation and the enhancement of hypnotizability: EEG alpha, skin conductance and temperature responses. *International Journal of Clinical and Experimental Hypnosis*, 30, 147-166.
- Barabasz, A., Barabasz, M., & Bauman, J. (1993). Restricted environmental stimulation technique improves human performance: rifle marksmanship. *Perceptual & Motor Skills*, 76(3), 867-873.
- Bedáňová, I., & Večerek, V. (2007). *Základy statistiky pro studující veterinární medicíny a farmacie*. Brno: Veterinární a farmaceutická univerzita Brno.

- Bednářová, J., Šmardová, V. (2008). *Diagnostika dítěte předškolního věku*. Brno: Computer press.
- Bender, T., Karagülle, Z., Bálint, G. P., Gutenbrunner, C., Bálint, P. V., & Sukenik, S. (2005). Hydrotherapy, balneotherapy, and spa treatment in pain management. *Rheumatology international*, 25(3), 220-224.
- Bexton, W. H., Heron, W., & Scott, T. H. (1954). Effects of decreased variation in the sensory environment. *Canadian Journal of Psychology*, 8(2), 70.
- Bood, S. Å., Kjellgren, A., Norlander, T. (2009). Treating stress-related pain with the flotation restricted environmental stimulation technique: Are there differences between women and men? *Pain Research & Management: The Journal of the Canadian Pain Society*, 14(2), 293-296.
- Bood, S. Å., Sundequist, U., Kjellgren, A., Nordström, G., & Norlander, T. (2005). Effects of flotation-REST (restricted environmental stimulation technique) on stress related muscle pain: What makes the difference in therapy, attention-placebo, or the relaxation response? *Pain Research and Management*, 10, 201-209.
- Bood, S. Å., Sundequist, U., Kjellgren, A., Nordström, G., & Norlander, T. (2007). Effects of flotation REST (restricted environmental stimulation technique) on stress related muscle pain: Are 33 flotation sessions more effective than 12 sessions? *Social Behavior and Personality: an international journal*, 35(2), 143-156.
- Borecký, V. (2005). *Imaginace, hra a komika*. Praha: Triton.
- Borrie, R. A. (1991). The use of restricted environmental stimulation therapy in treating addictive behaviors. *Substance Use & Misuse*, 25(8), 995-1015.
- Budzynski, T. H. (1990). Hemispheric asymmetry and REST. In P. Suedfeld, J. W. Turner, Jr. & T. H. Fine, (Eds.), *Restricted Environmental Stimulation: Theoretical and Empirical Developments in Flotation REST* (pp. 2-21). New York, NY: Springer Verlag.
- Cabeza, R., & Kingstone, A. (2006). *Handbook of functional neuroimaging of cognition*. London: MIT Press.
- Ciavarello, F. (2013). Float tank solutions [online]. Retrieved 2. 3. 2014 from WWW: <http://www.floattanksolutions.com/>
- Cooper, D., & Adams, H. (1988). Studies in REST. An overview of REST technology. *Journal of Substance Abuse Treatment*, 5, 69-75.
- Crust, L. (2005). *Sport Psychology – the will to win*. London: Peak Performance Publishing.
- Cumming, J., Hall, C., & Shambrook, C. (2004). The influence of an imagery workshop on athletes' use of imagery. *Athletic insight*, 6(1), 52-73. Retrieved 16. 4. 2011 from WWW:

- <http://www.athleticinsight.com/Vol6Iss1/ImageryPDF.pdf>
- Čelikovský, S., et al. (1989). *Antropomotorika pro studující tělesnou výchovu*, 3. vyd. Praha: Státní pedagogické nakladatelství.
- Decety, J., & Stevens, J. (2009). Action representation and its role in social interaction. In K. D. Markman, W. M. P. Klein & J. A. Suhr (Eds.). *The Handbook of Imagination and Mental Simulation*. New York: Psychology Press.
- Dohnal, L. (2008). Štatistické metódy pre klinickú epidemiológiu a laboratórnu prax. *Analýza rozptylu – ANOVA*, 37-42. Aprilla: Košice
- Dovalil, et al. (2008). *Lexikon sportovního tréninku*. 2. vyd. Praha: Karolinum.
- Driediger, M., Hall, C., & Callow, N. (2006). Imagery use by injured athletes: a qualitative analysis. *Journal of Sports Sciences*, 24(3), 261-272.
- Epsom Salt Council (2014) [online]. Retrieved 12. 5. 2014 from WWW: <http://www.epsomsaltcouncil.org/>
- Evans, L., Hare, R., & Mullen, R. (2006). Imagery use during rehabilitation from injury. *Journal of Imagery Research in Sport and Physical Activity*, 1(1), 1-19.
- Eckhardt, S. (2007). *Die wirkungen von flotation restricted environmental stimulation therapy (REST) auf die gesundheit*. Retrieved 19. 5. 2012 from WWW: <http://www.floatbase.de/fileadmin/pdf/floating-und-gesundheit.pdf>
- Feltz, D. L., & Landers, D. M. (1983). The effects of mental practice on motor skill learning and performance: A meta-analysis. *Journal of sport psychology*, 5(1), 25-57.
- Ferjenčík, J. (2000). *Úvod do metodologie psychologického výzkumu: Jak zkoumat lidskou duši*. Praha: Portál.
- Fine, T. H., & Turner Jr, J. W. (1982). The effect of brief restricted environmental stimulation therapy in the treatment of essential hypertension. *Behaviour Research and Therapy*, 20(6), 567-570.
- Fine, T. H., & Turner Jr, J. W. (1985). Rest-assisted relaxation and chronic pain. *Health and clinical psychology*, 4, 511-518.
- Finke, R. A., & Shepard, R. N. (1986). Visual functions of mental imagery. *Representations*, 37(8). Retrieved 5. 2. 2012 from WWW: <http://homepage.psy.utexas.edu/HomePage/Class/Psy355/Gilden/visualfunctionsofmentalimagery.pdf>
- Forgays, D. G., Belinson, M. J. (1986). Is flotation isolation a relaxing environment? *Journal of Environmental Psychology*, 6, 19-34.
- Forgays, D. G., & Forgays, D. K. (1992). Creativity enhancement through flotation isolation. *Journal of Environmental Psychology*, 12(4), 329-335.