

## 12 REFERENČNÍ SEZNAM

- Adams, J. (2010). Prevalence and socio-demographic correlates of "active transport" in the UK: Analysis of the UK time use survey 2005. *Preventive Medicine, 50*(4), 199-203. doi: 10.1016/j.ypmed.2010.01.006
- Adams, M. A., Frank, L. D., Schipperijn, J., Smith, G., Chapman, J. E., Christiansen, L. B., . . . Sallis, J. F. (2014). International variation in neighborhood walkability, transit, and recreation environments using geographic information systems: The IPEN adult study. *International Journal of Health Geographics, 13*:43. doi: 10.1186/1476-072X-13-43
- Addy, C. L., Wilson, D. K., Kirtland, K. A., Ainsworth, B. E., Sharpe, P., & Kimsey, D. (2004). Associations of perceived social and physical environmental supports with physical activity and walking behavior. *American Journal of Public Health, 94*(3), 440-443. doi: 10.2105/ajph.94.3.440
- Ainsworth, B. E., Haskell, W. L., Whitt, M. C., Irwin, M. L., Swartz, A. M., Strath, S. J., O'Brien, W. L., Bassett, D. R., Schmitz, K. H., Emplaincourt, P. O., Jacobs, D. R., & Leon, A. S. (2000). Compendium of physical activities: An update of activity codes and MET intensities. *Medicine and Science in Sports and Exercise, 32*(Suppl. 9), 498-516.
- Ajzen, I. (1991). The theory of planned behavior. *Organizational Behavior and Human Decision Processes, 50*(2), 179-211. doi: 10.1016/0749-5978(91)90020-t
- Andrews, G., Hall, E., Evans, B., & Colls, R. (2012). Moving beyond walkability: On the potential of health geography. *Social Science & Medicine, 75*(11), 1925-1932. doi: 10.1016/j.socscimed.2012.08.013
- Atash, F. (1994). Redesigning suburbia for walking and transit - emerging concepts. *Journal of Urban Planning and Development-Asce, 120*(1), 48-57. doi: 10.1061/(asce)0733-9488(1994)120:1(48)
- Auchincloss, A. H., Roux, A. V. D., Brown, D. G., Erdmann, C. A., & Bertoni, A. G. (2008). Neighborhood resources for physical activity and healthy foods and their association with insulin resistance. *Epidemiology, 19*(1), 146-157. doi: 10.1097/EDE.0b013e31815c480
- Badland, H. M., Duncan, M. J., Oliver, M., Duncan, J. S., & Mavoa, S. (2010). Examining commute routes: Applications of GIS and GPS technology. *Environmental Health and Preventive Medicine, 15*(5), 327-330. doi: 10.1007/s12199-010-0138-1
- Ball, K., Bauman, A. E., Leslie, E., & Owen, N. (2001). Perceived environmental aesthetics and convenience and company are associated with walking for exercise among Australian adults. *Preventive Medicine, 33*(5), 434-440. doi: 10.1006/pmed.2001.0912

- Bandura, A. (1977). Self-efficacy - toward a unifying theory of behavioral change. *Psychological Review*, 84(2), 191-215. doi: 10.1037/0033-295x.84.2.191
- Bandura, A. (2001). Social cognitive theory: An agentic perspective. *Annual Review of Psychology*, 52, 1-26. doi: 10.1146/annurev.psych.52.1.1
- Banks, J., Marmot, M., Oldfield, Z., & Smith, J. P. (2006). Disease and disadvantage in the United States and in England. *Journal of the American Medical Association*, 295(17), 2037-2045. doi: 10.1001/jama.295.17.2037
- Bauman, A. E., Reis, R. S., Sallis, J. F., Wells, J. C., Loos, R. J. F., & Martin, B. W. (2012). Correlates of physical activity: Why are some people physically active and others not? *Lancet*, 380(9838), 258-271. doi: 10.1016/s0140-6736(12)60735-1
- Bauman, A. E., & Bull, F. (2007). *Environmental correlates of physical activity and walking in adults and children: A review of reviews*. London, UK: National Institute of Health and Clinical Excellence.
- Bauman, A. E., Ainsworth, B. A., Bull, F., Craig, C. L., Hagströmer, M., Sallis, J. F., Pratt, M., & Sjörström, M. (2009). Progress and pitfalls in the use of the International Physical Activity Questionnaire (IPAQ) for adult physical activity surveillance. *Journal of Physical Activity and Health*, 6(Suppl. 1), S5-S8.
- Black, J. L., & Macinko, J. (2008). Neighborhoods and obesity. *Nutrition Reviews*, 66(1), 2-20. doi: 10.1111/j.1753-4887.2007.00001.x
- Blahuš, P. (1996). *K systémovému pojetí statistických metod v metodologii empirického výzkumu chování*. Praha: Karolinum.
- Blanchard, C. M., McGannon, K. R., Spence, J. C., Rhodes, R. E., Nehl, E., Baker, F., & Bostwick, J. (2005). Social ecological correlates of physical activity in normal weight, overweight, and obese individuals. *International Journal of Obesity*, 29(6), 720-726. doi: 10.1038/sj.ijo.0802927
- Boarnet, M. G., & Sarmiento, S. (1998). Can land-use policy really affect travel behaviour? A study of the link between non-work travel and land-use characteristics. *Urban Studies*, 35(7), 1155-1169. doi: 10.1080/0042098984538
- Boehmer, T. K., Hoehner, C. M., Deshpande, A. D., Ramirez, L. K. B., & Brownson, R. C. (2007). Perceived and observed neighborhood indicators of obesity among urban adults. *International Journal of Obesity*, 31(6), 968-977. doi: 10.1038/sj.ijo.0803531
- Boone, J. E., Gordon-Larsen, P., Stewart, J. D., & Popkin, B. M. (2008). Validation of a GIS facilities database: Quantification and implications of error. *Annals of Epidemiology*, 18(5), 371-377. doi: 10.1016/j.annepidem.2007.11.008

- Booth, K. M., Pinkston, M. M., & Poston, W. S. C. (2005). Obesity and the built environment. *Journal of the American Dietetic Association, 105*(5), 110-117. doi: 10.1016/j.jada.2005.02.045
- Bouchard, C., Shephard, R. J., & Stephens, T. (1994). *Physical activity, fitness, and health. International proceedings and consensus statement*. Champaign, IL: Human Kinetics.
- Branca, F., Nikogosian, H., & Lobstein, T. (2007). *The challenge of obesity in the WHO european region and the strategies for response: Summary*. World Health Organization, Regional Office for Europe.
- Brown, B., Mackett, R., Gong, Y., Kitazawa, K., & Paskins, J. (2008). Gender differences in children's pathways to independent mobility. *Childrens Geographies, 6*(4), 385-401. doi: 10.1080/14733280802338080
- Brown, B., Yamada, I., Smith, K., Zick, C., Kowaleski-Jones, L., & Fan, J. (2009). Mixed land use and walkability: Variations in land use measures and relationships with BMI, overweight, and obesity. *Health & Place, 15*(4), 1130-1141. doi: 10.1016/j.healthplace.2009.06.008
- Brownson, R. C., Hoehner, C. M., Day, K., Forsyth, A., & Sallis, J. F. (2009). Measuring the built environment for physical activity state of the science. *American Journal of Preventive Medicine, 36*(4), S99-S123. doi: 10.1016/j.amepre.2009.01.005
- Bryan, S. N., & Katzmarzyk, P. T. (2009). Patterns and trends in walking behaviour among Canadian adults. *Canadian Journal of Public Health-Revue Canadienne De Sante Publique, 100*(4), 294-298.
- Bucksch, J., & Schneider, S. (2014). *Walkability: Das Handbuch zur Bewegungsförderung in der Kommune*: Huber Hans.
- Butler, E., Ambs, A., Reedy, J., & Bowles, H. (2011). Identifying GIS measures of the physical activity built environment through a review of the literature. *Journal of Physical Activity & Health, 8*(1), 91-97.
- Cameron, A. J., Welborn, T. A., Zimmet, P. Z., Dunstan, D. W., Owen, N., Salmon, J., . . . Shaw, J. E. (2003). Overweight and obesity in Australia: The 1999-2000 Australian diabetes, obesity and lifestyle study (AusDiab). *Medical Journal of Australia, 178*(9), 427-432.
- Campbell, K., Waters, E., O'Meara, S., & Summerbell, C. (2001). Interventions for preventing obesity in childhood. A systematic review. *Obesity reviews: An official journal of the International Association for the Study of Obesity, 2*(3), 149-157. doi: 10.1046/j.1467-789x.2001.00035.x