

10 REFERENČNÍ SEZNAM

- Aagaard, P. (2010). The use of eccentric strength training to enhance maximal muscle strength, explosive force (RDF) and muscular power-consequences for athletic performance. *The Open Sports Sciences Journal*, 3, 52-55. doi: 10.2174/1875399X01003010052
- Aagaard, P., & Andersen, J. L. (1998). Correlation between contractile strength and myosin heavy chain isoform composition in human skeletal muscle. *Medicine & Science in Sports & Exercise*, 30(8), 1217-1222. doi: 10.1097/00005768-199808000-00006
- Aagaard, P., Andersen, J. L., Dyhre-Poulsen, P., Leffers, A.-M., Wagnerøe, A., Magnusson, S. P., . . . Simonsen, E. B. (2001). A mechanism for increased contractile strength of human pennate muscle in response to strength training: Changes in muscle architecture. *Journal of Physiology*, 534(2), 613-623. doi: 10.1111/j.1469-7793.2001.t01-1-00613.x
- Aagaard, P., Simonsen, E. B., Andersen, J. L., Magnusson, S. P., & Dyhre-Poulsen, P. (2000a). Neural adaptation to resistance training: Changes in evoked V-wave and H-reflex response. *Journal of Applied Physiology*, 92, 2309-2318. doi: 10.1152/jappphysiol.01185.2001
- Aagaard, P., Simonsen, E. B., Andersen, J. L., Magnusson, S. P., Halkjær-Kristensen, J., & Dyhre-Poulsen, P. (2000b). Neural inhibition during maximal eccentric and concentric quadriceps contraction: Effects of resistance training. *Journal of Applied Physiology*, 89, 2249-2257. doi: 10.1097/00005768-199805001-01178
- Aagaard, P., Simonsen, E. B., Magnusson, S. P., Larsson, B., & Dyhre-Poulsen, P. (1998). A new concept for isokinetic hamstring: quadriceps muscle strength ratio. *American Journal of Sports Medicine*, 26(2), 231-237. doi: 10.1177/03635465980260021201
- Aagaard, P., Simonsen, E. B., Trolle, M., Bangsbo, J., & Klausen, K. (1995). Isokinetic hamstring/quadriceps strength ratio: Influence from joint angular velocity, gravity correction and contraction mode. *Acta Physiologica Scandinavica*, 154(4), 421-427. doi: 10.1111/j.1748-1716.1995.tb09927.x
- Abe, T., DeHoyos, D. V., Pollock, M. L., & Garzarella, L. (2000). Time course for strength and muscle thickness changes following upper and lower body resistance

- training in men and women. *European Journal of Applied Physiology and Occupational Physiology*, 81(3), 174-180. doi: 10.1007/s004210050027
- Alvares, A. R., João Breno, Rodrigues, R., de Azevedo Franke, R., da Silva, B. G. C., Pinto, R. S., Vaz, M. A., & Baroni, B. M. (2015). Inter-machine reliability of the Biodex and Cybex isokinetic dynamometers for knee flexor/extensor isometric, concentric and eccentric tests. *Physical Therapy in Sport*, 16, 59-65. doi: 10.1016/j.ptsp.2014.04.004
- Amiridis, I. G., Cometti, G., Morlon, B., Martin, L., & Martin, A. (1996a). Effects of the type of recovery training on the concentric strength of the knee extensors. *Journal of Sports Sciences*, 15, 175-180. doi: 10.1080/026404197367443
- Amiridis, I. G., Martin, A., Morlon, B., Martin, L., Cometti, G., Pousson, M., & Van Hoecke, J. (1996b). Co-activation and tension regulating phenomena during isokinetic knee extension in sedentary and highly skilled humans. *European Journal of Applied Physiology and Occupational Physiology*, 73(1-2), 149-156. doi: 10.1007/BF00262824
- Andersen, L. L., Andersen, J. L., Magnusson, S. P., Suetta, C., Madsen, J. L., Christensen, L. R., & Aagaard, P. (2005). Changes in the human muscle force-velocity relationship in response to resistance training and subsequent detraining. *Journal of Applied Physiology*, 99, 87-94. doi: 10.1152/jappphysiol.00091.2005
- Anderson, M. A., Gieck, J. H., Perrin, D., Weltman, A., Rutt, R., & Denegar, C. (1991). The relationships among isometric, isotonic, and isokinetic concentric and eccentric quadriceps and hamstring force and three components of athletic performance. *Journal of Orthopaedic and Sports Physical Therapy*, 14, 114-120. doi: 10.2519/jospt.1991.14.3.114
- Andrade, M. D. S., De Lira, C. A. B., Koffes, F. D. C., Mascarin, N. C., Benedito-Silva, A. A., & Da Silva, A. C. (2012). Isokinetic hamstrings-to-quadriceps peak torque ratio: The influence of sport modality, gender, and angular velocity. *Journal of Sports Sciences*, 30(6), 547-553. doi: 10.1080/02640414.2011.644249
- Augustsson, J., & Thomeé, R. (2000). Ability of closed and open kinetic chain tests of muscular strength to assess functional performance. *Scandinavian Journal of Medicine & Science in Sports*, 10, 164-168. doi: 10.1034/j.1600-0838.2000.010003164.x
- Ayala, F., De Ste Croix, M., Sainz de Baranda, P., & Santonja, F. (2012a). Absolute reliability of hamstring to quadriceps strength imbalance ratios calculated using peak

- torque, joint angle-specific torque and joint ROM-specific torque values. *International Journal of Sports Medicine*, 33, 1-8. doi: 10.1055/s-0032-1311586
- Ayala, F., De Ste Croix, M., Sainz de Baranda, P., & Santonja, F. (2013). Absolute reliability of isokinetic knee flexion and extension measurements adopting a prone position. *Clin Physiol Funct Imaging*, 33(1), 45-54. doi: 10.1111/j.1475-097X.2012.01162.x
- Ayala, F., Sainz de Baranda, P., De Ste Croix, M., & Santonja, F. (2012b). Reproducibility and concurrent validity of hip joint angle test for estimating hamstring flexibility in recreationally active young men. *The Journal of Strength & Conditioning Research*, 26(9), 2372-2382. doi: 10.1519/JSC.0b013e31823db1e2
- Babault, N., Pousson, M., Ballay, Y., & Hoecke, J. V. (2001). Activation of human quadriceps femoris during isometric, concentric and eccentric contraction. *Journal of Applied Physiology*, 91, 2628-2634.
- Bahr, R., & Krosshaug, T. (2005). Understanding injury mechanisms: A key component of preventing injuries in sport. *British Journal of Sports Medicine*, 39(6), 324-329. doi: 10.1136/bjism.2005.018341
- Baker, D. (1996). Improving vertical jump performance through general, special, and specific strength training: A brief review. *Journal of Strength and Conditioning Research*, 10(2), 131-136. doi: 10.1519/1533-4287(1996)010<0131:IVJPTG>2.3.CO;2
- Baker, D., Wilson, G., & Carlyon, R. (1994). Periodization: The effect on strength of manipulating volume and intensity. *Journal of Strength and Conditioning Research*, 8(4), 235-242. doi: 10.1519/1533-4287(1994)008<0235:PTEOSO>2.3.CO;2
- Balso, C. D., & Cafarelli, E. (2007). Adaptations in the activation of human skeletal muscle induced by short-term isometric resistance training. *Journal of Applied Physiology*, 103, 402-411. doi: 10.1152/jappphysiol.00477.2006
- Bartolomei, S., Merni, F., Stout, J. R., Fukuda, D. H., & Hoffman, J. R. (2015). Block vs. weekly undulating periodized resistance training programs in women. *Journal of Strength and Conditioning Research*, 29(10), 2679-2687. doi: 10.1519/JSC.0000000000000948
- Bazyler, C. D., Beckham, G. K., & Kimitake, S. (2015). The use of the isometric squat as a measure of strength and explosiveness. *Journal of Strength & Conditioning Research*, 29(5), 1386-1392. doi: 10.1519/JSC.0000000000000751