

12 REFERENČNÍ SEZNAM

- ActiGraph, LLC. (2012). *ActiTrainer*. Retrieved from: <http://www.actitrainer.com/products/actitrainer>
- Ainsworth, B. E., Haskell, W. L., Whitt, M. C., Irwin, M. L., Swartz, A. M., Strath, S. J., O'Brien, W. L., Bassett, D. R., Jr., Schmitz, K. H., Emplaincourt, P. O., Jacobs, D. R., Jr., & Leon, A. S. (2000). Compendium of physical activities: An update of activity codes and MET intensities. *Medicine and Science in Sports and Exercise*, 32(9), 498–504.
- Anderson, N. B. (Ed.). (2004). *Encyclopedia of health and behavior* (Vol. 1). Thousand Oaks, CA: Sage Publications.
- Apfelbacher, C. J., Cairns, J., Bruckner, T., Möhrensclager, M., Behrendt, H., Ring, J., & Krämer, U. (2008). Prevalence of overweight and obesity in East and West German children in the decade after reunification: population-based series of cross-sectional studies. *Journal of Epidemiology and Community Health*, 62(2), 125–130.
- Atkin, A. J., Ekelund, U., Møller, N. C., Froberg, K., Sardinha, L. B., Andersen, L. B., & Brage, S. (2013) Sedentary time in children: Influence of accelerometer processing on health relation. *Medicine and Science in Sports and Exercise*, 45(6), 1097–1104.
- Bassett, D. R., & John, R. (2010). Pedometers and accelerometers in clinical populations. *Physical Therapy Reviews*, 15(3), 135-142.
- Bjelland, M., Bergh, I. H., Grydeland, M., Klepp, K. I., Andersen, L. F., Anderssen, S. A., Ommundsen, Y., & Lien, N. (2011). Changes in adolescents' intake of sugar-sweetened beverages and sedentary behaviour: Results at 8 month mid-way assessment of the HEIA study – a comprehensive, multi-component school-based randomized trial. *International Journal of Behavioral Nutrition and Physical Activity*, 8:63. doi:10.1186/1479-5868-8-63
- Blahuš, P. (1996). *K systémovému pojetí statistických metod v metodologii empirického výzkumu chování*. Praha: Karolinum.
- Bocarro, J., Kanters, M. A., Casper, J., & Forrester, S. (2008). School physical education, extracurricular sports, and lifelong active living. *Journal of Teaching in Physical Education*, 27(2), 155-166.
- Bois, J. E., Sarrazin, P. G., Brustad, R. J., Trouilloud, D. O., & Cury, F. (2005). Elementary schoolchildren's perceived competence and physical activity

- involvement: The influence of parents' role modelling behaviours and perceptions of their child's competence. *Psychology of Sport and Exercise*, 6(4), 381–397.
- Bouchard, C., Blair, S. N., & Haskell, W. L. (2007). Why study physical activity and health? In C. Bouchard, S. N. Blair, & W. L. Haskell (Eds.), *Physical activity and health* (pp. 4-18). Champaign, IL: Human Kinetics.
- Bouten, C. V., Westerterp, K. R., Verduin, M., & Janssen, J. D. (1994). Assessment of energy expenditure for physical activity using a triaxial accelerometer. *Medicine and Science in Sports and Exercise*, 26(12), 1516–1523.
- Bravata, D. M., Smith-Spangler, C., Sundaram, V., Gienger, A. L., Lin, N., Lewis, R., Stave, C. D., Olkin, I., & Sirard, J. R. (2007). Using pedometers to increase physical activity and improve health. *Journal of the American Medical Association*, 298(19), 2296-2304.
- Bunc, V. (2010). Obezita a nadváha dětí – důsledek jejich neadekvátního pohybového režimu. In V. Mužík & P. Vlček (Eds.), *Škola, pohyb a zdraví. Výzkumné výsledky a projekty* (pp. 35–44). Brno: Masarykova univerzita.
- Centers for disease control and prevention (CDC). (2011a). Making physical activity a part of children's life. Retrieved from: <http://www.cdc.gov/physicalactivity/everyone/getactive/children.html>.
- Centers for disease control and prevention (CDC). (2011b). How much physical activity do children need? Retrieved from: <http://www.cdc.gov/physicalactivity/everyone/guidelines/children.html>.
- Centers for disease control and prevention (CDC). (2011c). Aerobic, Muscle- and Bone-Strengthening: What Counts? Retrieved from: <http://www.cdc.gov/physicalactivity/everyone/guidelines/children.html>
- Clemes, S. A., & Biddle, S. J. H. (2013). The use of pedometers for monitoring physical activity in children and adolescents: Measurement considerations. *Journal of Physical Activity and Health*, 10(2), 249–262.
- Cohen, J. (1988). *Statistical power analysis for the behavioral science* (2nd ed.). Hillsdale, NJ: Erlbaum.
- Cole, T. J., Bellizzi, C., Flegal, K. M., & Dietz, W. H. (2000). Establishing a standard definition for child overweight and obesity worldwide: international survey. *British Medical Journal*, 320 (7244), 1–6.

- Cooper, A. R., Page, A., Fox, K. R., & Misson, J. (2000). Physical activity patterns in normal, overweight and obese individuals using minute-by-minute accelerometry. *European Journal of Clinical Nutrition*, 54(12), 887-894.
- Corbin, C. B. (2002). Physical activity for everyone: What every physical educator should know about promoting lifelong physical activity. *Journal of Teaching in Physical Education*, 21(2), 128-144.
- Cortina, M. A., Kahn, K., Fazel, M., Hlungwani, T., Tollman, S., Bhana, A., Prothrow-Stith, D., & Stein, A. (2008). School-based interventions can play a critical role in enhancing children's development and health in the developing world. *Child: Care, Health and Development*, 34(1), 1-3.
- Craig, C. L., Cameron, C., & Tudor-Locke, C. (2013). Relationship between parent and child pedometer-determined physical activity: A sub-study of the CANPLAY surveillance study. *International Journal of Behavioral Nutrition and Physical Activity*, 10(8), 1-8. <http://dx.doi.org/10.1186/1479-5868-10-8>
- Craig, C. L., Cameron, C., Griffiths, J. M., & Tudor-Locke, C. (2010). Descriptive epidemiology of youth pedometer-determined physical activity: CANPLAY. *Medicine and Science in Sports and Exercise*, 42(9), 1639-1643.
- Crouter, S. E., Schneider, P. L., Karabulut, M., & Bassett, D. R. (2003). Validity of 10 electronic pedometers for measuring steps, distance, and energy cost. *Medicine and Science in Sports and Exercise*, 35(8), 1455-1460.
- Čáp, J. (1997). *Psychologie výchovy a vyučování*. Praha: Univerzita Karlova.
- Čech, T. (2002). Volnočasové aktivity dětí mladšího školního věku na počátku 21. století. In B. Hodaň (Eds.), *Volný čas a jeho současné problémy. Sborník příspěvků přednesených na vědeckém symposiu v Olomouci, ve dnech 20. a 21. května 2002* (pp. 83-91). Olomouc: Hanex.
- Daley, J. A. (2002). School based physical activity in the United Kingdom: Can it create physically active adults? *Quest*, 54(1), 21-33.
- De Vries, S. I., Bakker, I., Hopman-Rock, M., Hirasig, R. A., & Van Mechele, M. (2006). Clinimetric review of motion sensors in children and adolescents. *Journal of Clinical Epidemiology*, 59(7), 670-680.
- Dobbins, M., Husson, H., DeCorby, K., & LaRocca, R.L. (2013). School-based physical activity programs for promoting physical activity and fitness in children and adolescents aged 6-18. *Cochrane Database of Systematic Reviews*, 2, doi:10.1002/14651858.