

10 Referenční seznam

- Adamec, O. (2005). Plochá noha v dětském věku – diagnostika a terapie. *Pediatric pro praxi*, 5(4), 194–196.
- Allen, K. E., & Marotz, L. R. (2002). *Přehled vývoje dítěte od prenatálního období do 8 let* (P. Vlčková, Trans.). Praha: Portál.
- Aminian, G., Safaeepour, Z., Farhoodi, M., Pezeshk, A. F., Saeedi, H., & Majddoleslam, B. (2013). The effect of prefabricated and proprioceptive foot orthoses on plantar pressure distribution in patients with flexible flatfoot during walking. *Prosthetics and Orthotics International*, 37(3), 227–232.
- Barker, S., Craik, R., Freedman, W., Herrmann, N., & Hillstrom, H. (2006). Accuracy, reliability, and validity of a spatiotemporal gait analysis system. *Medical Engineering & Physics*, 28(5), 460–467.
- Bertani, A., Cappello, A., Benedetti, M. G., Simoncini, L., & Catani, F. (1999). Flat foot functional evaluation using pattern recognition of ground reaction data. *Clinical Biomechanics*, 14(7), 484–493.
- Bertsch, C., Unger, H., Winkelmann, W., & Rosenbaum, D. (2004). Evaluation of early walking patterns from plantar pressure distribution measurements. First year result of 42 children. *Gait & Posture*, 19(3), 235–242.
- Bojsen-Møller, F. (1979). Calcaneocuboid joint and stability of the longitudinal arch of the foot at high and low gear push-off. *Journal of Anatomy*, 129(1), 165–176.
- Bosch, K., Gerss, J., & Rosenbaum, D. (2007). Preliminary normative values for foot loading parameters of the developing child. *Gait & Posture*, 26(2), 238–247.
- Bosch, K., Gerss, J., & Rosenbaum, D. (2010). Development of healthy children's feet – Nine-year results of a longitudinal investigation of plantar loading patterns. *Gait & Posture*, 32(4), 564–571.
- Brink, Y., Louw, Q., Grimmer, K., Schreve, K., van der Westhuizen, G., & Jordaan, E. (2013). Development of a cost effective three-dimensional posture analysis tool: Validity and reliability. *BMC Musculoskeletal Disorders*, 14(335), 1–10.
- Brown, L. P., & Yavorsky, P. (1987). Locomotor biomechanics and pathomechanics: A review. *Journal of Orthopaedic and Sport Physical Therapy*, 9(1), 3–10.
- Castro, M., Soares, D., & Machado, L. (2011). Comparison of vertical GRF obtained from force plate, pressure plate and insole pressure system. In J. P. Vilas-Boas, L. Machado, W. Kim, A. P. Veloso, F. Alves, R. J. Fernandes, & F. Conceicao (Eds.),

- Proceedings of the 29th International Conference on Biomechanics in Sports* (pp. 849–852). Konstanz: The University of Konstanz. Retrieved from <https://ojs.ub.uni-konstanz.de/cpa/article/view/4966/4608>
- Cohen, J. (1988). *Statistical power analysis for the behavioral science* (2nd ed.). Hillsdale, NJ: Erlbaum.
- D'Août, K., & Aerts, P. (2008). The evolutionary history of the human foot. In K. D'Août, K. Lescrenier, B. Van Gheluwe, & D. De Clercq (Eds.), *Advances in plantar pressure measurements in clinical and scientific research* (pp. 44–68). Maastricht: Shaker Publishing BV.
- Dungl, P. et al. (2005). *Ortopedie* (2nd rev. ed.). Praha: Grada.
- Duval, K., Lam, T., & Sanderson, D. (2010). The mechanical relationship between the rearfoot, pelvis and low-back. *Gait & Posture*, 32(4), 637–640.
- Dylevský, I. (2009). *Speciální kineziologie*. Praha: Grada.
- Eils, E., Behrens, S., Mers, O., Thorwesten, L., Völker, K., & Rosenbaum, D. (2004). Reduced plantar sensation causes a cautious walking pattern. *Gait & Posture*, 20(1), 54–60.
- Eis, E. (1976). *Ortopedie*. Praha: Státní pedagogické nakladatelství.
- Franz, J. R., Paylo, K. W., Dicharry, J., Riley, P. O., & Kerrigan, D. C. (2009). Changes in the coordination of hip and pelvis kinematics with mode of locomotion. *Gait & Posture*, 29(3), 494–498.
- García-Rodríguez, A., Martín-Jiménez, F., Carnero-Varo, M., Gómez-Gracia, E., Gómez-Aracena, J., & Fernández-Crehuet, J. (1999). Flexible flat feet in children: A real problem? *Pediatrics*, 103(6), 1–3.
- Gelberman, R. H., Cohen, M. S., Desai, S. S., Griffin, P. P., Salamon, P. B., & O'Brien P. M. (1987). Femoral anteversion. A clinical assessment of idiopathic intoeing gait in children. *Journal of Bone and Joint Surgery*, 69-B(1), 75–79.
- Gironda, R. J., Lloyd, J., Clark, M. E., & Walker, R. L. (2007). Preliminary evaluation of reliability and criterion validity of Actiwatch-Score. *Journal of Rehabilitation Research & Development*, 44(2), 223–230.
- Gore, A. I., & Spencer, J. P. (2004). The newborn foot. *American Family Physician*, 69(4), 865–872.
- Gorton, G. E., Stevens, C. M., Masso, P. D., & Vannah, W. M. (1997). Repeatability of the walking patterns of normal children. *Gait & Posture*, 5(2), 155.

- Greenberg, M. B., Gronley, J. A., Perry, J., & Lawthwaite, R. (1996). Concurrent validity of observation gait analysis using the vicon motion analysis system. *Gait & Posture*, 4(2), 167–168.
- Halleman, A., De Clercq, D., Van Dongen, S., & Aerts, P. (2006). Changes in foot-function parameters during the first 5 months after the onset of independent walking: A longitudinal follow-up study. *Gait & Posture*, 23(2), 142–148.
- Harris, E. J., Vanore, J. V., Thomas, J. L., Kravitz, S. R., Mendelson, S. A., Mendicino, R. W., Silvani, S. H., & Gassen, S. C. (2004). Diagnosis and treatment of pediatric flatfoot. *Journal of Foot and Ankle Surgery*, 43(6), 341–373.
- Hausdorff, J. M. (2007). Gait dynamics, fractal and falls: finding meaning in the stride-to-stride fluctuations of human walking. *Human Movement Science*, 26(4), 555–589.
- Ho, C.-S., Lin, C.-J., Chou, Y.-L., Su, F.-C., & Lin, S.-C. (2000). Foot progression angle and ankle joint complex in preschool children. *Clinical Biomechanics* 15(4), 271–277.
- Hösl, M., Böhm, H., Multerer, Ch., & Döderlein, L. (2014). Does excessive flatfoot deformity affect function? A comparison between symptomatic and asymptomatic flat feet using the Oxford foot model. *Gait & Posture*, 39(1), 23–28.
- Hsue, B.-J., Miller, F., & Su, F.-Ch. (2009). The dynamic balance of the children with cerebral palsy and typical developing during gait. Part I: Spatial relationship between COM and COP trajectories. *Gait & Posture*, 29(3), 465–470.
- Hunt, A. E., & Smith, R. M. (2004). Mechanics and control of the flat versus normal foot during the stance phase of walking. *Clinical Biomechanics*, 19(4), 391–397.
- Chen, K. Ch., Yeh, Ch. J., Tung, L. Ch., Yang, J. F., & Wang, Ch. H. (2011). Relevant factors influencing flatfoot in preschool-aged children. *European Journal of Pediatrics*, 170(7), 931–936.
- Chuckpaiwong, B., Nunley, J. A., Mall, N. A., & Queen, R. M. (2008). The effect of foot type on in-shoe plantar pressure during walking and running. *Gait & Posture*, 28(3), 405–411.
- Janura, M., & Zahálka, F. (2004). *Kinematická analýza pohybu člověka*. Olomouc: Univerzita Palackého v Olomouci.
- Kapandji, I. A. (1987). *The physiology of the joints. Volume two. Lower limb* (5th ed.). London: Churchill Livingstone.