

10 REFERENČNÍ SEZNAM

- Adams, M. A., Frank, L. D., Schipperijn, J., Smith, G., Chapman, J., Christiansen, L. B., ... Sallis, J. F. (2014). International variation in neighborhood walkability, transit, and recreation environments using geographic information systems: The IPEN adult study. *International Journal of Health Geographics*, 13(1), 43. <http://doi.org/10.1186/1476-072X-13-43>
- Ainsworth, B. E., Haskell, W. L., Herrmann, S. D., Meckes, N., Bassett, D. R., Tudor-Locke, C., ... Leon, A. S. (2011). 2011 Compendium of Physical Activities: A second update of codes and MET values. *Medicine and Science in Sports and Exercise*, 43(8), 1575–1581. <http://doi.org/10.1249/MSS.0b013e31821ece12>
- Andersen, H. B., Christiansen, L. B., Klinker, C. D., Ersbøll, A. K., Troelsen, J., Kerr, J., & Schipperijn, J. (2017). Increases in use and activity due to urban renewal: Effect of a natural experiment. *American Journal of Preventive Medicine*, 53(3), e81–e87. <http://doi.org/10.1016/j.amepre.2017.03.010>
- Andersen, L. B., Harro, M., Sardinha, L. B., Froberg, K., Ekelund, U., Brage, S., & Anderssen, S. A. (2006). Physical activity and clustered cardiovascular risk in children: A cross-sectional study (The European Youth Heart Study). *Lancet*, 368(9532), 299–304. [http://doi.org/10.1016/S0140-6736\(06\)69075-2](http://doi.org/10.1016/S0140-6736(06)69075-2)
- Asociace školních sportovních klubů České republiky. (2016). *Výroční zpráva o činnosti 2015*. Praha.
- Azevedo, M. R., Araújo, C. L., da Silva, M. C., & Hallal, P. C. (2007). Tracking of physical activity from adolescence to adulthood: A population-based study. *Revista de Saúde Pública*, 41(1), 69–75. <http://doi.org/10.1590/S0034-89102007000100010>
- Babey, S. H., Hastert, T. A., Huang, W., & Brown, R. E. (2009). Sociodemographic, family, and environmental factors associated with active commuting to school among US adolescents. *Journal of Public Health Policy*, 30(Suppl. 1), S203–S220. <http://doi.org/10.1057/jphp.2008.61>
- Badura, P., Madarasova Geckova, A., Sigmundova, D., van Dijk, J. P., & Reijneveld, S. A. (2015). When children play, they feel better: Organized activity participation and health in adolescents. *BMC Public Health*, 15(1), 1090. <http://doi.org/10.1186/s12889-015->

- Badura, P., Sigmundova, D., Sigmund, E., Madarasova Geckova, A., van Dijk, J. P., & Reijneveld, S. A. (2017). Participation in organized leisure-time activities and risk behaviors in Czech adolescents. *International Journal of Public Health, 62*(3), 387–396. <http://doi.org/10.1007/s00038-016-0930-9>
- Bai, Y., Saint-Maurice, P. F., Welk, G. J., Allums-Featherston, K., Candelaria, N., & Anderson, K. (2015). Prevalence of youth fitness in the United States: Baseline results from the NFL PLAY 60 FITNESSGRAM partnership project. *Journal of Pediatrics, 167*(3), 662–668. <http://doi.org/10.1016/j.jpeds.2015.05.035>
- Bass, R. W., Brown, D. D., Laurson, K. R., & Coleman, M. M. (2013). Physical fitness and academic performance in middle school students. *Acta Paediatrica, 102*(8), 832–837. <http://doi.org/10.1111/apa.12278>
- Benton, J. S., Anderson, J., Hunter, R. F., & French, D. P. (2016). The effect of changing the built environment on physical activity: A quantitative review of the risk of bias in natural experiments. *International Journal of Behavioral Nutrition and Physical Activity, 13*(1), 107. <http://doi.org/10.1186/s12966-016-0433-3>
- Bešič, D., & Balaban, V. (2016). Vztah mezi pohybovou aktivitou a komponentami zdravotně orientované zdatnosti u dětí ve věku 9–11 let. *Studia Kinanthropologica, 17*(3), 203–212.
- Bezold, C. P., Stark, J. H., Rundle, A., Konty, K., Day, S. E., Quinn, J., ... Roux, A. V. D. (2017). Relationship between recreational resources in the school neighborhood and changes in fitness in New York City public school students. *Journal of Urban Health, 94*(1), 20–29. <http://doi.org/10.1007/s11524-016-0114-1>
- Biddle, S. J. H., Pearson, N., Ross, G. M., & Braithwaite, R. (2010). Tracking of sedentary behaviours of young people: A systematic review. *Preventive Medicine, 51*(5), 345–351. <http://doi.org/10.1016/j.ypmed.2010.07.018>
- Blahuš, P. (1996). *K systémovému pojetí statistických metod v metodologii empirického výzkumu chování* (1st ed.). Praha: Karolinum.
- Blair, S. N., Cheng, Y., & Holder, J. S. (2001). Is physical activity or physical fitness more important in defining health benefits? *Medicine and Science in Sports and Exercise, 33*(Suppl. 6), S379–S399. <http://doi.org/10.1097/00005768-200105001-01549>

- Bouchard, C., Blair, S. N., & Haskell, W. (Eds.). (2012). *Physical activity and health* (2nd ed.). Champaign, IL: Human Kinetics.
- Bouchard, C., Shephard, R. J., & Stephens, T. (Eds.). (1994). *Physical activity, fitness, and health: International proceedings and consensus statement* (2nd ed.). Champaign, IL: Human Kinetics.
- Brennan Ramirez, L. K., Hoehner, C. M., Brownson, R. C., Cook, R., Orleans, T. C., Hollander, M., ... Wilkinson, W. (2006). Indicators of activity-friendly communities: An evidence-based consensus process. *American Journal of Preventive Medicine*, *31*(6), 515–524. <http://doi.org/10.1016/j.amepre.2006.07.026>
- Brodersen, N. H., Steptoe, A., Boniface, D. R., & Wardle, J. (2007). Trends in physical activity and sedentary behaviour in adolescence: Ethnic and socioeconomic differences. *British Journal of Sports Medicine*, *41*(3), 140–144. <http://doi.org/10.1136/bjism.2006.031138>
- Brown, B. B., Yamada, I., Smith, K. R., Zick, C. D., Kowaleski-Jones, L., & Fan, J. X. (2009). Mixed land use and walkability: Variations in land use measures and relationships with BMI, overweight, and obesity. *Health and Place*, *15*(4), 1130–1141. <http://doi.org/10.1016/j.healthplace.2009.06.008.Mixed>
- Brown, H. E., Schiff, A., & van Sluijs, E. M. F. (2015). Engaging families in physical activity research: A family-based focus group study. *BMC Public Health*, *15*(1), 1178. <http://doi.org/10.1186/s12889-015-2497-4>
- Brown, K. G., & Ross, G. L. (2002). Arsenic, drinking water, and health: A position paper of the American Council on Science and Health. *Regulatory Toxicology and Pharmacology*, *36*(2), 162–174. <http://doi.org/10.1006/rtp.2002.1573>
- Brownson, R. C., Hoehner, C. M., Day, K., Forsyth, A., & Sallis, J. F. (2009). Measuring the built environment for physical activity: State of the science. *American Journal of Preventive Medicine*, *36*(Suppl. 4), S99–S123. <http://doi.org/10.1016/j.amepre.2009.01.005>
- Břehovský, M., Jedlička, K., & Šíma, J. (2012). *Úvod do geografických informačních systémů* (1st ed.). Plzeň: Západočeská univerzita v Plzni.
- Bull, F. C., Maslin, T. S., & Armstrong, T. (2009). Global Physical Activity Questionnaire