

## Referenční seznam

- Adde, L., Helbostad, J. L., Jensenius, A. R., Taraldsen, G., & Stoen, R. (2009). Using computer-based video analysis in the study of fidgety movements. *Early Hum Dev*, *85*(9), 541-547. doi: 10.1016/j.earlhumdev.2009.05.003
- Allen, M. C. (2005). Assessment of gestational age and neuromaturation. *Ment Retard Dev Disabil Res Rev*, *11*(1), 21-33. doi: 10.1002/mrdd.20059
- Allen, M. C., & Capute, A. J. (1990). Tone and reflex development before term. *Pediatrics*, *85*(3pt2), 393-9. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/2304800>
- Allen, M. C., Aucott, S., Cristofalo, E. A., Alexander, G. R., & Donohue, P. K. (2009). Extrauterine neuromaturation of low risk preterm infants. *Pediatric Research*, *65*(5), 542-547. doi: 10.1203/PDR.0b013e3181998b86
- Allievi, A. G., Arichi, T., Tusor, N., Kimpton, J., Arulkumaran, S., Counsell, S. J., Edwards, A. D., & Burdet, E. (2016). Maturation of Sensori-Motor Functional Responses in the Preterm Brain. *Cereb Cortex*, *26*(1), 402-413. doi: 10.1093/cercor/bhv203
- Als, H., Butler, S., Kosta, S., & McAnulty, G. (2005). The Assessment of Preterm Infants' Behavior (APIB): furthering the understanding and measurement of neurodevelopmental competence in preterm and full-term infants. *Ment Retard Dev Disabil Res Rev*, *11*(1), 94-102. doi: 10.1002/mrdd.20053
- Amiel-Tison, C. & Grenier, A. (1986). *Neurological assessment during the first year of life*. New York, NY: Oxford University Press.
- Amiel-Tison, C. (1968). Neurological evaluation of the maturity of newborn infants. *Arch Dis Child*, *43*(227), 89-93. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2019902/>

- Amiel-Tison, C., Barrier, G., Shnider, S. M., Levinson, G., Hughes, S. C., & Stefani S. J. (1982). A new neurologic and adaptive capacity scoring system for evaluating obstetric medications in full-term newborns. *Anesthesiology*, *56*(5), 340-50. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/7072997>
- Amiel-Tison, C., Maillard, F., Lebrun, F., Bréart, G., & Papiernik, E. (1999). Neurological and physical maturation in normal growth singletons from 37 to 41 weeks' gestation. *Early Hum Dev*, *54*(2), 145-56. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/10213293>
- André-Thomas, Chesney, Y., & Saint-Anne Dargassies. (1960). The neurological examination of the infant. Little Club Clinics in Developmental Medicine 1.
- Arpino, C., Compagnone, E., Montanaro, M. L., Cacciatore, D., De Luca, A., Cerulli, A., & Curatolo, P. (2010). Preterm birth and neurodevelopmental outcome: a review. *Childs Nerv Syst*, *26*(9), 1139-1149. doi: 10.1007/s00381-010-1125-y
- Asztalos, E. V., Church, P. T., Riley, P., Fajardo, C., & Shah, P. S. (2017). Neonatal Factors Associated with a Good Neurodevelopmental Outcome in Very Preterm Infants. *Am J Perinatol*, *34*(4), 388-396. doi:10.1055/s-0036-1592129
- Bashir, R.,A., Bhandari, V., Vayaltrikkovil, S., Rabi, Y., Soraisham, A., Tang, S., Al Awad, E., & Lodha, A. (2016). Chorioamnionitis at birth does not increase the risk of neurodevelopmental disability in premature infants with bronchopulmonary dysplasia. *Acta Paediatr*, *105*(11), e506-e512. doi: 10.1111/apa.13556
- Beccaria, E., Martino, M., Briatore, E., Podesta, B., Pomero, G., Micciolo, R., Calzolari, S. (2012). Poor repertoire General Movements predict some aspects of development outcome at 2 years in very preterm infants. *Early Hum Dev*, *88*(6), 393-396. doi: 10.1016/j.earlhumdev.2011.10.002

- Beck, S., Wojdyla, D., Say, L., Betran, A. P., Merialdi, M., Requejo, J. H., & Van Look, P. (2010). The worldwide incidence of preterm birth: A systematic review of maternal mortality and morbidity. *Bulletin of the World Health Organisation*, *88(1)*, 31-38. doi: 10.2471/BLT.08.062554
- Berger, S. E., & Adolph, K. E. (2007). Learning and development in infant locomotion. *Prog Brain Res*, *164*, 237-55. doi: 10.1016/50079-6123(07)64013-8
- Berthouze, L., & Mayston, M. (2011). Design and validation of surface-marker clusters for the quantification of joint rotations in general movements in early infancy. *J Biomech*, *44(6)*, 1212-1215. doi: 10.1016/j.jbiomech.2011.01.016
- Blencowe, H., Cousens, S., Chou, D., Oestergaard, M., Say, L., Moller, A. B., & Zhong, N. (2013). Born too soon: the global epidemiology of 15 million preterm births. *Reproductive health*, *10 Suppl 1*, S2. doi: 10.1186/1742-4755-10-S1-S2
- Bos, A. F., van Asperen, R. M., de Leeuw, D. M. & Prechtl, H. F. R (1997). The influence of septicaemia on spontaneous motility in preterm infants. *Early Hum Dev*, *50(1)*, 61-70. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/9467694>
- Bos, A., F. (1998). Analysis of movement quality in preterm infants. *Eur J Obstet Gynecol Reprod Biol*, *76(1)*, 117-119. doi: [https://doi.org/10.1016/S0301-2115\(97\)00162-0](https://doi.org/10.1016/S0301-2115(97)00162-0)
- Botting, N., Powls, A., Cooke, R. W., Marlow, N. (1998). Cognitive and educational outcome of very-low-birthweight children in early adolescence. *Dev Med Child Neurol*, *40*, 652-660. doi: 10.1111/j.1469-8749.1998.tb12324.x
- Bracewell, M. & Marlow, N., (2002). Patterns of motor disability in very preterm children. *Ment Retard Dev Disabil Res Rev*, *8(4)*, 241-8. doi: 10.1002/mrdd.10049