

## Referenční seznam

- Allisse, M., Sercia, P., Comtois, A. S., & Leone, M. (2017). Morphological, physiological and skating performance profiles of male age-group elite ice hockey players. *Journal of Human Kinetics*, 58(1), 87–97. <https://doi.org/10.1515/hukin-2017-0085>
- Alpini, D., Botta, M., Mattei, V., & Tornese, D. (2009). Figure ice skating induces vestibulo-ocular adaptation specific to required athletic skills. *Sport Sciences for Health*, 5(3), 129–134. <https://doi.org/10.1007/s11332-009-0088-4>
- Alpini, D., Botta, M., Mattei, V., & Tornese, D. (2012). Vestibular adaptation in ice skaters depends on discipline rather than age: some considerations about navigational control. *Sport Sciences for Health*, 7(2), 99–103. <https://doi.org/10.1007/s11332-012-0121-x>
- Alpini, D., Hahn, A., & Riva, D. (2008). Static and dynamic postural control adaptations induced by playing ice hockey. *Sport Sciences for Health*, 2(3), 85–92. <https://doi.org/10.1007/s11332-008-0045-7>
- Aman, J. E., Elangovan, N., Yeh, I.-L., & Konczak, J. (2014). The effectiveness of proprioceptive training for improving motor function: a systematic review. *Frontiers in Human Neuroscience*, 8, 1075. <https://doi.org/10.3389/fnhum.2014.01075>
- Ambler, Z. (2011). *Základy neurologie* (7th ed.). Praha: Galén.
- Anderson, K., & Behm, D. G. (2005). Impact of instability resistance training on balance and stability. *Sports Medicine*, 35(1), 43–53.
- Angelaki, D. E., & Cullen, K. E. (2008). Vestibular system: the many facets of a multimodal sense. *Annual Review of Neuroscience*, 31(1), 125–150. <https://doi.org/10.1146/annurev.neuro.31.060407.125555>
- Anshel, M. (1990). Strategies for improving the retention of sport skills for young athletes. *ACHPER National Journal*, (127), 22–26.
- Armstrong, N., & McManus, A. M. (2011). Physiology of elite young male athletes. *Medicine and Sport Science*, 56, 1–22.
- Artero, E. G., España-Romero, V., Ortega, F. B., Jiménez-Pavón, D., Ruiz, J. R., Vicente-Rodríguez, G., ... Castillo, M. J. (2010). Health-related fitness in adolescents: Underweight, and not only overweight, as an influencing factor. The AVENA study. *Scandinavian Journal of Medicine and Science in Sports*, 20(3), 418–427. <https://doi.org/10.1111/j.1600-0838.2009.00959.x>

- Aydoğ, E., Bal, A., Aydoğ, S. T., & Cakci, A. (2006). Evaluation of dynamic postural balance using the Biodex Stability System in rheumatoid arthritis patients. *Clinical Rheumatology*, 25(4), 462–467. <https://doi.org/10.1007/s10067-005-0074-4>
- Balasubramaniam, R., Riley, M. A., & Turvey, M. T. (2000). Specificity of postural sway to the demands of a precision task. *Gait & Posture*, 11(1), 12–24. [https://doi.org/https://doi.org/10.1016/S0966-6362\(99\)00051-X](https://doi.org/https://doi.org/10.1016/S0966-6362(99)00051-X)
- Bartlett, R. (2007). *Introduction to sports biomechanics. Analysing human movement patterns* (2nd ed.). London: Routledge.
- Bazzucchi, I., Riccio, M. E., & Felici, F. (2008). Tennis players show a lower coactivation of the elbow antagonist muscles during isokinetic exercises. *Journal of Electromyography and Kinesiology*, 18(5), 752–759. <https://doi.org/https://doi.org/10.1016/j.jelekin.2007.03.004>
- Beaton, A., & Mariën, P. (2010). Language, cognition and the cerebellum: Grappling with an enigma. *Cortex*, 46(7), 811–820. <https://doi.org/https://doi.org/10.1016/j.cortex.2010.02.005>
- Behm, D. G., Drinkwater, E. J., Willardson, J. M., & Cowley, P. M. (2010a). Canadian Society for Exercise Physiology position stand: The use of instability to train the core in athletic and nonathletic conditioning. *Applied Physiology, Nutrition, and Metabolism*, 35(1), 109–112. <https://doi.org/10.1139/h09-128>
- Behm, D. G., Drinkwater, E. J., Willardson, J. M., & Cowley, P. M. (2010b). The use of instability to train the core musculature. *Applied Physiology, Nutrition, and Metabolism = Physiologie Appliquee, Nutrition et Metabolisme*, 35(1), 91–108. <https://doi.org/10.1139/H09-127>
- Behm, D. G., Faigenbaum, A. D., Falk, B., & Klentrou, P. (2008). Canadian Society for Exercise Physiology position paper: resistance training in children and adolescents. *Applied Physiology, Nutrition, and Metabolism = Physiologie Appliquee, Nutrition et Metabolisme*, 33(3), 547–561. <https://doi.org/10.1139/H08-020>
- Behm, D. G., Wahl, M. J., Button, D. C., Power, K. E., & Anderson, K. G. (2005). Relationship between hockey skating speed and selected performance measures. *Journal of Strength and Conditioning Research*, 19(2), 326–331. <https://doi.org/10.1519/R-14043.1>
- Behm, D. G., Young, J. D., Whitten, J. H. D., Reid, J. C., Quigley, P. J., Low, J., ... Granacher, U. (2017). Effectiveness of traditional strength vs. power training on muscle strength, power and speed with youth: A systematic review and meta-

- analysis. *Frontiers in Physiology*, 8, 1–37.  
<https://doi.org/10.3389/fphys.2017.00423>
- Bernstein, N. (1967). *The co-ordination and regulation of movements*. Oxford, NY: Pergamon Press.
- Bizovská, L., Janura, M., Míková, M., & Svoboda, Z. (2017). *Rovnováha a možnosti jejího hodnocení* (1st ed.). Olomouc: Univerzita Palackého v Olomouci.
- Bizovská, L., Janura, M., Svoboda, Z., Černý, M., & Krohová, J. (2017). Intra- and inter-session reliability of traditional and entropy-based variables describing stance on a wobble board. *Medical Engineering and Physics*, 50, 29–34.  
<https://doi.org/10.1016/j.medengphy.2017.08.017>
- Blake, O. M., & Wakeling, J. M. (2015). Muscle coordination limits efficiency and power output of human limb movement under a wide range of mechanical demands. *Journal of Neurophysiology*, 114(6), 3283–3295.  
<https://doi.org/10.1152/jn.00765.2015>
- Blosch, C., Schafer, R., Marees, de M., & Platen, P. (2019). Comparative analysis of postural control and vertical jump performance between three different measurement devices. *PLoS ONE*, 14(9), 1–16.  
<https://doi.org/https://doi.org/10.1371/journal.pone.0222502>
- Bojsen-Møller, F. (1979). Calcaneocuboid joint and stability of the longitudinal arch of the foot at high and low gear push off. *Journal of Anatomy*, 129(Pt 1), 165–176.  
 Retrieved from <https://pubmed.ncbi.nlm.nih.gov/511760>
- Brachman, A., Kamieniarz, A., Michalska, J., Pawłowski, M., Słomka, K. J., & Juras, G. (2017). Balance training programs in athletes – a systematic review. *Journal of Human Kinetics*, 58(1), 45–64. <https://doi.org/10.1515/hukin-2017-0088>
- Bracko, M. R. (2001). On-ice performance characteristics of elite and non-elite women's ice hockey players. *Journal of Strength and Conditioning Research*, 15(1), 42–47.
- Bracko, M. R., Fellingham, G. W., Hall, L. T., Fisher, A. G., & Cryer, W. (1998). Performance skating characteristics of professional ice hockey forwards. *Sports Medicine, Training and Rehabilitation*, 8(3), 251–263.  
<https://doi.org/10.1080/15438629809512531>
- Breen, E. O., Howell, D. R., Stracciolini, A., Dawkins, C., & Meehan, W. P. (2016). Examination of Age-Related Differences on Clinical Tests of Postural Stability. *Sports Health*, 8(3), 244–249. <https://doi.org/10.1177/1941738116633437>
- Bressel, E., Yonker, J. C., Kras, J., & Heath, E. M. (2007). Comparison of static and

- dynamic balance in female collegiate soccer, basketball, and gymnastics athletes. *Journal of Athletic Training*, 42(1), 42–46.
- Buckeridge, E., LeVangie, M. C., Stetter, B., Nigg, S. R., & Nigg, B. M. (2015). An on-ice measurement approach to analyse the biomechanics of ice hockey skating. *PLoS ONE*, 10(5), 1–16. <https://doi.org/10.1371/journal.pone.0127324>
- Budarick, A. R., Shell, J. R., Robbins, S. M., Wu, T., Renaud, P. J., & Pearsall, D. J. (2020). Ice hockey skating sprints: run to glide mechanics of high calibre male and female athletes. *Sports Biomechanics*, 19(5), 601–617. <https://doi.org/10.1080/14763141.2018.1503323>
- Bukač, L. (2005). *Intelekt, učení, dovednosti & koučování v ledním hokeji: komprehenzivní pohled na utkání, trénink a rozvoj individuálního herního výkonu* (1. vydání). Praha: Olympia.
- Burr, J., Jamnik, R. K., Baker, J., Macpherson, A., Gledhill, N., & McGuire, E. J. (2008). Relationship of physical fitness test results and hockey playing potential in elite-level ice hockey players. *Journal of Strength and Conditioning Research*, 22(5), 1535–1543. <https://doi.org/10.1519/JSC.0b013e318181ac20>
- Burr, J., Slysz, J. T., Boulter, M. S., & Warburton, D. E. R. (2015). Influence of active recovery on cardiovascular function during ice hockey. *Sports Medicine - Open*, 1(1), 1–8. <https://doi.org/10.1186/s40798-015-0026-8>
- Butler, R. J., Southers, C., Gorman, P. P., Kiesel, K. B., & Plisky, P. J. (2012). Differences in soccer players' dynamic balance across levels of competition. *Journal of Athletic Training*, 47(6), 616–620. <https://doi.org/10.4085/1062-6050-47.5.14>
- Caine, D., Walch, T., & Sabato, T. (2016). The elite young athlete: strategies to ensure physical and emotional health. *Open Access Journal of Sports Medicine*, 7, 99–113. <https://doi.org/10.2147/OAJSM.S96821>
- Chang, R., Turcotte, R., & Pearsall, D. (2009). Hip adductor muscle function in forward skating. *Sports Biomechanics*, 8(3), 212–222. <https://doi.org/10.1080/14763140903229534>
- Chaouachi, A., Othman, A. Ben, Hammami, R., Drinkwater, E. J., & Behm, D. G. (2014). The combination of plyometric and balance training improves sprint and shuttle run performances more often than plyometric-only training with children. *Journal of Strength and Conditioning Research*, 28(2), 401–412. <https://doi.org/10.1519/JSC.0b013e3182987059>
- Chia, M. (2000). Assessing young people's exercise using anaerobic performance tests.

- European Journal of Physical Education*, 5(2), 231–258.  
<https://doi.org/10.1080/1740898000050209>
- Chiarlitti, N. A., Delisle-Houde, P., Reid, R. E. R., Kennedy, C., & Andersen, R. E. (2017). The importance of body composition in the national hockey league combine physiologic assessments. *Journal of Strength and Conditioning Research*, 32(11), 3135–3142. <https://doi.org/10.1519/JSC.0000000000002309>
- Chulani, V. L., & Gordon, L. P. (2014). Adolescent growth and development. *Primary Care Clinics in Office Practice*, 41(3), 465–487. <https://doi.org/10.1016/j.pop.2014.05.002>
- Chvatal, S. A., & Ting, L. H. (2012). Voluntary and reactive recruitment of locomotor muscle synergies during perturbed walking. *The Journal of Neuroscience*, 32(35), 12237 LP – 12250. <https://doi.org/10.1523/JNEUROSCI.6344-11.2012>
- Čihák, R., Grim, M., Med, M., & Helekal, I. (2011). *Anatomie 1* (3rd ed.). Praha: Grada.
- Cohen, J. (1988). *Statistical power analysis for the behavioral sciences*. Hillsdale, N.J.: L. Erlbaum Associates.
- Cordingley, D. M., Sirant, L., MacDonald, P. B., & Leiter, J. R. (2019). Three-year longitudinal fitness tracking in top-level competitive youth ice hockey players. *Journal of Strength and Conditioning Research*, 33(11), 2909–2912. <https://doi.org/10.1519/JSC.00000000000003379>
- Cordo, P. J., Horn, J.-L., Künster, D., Cherry, A., Bratt, A., & Gurfinkel, V. (2011). Contributions of skin and muscle afferent input to movement sense in the human hand. *Journal of Neurophysiology*, 105(4), 1879–1888. <https://doi.org/10.1152/jn.00201.2010>
- Corso, M. (2018). Developmental changes in the youth athlete: Implications for movement, skills acquisition, performance and injuries. *Journal of the Canadian Chiropractic Association*, 62(3), 150–160.
- Cox, M. H., Miles, D. S., Verde, T. J., & Rhodes, E. C. (1995). Applied physiology of ice hockey. *Sports Medicine*, 19(3), 184–201.
- Cullen, K. E. (2012). The vestibular system: multimodal integration and encoding of self-motion for motor control. *Trends in Neurosciences*, 35(3), 185–196. <https://doi.org/10.1016/j.tins.2011.12.001>
- D'Hondt, E., Deforche, B., Vaeyens, R., Vandorpe, B., Vandendriessche, J., Pion, J., ... Lenoir, M. (2011). Gross motor coordination in relation to weight status and age in 5- to 12-year-old boys and girls: A cross-sectional study. *International Journal of*