

10 Referenční seznam

- ActiGraph. (n.d.). *Activity monitors*. Retrieved from <https://actigraphcorp.com/support/activity-monitors/>
- Ainsworth, B. E., Haskell, W. L., Herrmann, S. D., Meckes, N., Bassett, D. R., Tudor-Locke, C., ... Leon, A. S. (2011). 2011 Compendium of physical activities: A second update of codes and MET values. *Medicine and Science in Sports and Exercise, 43*(8), 1575–1581. doi: 10.1249/Mss.0b013e31821ece12
- Akoglu, H. (2018). User's guide to correlation coefficients. *Turkish Journal of Emergency Medicine, 18*(3), 91–93. doi: 10.1016/j.tjem.2018.08.001
- Altenburg, T. M., & Chinapaw, M. J. M. (2015). Bouts and breaks in children's sedentary time: Currently used operational definitions and recommendations for future research. *Preventive Medicine, 77*, 1–3. doi: 10.1016/j.ypmed.2015.04.019
- Arnardottir, N. Y., Oskarsdottir, N. D., Brychta, R. J., Koster, A., Van Domelen, D. R., Caserotti, P., ... Sveinsson, T. (2017). Comparison of summer and winter objectively measured physical activity and sedentary behavior in older adults: Age, gene/environment susceptibility Reykjavik study. *International Journal of Environmental Research and Public Health, 14*(10), 1268. doi: 10.3390/ijerph14101268
- Bailey, D. P., Hewson, D. J., Champion, R. B., & Sayegh, S. M. (2019). Sitting time and risk of cardiovascular disease and diabetes: A systematic review and meta-analysis. *American Journal of Preventive Medicine, 57*(3), 408–416. doi: 10.1016/j.amepre.2019.04.015
- Bartali, B., Benvenuti, E., Corsi, A. M., Bandinelli, S., Russo, C. R., Di Iorio, A., ... Ferrucci, L. (2002). Changes in anthropometric measures in men and women across the life-span: Findings from the InCHIANTI study. *Sozial- Und Präventivmedizin, 47*(5), 336–348. doi: 10.1007/PL00012644
- Baumgartner, R. N. (2000). Body composition in healthy aging. *Annals of the New York Academy of Sciences, 904*(1), 437–448. doi: 10.1111/j.1749-6632.2000.tb06498.x
- Bedogni, G., Malavolti, M., Severi, S., Poli, M., Mussi, C., Fantuzzi, A. L., & Battistini, N. (2002). Accuracy of an eight-point tactile-electrode impedance method in the assessment of total body water. *European Journal of Clinical Nutrition, 56*(11), 1143–1148. doi: 10.1038/sj.ejcn.1601466
- Bellettiere, J., Carlson, J. A., Rosenberg, D., Singhanian, A., Natarajan, L., Berardi, V.,

- ... Kerr, J. (2015). Gender and age differences in hourly and daily patterns of sedentary time in older adults living in retirement communities. *PLoS One*, *10*(8), e0136161. doi: 10.1371/journal.pone.0136161
- Bellettiere, J., Healy, G. N., LaMonte, M. J., Kerr, J., Evenson, K. R., Rillamas-Sun, E., ... LaCroix, A. Z. (2019). Sedentary behavior and prevalent diabetes in 6166 older women: The objective physical activity and cardiovascular health study. *The journals of gerontology. Series A, Biological sciences and medical sciences*, *74*(3), 387–395. doi: 10.1093/gerona/gly101
- Bennett, J. A., Winters-Stone, K., Nail, L. M., & Scherer, J. (2006). Definitions of sedentary in physical-activity-intervention trials: A summary of the literature. *Journal of Aging and Physical Activity*, *14*(4), 456–477. doi: 10.1123/japa.14.4.456
- Berghöfer, A., Pischon, T., Reinhold, T., Apovian, C. M., Sharma, A. M., & Willich, S. N. (2008). Obesity prevalence from a European perspective: A systematic review. *BMC Public Health*, *8*(1), 200. doi: 10.1186/1471-2458-8-200
- Biospace. (2020). *InBody 770 Prémiové řešení pro Vaše zdraví*. Retrieved from https://www.inbody.cz/katalog_inbody770.pdf
- Biswas, A., Oh, P. I., Faulkner, G. E., Bajaj, R. R., Silver, M. A., Mitchell, M. S., & Alter, D. A. (2015). Sedentary time and its association with risk for disease incidence, mortality, and hospitalization in adults: A systematic review and meta-analysis. *Annals of Internal Medicine*, *162*(2), 123–132. doi: 10.7326/M14-1651
- Boberska, M., Szczuka, Z., Kruk, M., Knoll, N., Keller, J., Hohl, D. H., & Luszczynska, A. (2018). Sedentary behaviours and health-related quality of life. A systematic review and meta-analysis. *Health Psychology Review*, *12*(2), 195–210. doi: 10.1080/17437199.2017.1396191
- Bradbury, K. E., Guo, W., Cairns, B. J., Armstrong, M. E. G., & Key, T. J. (2017). Association between physical activity and body fat percentage, with adjustment for BMI: A large cross-sectional analysis of UK Biobank. *BMJ Open*, *7*(3), e011843. doi: 10.1136/bmjopen-2016-011843
- Bubeníček, J. (2019). *Shapirův-Wilkův test*. Brno: Masarykova Univerzita. Retrieved from https://is.muni.cz/th/z4ef9/Shapiro_Wilk_test.pdf
- Čeledová, L., Kalvach, Z., & Čevela, R. (2016). *Úvod do gerontologie*. Praha: Karolinum.
- Cepeda, M., Koolhaas, C. M., van Rooij, F. J. A., Tiemeier, H., Guxens, M., Franco, O.

- H., & Schoufour, J. D. (2018). Seasonality of physical activity, sedentary behavior, and sleep in a middle-aged and elderly population: The Rotterdam study. *Maturitas, 110*, 41–50. doi: 10.1016/j.maturitas.2018.01.016
- Český statistický úřad. (2020). *Senioři*. Retrieved from <https://www.czso.cz/csu/czso/seniori>
- Chastin, S. F. M., Ferriolli, E., Stephens, N. A., Fearon, K. C., & Creig, C. (2012). Relationship between sedentary behaviour, physical activity, muscle quality and body composition in healthy older adults. *Age and Ageing, 41*(1), 111–114. doi: 10.1093/ageing/afr075
- Chastin, S. F. M., & Granat, M. H. (2010). Methods for objective measure, quantification and analysis of sedentary behaviour and inactivity. *Gait and Posture, 31*(1), 82–86. doi: 10.1016/j.gaitpost.2009.09.002
- Chastin, S. F. M., Winkler, E. A. H., Eakin, E. G., Gardiner, P. A., Dunstan, D. W., Owen, N., & Healy, G. N. (2015). Sensitivity to change of objectively-derived measures of sedentary behavior. *Measurement in Physical Education and Exercise Science, 19*(3), 138–147. doi: 10.1080/1091367X.2015.1050592
- Chastin, S. F. M., Buck, C., Freiburger, E., Murphy, M., Brug, J., Cardon, G., ... Oppert, J.-M. (2015). Systematic literature review of determinants of sedentary behaviour in older adults: A DEDIPAC study. *International Journal of Behavioral Nutrition and Physical Activity, 12*(1), 127. doi: 10.1186/s12966-015-0292-3
- Chráska, M. (2000). *Základy výzkumu v pedagogice*. Olomouc: Univerzita Palackého.
- Cohen, J. (1988). *Statistical power analysis for the behavioral sciences* (2nd ed.). Hillsdale, NJ: Lawrence Erlbaum Associates.
- Commonwealth of Australia. (2021). *Physical activity and exercise guidelines for all Australians*. Retrieved from <https://www.health.gov.au/health-topics/physical-activity-and-exercise/physical-activity-and-exercise-guidelines-for-all-australians>
- Copeland, J. L., Ashe, M. C., Biddle, S. J., Brown, W. J., Buman, M. P., Chastin, S., ... Dogra, S. (2017). Sedentary time in older adults: A critical review of measurement, associations with health, and interventions. *British Journal of Sports Medicine, 51*(21), 1539. doi: 10.1136/bjsports-2016-097210
- Copeland, J. L., Clarke, J., & Dogra, S. (2015). Objectively measured and self-reported sedentary time in older Canadians. *Preventive Medicine Reports, 2*, 90–95. doi: 10.1016/j.pmedr.2015.01.003
- Copeland, J. L., & Esliger, D. W. (2009). Accelerometer assessment of physical activity