

10 REFERENČNÍ SEZNAM

- Adeva-Andany, M., López-Ojén, M., Funcasta-Calderón, R., Ameneiros-Rodríguez, E., Donapetry-García, C., Vila-Altesor, M., & Rodríguez-Seijas, J. (2014). Comprehensive review on lactate metabolism in human health. *Mitochondrion*, 17, 76–100. <https://doi.org/10.1016/j.mito.2014.05.007>
- Alessio, H. M., Goldfarb, A. H., & Cao, G. (1997). Exercise-induced oxidative stress before and after vitamin C supplementation. *International Journal of Sport Nutrition*, 7(1), 1–9. <https://doi.org/10.1123/ijasn.7.1.1>
- Alharbi, A. A. D., Iwamoto, N., Ebine, N., Nakae, S., Hojo, T., & Fukuoka, Y. (2022). The acute effects of a single dose of molecular hydrogen supplements on responses to ergogenic adjustments during high-intensity intermittent exercise in humans. *Nutrients*, 14(19), 3974. <https://doi.org/10.3390/nu14193974>
- Aoki, K., Nakao, A., Adachi, T., Matsui, Y., & Miyakawa, S. (2012). Pilot study: Effects of drinking hydrogen-rich water on muscle fatigue caused by acute exercise in elite athletes. *Medical Gas Research*, 2(1), 12. <https://doi.org/10.1186/2045-9912-2-12>
- Ara, J., Fadriquela, A., Ahmed, M. F., Bajgai, J., Sajo, M. E. J., Lee, S. P., Kim, T. S., Jung, J. Y., Kim, C. S., Kim, S.-K., Shim, K. Y., & Lee, K.-J. (2018). Hydrogen water drinking exerts antifatigue effects in chronic forced swimming mice via antioxidative and anti-inflammatory activities. *BioMed Research International*, 2018, 1–9. <https://doi.org/10.1155/2018/2571269>
- Åstrand, P.-O., Rodahl, K., Dahl, A. H., & Stroome, B. S. (2003). *Textbook of work physiology: Physiological bases of exercise* (4th ed.). Human Kinetics.
- Aubert, A. E., Seps, B., & Beckers, F. (2003). Heart rate variability in athletes. *Sports Medicine*, 33(12), 889–919. <https://doi.org/10.2165/00007256-200333120-00003>
- Baird, M. F., Graham, S. M., Baker, J. S., & Bickerstaff, G. F. (2012). Creatine-kinase and exercise-related muscle damage implications for muscle Performance and Recovery. *Journal of Nutrition and Metabolism*, 2012, 1–13. <https://doi.org/10.1155/2012/960363>
- Barancik, M., Kura, B., LeBaron, T. W., Bolli, R., Buday, J., & Slezak, J. (2020). Molecular and cellular mechanisms associated with effects of molecular hydrogen in cardiovascular and central nervous systems. *Antioxidants*, 9(12), 1281. <https://doi.org/10.3390/antiox9121281>
- Barja, G. (1999). Mitochondrial oxygen radical generation and leak: Sites of production in states 4 and 3, organ specificity, and relation to aging and longevity. *Journal of Bioenergetics and Biomembranes*, 31(4), 347–366. <https://doi.org/10.1023/A:1005427919188>

- Bayr, H. (2005). Reactive oxygen species. *Critical Care Medicine*, 33(Suppl), S498–S501. <https://doi.org/10.1097/01.CCM.0000186787.64500.12>
- Bellenger, C. R., Fuller, J. T., Thomson, R. L., Davison, K., Robertson, E. Y., & Buckley, J. D. (2016). Monitoring athletic training status through autonomic heart rate regulation: A systematic review and meta-analysis. *Sports Medicine*, 46(10), 1461–1486. <https://doi.org/10.1007/s40279-016-0484-2>
- Berzosa, C., Cebrián, I., Fuentes-Broto, L., Gómez-Trullén, E., Piedrafita, E., Martínez-Ballarín, E., López-Pingarrón, L., Reiter, R. J., & García, J. J. (2011). Acute exercise increases plasma total antioxidant status and antioxidant enzyme activities in untrained men. *Journal of Biomedicine and Biotechnology*, 2011, 1–7. <https://doi.org/10.1155/2011/540458>
- Bessa, A. L., Oliveira, V. N., G. Agostini, G., Oliveira, R. J. S., Oliveira, A. C. S., White, G. E., Wells, G. D., Teixeira, D. N. S., & Espindola, F. S. (2016). Exercise intensity and recovery. *Journal of Strength and Conditioning Research*, 30(2), 311–319. <https://doi.org/10.1519/JSC.0b013e31828f1ee9>
- Bessa, A., Nissenbaum, M., Monteiro, A., Gandra, P. G., Nunes, L. S., Bassini-Cameron, A., Werneck-de-Castro, J. P. S., de Macedo, D. V., & Cameron, L.-C. (2008). High-intensity ultraendurance promotes early release of muscle injury markers. *British Journal of Sports Medicine*, 42(11), 589–593. <https://doi.org/10.1136/bjsm.2007.043786>
- Bessman, S. P., & Geiger, P. J. (1981). Transport of energy in muscle: The phosphorylcreatine shuttle. *Science*, 211(4481), 448–452. <https://doi.org/10.1126/science.6450446>
- Bijur, P. E., Silver, W., & Gallagher, E. J. (2001). Reliability of the visual analog scale for measurement of acute pain. *Academic Emergency Medicine*, 8(12), 1153–1157. <https://doi.org/10.1111/j.1553-2712.2001.tb01132.x>
- Billman, G. E. (2013). The LF/HF ratio does not accurately measure cardiac sympatho-vagal balance. *Frontiers in Physiology*, 4. <https://doi.org/10.3389/fphys.2013.00026>
- Bloomer, R., Davis, P., Consitt, L., & Wideman, L. (2007). Plasma protein carbonyl response to increasing exercise duration in aerobically trained men and women. *International Journal of Sports Medicine*, 28(1), 21–25. <https://doi.org/10.1055/s-2006-924140>
- Bloomer, R. J., Fry, A. C., Falvo, M. J., & Moore, C. A. (2007). Protein carbonyls are acutely elevated following single set anaerobic exercise in resistance trained men. *Journal of Science and Medicine in Sport*, 10(6), 411–417. <https://doi.org/10.1016/j.jsams.2006.07.014>
- Bloomer, R. J., & Goldfarb, A. H. (2004). Anaerobic exercise and oxidative stress: A Review. *Canadian Journal of Applied Physiology*, 29(3), 245–263. <https://doi.org/10.1139/h04-017>

- Bompa, O. T., & Haff, G. (2009). *Periodization: Theory and methodology of training* (5th ed.). Human Kinetics.
- Boonstra, A. M., Schiphorst Preuper, H. R., Balk, G. A., & Stewart, R. E. (2014). Cut-off points for mild, moderate, and severe pain on the visual analogue scale for pain in patients with chronic musculoskeletal pain. *Pain, 155*(12), 2545–2550. <https://doi.org/10.1016/j.pain.2014.09.014>
- Boonstra, A. M., Schiphorst Preuper, H. R., Reneman, M. F., Posthumus, J. B., & Stewart, R. E. (2008). Reliability and validity of the visual analogue scale for disability in patients with chronic musculoskeletal pain. *International Journal of Rehabilitation Research, 31*(2), 165–169. <https://doi.org/10.1097/MRR.0b013e3282fc0f93>
- Borresen, J., & Ian Lambert, M. (2009). The quantification of training load, the training response and the effect on performance. *Sports Medicine, 39*(9), 779–795. <https://doi.org/10.2165/11317780-000000000-00000>
- Borresen, J., & Lambert, M. (2006). Validity of self-reported training duration. *International Journal of Sports Science & Coaching, 1*(4), 353–359. <https://doi.org/10.1260/174795406779367666>
- Botek, M., Khanna, D., Krejčí, J., Valenta, M., McKune, A., Sládečková, B., & Klimešová, I. (2022). Molecular hydrogen mitigates performance decrement during repeated sprints in professional soccer players. *Nutrients, 14*(3), 508. <https://doi.org/10.3390/nu14030508>
- Botek, M., Krejčí, J., & McKune, A. J. (2017). *Variabilita srdeční frekvence v tréninkovém procesu: historie, současnost a perspektiva*. Univerzita Palackého v Olomouci. <https://doi.org/10.5507/ftk.16.24452029>
- Botek, M., Krejčí, J., McKune, A. J., & Sládečková, B. (2020). Hydrogen-rich water supplementation and Up-Hill running performance: Effect of athlete performance level. *International Journal of Sports Physiology and Performance, 15*(8), 1193–1196. <https://doi.org/10.1123/IJSP.2019-0507>
- Botek, M., Krejčí, J., McKune, A. J., Sládečková, B., & Naumovski, N. (2019). Hydrogen rich water improved ventilatory, perceptual and lactate responses to exercise. *International Journal of Sports Medicine, 40*(14), 879–885. <https://doi.org/10.1055/a-0991-0268>
- Botek, M., Krejčí, J., McKune, A., Valenta, M., & Sládečková, B. (2021). Hydrogen rich water consumption positively affects muscle performance, lactate response, and alleviates delayed onset of muscle soreness after resistance training. *Journal of Strength and Conditioning Research, 36*(10), 2792–2799. <https://doi.org/10.1519/JSC.00000000000003979>