

10 REFERENČNÍ SEZNAM

- Abrahams, V. C. (1986). Group III and IV receptors of skeletal muscle. *Canadian Journal of Physiology and Pharmacology*, 64(4), 509–514. <https://doi.org/10.1139/y86-083>
- Abraïni, J. H., Gardette-Chauffour, M. C., Martinez, E., Rostain, J. C., & Lemaire, C. (1994). Psychophysiological reactions in humans during an open sea dive to 500 m with a hydrogen-helium-oxygen mixture. *Journal of Applied Physiology*, 76(3), 1113–1118. <https://doi.org/10.1152/jappl.1994.76.3.1113>
- Alharbi, A. A. D., Ebine, N., Nakae, S., Hojo, T., & Fukuoka, Y. (2021). Application of molecular hydrogen as an antioxidant in responses to ventilatory and ergogenic adjustments during incremental exercise in humans. *Nutrients*, 13(2), 459. <https://doi.org/10.3390/nu13020459>
- Allen, D. G., Lamb, G. D., & Westerblad, H. (2008). Skeletal muscle fatigue: Cellular mechanisms. *Physiological Reviews*, 88(1), 287–332. <https://doi.org/10.1152/physrev.00015.2007>
- Allen, D. G., & Trajanovska, S. (2012). The multiple roles of phosphate in muscle fatigue. *Frontiers in Physiology*, 3. <https://doi.org/10.3389/fphys.2012.00463>
- Amann, M. (2011). Central and peripheral fatigue: Interaction during cycling exercise in humans. *Medicine & Science in Sports & Exercise*, 43(11), 2039–2045. <https://doi.org/10.1249/MSS.0b013e31821f59ab>
- Amann, M., & Dempsey, J. (2009). When fatiguing cycling muscles complain, the brain insightfully responds! *Physiology News*, 13–14. <https://doi.org/10.36866/pn.75.13>
- Amann, M., Eldridge, M. W., Lovering, A. T., Stickland, M. K., Pegelow, D. F., & Dempsey, J. A. (2006). Arterial oxygenation influences central motor output and exercise performance via effects on peripheral locomotor muscle fatigue in humans. *The Journal of Physiology*, 575(3), 937–952. <https://doi.org/10.1113/jphysiol.2006.113936>
- Andrade, F. H., Reid, M. B., & Westerblad, H. (2001). Contractile response to low peroxide concentrations: myofibrillar calcium sensitivity as a likely target for redox-modulation of skeletal muscle function. *The FASEB Journal*, 15(2), 309–311. <https://doi.org/10.1096/fj.00-0507fje>
- Anzai, K., Ogawa, K., Ozawa, T., & Yamamoto, H. (2000). Oxidative modification of ion channel activity of ryanodine receptor. *Antioxidants & Redox Signaling*, 2(1), 35–40. <https://doi.org/10.1089/ars.2000.2.1-35>
- Aoi, W., Naito, Y., Takanami, Y., Kawai, Y., Sakuma, K., Ichikawa, H., ... Yoshikawa, T. (2004). Oxidative stress and delayed-onset muscle damage after exercise. *Free Radical Biology and Medicine*, 37(4), 480–487. <https://doi.org/10.1016/j.freeradbiomed.2004.05.008>

- Aoki, K., Nakao, A., Adachi, T., Matsui, Y., & Miyakawa, S. (2012). Pilot study: Effects of drinking hydrogen-rich water on muscle fatigue caused by acute exercise in elite athletes. *Medical Gas Research*, 2(1), 12. <https://doi.org/10.1186/2045-9912-2-12>
- Ara, J., Fadriquel, A., Ahmed, M. F., Bajgai, J., Sajo, M. E. J., Lee, S. P., ... Lee, K. J. (2018). Hydrogen water drinking exerts antifatigue effects in chronic forced swimming mice via antioxidative and anti-inflammatory activities. *BioMed Research International*, 2018, 1–9. <https://doi.org/10.1155/2018/2571269>
- Arena, R., Myers, J., & Guazzi, M. (2008). The clinical significance of aerobic exercise testing and prescription: From apparently healthy to confirmed cardiovascular disease. *American Journal of Lifestyle Medicine*, 2(6), 519–536. <https://doi.org/10.1177/1559827608323210>
- Asada, R., Kageyama, K., Tanaka, H., Matsui, H., Kimura, M., Saitoh, Y., & Miwa, N. (2010). Antitumor effects of nano-bubble hydrogen-dissolved water are enhanced by coexistent platinum colloid and the combined hyperthermia with apoptosis-like cell death. *Oncology Reports*, 24(6). https://doi.org/10.3892/or_00001006
- Asada, R., Saitoh, Y., & Miwa, N. (2019). Effects of hydrogen-rich water bath on visceral fat and skin blotch, with boiling-resistant hydrogen bubbles. *Medical Gas Research*, 9(2), 68. <https://doi.org/10.4103/2045-9912.260647>
- Astorino, T. A., Bovee, C., & DeBoe, A. (2015). Estimating hemodynamic responses to the wingate test using thoracic impedance. *Journal of Sports Science & Medicine*, 14(4), 834–840. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/26664281>
- Åstrand, P. O., Rodahl, K., Dahl, H. A., & Strømme, S. B. (2003). *Textbook of work physiology. Human Kinetics*.
- Athanasiou, N., Bogdanis, G. C., & Mastorakos, G. (2023). Endocrine responses of the stress system to different types of exercise. *Reviews in Endocrine and Metabolic Disorders*, 24(2), 251–266. <https://doi.org/10.1007/s11154-022-09758-1>
- Baird, M. F., Graham, S. M., Baker, J. S., & Bickerstaff, G. F. (2012). Creatine-kinase- and exercise-related muscle damage implications for muscle performance and recovery. *Journal of Nutrition and Metabolism*, 2012, 1–13. <https://doi.org/10.1155/2012/960363>
- Balnave, C. D., & Thompson, M. W. (1993). Effect of training on eccentric exercise-induced muscle damage. *Journal of Applied Physiology*, 75(4), 1545–1551. <https://doi.org/10.1152/jappl.1993.75.4.1545>
- Balog, E. M., & Fitts, R. H. (1996). Effects of fatiguing stimulation on intracellular Na⁺ and K⁺ in frog skeletal muscle. *Journal of Applied Physiology*, 81(2), 679–685. <https://doi.org/10.1152/jappl.1996.81.2.679>
- Bassett, D. R. (2000). Limiting factors for maximum oxygen uptake and determinants of

- endurance performance. *Medicine & Science in Sports & Exercise*, 70. <https://doi.org/10.1097/00005768-200001000-00012>
- Beaver, W. L., Wasserman, K., & Whipp, B. J. (1986). A new method for detecting anaerobic threshold by gas exchange. *Journal of Applied Physiology*, 60(6), 2020–2027. <https://doi.org/10.1152/jappl.1986.60.6.2020>
- Bessman, S. P., & Geiger, P. J. (1981). Transport of energy in muscle: The phosphorylcreatine shuttle. *Science*, 211(4481), 448–452. <https://doi.org/10.1126/science.6450446>
- Billat, V. L., Hill, D. W., Pinoteau, J., Petit, B., & Koralsztein, J. P. (1996). Effect of protocol on determination of velocity at $\dot{V}O_2$ max and on its time to exhaustion. *Archives of Physiology and Biochemistry*, 104(3), 313–321. <https://doi.org/10.1076/apab.104.3.313.12908>
- Billat, V., Renoux, J. C., Pinoteau, J., Petit, B., & Koralsztein, J. P. (1995). Times to exhaustion at 90,100 and 105% of velocity at $\dot{V}O_2$ max (maximal aerobic speed) and critical speed in elite longdistance runners. *Archives of Physiology and Biochemistry*, 103(2), 129–135. <https://doi.org/10.3109/13813459508996126>
- Billat, V., Beillot, J., Jan, J., Rochcongar, P., & Carre, F. (1996). Gender effect on the relationship of time limit at 100% $\dot{V}O_2$ max with other bioenergetic characteristics. *Medicine & Science in Sports & Exercise*, 28(8), 1049–1055. <https://doi.org/10.1097/00005768-199608000-00016>
- Billat, V., & Koralsztein, J. P. (1996). Significance of the velocity at $\dot{V}O_2$ max and time to exhaustion at this velocity. *Sports Medicine*, 22(2), 90–108. <https://doi.org/10.2165/00007256-199622020-00004>
- Billat, V., Renoux, J. C., Pinoteau, J., Petit, B., & Koralsztein, J. P. (1994). Times to exhaustion at 100% of velocity at $\dot{V}O_2$ max and modelling of the time-limit / velocity relationship in elite long-distance runners. *European Journal of Applied Physiology and Occupational Physiology*, 69(3), 271–273. <https://doi.org/10.1007/BF01094801>
- Billat, V., Renoux, J. C., Pinoteau, J., Petit, B., & Koralsztein, J. P. (1994). Reproducibility of running time to exhaustion at $\dot{V}O_2$ max in subelite runners. *Medicine & Science in Sports & Exercise*, 26(2), 254–257. <https://doi.org/10.1249/00005768-199402000-00018>
- Botek, M., Stejskal, P., Krejci, J., Jakubec, A., & Gaba, A. (2010). Vagal threshold determination. Effect of age and gender. *International Journal of Sports Medicine*, 31(11), 768–772. <https://doi.org/10.1055/s-0030-1263141>
- Botek, M., Khanna, D., Krejčí, J., Valenta, M., McKune, A., Sládečková, B., & Klimešová, I. (2022). Molecular hydrogen mitigates performance decrement during repeated sprints in professional soccer players. *Nutrients*, 14(3), 508. <https://doi.org/10.3390/nu14030508>
- Botek, M., Krejčí, J., McKune, A. J., & Sládečková, B. (2020). Hydrogen-rich water