

3. LITERATURA

1. Adamani DC, Mikola EA, Fraser BJ. Percutaneous fixation of the scaphoid through a dorzál approach: an anatomic study. *J Hand Surg* 2008; 33A:327-331.
2. Arora R, Gschwentner M, Krappinger D, Lutz M, Blauth M, Gabl M. Fixation of nondisplaced scaphoid fractures: making treatment cost effective. Prospective controlled trial. *Arch orthop Trauma Surg* 2007;127:39-46.
3. Bedi A, Jebson PJJ, Hayden RJ, Jacobson JA, Martus JE. Internal fixation of acute, nondisplaced scaphoid waist fracture via a limited dorzál approach: an assessment of radiographic and functional outcomes. *J Hand Surg* 2007; 32A:326-333.
4. Bond CD, Shin AY. Percutaneous cannulated screw fixation of acute scaphoid fractures. *Tech Hand Up Extr Surg* 2000;4:81-87.
5. Bushnell BD, McWilliams AD, Messer TM. Complications in dorzál percutaneous cannulated screw fixation of nondisplaced scaphoid waist fracture. *J Hand Surg* 2007; 32A:827-833.
6. Chan KW, McAdams TR. Central screw placement in percutaneous screw scaphoid fixation: a cadaveric comparison of proximal and distal techniques. *J Hand Surg* 2004;29A:74-79.
7. Cooney WP, Dobyns JH, Lindscheid R L. Fractures of the scaphoid: a rational approach to management. *Clin Orthop* 1980; 149: 90-97.
8. DeMaagd RL, Engber WD. Retrograde Herbert screw fixation for treatment of proximal pole scaphoid nonunions. *J Hand Surg* 1989; 14A:996-1003.
9. Dias JJ, Dhukaram V, Abhinav A, Bhowal B, Wildin CJ. Clinical and radiological outcome of cast immobilisation versus surgical treatment of acute scaphoid fractures at a mean follow-up of 93 months. *J Bone Joint Surg* 2008;90B:899-905.
10. Dráč P, Maňák P. An economic analysis of scaphoid fracture treatment. *Eur J Trauma* 2006;32,Suppl 1:188.
11. Dráč P, Maňák P, Labónek I. Percutaneous osteosynthesis versus cast immobilisation for the treatment of minimally and non-displaced scaphoid fractures. Functional outcomes after a follow-up of at least 12 month. *Biomed Papers* 2005;149:149-151.
12. Guers G, van Reit R, Meermans G, Verstreken F. Incidence of scaphotrapezial arthritis following volar percutaneous fixation of nondisplaced scaphoid waist fractures using a transtrapezial approach. *J Hand Surg* 2011;36A:1753-1758.
13. Herbert TJ. *The fractured scaphoid*. St Louis: Quality Medical Publishing, Inc; 1990.

14. Hudak PL, Amadio PC, Bombardier C. Development of an upper extremity outcome measure: the DASH (disabilities of the arm, shoulder and hand) (corrected). The Upper Extremity Collaborative Group (UECG). *Am J Ind Med* 1996;29:602-608.
15. Jeon IH, Micic ID, Oh CW, Park BC, Kim PT. Percutaneous screw fixation for scaphoid fracture: A comparison between the dorsal and the volar approaches. *J Hand Surg* 2009;34A:228-236.
16. Martus JE, Bedi A, Jebson P. Cannulated variable pitch compression screw fixation of scaphoid fractures using a limited dorsal approach. *Tech Hand Up Extr Surg* 2005;9:202-206.
17. McCallister WV, Knight J, Kaliappan R, Trumble TE. Central placement of the screw in simulated fractures of the scaphoid waist: a biomechanical study. *J Bone Joint Surg* 2003;85A:72-77.
18. McQueen MM, Gelbke MK, Wakefield A, Will EM, Gaebler C. Percutaneous screw fixation versus conservative treatment for fractures of the waist of the scaphoid: a prospective randomised study. *J Bone Joint Surg* 2008;90B:66-71.
19. Moser VL, Krimmer H, Herbert TJ. Minimal invasive treatment for scaphoid fractures using the cannulated Herbert screw system. *Tech Hand Up Extr Surg* 2003;7:141-146.
20. Nicholl JE, Buckland-Wright JC. Degenerative changes at the scaphotrapezoid joint following Herbert screw insertion: A radiographic study comparing patients with scaphoid fracture and primary hand arthritis. *J Hand Surg* 2000;25B:422-426.
21. Polsky MB, Kozin SH, Porter ST, Thoder JJ. Scaphoid fractures: dorsal versus volar approach. *Orthopedics*, 2002;25:817-819.
22. Saedén B, Törnkvist H, Ponzer S, Hoglund M. Fracture of the carpal scaphoid. A prospective, randomised 12-year follow-up comparing operative and conservative treatment. *J Bone Joint Surg* 2002;83B: 230-234.
23. Schaefer M, Siebert HR. Fracture of the semilunar bone. *Unfallchirurg* 2002;105:540-552.
24. Slade J, Lozano-Calderon S, Merrell G, Ring D. Arthroscopic-assisted percutaneous reduction and screw fixation of displaced scaphoid fracture. *J Hand Surg* 2008;33E:350-354.
25. Soubeyrand M, Biau D, Mansour C, Mahjoub S, Molina V, Gagey O. Comparison of percutaneous dorsal versus volar fixation of scaphoid waist fractures using a computer model in cadavers. *J Hand Surg* 2009;34A:1838-1844.
26. Strelí R. Perkutane Verschraubung des Handkahnbeines mit Bohrdraht-Kompressionsschraube. *Zentralbl Chir* 1970;95:1060-1078.

27. Tu YK, Chen AC, Chou YC, Ueng SWN, Ma CH, Yen CY. Treatment for scaphoid fracture and nonunion – the application of 3.0mm cannulated screws and pedicle vascularized bone grafts. *Injury* 2008;39:S96-106.
28. Vinnars B, Ekenstam FA, Gerdin B. Comparison of direct and indirect costs of internal fixation and cast treatment in acute scaphoid fractures: a randomized trial involving 52 patients. *Acta Orthop* 2007;78:672-679.
29. Vinnars B, Pietreanu M, Bodestedt A, Ekenstam F, Gerdin B. Nonoperative treatment of acute scaphoid fractures. A randomized clinical trial. *J Bone Joint Surg* 2008;90A:1176-1185.