

BIBLIOGRAFIE

- Abernethy, P.; Thayer R.; Taylor A. (1990): Acute and chronic responses of skeletal muscle to endurance and sprint exercise. A review. *Sports Medicine* 10, 365–89.
- Ae. M.; Ho. A.; Suzuki, M. (1992): The men's 100 metres. *New Studies in Athletics*, 7, 1, 47- 52.
- Andersen, J. P. (2000): Muscle fibre type characteristics of the runner. In: *Running and Science*. J. Bangsbo & H. B. Larsen.
- Andersen, J. P.; Schjerling, P.; Saltin, B. (2000): Muscle, Genes and Athletic Performance. *American Scientific*. Septembre 2000.
- Aubert, F. (2003): La vitesse: l'aristocratie des qualités physiques. Conférence Master Entraînement Strasbourg.
- Australian Sports Commission (2000): *Physiological Tests for Elite Athletes*. Eds: C. J. Gore.
- Aziz, A. R.; Teh, K. C. (2004): Correlation between tests of running repeated print ability and anaerobic capacity by Wingate cycling in multi-sprint sports athletes. *International Journal of Applied Sports Sciences*, 16, 1, 14–22.
- Balsom, P. D. (1995): *High Intensity Intermittent Exercise Performance and Metabolic Responses With Very High Intensity Short Duration Work Periods* (PhD. thesis). Stockholm: Karolinska Institutet.
- Baker, D.; Nance, S. (1999): The relation between running speed and measures of strength and power in professional rugby league players. *Journal of Strength and Conditioning Research*, 13, 3, 30–35.
- Bendahan, D.; Kemp, G. J.; Roussel, M.; Le Fur, Y.; Cozzone, P. J. (2003): ATP synthesis and proton handling in muscle during short periods of exercise and subsequent recovery. *J. Appl. Physiol.*, 94, 6, 2391- 2397.
- Bishop, D. (2003): Warm Up I: Potential mechanisms and the effects of passive warm up on exercise performance. *Sports Med.*, 33, 6, 439–464.
- Bishop, D. (2003): Warm Up II: Performance changes following active warm up and how to structure the warm up. *Sports Med.*, 33, 7, 483–498.
- Blastrand, M.; Dilnot, A. (2008): *The tiger that isn't: Seeing through a world of numbers*. Profile Books.
- Bogdanis, G. C.; Nevill, M. E.; Boobis, L. H. (1995): Recovery of power output and muscle metabolites following 30s of maximal sprint cycling in man. *J. Physiol.*, 482, 2, 467–480.
- Bogdanis, G. C.; Nevill, M. E.; Boobis, L. H.; Lakomy, H. K. A. (1996): Contribution of phosphocreatine and aerobic metabolism to energy supply during repeated sprint exercise. *J. Appl. Physiol.*, 80, 876–884.
- Bogdanis, G. C.; Papaspyrou, A.; Maridaki, M. (2007): Muscle metabolism and fatigue during sprint exercise : effects of creatine supplementation. *Serb. J. Sports Sci.*, 1, 2, 37–57.
- Borzov, V. (1983): *10 seconds – a Lifetime*. Kehakultuur, 4 and 5.
- Bosco, C.; Vittori, C. (1986): Biomechanical characteristics of sprint running during maximal and supra-maximal speed. *New Studies in Athletics*, 1, 39–45.
- Bret, C.; Rahmani, A.; Dufour, A. B.; Mesonnier, L.; Lacour, J. R. (2002): Leg strength and stiffness as ability factors in 100 m sprint running. *Journal of Sports Medicine and Physical Fitness*, 42, 3, 274.

- Cavagna, G. A.; Komarek, L.; Mazzoleni, S. (1997): The mechanics of sprint running. *Journal of Physiology*, 217, 709–721.
- Chumanov, E. S.; Heiderscheit, B. C.; Thelen, D. G. (2007): The effect of speed and influence of individual muscles on hamstring mechanics during the swing phase of sprinting. *Journal of Biomechanics*, 40, 3555–3562.
- Cor, R. J.; Knudson, D. (2003): Effect of elastic cord towing on the kinematics of the acceleration phase in sprinting. *Journal of Strength and Conditioning*, 17, 1, 72–75.
- Cronin, J. B.; Hansen, K. T. (2005): Strength and power predictors of sports speed. *J. Strength Cond. Research*, 19, 2, 349–357.
- Damasio, A. (2003): *Looking for Spinoza: Joy, sorrow and the feeling brain*. Mariner Books.
- Delesalle, N. (2008): *Les sportifs, ces bombes anatomiques*. Téléràma (article web).
- Dintiman, G. B.; Ward, B.; Ward, R. D. (2003): *Sports Speed*. Human Kinetics Publishers.
- Di Prampero, P. E.; Fusi, S.; Sepulcri, L.; Morin, J. B.; Belli, A.; Antonutto, G. (2005): Sprint running : a new energetic approach. *The Journal of Experimental Biology*, 208, 2809–2816.
- Donati, A. (1995): The development of stride length and stride frequency in sprinting. *New Studies in Athletics*, 10, 1, 51–66.
- Dufour, M. (2009): *Les Diamants Neuromusculaires*. Editions Volodalen.
- Duthie, G. M. (2005): *Descriptive analysis of sprint patterns in Super 12 Rugby*. International Science and Football Symposium.
- Duthie, G. M.; Pyne, D. B.; Marsch, D. J.; Hooper, S. L. (2006): Sprint patterns in Rugby Union players during competition. *Journal of Strength and Conditioning Research*, 20, 1, 208–214.
- Eriksen, H. K.; Kristiansen, J. R.; Langangen, O.; Wehus, I. K. (2008): Velocity dispersion in a cluster of stars: How fast could Usain Bolt have run?
- Faccioni, A. (1994): Assisted and resisted methods for speed development. *Modern Athlete and Coach*, 32, 2.
- Forsteuter, D. (1996): *Untersuchung zur Spezifität von Trainingsformen zur Verbesserung des Sprintleistung*. Diplomarbeit, Köln.
- Fourchet, F.; Kuitinen, S.; Girard, O.; Millet, G. P. (2007): Comparaison de la repartition des appuis plantaires entre chaussures d'entraînement et chaussures à pointes chez de jeunes sprinters. *Science et Sports*, 22, 176–178.
- Fradkin, A. J.; Gabbe, B. J.; Cameron, P. A. (2006): Does warming up prevent injury in sport? The evidence from randomized controlled trials? *J. Sci. Med. Sport*, 9, 9, 214–220.
- Francis, C. (1991): *Speed Trap*. Grafton.
- Frolov, V. I. (1981): Interdependance of results in the snatch, technical mastery and some physical qualities of weightlifters. *Weightlifting Yearbook*, 83.
- Gaitanos, G. C.; Williams, C.; Boobis, L. H.; Brooks, S. (1993): Human muscle metabolism during intermittent maximal exercise. *J. Appl. Physiol.*, 75, 2, 712–719.
- Goldrin, A. (1988): *Development of muscular relaxation in sprinting*. Kehakultuur, Vol. 49, 18.
- Goralsczyk, R.; Mikolajec, K.; Poprzecki, S.; Zajac, A.; Szyngiera, W.; Waskiewicz, Z. (2003): Kinematic analysis of intermittent sprints of elite soccer players. *Journal of Human Kinetics*, 10, 107–120.

- Hawkins, J. (2004): *On Intelligence*. Times Books.
- Herrero, D. (2003): *Dictionnaire amoureux du rugby*. Editions Plon, Paris.
- Heynen, M. (2001): Hamstring injuries in sprinting. *New Studies in Athletics*, 16, 3, 43, 48.
- Hildebrand, M. (1959): Motions of the running cheetah and horse. *Journal of Mammalogy*, 40, 481–495.
- Hinrichs, R. N.; Cavanagh, P. R.; Williams, K. R. (1987): Upper extremity function in running. *Int. J. Biomech.*, 3, 222–241.
- Hirvonen, J.; Rehnunen, S.; Rusko, H.; Harkonen, M. (1987): Breakdown of high energy phosphate compounds and lactate accumulation during short supramaximal exercise. *Eur. J. Appl. Physiol.*, 56, 253–259.
- Hollmann, W., Hettinger T. (1980): *Sportmedizin-Arbeits-und Trainingsgrundlagen*, 2. Aufl. Schattauer, Stuttgart–New York.
- Hori, N.; Newton, R. U.; Andrews, W. A.; Kawamori, N.; McGuigan, M. R.; Nosaka, K. (2008): Does performance of hang power clean differentiate performance of jumping, sprinting, and changing of direction? *Journal of Strength and Conditioning Research*, 22, 2, 412–418.
- Hoshikawaz, Y.; Muramatsu, M.; Lida, T.; Uchiyama, A.; Nakajima, Y.; Kanahisa, H.; Fukunaga, T. (2006): Influence of the psoas major and thigh muscularity on 100 m times in junior sprinters. *Med. Sci. Sports Exerc.*, 38, 12, 2138–2143.
- Ito, A.; Ishikawa, M.; Isolehto, J.; Komi, P. V. (2006): Changes in the step width, step length, and step frequency of the world's top sprinters during 100 m race.
- Johnson, M. D.; Buckley, J. G. (2001): Muscle power patterns in the mid-acceleration phase of sprinting. *J. Sports Sci.*, 9, 4, 263–272.
- Krantz, N. (1996): M. Johnson et M. J. Pèrec: analyse compare de la foulée. Efficacité et économie: quel système expert retenir? *Revue AEFA*, 144, 31–35.
- Kristensen, G. O.; Van Den Tillaar, R.; Ettema, G. J. C. (2006): Velocity specificity in earlyphase sprint training. *Journal of Strength and Conditioning Research*, 20, 4, 833–837.
- Krustrup, P.; Mohr, M.; Steenberg, A.; Bencke, J.; Kjær, M.; Bangsbo, J. (2006): Muscle and blood metabolites during a soccer game: Implications for sprint performance. *Med. Sci. Sports Exerc.*, 38, 6, 1165–1174.
- Kukolj, M.; Ropret, R.; Ugarkovic, O.; Jaric, S. (1999): Anthropometric strength and power predictors of sprinting performance. *Journal of Sports Medicine and Physical Fitness*, 39, 2, 120–122.
- LeBlanc, J. S.; Gervais, P. L. (2004): Kinematics of assisted and resisted sprinting as compared to normal free sprinting in trained athletes. Abstract of the XIII CSB Congress.
- Letzelter, M.; Sauerwein, G.; Burger, R. (1994): Resistance runs in speed development. *Modern Athlete and Coach*, 22, 28.
- Letzelter, M.; Letzelter, S. (2002): Wettkampfdiagnostik im Sprint. *Leistungssport*, 32, 2, 16–20.
- Letzelter, S.; Eggers, R. (2003): Geschwindigkeitsverlauf über 400 m in der Weltklasse. *Leistungssport*, 33, 6.
- Liebermann, D. G.; Katz, L. (2003): On the assessment of lower limb muscular power capability. *Isokinetics and Exercise Science*. 11, 87–94.
- Lockie, R. G.; Murphy, A. J.; Spinks, C. D. (2003): Effects of resisted sled towing on sprint kinematics in field sport athletes. *Journal of Strength and Conditioning Research*, 17, 4, 760–767.

- MacMahon, S.; Jenkins, D. (2002): Factors affecting the rate of phosphocreatine resynthesis following intense exercise. *Sports Med*, 32, 12, 761–784.
- Mann, R.; Moran, G.; Dougherty, S. (1986): Comparative electromyography of the lower extremity in jogging, running and sprinting. *American Journal of Sports Medicine*. 14, 6, 501–510.
- Maulder, P. S. (2005): *The physical power pre-requisites and acute effects of resisted sled loading on sprint running kinematics of the early acceleration phase from starting blocks*. Thesis. Auckland University.
- Mero, A.; Komi, P. V. (1986): Force, EMG, and elasticity-velocity relationships at submaximal, maximal and supramaximal running speeds in sprinters. *Eur. J. Appl. Physiol.*, 55, 553–561.
- Mouchbahani et al. (1995): Zugwiderstandslaufen in Schnelligkeitsstraining. In: *Lehre der Leichtathletik*. Köln.
- Muniroglu, S. (2005): The effect of speed function on some technical elements in Soccer. *The Sport Journal*, 8, 3.
- Nesser, T. W.; Latin, R. W.; Berg, K.; Prentice, E. (1996): Physiological determinants of 40 meter sprint performance in young male athletes. *Journal of Strength and Conditioning Research*, 10, 4, 263–267.
- Novachek, T. (1997): The biomechanics of running and sprinting. In Guten, G. (Ed) *Running injuries*. WB Saunders and Co: Philadelphia.
- Ontanon, G. (1997): Analyse et choix pour construire la foulée du jeune athlète. *Revue AEFA*.
- Padua, D. A.; Arnold, B. L.; Perrin, D. H.; Gansneders, B. M.; Carciall, C. R.; Granata, K. P. (2006): Fatigue, vertical leg stiffness, and stiffness strategies in males and females. *Journal of Athletic Training*, 41, 3, 294–304.
- Paradisis, G. P.; Cooke, C. B. (2006): The effects of sprint running training on sloping surfaces. *Journal of Strength and Conditioning Research*, 20, 4, 767–777.
- Paulet, F.; Perrey, S. (2003): Déterminants biomécaniques de la performance en sprint sur 50 m. Congrès ACAPS. Toulouse.
- Peterson, M. D.; Alvar, B. A.; Rhea, M. R. (2006): The contribution of maximal force production to explosive movement among young collegiate athletes. *Journal of Strength and Conditioning Research*, 20, 4, 867–873.
- Pinniger, G. J.; Steele, J. B.; Groeller, H. (2000): Does fatigue induced by repeated dynamic efforts affect hamstring muscle function? *Med. Sci. Sports Exerc.*, 32, 3, 647–653.
- Pyne, D. B.; Saunders, P. U.; Montgomery, P. G.; Hewitt, A. J.; Sheehan, K. (2008): Relationships between repeated sprint testing, speed, and endurance. *J. Strength Cond. Res.*, 22, 5, 1633–1637.
- Rega, C., Natta, F. (2003): Quels sont les paramètres dynamiques et cinématiques utiles à l'entraîneur pour analyser l'appui de course du sprinter. *Revue de l'Association des Entraîneurs Français d'Athlétisme* 166, 7–13.
- Robinson, K. (2005): *Difference in maximal speed running between baseball players and sprinters*. Thesis, Brigham Young University.
- Sarre, V.; Blanchet, P. (2008): *Vers la fin des records*. L'Express (article web).
- Seagrave, L. (1994): *Actes du Colloque de Sprint*. Poitiers.
- Seagrave, L. (1996): Introduction to sprinting. *New Studies in Athletics*, 11, 2, 93–113.

- Sheppard, J. M.; Young, W. B.; Doyle, T. L. A.; Sheppard, T. A.; Newton, R. U. (2006): An evaluation of a new test of reactive agility and its relationship to sprint speed and change of direction speed. *Journal of Science and Medicine in Sport*, 9, 342–349.
- Siris, P.; Gaidarska, P.; Racev, K. (1983): *The selection and capabilities evaluation in Track and Field*. Moscow, USSR.
- Sleivert, G.; Taingahue, M. (2004): The relationship between maximal jump squat and sprint acceleration in athletes. *Eur. J. Appl. Physiol.*, 91, 46–52.
- Spinks, C. D.; Murphy, A. J.; Spinks, W. L.; Lockie, R. G. (2007): The effects of resisted sprint training on acceleration performance and kinematics in soccer, rugby union, and Australian football players. *Journal of Strength and Conditioning Research*, 21, 1, 77–85.
- Taylor, D. J.; Styles, P.; Matthews, P. M. (1986): Energetics of human muscle: exercise induced ATP depletion. *Magn. Reson. Med.*, 3, 1, 44–54.
- Tsatouline, P. (1999): Power to the people: *Russian Strength Training secret for every American*. Dragon Door Publication.
- Tupa, V.; Gusenov, F.; Moronenko, I. (1990): Fatigue influenced changes to sprinting technique. *Teoria i Praktika Fizičeskoj Kultury*, 2.
- Urnberger, B. R. (1998): Mechanics of the vertical jump and two-joint muscles: Implications for training. *Strength and Conditioning*, 10, 70–74.
- Vialli, G.; Marcotti, G. (2006): *The Italian Job: A Journey to the heart of two great footballing cultures*. (Eds. Bantam Press).
- Vittori, C. (1995): Monitoring the training of the sprinter. *New Studies in Athletics*, 10, 3, 39–44.
- Vovk, S. (1999): Specificity of adaptation to alacttic-anaerobic direction training loads. *Nauchny Atletichesky Vestnik*, Russia, 1.
- Weineck, J. (1996): *Manuel d'entraînement*. Vigot, Paris.
- Wiemann, K. (1991): Präzisierung des Lombard Paradoxons in der Funktion des ischiocruralen Muskeln beim Sprint. *Sportwissenschaft*, 21, 4, 413–428.
- Wiemann, K.; Tidow, G. (1995): Relative activity of hip and knee extensors in sprinting – implications for training. *New Studies in Athletics*, 10, 1, 29–49.
- Wisloff, U.; Castagna, C.; Helgerud, J.; Jones, R.; Hoff, J. (2004): Strong correlation of maximal squat strength with sprint performance and vertical jump height in elite soccer players. *Br. J. Sports Med.*, 38, 285–288.
- Yoshioka, M.; Tanaka, H.; Shono, N.; Shindo, M.; St-Amand, J. (2007): Gene expression profile of sprinter's muscle. *Int. J. Sports Med.*, 28, 1053–1058.
- Young, W.; Hawken, M.; McDonald, L. (1996): Relationship between speed, agility and Strength qualities in Australian rules football. *Strength Cond. Coach*, 4, 4, 3–6.
- Young, W.; McDowell, M. H.; Scarlett, B. J. (2001): Specificity of sprint and agility training method. *Journal of Strength and Conditioning Research*, 15, 3, 315–319.
- Young, W.; James, R.; Montgomery, I. (2002): Is muscle power related to running speed with changes in direction? *Journal of Sports Medicine and Physical Fitness*, 42, 9, 282–288.
- Young, W.; Farrow, D. (2006): A review of agility: Practical applications for strength and conditioning. *Strength and Conditioning Journal*, 28, 5, 24–29.