

7 Referenční seznam

- Abdelkrim, B. N., Castagna, C., El Fazza, S., Zouihajer, T., & El Ati, J. (2009). Blood meta bolites during basketball competitions. *Journal of Strenght and Conditioning Research*, 23(3), 765–774.
- Abdelkrim, N. B., El Fazaa, S., & El Ati, J. (2007). Time-motion analysis and physiological data of elite under-19-year-old basketball players during competition. *British Journal of Sports Medicine*, 41(2), 69–75.
- Alexiou, H., & Coutts, A. J. (2008). A comparison of methods used for quantifying internal load in women soccer players. *International Journal of Sports Physiology and Performance*, 3, 320–330.
- Ali, A., & Farrally, M. (1991b). Recording soccer players' heart rates during matches. *Journal of Sport Sciences*, 9(2), 183–189.
- Apostolidis, N., Nassis, G. P., Bolatoglou, T., & Geladas, N. D. (2004). Physiological and technical characteristics of elite young basketball players. *Journal of Sports Medicine and Physical Fitness*, 44(2), 157–163.
- Argaj, G. (2002). Analýza tréningového a herného zaťaženia pri vybraných pohybových a športových hrách. In G. Argaj (Ed.), *Aktuálne problémy vyučovania pohybových a športových hier* (pp. 3–5). Bratislava: Slovenská vedecká spoločnosť pre telesnú výchova a šport.
- Balsom, P. D. (1995). *High intermitent exercise: Performance and metabolic responses with very high intensity short duration work periods*. Doctoral thesis, Karolinska Institute, Stockholm.
- Balsom, P. D., Ekblom, B., Söderlund, K., Sjöndin, B., & Hultman, E. (1993). Creatine supplementation and dynamic high-intensity intermittent exercise. *Scandinavian Journal of Medicine & Science in Sports*, 3(3), 143–149.
- Balsom, P. D., Gaitanos, G. C., Söderlund, K., & Ekblom, B. (1999). High-intensity exercise and muscle glycogen availability in humans. *Acta Physiologica Scandinavica*, 165(4), 337–345.
- Balsom, P. D., Seger, J. Y., Sjöndin, B., & Ekblom, B. (1992). Physiological responses to maximal intensity intermittent exercise. *European Journal of Applied Physiology*, 65(2), 144–149.
- Balsom, P. D., Söderlund, K., Sjöndin, B., & Ekblom, B. (1995). Skeletal muscle metabolism during short duration high intensity exercise: Influence of creatine supplementation. *Acta Physiologica Scandinavica*, 154(3), 303–310.

- Bangsbo, J. (2003). Physiology of soccer. In P. Reilly (Ed.), *Science and soccer* (pp. 47–59). London: Routledge.
- Bangsbo, J., Iaia, F. M., & Krstrup, P. (2007). Metabolic response nad fatigue in soccer. *International Journal of Sports Physiology and Performance*, 2(1), 111–127.
- Bangsbo, J., Iaia, M., & Krstrup, P. (2008). The Yo-Yo intermittent recovery test. A useful tool for evaluation of physical performance in intermittent sports. *Sports Medicine*, 38, 37–51.
- Bangsbo, J., Mohr, M., & Krstrup, P. (2006). Physical and metabolic demands of training and match-play in elite football players. *Journal of Sport Sciences*, 24(7), 665–674.
- Barbero, J. C., & Castagna, C. (2007). Activity patterns in professional futsal players using global position tracking system. *Journal of Sports Science and Medicine*, 6, 208–209.
- Barbero, J. C., Soto, V. M., Barbero, V., & Granda, J. (2008). Match analysis and heart rate of futsal players during competition. *Journal of Sports Sciences* 26(1), 63–73.
- Barbero-Alvarez, J. C., Barbero-Alvarez, V., Granda, J., & Gómez, M. Z. (2009). Physical and physiological demands of Football in lower divisions. *Kronos*, 8(14), 43–48.
- Barbero-Álvarez, J. C., López, M. G., Álvarez, V. B., Granda, J., & Castagna, C. (2008). Heart rate and activity profile for young profile female soccer players. *Journal of human sport exercise* 3(2), 1–11.
- Bílek, V. (1983). *Problematika zatěžování ve sportovním tréninku basketbalistů*. Praha: Ústřední výbor Československého svazu tělesné výchovy.
- Bishop, D. C., & Wright, C. (2006). A time-motion analysis of professional basketball to determine the relationship between three activity profiles: high, medium and low intensity and the length of the time spent on court. *International Journal of Performance Analysis in Sport*, 6(1), 130–139.
- Bishop, D., Girard, O., & Mendez-Villanueva, A. (2011). Repeated-Sprint Ability – Part II Recommendations for Training. *Sports Medicine*, 41(9), 741–756.
- Bishop, D., Lawrence, S., & Spencer, M. (2003). Predictors of repeated-sprint ability in elite female hockey players. *Journal of Science and Medicine in Sport*, 6(2), 199–209.
- Bogdanis, G. C., Nevill, M. E., Boobis, L. H., & Lakomy, H. K. A. (1996). Contribution of phosphocreatine and aerobic metabolism to energy supply during repeated sprint exercise. *Journal of Applied Physiology*, 80(3), 876–884.

- types after short sprint training. *European Journal of Applied Physiology*, 78(2), 163–169.
- Di Salvo, V., Collins, A., McNeill, B., & Cardinale, M. (2006). Validation of Prozone®: A new video-based performance analysis system. *International Journal of Performance Analysis in Sport*, 6(1), 108–119.
- Di Salvo, W., Baron, R., Tschan, H., Calferon, F. J., Bachi, N., & Pigozzi, F. (2007). Performance characteristics according to playing position in elite soccer. *International Journal of Sports Medicine* 28, 222–227.
- Dobrá, L. (2009). Je příprava na běžkách přínosná pro rychlost a vytrvalost fotbalistů? *Fotbal a trénink*, 1, 24–26.
- Dobrá, L., & Semiginovský, B. (1988). *Sportovní hry: Výkon a trénink*. Praha: Olympia.
- Dovalil, J. et al. (2002). *Výkon a trénink ve sportu*. Praha: Olympia.
- Drust, B., Atkinson, G., Reilly, T. (2007). Future perspectives in the evaluation of the physiological demands of soccer. *Sports Medicine*, 37(9), 783–806.
- Eady, R. (n.d.). *20 basic training tips for basketball players*. Retrieved 2nd June 2011 from the World Wide Web: <http://www.sbcoachescollege.com/articles/20basictainingtipsforbballplayers.html>.
- Edge, J., Bishop, D., Hill-Haas, S., Dawson, B., & Goodman, C. (2006). Comparison of muscle buffer capacity and repeated-sprint ability of untrained, endurance-trained and team-sport athletes. *European Journal of Applied Physiology*, 96, 225–234.
- Edgecomb, S. J., & Norton, K. I. (2006). Comparison of global positioning and computer-based tracking system for measuring player movement distance during Australian football. *Journal of Science and Medicine in Sport*, 9(1), 25–32.
- Erčulj, F., Dežman, B., Vučkovič, G., Perš, J., Perš, M., & Kristan, M. (2008). An analysis of basketball players' movements in the slovenian basketball league play-offs using the SAGIT tracking system. *Facta Universitatis. Series: Physical Education and Sport*, 6(1), 75–84.
- Fernández-Castanys, B. F., Chirisa Ríos, L. J., & Chirisa Ríos, I. (2002). Validez del uso de la RPE en el control de la intensidad de entrenamiento en balonmano. *Archivos de Medicina del Deporte*, 19(91), 377–383.
- Foster, C., et al. (2001). *Journal of Strenght & Condiotioning Association*, 15(1), 109–115.
- Gaitanos, G. C., Williams, C., & Boobis, L. H. (1993). Human muscle metabolism during intermittent maximal exercise. *Journal of Applied Physiology*, 75(2), 712–719.

- Gal, Z., & Ronnie, I. (2009). Physical attributes, physiological characteristics, on-court performance and nutritional strategies of female and male basketball players. *Sports Medicine*, 39(7), 547–568.
- Galton, M. (1988). Structured observation techniques. In J. P. Keeves (Ed.), *Educational research, methodology and measurement: an international handbook*. Oxford: Pergamon press.
- Gedikli, S. (2009). *An Adaptive Vision System for Tracking Soccer Players from Variable Camera Settings*. Retrieved 10th June 2010 from the World Wide Web: <http://ias.cs.tum.edu/publications/pdf/gedikli07adaptive.pdf>.
- Gibala, M. J., et al. (2006). Short-term sprint interval versus traditional endurance training: similar initial adaptations in human skeletal muscle and exercise performance. *Journal of Physiology*, 575(3), 901–911.
- Girard, O., Mendez-Villanueva, A., & Bishop, D. (2011). Repeated-Sprint Ability – Part I Factors Contributing to Fatigue. *Sports Medicine*, 41(8), 673–694.
- Glaister, M. (2005). Multiple sprint work – Physiological responses, mechanisms of fatigue and the influence of aerobic fitness. *Sports Medicine*, 35(9), 757–777.
- Gocentas, A., & Landör, A. (2006). Dynamic sport-specific testing and aerobic capacity in top level basketball players. *Papers on Anthropology XV*, 55–63.
- Green, H., Bishop, P., Houston, M., McKillop, R., Norman, R., & Stothart, P. (1976). Time-motion and physiological assessments of ice hockey performance. *Journal of Applied Physiology*, 40(2), 159–163.
- Handzel, T. M. (2005). Interval training. To improve energy system development. *NSCA Journal of Performance Training*, 4(2), 20–21.
- Hargreaves, M., McKenna, M. J., Jenkins, D. G., Warmington, S. A., Li, J. L., Snow, J., & Febbraio, M. A. (1998). Muscle metabolites and performance during intermittent exercise. *Journal of Applied Physiology*, 84(5), 1687–1691.
- Hartwig, T. B., & Naughton, G. (2007). A movement-analysis comparison in two models of junior sport. *Pediatric Exercise Science*, 19, 61–69.
- Hartwig, T. B., Naughton, G., & Searl, J. (2008). Defining the volume and intensity of sport participation in adolescent Rugby Union players. *International Journal of Sports Physiology and Performance*, 3(1), 94–106.
- Hawley, J. A., Myburgh, K. H., Noakes, T. D., & Dennis, S. C. (1997). Training techniques to improve fatigue resistance and enhance endurance performance. *Journal of Sports Sciences*, 15(3), 325–333.

- Heller, J. (2005). *Laboratory Manual for Human and Exercise Physiology*. Praha: Karolinum.
- Hellsten-Westing, Y., Norman, B., Balsom, P. D., & Sjöndin, B. (1993). Decreased resting levels of adenine nucleotids in human skeletal muscle after high-intensity training. *Journal of Applied Physiology*, 74(5), 2523–2528.
- Hill-Haas, S. V., Rowsell, G. J., Dawson, B. T., & Coutts, A. J. (2009a) Acute physiological responses and time-motion characteristics of two small-sided training regres in youth soccer players. *Journal of Strenght & Conditioning Research*, 23(1), pp. 111–116.
- Hill-Haas, S. V., Rowsell, G. J., Dawson, B. T., & Coutts, A. J. (2009b). Physiological responses and time-motion characteristics of variol small-sided games in youth players. *Journal of Sport Sciences*, 27(1), 1–8.
- Hoffman, J. (2002). *Physiological aspects of sport training and performance*. Champaign, IL: Human Kinetics.
- Hoffman, J. R., Epstein, S., Einbinder, M., & Weinstein, Y. (1999). The influence of aerobic capacity on anaerobic performance and recovery indices in basketball players. *Journal of Strength and Conditioning Research*, 13(4), 407–411.
- Hohman, A., & Brack, R. (1983). Teoretische Aspekte der Leistungsdiagnostik im Sportspiel. *Leistungssport*, 13(2), 5–10.
- Holmberg, H. C. (2004). Technology and basketball training. *FIBA Assist Magazine*, 6(1), 57–59.
- Hörner, O., Hermann, T., & Grunow, CH. (2004). Sonification of Group Behavior for Analysis and Training of Sports Tactics. In *Proceedings of the International Workshop on Interactive Sonification*. Bielefeld.
- Hůlka, K. (2010). Analýza metod hodnocení vnějšího zatížení hráčů během utkání ve sportovních hrách. *Česká kinantropologie*, 14(4), 33–40.
- Hůlka, K. (2012). *Empirické údaje o výkonu basketbalisty v utkání jako základ plánování tréninkového procesu*. Disertační práce, Univerzita Palackého, Fakulta tělesné kultury, Olomouc.
- Hůlka, K., Cuberek, R., & Svoboda, Z. (in press). Time–motion analysis of basketball players: a reliability assessment of Video Manual Motion Tracker 1.0 software. *Journal of Sports Sciences*.
- Hůlka, K., & Stejskal, P. (2005). Diversities in circulation loading of youth basketball players during the match [Abstract]. In *The 7th Scientific Conference „Application of Scientific Research on Sport Training“*. Book of Abstracts (p. 45). Serres: Aristotle University of Thessaloniki.

- Chelly, M. S., Hermassi, S., Aouadi, R., Khalifa, R., Van den Tillaar, R., Chamari, K., & Shephard, R. J. (2011). Match analysis of elite adolescent team handball players. *Journal of strength and conditioning research*, 25(9), 2410–2417.
- Christmass, M. A., Dawson, B., & Arthur, P. G. (1999). Effect of work and recovery duration on skeletal muscle oxygenation fuel use during sustained intermittent exercise. *European Journal of Applied Physiology*, 80, 436–447.
- Iaia, F. M., Rampinini, E., & Bangsbo, J. (2009). High-intensity training in football. *International Journal of Sport Physiology and Performance*, 4(3), 291–305.
- Iwase, S., & Saito, H. (2003). Tracking soccer players based on homography among multiple views. In T. Ebrahimi & T. Sikora (Eds.), *Visual Communications and Image Processing. Proceedings of SPIE 5150*, 283–292.
- Kotzamanidis, C., Chatzikotoulas, K., & Giannakos, A. (1999). Optimisation of the training plan of the handball game. *Handball*, 12(1), 64–71.
- Krustrup, P., et al. The Yo-Yo Intermittent Recovery Test: Physiological Response, Reliability, and Validity. *Medicine and Science in Sports and Exercise*, 35: 697–705, 2003.
- Krustrup, P., Mohr, M., & Bangsbo, J. (2002). Activity profile and physiological demands of top-class soccer assistant refereeing in relation to training status. *Journal of Sports Sciences*, 20(11), 861–871.
- Krustrup, P., Mohr, M., Nybo, L., Jensen, J. M., Nielsen, J. J., & Bangsbo, J. (2006). The Yo-Yo IR2 test: Physiological response, reliability, and application to elite soccer. *Medicine and Science in Sports and Exercise*, 38(9), 1666–1673.
- Laursen, P. B., & Jenkins, D. G. (2002). The scientific basis for high intensity interval training optimising training programmes and maximising performance in highly trained endurance athletes. *Sports Medicine*, 32(1), 53–73.
- Lehnert, M. (2007). *Současné směry teorie a praxe sportovního tréninku*. Habilitační práce, Univerzita Palackého, Fakulta tělesné kultury, Olomouc.
- Lehnert, M., Novosad, J., & Neuls, F. (2001). *Základy sportovního tréninku I*. Olomouc: Hanex.
- Martens, R. (2004). *Úspěšný trenér* (3rd ed.). Praha: Grada.
- Matkovič, R. B., Matkovič, B., & Knajz, D. (2005). Fiziologija košarkaške igre. *Hrvatski Športskomedicinski Vjesnik*, 113–124.

- Matthew, D., & Delextrat, A. (2009). Heart rate, blood lactate concentration, and time-motion analysis of female basketball players during competition. *Journal of Sports Sciences* 27, 813–821.
- McInnes, S. E., Carlson, J. S., Jones, C. J., & McKenna, M. J. (1995). The physiological load imposed on basketball players during competition. *Journal of Sports Sciences*, 13(5), 387–397.
- Molina, R. (1992). *Futsal: Um estudo das capacidades aerobica a anaerobica do jogadores e das actividades em jogo*. Monografia Universidad Estadual Paulista. Rio Claro: UNESP.
- Montgomery, P. G., Pyne, D. B., & Minahan, C. L. (2010). The physical and physiological demands of basketball training and competition. *International Journal of Sports Physiology and Performance*, 5, 75–86.
- Moravec, R., Tománek, L., Aneščík, M., & Kampmiller, T. (2005). V súvislosti s optimalizáciou tréningového zaťaženia 14–15-ročných basketbalistov. *Physical Education and Sport*, 15(1), 27–30.
- Narazaki, K., Berg, K., Stergiou, N., & Chen, B. (2009). Physiological demands of competitive basketball. *Scandinavian Journal of Medicine & Science in Sports*, 19(3), 425–432.
- Needham, Ch. J., & Boyle, R. D. (2001). *Tracking multiple sports players through occlusion, congestion and scale*. Retrieved 1st March 2008 from Word Wide Web: http://www.bmva.ac.uk/bmvc/2001/papers/76/accepted_76.pdf.
- Nykodým, J. et al. (2006). *Teorie a didaktika sportovních her*. Brno: Masarykova univerzita.
- Oliveira, L. M. (1999). *Perfil de actividade do jovem jogador de futsal. Dissertação apresentada as provas de mestrado*. Porto: FCDEF-UPX.
- Pávoas, S., C., A. et al. (2012). Physical and Physiological Demands of Elite Team Handball. *Journal of Strength and Conditioning Research*, 26(12), 3365–3375.
- Perš, J., & Kovacic, S. (2000). Computer vision system for tracking players in sports games. In *First International Workshop on Image and Signal Processing and Analysis* (pp. 36–50). Croatia: Pula.
- Perš, J., Mart, A., Stanislav, K., & Marko, D. (2002). Observation and analysis of large-scale human motion. *Human Movement Sciences* 21, 295–311.
- Pino, J., Martinez-Santos, R., Moreno, M. I., & Padilla, C. (2007). Automatic analysis of football games using GPS on real time. In *VI th World Congress on Science and Football*. Retrieved 15th April 2010 on the World Wide Web: http://www.realtrackfutbol.com/pdf/384_full_text.pdf.

- Placheta, Z., Siegelová, J., & Štejf, M. (1999). *Zátěžová diagnostika v ambulantní a klinické praxi*. Praha: Grada.
- Platen, P., & Manchado, C. (2011). Basic Endurance Performance is Highly Correlated to Mean Heart Rate in Female Top Level Handball Players. In F. Taborsky (Ed.), *Conference "Science and Analytical Expertise in Handball" (Scientific and Practical Approaches)*, (pp. 228–233). Wien: EHF.
- Pori, P., Kovačič, S., Bon, M., Dolenec, M., & Šibila, M. (2005). Various age category-related differences in the volume and intensity of large-scale cyclic movements of male players in team handball. *Acta Universitatis Palckianae Olomucensis, Gymnica* 45(2), 199–126.
- Portas, M., Rush, Ch., Barnes, Ch., & Batterham, A. (2007). Method comparison of linear distance and velocity measurements with global positioning satellite (GPS) and the timing gate techniques. *Journal of Sports Science and Medicine*, 10, 6–10.
- Psotta, R. (1999). Concept of the physical performance in the maximal intensity intermittent exercise. *Acta Universitatis Carolinae Kinaanthropologica*, 35(2), 65–76.
- Reilly, T. (1997). Energetics of high-intensity exercise (soccer) with particular reference to fatigue. *Journal of Sports Sciences*, 15(3), 257–263.
- Reilly, T. (2001). Assessment of sports performance with particular reference to field games. *European Journal of Sport Science*, 1(3), 2–12.
- Reinhold, T., & De Boer, E. (2008). *Training the next level: Improve your performance*. Retrieved 15th March 2010 from the World Wide Web: <http://www.inmotio.eu/content/56/downloads.html>.
- Roberts, S. P., Trewartha, G., Higgitt, R. J., El-Abd, J., & Stokes, K. A. (2008). The physical demands of elite English rugby union. *Journal of Sports Sciences* 26(8), 825–833.
- Rodriguez-Alonso, M., Fernandez-Garcia, B., Perez-Landaluce, J., & Terrados, N. (2003). Blood lactate and heart rate during national and international women's basketball. *Journal of Sports Medicine and Physical Fitness*, 43(4), 432–436.
- Rodríguez-Alonso, M., Fernández-García, B., Pérez-Landaluce, J., & Terrados, N. (2003). Blood lactate and heart rate during national and international women's basketball. *Journal of Sports Medicine Physical Fitness* 43(4), 432–446.
- Rudkin, S. & O' Donoghue, P. G. (2008). Time-motion analysis of first-class cricket fielding. *Journal of Science and Medicine in Sport*, 11(6), 604–607.

- Sale, D. G., Jacobs, J. D., Macdougall, I., & Garner, S. (1990). Comparison of two regiments of concurrent strength and endurance training. *Medicine and Science in Sports Exercise*, 22, 348 – 356.
- Sallet, P., Perrier, D., Ferret, J. M., Vitelli, V., & Baverel, G. (2005). Physiological differences in professional basketball players as a function of playing position and level of play. *Journal of Sport Medicine and Physical Fitness*, 45(3), 291–194.
- Salvia J., & Ysseldyke, J. E. (1995). *Assessment* [6th ed]. Boston: Houghton Mifflin.
- Settervall, D. (2003). *Computerised video analysis of football – Technical and commercial possibilities for football coaching*. Stockholm: Kungel Tekniska Hogskolam, Master thesis in computer science.
- Sharkey, B. J., & Gaskill, S. E. (2006). *Sport physiology for coaches*. Champaign, IL: Human Kinetics.
- Schutz, Y., & Herren, R. (2000). Assessment of speed of human locomotion using a differential satellite global positioning system. *Medicine and Science in Sports and Exercise*, 32(3), 642–646.
- Spencer, M., Bishop, D., Dawson, B., & Goodman, C. (2005). Physiological and metabolic responses of repeated-sprint activities – Specific to field-based team sports. *Sports Medicine*, 35(12), 1025–1044.
- Spencer, M., Lawrence, S., Rechichi, C., Bishop, D., Dawson, B., & Goodman, C. (2004). Time-motion analysis of elite field hockey, with special reference to repeated-sprint activity. *Journal of Sport Sciences*, 22(9), 843–850.
- Spencer, M., Lawrence, S., Rechichi, C., Bishop, D., Dawson, B., & Goodman, C. (2004). Time-motion analysis of elite field hockey, with special reference to repeated-sprint activity. *Journal of Sports Sciences* 22(9), 843–850.
- Stallings, J. A., & Mohlman, G. G. (1988). Classroom observation techniques. In J. P. Keeves (Ed.) *Educational research, methodology and measurement: an international handbook*. Oxford: Pergamon press.
- Stathis, C. G., Zhao, S., Carey, M. F., & Snow, M. (1999). Purine loss after repeated sprint bouts in humans. *Journal of Applied Physiology*, 87(6), 2037–2042.
- Strøyer, J., Hansen, L., & Klausen, K. (2004). Physiological profile and activity pattern of young soccer players during match play. *Medicine and Science in Sports Exercise* 36(1), 168–174.
- Süss, V. (2005). *Význam indikátorů herního výkonu pro řízení tréninkového procesu*. Praha: Karolinum.

- Šafaříková (1988). Diagnostika herního výkonu ve sportovních hrách. In L. Dobrý (Ed.), *Didaktika sportovních her* (pp. 114–141). Praha: Státní pedagogické nakladatelství.
- Šibila, M., Vuleta, D., & Pori, P. (2004). Position-related differences in volume and intensity of large-scale cyclic movements of male players in handball. *Kinesiology*, 36(1), 58–68.
- Tabata, I., et al. (1996). Effects of moderate-intensity endurance and high-intensity intermittent training on anaerobic capacity and VO₂max. *Medicine and Science in Sports Exercise*, 28(10), 1327–1330.
- Táborský, F. et al. (2007). *Základy teorie sportovních her*. Praha: Univerzita Karlova.
- Táborský, F. et al. (2009). *Metodologická východiska pozorování a hodnocení herního*
- Taylor, J. (2003). Basketball: Applying time motion data to conditioning. *Strenght and Conditioning Journal*, 25(2), 57–64.
- Taylor, J. (2004). A tactical metabolic training model for collegiate basketball. *Strenght and Conditioning journal*, 26(5), 22–29.
- Tessitore, A., Meeusen, R., Tiberi, M., Cortis, C., Pagano, R., & Capranica, L. (2005). Aerobic and anaerobic profiles, heart rate and match anaylsis in older soccer players. *Ergonomics*, 48(11), 1365–1377.
- Tessitore, A., Tiberi, M., Cortis, C., Rapisarda, E., & Meeusen, R. (2006). Aerobic-anaerobic profiles, heart rate and match analysis in old basketball players. *Gerontology*, 52(2), 214–222.
- Therón, R., & Casares, L. (2010). Visual Analysis of Time-Motion in Basketball Games. *Lecture Notes in Computer Science*, 6133, 196–207.
- Thomassen, T. O., & Skille, E. (2000). Heart rate and blood lactate as measures of intensity in soccer. *Studia Kinantropologica*, 1(1), 58–64.
- Tomlin, D. L., & Wenger, H. A. (2001). The relations hip between aerobic fitness and recovery from high intensity intermittent exercise. *Sports Medicine*, 31(1), 1–11.
- Townshend, A. D., Worringham, Ch. J., & Stewart, I. B. (2008). Assessment of speed and position during human locomotion using nondifferential GPS. *Medicine and Science in Sports and Exercise*, 40(1), 124–132.
- Vachon, J. A., David, R., & Clarke, S. (1999). Validity of the heart rate deflection point as a predictor of lactate threshold during running. *Journal of Applied Physiology*, 87(1), 452–459.
- Wadley, G., & Le Rossignol, P. (1998). The relationship between repeated sprint ability and the aerobic and anaerobic energy system. *Journal of Science and Medicine in Sport*, 1(2), 100–110.

Witte, T. H., Wilson, A. M. (2005). Accuracy of WAAS-enabled GPS for determination of position and speed over ground. *Journal of Biomechanics*, 38(8), 1717–1722.

Xitao, F. (2001). Statistical significance and effect size in eudcation research: Two sides of coin. *The Journal of Educational Research*, 94(5), 275–282.

Xu, M., Lowey, L., & Orwell, J. (2004). Architecture and algorithms for tracking football players with multiple cameras. In *Intelligent Distributed Surveillance Systems*, 51–55.