

References

- Aandstad, A., Holtberget, K., Hageberg, R., Holme, I., & Anderssen, S. A. (2014). Validity and reliability of bioelectrical impedance analysis and skinfold thickness in predicting body fat in military personnel. *Military Medicine*, 179(2), 208–217.
- Abbott, W., Brett, A., Cockburn, E., & Clifford, T. (2019). Presleep casein protein ingestion: Acceleration of functional recovery in professional soccer players. *International Journal of Sports Physiology and Performance*, 14(3), 385–391.
- Ackland, T. R., Lohman, T. G., Sundgot-Borgen, J., Maughan, R. J., Meyer, N. L., Stewart, A. D., & Muller, W. (2012). Current status of body composition assessment in sport: Review and position statement on behalf of the ad hoc research working group on body composition health and performance, under the auspices of the I.O.C. Medical Commission. *Sports Medicine*, 42(3), 227–249.
- Al-Hazzaa, H. M., Almuzaini, K. S., Al-Refaee, A., Sulaiman, M. A., Dafterdar, M. Y., Al-Ghamedi, A., & Al-Khuraiji, K. N. (2001). Aerobic and anaerobic power characteristics of Saudi elite soccer players. *Journal of Sports Medicine and Physical Fitness*, 41, 54–61.
- Andreoli, A., Melchiorri, G., Brozzi, M., Di Marco, A., Volpe, S. L., Garofano, P., Di Daniele, N., & De Lorenzo, A. (2003). Effect of different sports on body cell mass in highly trained athletes. *Acta Diabetol*, 40, 122–125.
- Arnason, A., Sigurdsson, S. B., Gudmundsson, A., Holme, I., Engebretsen, L., & Bahr, R. (2004). Risk factors for injuries in soccer. *American Journal of Sports Medicine*, 32(1), 5–16.
- Artioli, G. G., Iglesias, R. T., Franchini, E., Gualano, B., Kashiwagura, D. B., Solis, M. Y., Benatti, F. B., Fuchs, M., & Junior, A. H. L. (2010). Rapid weight loss followed by recovery time does not affect judo-related performance. *Journal of Sport Sciences*, 28(1), 21–32.
- Astrup, A., Grunwald, G. K., Melanson, E. L., Saris, W. H. M., & Hill, J. O. (2000). The role of low-fat diets in body weight control: A meta-analysis of ad libitum dietary intervention studies. *International Journal of Obesity*, 24(12), 1545–1552.
- Bak, K., & Magnusson, S. P. (1997). Shoulder strength and range of motion in symptomatic and pain-free elite swimmers. *The American Journal of Sports Medicine*, 25(4), 454–459.
- Baker, J., & Davies, B. (2004). Influence of body mass on resistive force selection during high intensity cycle ergometry: Interrelationships between laboratory and field measures of performance. *Journal of Exercise Physiology online*, 7(5), 44–51.

- Baker, L. B., Conroy, D. E., & Kenney, W. L. (2007). Dehydration impairs vigilance-related attention in male basketball players. *Medicine and Science in Sports and Exercise*, 39(6), 976–983.
- Bangsbo, J. (1994). The physiology of soccer – with special reference to intense intermittent exercise. *Acta Physiologica Scandinavica Supplement*, 619, 1–155.
- Bangsbo, J., & Michalsik, L. (2002). Assessment and physiological capacity of elite soccer players. In: Reilly, T., & Murphy, A. (eds.). *Science and Football IV* (53–62). Cambridge: Routledge.
- Bangsbo, J., Iaia, F. M., & Krstrup, P. (2007). Metabolic response and fatigue in soccer. *International Journal of Sports Physiology and Performance*, 2(2), 111–127.
- Bar-Or, O. (2001). Nutritional considerations for the child athlete. *Canadian Journal of Applied Physiology*, 26, 186–191.
- Barbosa-Silva, M. C. G., Barros, A. J. D., Wang, J., Heymsfield, S. B., & Pierson Jr., R. N. (2005). Bioelectrical impedance analysis: Population reference values for phase angle by age and sex. *American Journal of Clinical Nutrition*, 82(1), 49–52.
- Beberashvili, I., Azar, A., Sinuani, I., Shapiro, G., Feldman, L., Stav, K., Sandbank, J., & Averbukh, Z. (2014). Bioimpedance phase angle predicts muscle function, quality of life and clinical outcome in maintenance hemodialysis patients. *European Journal of Clinical Nutrition*, 68(6), 683.
- Berning, J. R., Troup, J. P., Van Handel, P. J., Daniels, J., & Daniels, N. (1991). The nutritional habits of young adolescent swimmers. *International Journal of Sport Nutrition*, 1, 240–248.
- Biaggi, R. R., Vollman, M. W., Nies, M. A., Brener, C. E., Flakoll, P. J., Levensagen, D. K., Sun, M., Karabulut, Z., & Chen, K. Y. (1999). Comparison of air displacement plethysmography with hydrostatic weighing and bioelectric impedance analysis for the assessment of body composition in healthy adults. *American Journal of Clinical Nutrition*, 69, 898–903.
- Bloomfield, J., Polman, R., Butterly, R., & O'Donoghue, P. (2005). Analysis of age, stature, body mass, BMI and quality of elite soccer players from 4 European Leagues. *Journal of Sports Medicine and Physical Fitness*, 45, 58–67.
- Boone, J., Vaeyens, R., Steyaert, A., Vanden Bossche, L., & Bourgois, J. (2012). Physical fitness of elite Belgian soccer players by player position. *Journal of Strength and Conditioning Research*, 26(8), 2051–2057.
- Boisseau, N., Le Creff, C., Loyens, M., & Poortmans, J. R. (2002). Protein intake and nitrogen balance in male non-active adolescent and soccer players. *European Journal of Applied Physiology*, 88, 288–293.
- Brožek, J., Grande, F., Anderson, J. T., & Keys, A. (1963). Densitometric analysis of body composition: Revisions of some quantitative assumptions. *Annals of the New York Academy of Science*, 110, 113–140.
- Brouns, F., & Beckers, E. (1993). Is the gut an athletic organ? Digestion, absorption and exercise. *Sports Medicine*, 15(4), 242–257.
- Buffa, R., Mereu, R. M., Putzu, P. F., Floris, G., & Marini, E. (2010). Bioelectrical impedance vector analysis detects low body cell mass and dehydration in patients with Alzheimer's disease. *Journal of Nutrition, Health, & Aging*, 14(10), 823–827.
- Calbet, J. A. L., Moysi, J. S., Dorado, C., & Rodriguez, L. P. (1998). Bone mineral content and density in professional tennis players. *Calcified Tissue International*, 62(6), 491–496.
- Calvo Rico, B., Garcia Garcia, J. M., Monteiro, L. F., & Rioja Collado, N. (2015). Kinematic indicators in combat sports athletes in a pre-competitive dehydrated status. *Archives of Budo Science of Martial Arts and Extreme Sports*, 11, 181–188.

- Camera, D. M., West, D. W., Phillips, S. M., Rerечich, T., Stellingwerff, T., Hawley, J., & A. Coffey, V. V. G. (2014). Protein ingestion increases myofibrillar protein synthesis after concurrent exercise. *Medicine and Science in Sports and Exercise*, 47(1), 82–91.
- Carbuhn, A. F., Fernandez, T. E., Bragg, A. F., Green, J. S., & Crouse, S. F. (2010). Sport and training influence bone and body composition in women collegiate athletes. *Journal of Strength and Conditioning Research*, 24(7), 1710–1717.
- Carling, C., Bloomfield, J., Nelsen, L., & Reilly, T. (2008). The role of motion analysis in elite soccer: Contemporary performance measurement techniques and work rate data. *Sports Medicine*, 38, 839–862.
- Carling, C., & Orhant, E. (2010). Variation in body composition in professional soccer players: Interseasonal and intraseasonal changes and the effects of exposure time and player position. *Journal of Strength and Conditioning Research*, 24, 1332–1339.
- Cerit, S., Akdag, M. Z., Dasdag, S., & Celik, M. (2009). Alteration in body composition of elite professional female players in a Premier League volleyball bout. *Journal of International Dental and Medical Research*, 2(1), 33–36.
- Claessens, A. L., Hlatky, S., Lefevre, J., & Holdhaus, H. (1994). The role of anthropometric characteristics in modern pentathlon performance in female athletes. *Journal of Sports Sciences*, 12(4), 391–401.
- Clarková, N. (2000). *Sportovní výživa*. Praha: Grada.
- Claros, G., Hull, H. R., & Fields, D. A. (2005). Comparison of air displacement plethysmography to hydrostatic weighing for estimating total body density in children. *BMC Pediatrics*, 5, 37.
- Clauser, C. E., Mcconville, J. T., & Young, J. W. (1969). *Weiht, volume, and center of mass of segments of the human body*. AMRL Technical Report, Wright Patterson Air Force Base, Ohio.
- Collins, P. F., Yang, I. A., Chang, Y. C., & Vaughan, A. (2019). Nutritional support in chronic obstructive pulmonary disease (COPD): An evidence update. *Journal of Thoracic Disease*, 11(17), 2230–2237.
- Constantini, N. W., Eliakim, A., Zigel, L., Yaaron, M., & Falk, B. (2000). Iron status of highly active adolescents: Evidence of depleted iron stores in gymnasts. *International Journal of Sport Nutrition and Exercise Metabolism*, 10, 62–70.
- Cordes, O., Lamb, P. F., & Lames, M. (2012). Concepts and methods for strategy building and tactical adherence: A case study in football. *International Journal of Sports Science & Coaching*, 7(2), 241–250.
- Costill, D. L., Sherman, W. M., Fink, W. J., Maresh, C., Witten, M., & Miller, J. M. (1981). The role of dietary carbohydrates in muscle glycogen resynthesis after strenuous running. *American Journal of Clinical Nutrition*, 34(9), 1831–1836.
- Cossio-Bolanos, M., Portella, D., Hespanhol, J. E., Fraser, N., & De Arruda, M. (2012). Body size and composition of elite Peruvian soccer player. *Journal of Exercise Physiology*, 1(3), 30–38.
- Croisier, J. L., Forthomme, B., Namurois, M. H., Vanderthommen, M., & Crielaard, J. M. (2002). Hamstring muscle strain recurrence and strength performance disorders. *American Journal of Sports Medicine*, 30(2), 199–203.
- Cureton, K. J., Sparling, P. G., Evans, B. W., Johnson, S. M., Kong, U. D., & Purvis, J. V. (1978). Effect of experimental alterations in excess weight on aerobic capacity and distance running performance. *Medicine and Science in Sports*, 10, 194–199.
- Dallemagne, M. J., & Melon, J. (1945). Le poids spécifique et l'indice de réfraction de l'os, de l'émail, de la dentine et du ciment. *Bulletin de la Societe de Chimie Biologique*, 27, 85–89.

- Davis, J. A., Brewer, J., & Atkin, D. (1992). Pre-season physiological characteristics of English first and second division soccer players. *Journal of Sports Sciences*, 10, 541–547.
- Davies, G. J., Heiderscheit, B., & Brinks, K. (2000). Test interpretation. *Isokinetics in Human Performance*, 3–24.
- De Costa T. I., Garganta, J., Greco, P. J., Mesquita, I., & Afonso, J. (2010). Assessment of tactical principles in youth soccer players of different age groups. Avaliação dos princípios táticos em jovens futebolistas de diferentes idades. *Revista Portuguesa de Ciências do Desporto*, 10(1), 147–163.
- Demerath, E. W., Guo, S. S., Chumlea, W. C., Towne, B., Roche, A. F., & Siervogel, R. M. (2002). Comparison of body fat percentage estimates using air displacement plethysmography and hydrodensitometry in adults and children. *International Journal of Obesity*, 3(26), 389–397.
- De Ste Croix, M., Armstrong, N., Welsman, J., & Sharpe, P. (2002). Longitudinal changes in isokinetic leg strength in 10–14-year-olds. *Annals of Human Biology*, 29, 50–62.
- Degache, F., Richard, R., Edouard, P., Oullion, R., & Calmels, P. (2010). The relationship between muscle strength and physiological age: A cross-sectional study in boys aged from 11 to 15. *Annals of Physical and Rehabilitation Medicine*, 53, 180–188.
- Deprez, D., Fransen, J., Boone, J., Lenoir, M., Philippaerts, R., & Vaeyens, R. (2015). Characteristics of high-level youth soccer players: Variation by playing position. *Journal of Sports Sciences*, 33(3), 243–254.
- Deurenberg, P., Van der Kooij, K., Evers, P., & Hulshof, T. (1990). Assessment of body composition by bioelectrical impedance in a population aged greater than 60 y. *The American Journal of Clinical Nutrition*, 51, 3–6.
- Deurenberg, P., Weststrate, J. A., & Seidell, J. C. (1991). Body mass index as a measure of body fatness: Age- and sex-specific prediction formulas. *British Journal of Nutrition*, 65, 105–114.
- Diem, K. (1962). *Documenta Geigy Scientific Tables*. Ardsley: Geigy Pharmaceuticals Division of Geigy chemical Corp.
- Di Salvo, V., Baron, R., Tschan, H., Calderon Montero, F. J., Bachl, N., & Pigozzi, F. (2007). Performance characteristics according to playing position in elite soccer. *International Journal of Sports Medicine*, 28, 222–227.
- Dlouhá, R. (1999). Výživa a složení těla. In: Havlíčková, L. et al. (eds.). *Fyziologie tělesné zátěže I. Obecná část*. Praha: Karolinum.
- Donaldson, C. M., Perry, T., L., & Rose, M., C. (2010). Glycemic index and endurance performance. *International Journal of Sport Nutrition and Exercise Metabolism*, 20(2), 154–165.
- Dovalil, J. et al. (2002). *Výkon a trénink ve sportu*. Praha: Olympia.
- Dörhöfer, R. P., & Pirlich, M. (2007). *Das BIA – Kompendium, III*. Darmstadt: Data Input.
- Durkalec-Michalski, K., Zawieja, E. E., Zawieja, B. E., Jurkowska, D., Buchowski, M. S., & Jeszka, J. (2018). Effects of low versus moderate glycemic index diets on aerobic capacity in endurance runners: Three-week randomized controlled crossover trial. *Nutrients*, 10(3), 370.
- Eichner, E. R. (2000). Minerals: Iron. In: Maughan, R. J. (ed). *Nutrition in Sport*. Oxford: Blackwell Science.
- Eirale, C., Tol, J. L., Farooq, A., Smiley, F., & Chalabi, H. (2013). Low injury rate strongly correlates with team success in Qatari professional football. *British Journal of Sports Medicine*, 47(12), 807–808.
- Ellis, K. J. (2000). Human body composition: In vivo methods. *Physiological Reviews*, 80(2), 649–680.

- Enoksen E. (2011). Drop-out rate and drop-out reasons among promising Norwegian track and field athletes: A 25 year study. *Scandinavian Sport Studies Forum*, 2, 19–43.
- Esco, M. R., Snarr, R. L., Leatherwood, M. D., Chamberlain, N. A., Redding, M. L., Flatt, A. A., Moon, J. R., & Williford, H. N. (2015). Comparison of total and segmental body composition using DXA and multifrequency bioimpedance in collegiate female athletes. *Journal of Strength and Conditioning Research*, 29(4), 918–925.
- Farias, C. L., Campos, D. J., Bonfin, C. M., & Vilela, R. M. (2013). Phase angle from BIA as a prognostic and nutritional status tool for children and adolescents undergoing hematopoietic stem cell transplantation. *Clinical Nutrition*, 1, 32(3), 420–425.
- Fields, D. A., Goran, M. I., & Mc Crory, M. A. (2002). Body composition assessment via air-displacement plethysmography in adults and children: Review. *American Journal of Clinical Nutrition*, 75(3), 453–467.
- Finley, L. (2003). Evaluating bone mineral density measurement. *Physician Assistant*, 27, 17–23.
- Fornetti, W. C., Pivarnik, J. M., Foley, J. M., & Fiechter, J. J. (1999). Reliability and validity of body composition measures in female athletes. *Journal of Applied Physiology*, 87(3), 1114–1122.
- Forsman, H., Grasten, A., Blomqvist, M., Davids, K., Liukkonen, J., & Konttinen N. (2016). Development of perceived competence, tactical skills, motivation, technical skills, and speed and agility in young soccer players. *Journal of Sports Sciences*, 34(14), 1311–1318.
- Franchini, E., Nunes, A. V., Moraes, J. M., & Del Vecchio, F. B. (2007). Physical fitness and anthropometrical profile of the Brazilian male judo team. *Journal of Physiological Anthropology*, 26(2), 59–67.
- Gabbet, T. J. (2005). Science of rugby league football: A review. *Journal of Sports Sciences*, 23, 961–976.
- Galler, J. R., Bryce, C. P., Waber, D., Hock, R. S., Exner, N., Eaglesfield, D., Fitzmaurice, G., & Harrison, R. (2010). Early childhood malnutrition predicts depressive symptoms at ages 11–17. *Journal of Child Psychology and Psychiatry*, 1, 51(7), 789–798.
- García-Rovés, P. M., Garcia-Zapico, P., Patterson, Á. M., & Inglesias-Gutiérrez, E. (2014). Nutrient intake and food habits of soccer players: Analyzing the correlates of eating practice. *Nutrients*, 6(7), 2697–2717.
- Genton, L., Hans, D., Kyle, U. G., & Pichard, C. (2002). Dual-energy X-ray absorptiometry and body composition: Differences between devices and comparison with reference methods. *Nutrition*, 18, 66–70.
- Gerosa-Neto, J., Rossi, E. F., Silva, B. C., Campos, Z. E., Fernandes, A. R., & Júnior, F. F. (2014). Body composition analysis of athletes from the elite of Brazilian soccer players. *Motricidade*, 10(4), 105–110.
- Gil, S. M., Gil, J., Ruiz, F., Irazusta, A., & Irazusta, J. (2007). Physiological and anthropometric characteristics of young soccer players according to their playing position: Relevance for the selection process. *Journal of Strength and Conditioning Research*, 21, 438–445.
- Giovannini, M., Agostoni, C., Gianní, M., Bernardo, L., & Riva, E. (2000). Adolescence: Macronutrient needs. *European Journal of Clinical Nutrition*, 54, 7–10.
- Goran, M., Fields, D. A., Hunter, G. R., Herd, S. L., & Weinsier, R. L. (2000). Total body fat does not influence maximal aerobic capacity. *International Journal of Obesity*, 24, 841–848.
- Guo, M. W., Xu, J. P., Mori, E., Sato, E., Saito S., & Mori, T. (1997). Expression of Fas ligand in murine ovary. *American Journal of Reproductive Immunology*, 37(5), 391–398.

- Haílil, T., Kaya, M., Koçak, M., Erkmen, N., & Bastürk, D. (2011). The Evaluation of body-ball coordination for professional soccer players. *Ovidius University Annals, Series Physical Education & Sport/Science, Movement & Health*, 11(1), 25–29.
- Hallmark, M. A., Reynolds, T. H., De Souza, C. A., Dotson, C. O., Anderson, R. A., & Rogers, M. A. (1996). Effects of chromium and resistive training on muscle strength and body composition. *Medicine & Science in Sports & Exercise*, 28(1), 139–144.
- Hannan, W. J., Cowen, S. J., Freeman, C. P., & Wrate, R. M. (1993). Can bioelectrical impedance improve the prediction of body fat in patients with eating disorders? *European Journal of Clinical Nutrition*, 47(10), 741–746.
- Haussinger, D., Roth, E., Lang, F., & Gerok, W. (1993). Cellular hydration state: An important determinant of protein catabolism in health and disease. *Lancet*, 341(8856), 1330–1332.
- Hencken, C., & White, C. (2006). Anthropometric assessment of Premiership soccer players in relation to playing position. *European Journal of Sport Science*, 6(4), 205–211.
- Heymsfield, S. B., & Wang, Z. M. (1993). Measurement of total body fat by underwater weighing: New insights and uses of old method. *Nutrition*, 9, 472–473.
- Heymsfield, S. B., Lohmen, T. G., Wang, Z., & Going, S. B. (2005). *Human body composition*. Champaign: Human Kinetics.
- Heymsfield, S. B. (2008). Development of imaging methods to assess adiposity and metabolism. *International Journal of Obesity*, 32, 76–82.
- Heyward, V. H., & Stolarczyk, L. M. (1996). *Applied body composition assessment*. Champaign: Human Kinetics.
- Heyward, V. H., & Wagner, D. R. (2004). *Applied body composition assessment*. 2nd ed. Champaign: Human Kinetics.
- Hortobágyi, T., Israel, R. G., Houmard, J. A., O'Brien, K. F., Johns, R. A., & Wells, J. M. (1992). Comparison of four methods to assess body composition in black and white athletes. *International Journal of Sport Nutrition*, 2(1), 60–74.
- Houmard, J. A., Craib, M. W., O'Brien, K. F., Smith, L. L., Israel, R. G., & Wheeler, W. S. (1991). Peak running velocity, submaximal energy expenditure, VO₂max, and 8 km distance running performance. *Journal of Sports Medicine and Physical Fitness*, 31(3), 345–350.
- Hu, F. B., Bronner, L., Willett, W. C., Stampfer, M. J., Rexrode, K. M., Albert, C. H., Hunter, D., & Manson, J. E. (2002). Fish and omega-3 fatty acid intake and risk of coronary heart disease in women. *Journal of the American Medical Association*, 287, 1815–1821.
- Hulmes, D. J., & Miller, A. (1979). Quasi-hexagonal molecular packing in collagen fibrils. *Nature*, 282(5741), 878–880.
- Iglesias-Gutiérrez, E., García-Rovés, P. M., Rodríguez, C., Braga, S., García-Zapico, P., & Patterson, Á. M. (2005). Food habits and nutritional status assessment of adolescent soccer players: A necessary and accurate approach. *Canadian Journal of Applied Physiology*, 30(1), 18–32.
- Ivy, J. L. (1998). Glycogen resynthesis after exercise: Effect of carbohydrate intake. *International Journal of Sports Medicine*, 19(2), 142–145.
- Ivy, J. L. (2004). Regulation of muscle glycogen repletion, muscle, protein synthesis and repair following exercise. *Journal of Sports Science and Medicine*, 3(3), 131–138.
- Jackson, A. S., & Pollock, M. L. (1978). Generalized equations for predicting body density of men. *British Journal of Nutrition*, 40, 497–504.
- Jackson, A. S., Pollock, M. L., & Ward, A. (1980). Generalized equations for predicting body density of women. *Medicine & Science in Sports & Exercise*, 12, 175–182.

- Jordet, G., & Hartman, E. (2008). Avoidance motivation and choking under pressure in soccer penalty shootouts. *Journal of Sport and Exercise Psychology*, 30(4), 450–457.
- Jordet, G. (2009). Why do English players fail in soccer penalty shootouts? A study of team status, self-regulation, and choking under pressure. *Journal of Sports Science*, 15, 27(2), 97–106.
- Kalapotharakos, V. I., Strimpakos, N., Vithoulka, I., Karvounidis, C., Diamantopoulos, K., & Kapreli, E. (2006). Physiological characteristics of elite professional soccer teams of different ranking. *Journal of Sports Medicine and Physical Fitness*, 46(4), 515–519.
- Kao, F. F., Lu, H. K., Jang, T. R., Yang, W. Ch., Chen, Ch. H., Chen, Y. Y., & Hsieh, K. CH. (2010). Measurement equations for body composition estimation in male athletes. *International Journal of Sport and Exercise Science*, 3(1), 11–16.
- Keys, A., & Brožek, J. (1953). Body fat in adult man. *Physiological Reviews*, 33, 245–325.
- Kyle, U. G., Bosaeus, I., De Lorenzo, A. D., Deurenberg, P., Elia, M., Manuel Gómez, J., Lilienthal Heitmann, B., Kent-Smith, L., Melchior, J. C., Pirlich, M., Scharfetter, H., Schols, A. M. W. J., & Pichard, C. (2004). Bioelectrical impedance analysis – part II: Utilization in clinical practice. *Clinical Nutrition*, 23(6), 1430–1453.
- Koury, J. C., Trugo, N. M., & Torres, A. G., (2014). Phase angle and bioelectrical impedance vectors in adolescent and adult male athletes. *International journal of sports physiology and performance*, 9(5), 798–804.
- Koury, J. C., De Oliveira Jn., A. V., Portugal, M. R., De Oliveira, K. D., & Donangelo, C. M. (2018). Bioimpedance parameters in adolescent athletes in relation to bone maturity and biochemical zinc indices. *Journal of Trace Elements in Medicine and Biology*, 1(46), 26–31.
- Krzykała, M. (2012). *Dxa as a tool for the assessment of morphological asymmetry in athletes, dual energy x-ray absorptiometry*. Prof. Abdelah El Maghraoui (ed.), ISBN: 978-953-307-877-9, *InTech*, Available from: <http://www.intechopen.com/books/dual-energy-x-ray-absorptiometry/dxa-as-a-tool-for-the-assessmentof-morphological-asymmetry-in-athletes>.
- Kyle, U. G., Genton, L., & Pichard, C. (2013). Low phase angle determined by bioelectrical impedance analysis is associated with malnutrition and nutritional risk at hospital admission. *Clinical nutrition* 1, 32(2), 294–299.
- Krustrup, P., Mohr, M., Steensberg, A., Bencke, J., Kjaer, M., & Bangsbo, J. (2006). Muscle and blood metabolites during a soccer game: Implications for sprint performance. *Medicine & Science in Sports & Exercise*, 38, 1165–1174.
- Langan-Evans, C., Close, G. L., & Morton, J. P. (2011). Making weight in combat sports. *Strength and Conditioning Journal*, 33, 25–39.
- Lago-Ballesteros, J., Lago-Peñas, C., & Rey, E. (2012). The effect of playing tactics and situational variables on achieving score-box possessions in a professional soccer team. *Journal of Sports Sciences*, 30(14), 1455–1464.
- Laire, M. J., Monteiro, C. P., & Bicho, M. (2002). Role of cellular magnesium in health and human disease. *Front Biosci*, 9, 262–276.
- Leblanc, J. C., Le Gall, F., Grandjean, V., & Verger, P. (2002). Nutritional intake of French soccer players at the Clairefontaine Training Centre. *International Journal of Sports Nutrition and Exercise Metabolism*, 12, 268–280.
- Lemon, P. W. R. (1994). Protein requirements of soccer. *Journal of Sports Sciences*, 12(1), 17–22.
- Lloyd, R. S., & Oliver, J. L. (2012). The youth physical development model: A new approach to long-term athletic development. *Strength and Conditioning Journal*, 34, 61–72.
- Lohman, T. G. (1981). Skinfolds and body density and their relation to body fatness: A review. *Human Biology*, 53(2), 181–225.

- Lohman, T. G. (1992). Advances in body composition assessment. *Current issues in exercise science series. Monograph No. 3*. Champaign: Human Kinetics.
- Lohman, K. J., Swartz, A. W., & Lohmann, C. M. F. (1995). Perception of ocean wave direction by sea turtles. *Journal of Experimental Biology*, 198, 1079–1085.
- Lohman, T. G., Harris, M., Teixeira, P. J., & Weiss, L. (2000). Assessing body composition and changes in body composition: Another look at dual-energy X-ray absorptiometry. *Annals of the New York Academy of Sciences*, 904, 45–54.
- Lohman, R., Carr, A. J., & Condo, D. (2019). Nutritional intake in australian football players: Sports nutrition knowledge and macronutrient and micronutrient intake. *International Journal of Sport Nutrition and Exercise Metabolism*, 29(3), 289–296.
- Lozano-Berges, G., Matute-Llorente, Á., Gomez- Bruton, A., González-Aguero, A., Vincente-Rodríguez, G., & Casajús, A. J. (2019). Accurate prediction equation to assess body fat in male and female adolescent football players. *International Journal of Sport Nutrition and Exercise Metabolism*, 29, 297–302.
- Lukaski, H. C., & Bolonchuk, W. W. (1987). Theory and validation of the tetrapolar bioelectrical impedance method to assess human body composition. In: K. J. Ellis, S. Yasamura and W. D. Morgan (eds.). *In Vivo Body Composition Studies*. London: The Institute of Physical Sciences in Medicine.
- Malá, L., Malý, T., & Zahálka, F. (2008). Profil telesného zloženia juniorských reprezentantov v jude. *Česká kinantropologie*, 3, 94–103.
- Malá, L., Malý, T., Zahálka, F., & Bunc, V. (2010). The profile and comparison of body composition of elite female volleyball players. *Kinesiology*, 42(1), 90–97.
- Malá, L., Malý, T., Zahálka, F., & Bunc, V. (2014). *Fitness assessment body composition*. Praha: Karolinum.
- Malá, L., Malý, T., Zahálka, F., & Hráský, P. (2015). Body composition of elite youth soccer players with respect to field position. *Journal of Physical Education and Sport*, 15(4), Art 103, 678–684.
- Malá, L., Malý, T., Zahálka, F., Cabell, L., & Bonacin, D. (2016). A comparison of methods for evaluating body composition in elite female soccer players. *Anthropologist*, 24(2), 642– 651.
- Malá, L., Malý, T., & Zahálka, F. (2017). Body composition differences in elite young soccer players based on playing position. *Anthropologist*, 27(1–3), 17–22.
- Malý, T., Malá, L., Bujnovský, D., Hank, M., & Zahálka, F. (2019). Morphological and isokinetic strength differences: Bilateral and ipsilateral variation by different sport activity. *Open Medicine*, 14, 207–216.
- Manthou, E., Kanaki, M., Georgakouli, K., Deli, Ch. K., Kouretas, D., Yiannis, K., & Athanasios, Z. J. (2014). Glycemic response of a carbohydrate-protein bar with ewe-goat whey. *Nutrients*, 6(6), 2240–2250.
- Matias, C. N., Monteiro, C. P., Santos, D. A., Martin, F., Silva, A. M., Laires, M. J., & Sardinha, L. B. (2015). Magnesium and phase angle: A prognostic tool for monitoring cellular integrity in judo athletes. *Magnesium Research*, 28(3), 92–98.
- Matias, C. N., Santos, D. A., Júdice, P. B., Magalhães, J. P., Minderico, C. S., Fields, D. A., Lukaski, H. C., Sardinha, L. B., & Silva, A. M. (2016). Estimation of total body water and extracellular water with bioimpedance in athletes: A need for athlete-specific prediction models. *Clinical Nutrition*, 35, 468–474.
- Mathias-Genovez, M. G., Oliveira, C. C., Camelo Jr., J. S., Del Ciampo, L. A., & Monteiro, J. P. (2016). Bioelectrical impedance of vectorial analysis and phase angle in adolescents. *Journal of the American College of Nutrition*, 35(3), 262–270.

- Matkovic, B. R., Misigoj-Durakovic, M., Matkovic, B., Jankovic, S., Ruzic, L., Leko, G., & Kondric, M. (2003). Morphological differences of elite Croatian soccer players according to the team position. *Collegium Antropologicum*, 27, 167–174.
- Mattila, P., Mäkinen, S., Euroala, M., Jalava, T., Pihlava, J. M., Hellström, J., & Pihlanto, A. (2018). Nutritional value of commercial protein – rich plant products. *Plant Foods for Human Nutrition*, 73(2), 108–115.
- Maud, P. J., & Foster, C. (1995). *Physiological assessment of human fitness*. Human Kinetics, Champaign.
- Maughan, R. J. (1997). Energy and macronutrient intakes of professional football (soccer) players. *British Journal of Sports Medicine*, 31, 45–47.
- Maughan, R. J., Merson, S. J., Broad, N. P., & Shirreffs, S. M. (2004). Fluid and electrolyte intake and loss in elite soccer players during training. *International Journal of Sport Nutrition and Exercise Metabolism*, 14(3), 333–346.
- Maughan, R. J. (2006). *Výživa ve sportu: příručka pro sportovní medicínu*. In: Ronald J. Maughan, Louise M. Burke (eds.). Translated by Zuzana Zafarová. Praha: Galén.
- Maughan, R. J. (1993). An evaluation of a bioelectrical impedance analyser for the estimation of body fat content. *British Journal of Sports Medicine*, 27(1), 63–66.
- Matias, C. N., Monteiro, C. P., Santos, D. A., Martin, F., Silva, A. M., Laires, M. J., & Sardinha, L. B. (2015). Magnesium and phase angle: A prognostic tool for monitoring cellular integrity in judo athletes. *Magnesium Research*, 28(3), 92–98.
- Mazess, R. B., Barden, H., Bisek, J., & Hanson, J. (1990). Evaluation of differences between fan-beam and pencil-beam densitometers. *Calcified Tissue International*, 67, 291–296.
- McCrory, M. A., Gomez, T. D., Bernauer, E. M., & Molé, P. A. (1995). Evaluation of a new air displacement plethysmography for measuring human body composition. *Medicine & Science in Sports & Exercise*, 27(12), 1686–1691.
- Metaxas, T., Sendelides, T., Koutlianos, N., & Mandroukas, K. (2006). Seasonal variation of aerobic performance in soccer players according to positional role. *Journal of Sports Medicine and Physical Fitness*, 46, 520–525.
- Melchiorri, G., Andreoli, A., Callà, C., Sgroi, M., & De Lorenzo, A. (2007). Body cell mass measured by bioelectrical impedance spectostropy in professional football (soccer) players. *The Journal of Sports Medicine & Physical Fitness*, 4(47), 408–412.
- Meylan, C., Cronin, J., Oliver, J., & Hughes, M. (2010). Talent identification in soccer: The role of maturity status on physical, physiological and technical characteristics. *International Journal of Sports Science & Coaching*, 5(4), 571–592.
- Milanese, C., Cavedon, V., Corradini, G., De Vita, F., & Zancanaro, C. (2015). Seasonal DXA-measured body composition changes in professional male soccer players. *Journal of Sports Sciences*, 33(12), 1219–1228.
- Milsom, J., Barreira, P., Burgess, D. J., Iqbal, Z., & Morton, J. P. (2014). Case study: Muscle atrophy and hypertrophy in a premier league soccer player during rehabilitation from ACL injury. *International Journal of Sport Nutrition and Exercise Metabolism*, 24(5), 543–552.
- Milsom, J., Naughton, R., O'Boyle, A., Iqbal, Z., Morgans, R., Drust, B., & Morton, J. P. (2015). Body composition assessment of English Premier League soccer players: A comparative DXA analysis of first team, U21 and U18 squads. *Journal of Sports Sciences*, 33(17), 1799–806.
- Moreno, L. A., Sarría, A., & Popkin, B. M. (2002). The nutrition transition in Spain: A European Mediterranean country. *European Journal of Clinical Nutrition*, 56, 92–1003.
- Morris, T. (2000). Psychological characteristics and talent identification in soccer. *Journal of Sports Sciences*, 18(9), 715–726.

- Munguia-Izquierdo, D., Suarez-Arrones, L., Di Salvo, V., Paredes-Hernandez, V., Ara, I., & Mendez-Villanueva, A. (2018). Estimating fat-free mass in elite youth male soccer players: Cross-validation of different field methods and development of prediction equation. *Journal of Sports Sciences*, 37, 1197–1204.
- Nagano, M., Suita, S., & Yamanouchi, T. (2000). The validity of bioelectrical impedance phase angle for nutritional assessment in children. *Journal of Pediatric Surgery*, 35(7), 1035–1039.
- Nevoral, J. et al. (2003). *Výživa v dětském věku*. Jinočany: H&H.
- Ney, J. G., Koury, J. C., Azeredo, V. B., Casimiro-Lopes, G., Trugo, N. M., & Torres, A. G. (2009). Associations of n-6 and n-3 polyunsaturated fatty acids and tocopherols with proxies of membrane stability and subcutaneous fat sites in male elite swimmers. *Nutrition research*, 29(9), 623–630.
- Nikolaidis, P. T., & Karydis, N. V. (2011). Physique and body composition in soccer players across adolescence. *Asian Journal of Sports Medicine*, 2(2), 75–79.
- Norman, K., Smoliner, C., Valentini, L., Lochs, H., & Pirlich, M. (2007). Is bioelectrical impedance vector analysis of value in the elderly with malnutrition and impaired functionality?. *Nutrition*, 23(7), 564–569.
- Norman, K., Stobaus, N., Zocher, D., Bosy-Westphal, Szramek, A., Scheufele, Smoliner, C., & Pirlich, M. (2010). Cutoff percentiles of bioelectrical phase angle predict functionality, quality of life, and mortality in patients with cancer. *American Journal of Clinical Nutrition*, 92(3), 612–619.
- Norman, K., Wirth, R., Neubauer, M., Eckardt, R., & Stobäus, N. (2015). The bioimpedance phase angle predicts low muscle strength, impaired quality of life, and increased mortality in old patients with cancer. *Journal of the American Medical Directors Association*, 16(2), 173–217.
- Novack, L. F., Ferreira, G. A., Coelho, R., & Osiecki, R. (2014). Novel equations to predict body fat percentage of Brazilian professional soccer players: A case study. *Motriz: Revista de Educação Física – SciELO*, 20(4), 402–407.
- Núñez, C., Kovera, A. J., Pietrobelli, A., Heshka, S., Horlick, M., Kehayias, J. J., Wang, Z., & Heymsfield, S. B. (1999). Body composition in children and adults by air displacement plethysmography. *European Journal of Clinical Nutrition*, 53(5), 328–337.
- Núñez, F. J., Munguia-Izquierdo, D., Petri, C., & Suarez-Arrones, L. (2019). Field methods to estimate fat-free mass in international soccer players. *International Journal of Sports Medicine*, 40, 619–624.
- Núñez, F. J., Munguía-Izquierdo, D., & Suárez-Arrones, L. (2020). Validity of field methods to estimate fat-free mass changes throughout the season in elite youth soccer players. *Frontiers Physiology*, 11(16).
- O'Brien, C., Young, A. J., & Sawka, M. N. (2002). Bioelectrical impedance to estimate changes in hydration status. *International Journal of Sports Medicine*, 23(5), 361–366.
- O'Dell, B. L. (2000). Role of zinc in plasma membrane function. *The Journal of Nutrition*, 130(5), 1432–1436.
- Oppliger, R. A., Nielsen, D. H., Shetler, A. C., Crowley, E. T., & Albright, J. P. (1992). Body composition of collegiate football players: Bioelectrical impedance and skinfolds compared to hydrostatic weighing. *Journal of Orthopaedic & Sports Physical Therapy*, 15, 187–192.
- Ostojić, S. M. (2003). Seasonal alterations in body composition and sprint performance of elite soccer players. *Official Journal of The American Society of Exercise Physiologists*, 6(3), 24–27.
- Ott, M., Fischer, H., Polat, H., Helm, E. B., Frenz, M., Caspary, W.F., & Lembcke, B. (1995). Bioelectrical impedance analysis as a predictor of survival in patients with

- human immunodeficiency virus infection. *Journal of Acquired Immune Deficiency Syndromes*, 9, 20–25.
- Pařízková, J. (1959). Sledování rozvoje aktivní tělesné hmoty u dospívající mládeže metodou hydrostatického vážení. *Československá fyziologie*, 8, 426–427.
- Pařízková, J. (1960). Prověření vztahu mezi určením celkového tělesného tuku pomocí metody hydrostatického vážení a měřením množství podkožního tuku caliperem. *Československá fyziologie*, 9, 42–43.
- Pařízková, J. (1962). *Rozvoj aktivní hmoty a tuku u dětí a mládeže*. Thomaerova sbírka přednášek a rozprav z oboru lékařského, 413. Praha: SZdN.
- Pařízková, J. (2000). Dietary habits and nutritional status in adolescents in Central and Eastern Europe. *European Journal of Clinical Nutrition*, 54, 36–40.
- Perroni, F., Vetrano, M., Camolese, G., Guidetti, L., & Baldari, C. (2015). Anthropometric and somatotype characteristics of young soccer players: Differences among categories, subcategories, and playing position. *Journal of Strength and Conditioning Research*, 29(8), 2097–2104.
- Phillips, M. S., Sykes, D., & Gibson, N. (2014). Hydration status and fluid balance of elite European youth soccer players during consecutive training sessions. *Journal of Sports Science & Medicine*, 13, 817–822.
- Polat, Y., Biçer, M., Patlar, S., Akil, M., Günay, M., & Çelenk, Ç. (2010). Examination on the anthropometric features and somatotypes of the male children at the age of 16. *Ovidius University Annals, Series Physical Education & Sport/Science, Movement & Health*, 10(2), 138.
- Pollock, M. L., Schmidt, D. H., & Jackson, A.S. (1980). Measurement of cardiorespiratory fitness and body composition in the clinical setting. *Comprehensive Therapy*, 6, 12–27.
- Porta, J., González, J. M., Galiano, D., Tejedo, A., & Prat, J. A. (1995). Valoración de la composición corporal: Análisis crítico y metodológico. *Car News*, 7, 4–13.
- Probst, M. M., Fletcher, R., & Seelig, D. S. (2007). A comparison of lower-body flexibility, strength, and knee stability between karate athletes and active controls. *Journal of Strength & Conditioning Research*, 21(2), 451–455.
- Ramos-Campo, D. J., Sánchez, F. M., Garcia, P. E., Arias, R. J. Á., Cerazal, A. B., Clemente-Suarez, V. J., & Diaz, J. F. J. (2014). Body composition features in different playing position of professional team indoor players: Basketball, handball and futsal. *International Journal of Morphology*, 32(4), 1316–1324.
- Rampinini, E., Impellizzeri, F. M., Castagna, C., Coutts, A. J., & Wisløff, U. (2009). Technical performance during soccer matches of the Italian Serie A league: Effect of fatigue and competitive level. *Journal of Science and Medicine in Sport*, 12, 227–233.
- Rauter, S., Vodigar, J., & Simenko, J. (2017). Body asymmetries in young male road cyclists. *International Journal of Morphology*, 35, 907–912.
- Reilly, T. (1996). Fitness assessment. In Reilly, T. (ed.), *Science and Soccer*. London: E & FN Spon.
- Reilly T. (1979). *What research tells the coach about soccer*. Washington DC: AAHPERD.
- Reilly, T., Bangsbo, J., & Franks, A. (2000). Anthropometric and physiological predispositions for elite soccer. *Journal of Sports Sciences*, 18, 669–683.
- Reilly, T., Drust, B., Clarke, N. (2008). Muscle fatigue during football match- play. *Sports Medicine*. 38(5), 357–367.
- Reljic, D., Hassler, E., Jost, J., & Friedmann-Bette, B. (2013). Rapid weight loss and the body fluid balance and hemoglobin mass of elite amateur boxers. *Journal of Athletic Training*, 48(1), 109–117.

- Resina, A., Gatteschi, L., Giamberardino, M. A., Imreh, F., Rubenni, M. G., & Vecchiet, L. (1991). Hematological comparison of iron status in trained top-level soccer players and control subjects. *International Journal of Sports Medicine*, 12, 453–456.
- Riegerová, J., Přidalová, M., & Ulbrichová, M. (2006). *Aplikace fyzické antropologie v tělesné výchově a sportu (příručka funkční antropologie)*. Hanex: Olomouc.
- Rienzi, E., Drust, B., Reilly, T., Carter, J. E. L., & Martin, A. (2000). Investigation of anthropometric and work-rate profiles of elite South American international soccer players. *Journal of Sports Medicine & Physical Fitness*, 40, 162–169.
- Rice-Evans, C., & Miller, N. J. (1994). Total antioxidant status in plasma and body fluids. *Methods in Enzymology*, 234, 279–293.
- Rico-Sanz, J., Frontera, W. R., Molé, P. A., Rivera, M. A., Rivera-Brown, A., & Meredith, C. N. (1998). Dietary and performance assessment of elite soccer players during a period of intense training. *International Journal of Sports Medicine*, 8, 230–240.
- Rimm, E. B., Stampfer, M. J., Ascherio, A., Giovannucci, E., Colditz, G. A., & Willett, W. C. (1993). Vitamin E consumption and the risk of coronary heart disease in men. *New England Journal of Medicine*, 328(20), 1450–1456.
- Rogol, A. D., Clark, P. A., & Roemmich, J. N. (2000). Growth and pubertal development in children and adolescents: Effects of diet and physical activity. *American Journal of Clinical Nutrition*, 72(2), 521–528.
- Rokitzki, L., Logemann, E., Sagredos, A. N., Murphy, M., Wetzel-Roth, W., & Keul, J. (1994). Lipid peroxidation and atioxidative vitamins under exterme endurance stress. *Acta Physiologica Scandinavica*, 151(2), 149–158.
- Santi-Maria, T., Gómez Campos R., Andruske, C. L., Gamero, D. H., Luarte-Rocha, C., Arruda, M., Tumi-Figuero, E., & Cossio-Bolanos, M. (2015). Percentage of body fat of young soccer players: Comparison of proposed regression frequencies between goalkeepers and soccer players. *Journal of Exceptional People*, 18(6), 70–80.
- Santos, A.D., Silva, A. M., Maias, C. N., Magalhães, J.P., Minderico, C. S., Thomas, D. M., & Sardinho, L. B. (2015). Utility of novel body indices in predicting fat mass in elite athletes. *Nutrition.*, 31(7–8), 948–954.
- Sawka, M. N., Burke, L. M., Eichner, E. R., Maughan, R. J., Montain, S. J., & Stachenfeld, N. S. (2007). Exercise and fluid replacement. *Medicine and Science in Sports and Exercise*, 39(2), 377–390.
- Sedano, S., Vaeyens, R., Philippaerts, R. M., Redondo, J. C., & Cuadrado, G. (2009). Anthropometric and anaerobic fitness profile of elite and non-elite female soccer players. *Journal of Sports Medicine and Physical Fitness*, 49(4), 397–394.
- Selberg, O., & Selberg, D. (2002). Norms and correlates of bioimpedance phase angle in healthy human subjects, hospitalized patients, and patients with liver cirrhosis. *European Journal of Applied Physiology*, 86(6), 509–516.
- Semjon, M., Botek, M., Svozil, Z., & McKune, A. J. (2016). Positional differences in the cardiorespiratory, autonomic, and somatic profiles of professional soccer players. *Acta Gymnica*, 46(2), 90–96.
- Shakeryan, S., Nikbakht, M., & Kashkoli, H. B. (2013). Validitation of percent body fat using skinfold thickness, bioelectrical impedance analysis and standard hydrostatic method in male wrestler. *Journal of Public Health and Epidemiology*, 5(1), 15–19.
- Schwenk, A., Beisenherz, A., Romer, K., Kremer, G., Salzberger, B., & Elia, M. (2000). Phase angle from bioelectrical impedance analysis remains an independent predictive marker in HIV infected patients in the era of highly active antiretroviral treatment. *American Journal of Clinical Nutrition*, 72(2), 496–501.
- Silanpää, E., Cheng, S., Häkkinen, K., Finni, T., Walker, S., Pesola, A., Ahtiainen, J., Stenroth, L., Selänne, H., & Sipilä, S., (2014). Body composition in 18- to 88-year-

- old adults: Comparison of multifrequency bioimpedance and dual-energy X-ray absorptiometry. *Obesity*, 22(1), 101–109.
- Silva, A. M., Fields, D. A., Heymsfield, S. B., & Sardinha, L. B. (2010). Body composition and power changes in elite judo athletes. *International Journal of Sports Medicine*, 31(10), 737–741.
- Silva, A. M., Fields, D. A., Heymsfield, S. B., & Sardinha, L. B. (2011). Relationship between changes in total-body water and fluid distribution with maximal forearm strength in elite judo athletes. *Journal of Strength & Conditioning Research*, 25(9), 2488–2495.
- Silva, A. M., Matias, C. N., Santos, D. A., Rocha, P. M., Minderico, C. S., & Sardinha, L. B. (2014). Increases in intracellular water explain strength and power improvements over a season. *International Journal of Sports Medicine*, 35, 1101–1105.
- Simini, F., & Bertemes-Filho, P. (eds.) (2018). *Bioimpedance in biomedical applications and research*. New York: Springer.
- Schaefer, F., Georgi, M., Zieger, A., & Scharer, K. (1994). Usefulness of bioelectric impedance and skinfold measurements in predicting fat-free mass derived from total body potassium in children. *Pediatric Research*, 35, 617–624.
- Siegler, J., Gaskill, S., & Ruby, B. (2003). Changes evaluated in soccer-specific power, endurance either with or without a 10-week, in-season, intermittent, high-intensity training protocol. *Journal of Strength and Conditioning Research*, 17(2), 379–387.
- Schultz, S. G. (2002). William Harvey and the circulation of the blood: The birth of a scientific revolution and modern physiology. *News in Physiological Science*, 17, 175–180.
- Silvestre, R., West, C., Maresh, C. M., & Kraemer, W. J. (2006). Body composition and physical performance in men's soccer: A study of a National Collegiate Athletic Association Division I team. *Journal of Strength and Conditioning Research*, 20(1), 177–183.
- Siri, W. E. (1961). Body composition from fluid spaces and density: Analysis of methods. In: Brozek, J., & Henschel, A. (eds.). *Techniques for Measuring Body Composition*. Washington, DC: National Academy of Sciences.
- Snijder, M. B., Visser, M., Dekker, J. M., Seidell, J. C., Fuerst, T., Tylavsky, F., Cauley, J., Lang, T., Nevitt, M., & Harris, T. B. (2002). The prediction of visceral fat by dual-energy X-ray absorptiometry in the elderly: A comparison with computed tomography and anthropometry. *International Journal of Obesity*, 26, 984–993.
- Spear, B. A. (2002). Adolescent growth and development. *Journal of the American Dietetic Association*, 102, 23–29.
- Sporis, G., Jukic, I., Ostojic, S. M., & Milanovic, D. (2009). Fitness profiling in soccer: Physical and physiologic characteristic of elite players. *Journal of Strength and Conditioning Research*, 23(7), 1947–1953.
- Sporis, G., Vuleta, D. J., & Milanovic, D. (2010). Fitness profiling in handball: Physical and physiological characteristics of elite players. *Collegium Antropologicum*, 34(3), 1009–1014.
- Stampfer, M. J., Hennekens, C. H., Manson, J. E., Colditz, G. A., Rosner, B., & Willett, W. C. (1993). Vitamin E consumption and the risk of coronary disease in woman. *The New England Journal of Medicine*, 328(20), 1444–1449.
- Steel, I. C., Young, I. S., Stevenson, H. P., Maguire, S., Livingstone, M. B., Rollo, M., Scrimgeour, C., Rennie, M. J., & Nicholls, D. P. (1998). Body composition and energy expenditure of patients with chronic cardiac failure. *European Journal of Clinical Investigation*, 28, 33–40.

- Stewart, A. D., & Hannan, W. J. (2000). Prediction of fat and fat-free mass in male athletes using dual X-ray absorptiometry as the reference method. *Journal of sports sciences*, 18, 263–274.
- Stølen, T., Chamari, K., Castana, C., & Wisløff, U. (2005). Physiology of soccer: An update. *Sports Medicine*, 36(6), 501–536.
- Story, M., Neumark-Sztainer, D., & French, S. (2002). Individual and environmental influences on adolescent eating behaviors. *Journal of American Dietetic Association*, 102, 40–51.
- Stradijot, F., Pittorru, G. M., & Pinna, M. (2012). The functional evaluation of lower limb symmetry in a group of young elite judo and wrestling athletes. *Isokinetics and Exercise Science*, 20(1), 13–16.
- Strain, G. W., & Zumoff, B. (1992). The relationship of weight-height indices of obesity to body fat content. *Journal of the American College of Nutrition*, 11(6), 715–718.
- Stratton, G., Reilly, T., Williams, A. M., & Richardson, D. (2004). *Youth soccer: From science to performance*. Routledge: London.
- Strauss, A., Jacobs, S., & Van Den Berg, L. (2012). Anthropometric, fitness and technical skill characteristics of elite male national soccer players: A review. *African Journal for Physical, Health Education, Recreation & Dance*, 18(2), 365–369.
- Strøyer, J., Hansen, L., & Klausen, K. (2004). Physiological profile and activity pattern of young soccer players during match play. *Medicine & Science in Sports & Exercise*, 36, 168–174.
- Sutton, L., Scott, M., Wallace, J., & Reilly, T. (2009). Body composition of English Premier League soccer players: Influence of playing position, international status, and ethnicity. *Journal of Sports Science*, 27, 1019–1026.
- Svendsen, O. L., Hassager, C., Bergmann, I., & Christiansen, C. (1993). Measurement of abdominal and intra-abdominal fat in postmenopausal women by dual energy x-ray absorptiometry and anthropometry: Comparison with computerized tomography. *International Journal of Obesity*, 17, 45–51.
- Swartz, A. M., Evans, M. J., King, G. A., & Thompson, D. L. (2002). Evaluation of a foot-to-foot bioelectrical impedance analyser in highly active, moderately active and less active young men. *British Journal of Nutrition*, 88(2), 205–210.
- Tahara, Y., Moji, K., Tsunawake, N., Fukuda, R., Nakayama, M., Nakagaichi, M., Komine, T., Kusano, Y., & Aoyagi, K. (2006). Physique, body composition and maximum oxygen consumption of selected soccer players of Kunimi High School, Nagasaki, Japan. *Journal of Physiological Anthropology*, 25(4), 291–297.
- Toso, S., Piccoli, A., Gusella, M., Menon, D., Bononi, A., Crepaldi, G., & Ferrazzi, E. (2000). Altered tissue electric properties in lung cancer patients as detected by bioelectric impedance vector analysis. *Nutrition*, 16(2), 120–124.
- Toso, S., Piccoli, A., Gusella, M., Menon, D., Crepaldi, G., Bononi, A., & Ferrazzi, E. (2003). Bioimpedance vector pattern in cancer patients without disease versus locally advanced or disseminated disease. *Nutrition*, 19(6), 10–14.
- Thompson, J. L. (1998). Energy balance in young athletes. *International Journal of Sport Nutrition*, 8, 160–174.
- Treuth, M. S., Hunter, G. R., & Kekes-Szabo, T. (1995). Estimating intra-abdominal adipose tissue in women by dual-energy X-ray absorptiometry. *American Journal of Clinical Nutrition*, 62, 527–532.
- Van Loan, M. D., & Mayclin, P. L. (1992). Body composition assessment: Dual-energy X-ray absorptiometry (DEXA) compared to reference methods. *European Journal of Clinical Nutrition*, 46(2), 125–130.

- Van Loan, M. D., Boileau, R. A., Slaughter, M. H., Stillman, R. J., Lohman, T. G., Going, S. B., & Carswell, C. (1990). Association of bioelectrical resistance with estimates of fat-free mass determined by densitometry and hydrometry. *American Journal of Human Biology*, 2, 219–226.
- Villa, J. G., Vaquera, A., & Rodríguez, J. A. (2009). Analysis and energetic requirements in basketball. In: Drobic, F., Puigdemívol, J., & Bové, T. (eds.). *Scientific bases for health and optimal performance in basketball* (1–19). Barcelona: Ergon.
- Tumilty, D. (1993). Physiological characteristics of elite soccer players. *Sports Medicine*, 16, 80–96.
- Vescovi, J. D., Zimmerman, S. L., Miller, W. C., Hildebrandt, L., Hammer, R. L., & Fernhall, B. (2001). Evaluation of the BOD POD for estimating body fat percentage in a heterogenous group of adult humans. *European Journal of Applied Physiology*, 85(3–4), 1439–6319.
- Unnithan, V., White, J., Georgiou, A., Iga, J., & Drust, B. (2012). Talent identification in youth soccer. *Journal of Sports Sciences*, 30(15), 1719–1726.
- Vicente-Rodríguez, G., Ara, I., Perez-Gomez, J., Serrano-Sanchez, J. A., Dorado, C., & Calbet, J. A. L. (2004). High femoral bone mineral density accretion in prepubertal soccer players. *Medicine and Science in Sports and Exercise*, 36(10), 1789–1795.
- Vila Suárez, M. H., Ferragut, C., Alcaraz, P. E., Rodríguez Suárez, N., & Cruz Martínez, M. (2008). Anthropometric and strength characteristics in young handball players by playing positions. *Journal Arch Sports Medicine*, 25(125), 167–177.
- Vaeyens, R., Lenoir, M., Williams, A. M., & Philippaerts, R. M. (2008). Talent identification and development programmes in sport: Current models and future directions. *Sports Medicine*, 38(9), 703–714.
- Wallace, M. B., & Cardinale, M. (1997). Conditioning for team handball. *Strength & Conditioning Journal*, 19(6), 7–12.
- Wang, Z. M., Pierson, R. N. J., & Heymsfield, S. B. (1992). The five level model: A new approach to organizing body composition research. *American Journal of Clinical Nutrition*, 56, 19–28.
- Wang, Z., Wang, Z. M., & Heymsfield, S. B. (1999). History of the study of human body composition: A brief review. *American Journal of Human Biology*, 11(2), 157–165.
- Wang, J. T., Liu, Y. J., Tian, L. X., Mai, K. S., Du, Z. Y., Wang, Y., & Yang, H. J. (2005). Effect of dietary lipid level on growth performance, lipid deposition, hepatic lipogenesis in juvenile cobia (*Rachycentron canadum*). *Aquaculture*, 249, 439–447.
- Warner, E., Fornetti, W., Jallo, J., & Pivarnik, J. (2004). A skinfold model to predict fat-free mass in female athletes. *Journal of Athletic Training*, 39(3), 259–262.
- Wells, J. C. K., Douros, I., Fuller, N. J., Elia, M., & Dekker, L. (2000). Assessment of body volume using three-dimensional photonic scanning. *Annals of the New York Academy of Sciences*, 904, 247–254.
- Williams, C. A., & Bale, P. (1998). Bias and limits of agreement between hydrodensitometry, bioelectrical impedance and skinfold calipers measures of percentage body fat. *European Journal of Applied Physiology and Occupational Physiology*, 77(3), 271–277.
- Wilkins, M. R., Gasteiger, E., Bairoch, A., Sanchez, J. C., Williams, K. L., Appel, R. D., & Hochstrasser, D. F. (1999). Protein identification and analysis tools in the ExPASy server. *Methods in Molecular Biology*, 112, 532–552.
- Wisløff, U., Helgerud, J., & Hoff, J. (1998). Strength and endurance of elite soccer players. *Medicine & Science in Sports & Exercise*, 30, 462–467.