

7 REFERENČNÍ SEZNAM

- Ahmed, M. U., & Mandic, D. P. (2011). Multivariate multiscale entropy: A tool for complexity analysis of multichannel data. *Physical Review E – Statistical, Nonlinear, and Soft Matter Physics*, 84(6), Article ID 061918. <https://doi.org/10.1103/PhysRevE.84.061918>
- Albinet, C., Bernard, P. L., & Palut, Y. (2006). Contrôle attentionnel de la stabilité posturale chez la personne âgée institutionnalisée : effets d'un programme d'activité physique. [Attentional control of postural stability in institutionalised elderly people: Effects of a physical exercise program]. *Annales de Réadaptation et de Médecine Physique*, 49(9), 625–631. <https://doi.org/10.1016/j.annrmp.2006.06.004>
- Amblard, B., Assalante, C., Crémieux, J., & Marchand, A. R. (1990). From posture to gait: Which sensory input for which function? In T. Brand et al. (Eds.), *Disorders of posture and gait* (pp. 168–176). Stuttgart: Georg Thieme.
- Ambler, Z. (2009). Neurologické poruchy a základní principy farmakoterapie staršího věku. *Interní medicína pro praxi*, 11(4), 182–185.
- Apthorp, D., Nagle, F., & Palmisano, S. (2014). Chaos in balance: Non-linear measures of postural control predict individual variations in visual illusions of motion. *PloS One*, 9(12), Article ID e113897. <https://doi.org/10.1371/journal.pone.0113897>
- Barak, Y., Wagenaar, R. C., & Holt, K. G. (2006). Gait characteristics of elderly people with a history of falls: A dynamic approach. *Physical Therapy*, 86(11), 1501–1510. <https://doi.org/10.2522/ptj.20050387>
- Baratto, L., Morasso, P. G., Re, C., & Spada, G. (2002). A new look at posturographic analysis in the clinical context: Sway-density versus other parameterization techniques. *Motor Control*, 6(3), 246–270.
- Becker, C., Kron, M., Lindemann, U., Sturm, E., Eichner, B., Walter-Jung, B., & Nikolaus, T. (2003). Effectiveness of a multifaceted intervention on falls in nursing home residents. *Journal of the American Geriatrics Society*, 51(3), 306–313. <https://doi.org/10.1046/j.1532-5415.2003.51103.x>
- Begg, R., & Kamruzzaman, J. (2005). A machine learning approach for automated recognition of movement patterns using basic, kinetic and kinematic gait data. *Journal of Biomechanics*, 38(3), 401–408. <https://doi.org/10.1016/j.jbiomech.2004.05.002>
- Berg, K., Wood-Dauphinee, S., Williams, J. I., & Gayton, D. (1989). Measuring balance in the elderly: Preliminary development of an instrument. *Physiotherapy Canada*, 41(6), 304–311.
- Berg, K. O., Maki, B. E., Williams, J. I., Holliday, P. J., & Wood-Dauphinee, S. L. (1992). Clinical and laboratory measures of postural balance in an elderly population. *Archives of Physical Medicine and Rehabilitation*, 73(11), 1073–1080.
- Berg, K. O., Wood-Dauphinee, S. L., Williams, J. I., & Maki, B. (1992). Measuring balance in the elderly: Validation of an instrument. *Canadian Journal of Public Health*, 83(Suppl. 2), S7–S11.
- Berg, W. P., Alessio, H. M., Mills, E. M., & Tong, C. (1997). Circumstances and consequences of falls in independent community-dwelling older adults. *Age and Ageing*, 26(4), 261–268. <https://doi.org/10.1093/ageing/26.4.261>

- Bergeron, E., Clement, J., Lavoie, A., Ratte, S., Bamvita, J. M., Aumont, F., & Clas, D. (2006). A simple fall in the elderly: Not so simple. *Journal of Trauma – Injury, Infection and Critical Care*, 60(2), 268–273. <https://doi.org/10.1097/01.ta.0000197651.00482.c5>
- Binda, S. M., Culham, E. G., & Brouwer, B. (2003). Balance, muscle strength, and fear of falling in older adults. *Experimental Aging Research*, 29(2), 205–219. <https://doi.org/10.1080/0361073030303711>
- Bisi, M. C., Riva, F., & Stagni, R. (2014). Measures of gait stability: Performance on adults and toddlers at the beginning of independent walking. *Journal of NeuroEngineering and Rehabilitation*, 11(1), Article ID 131. <https://doi.org/10.1186/1743-0003-11-131>
- Bisi, M. C., & Stagni, R. (2016). Complexity of human gait pattern at different ages assessed using multiscale entropy: From development to decline. *Gait and Posture*, 47, 37–42. <https://doi.org/10.1016/j.gaitpost.2016.04.001>
- Biswas, A., Lemaire, E. D., & Kofman, J. (2008). Dynamic gait stability index based on planar pressures and fuzzy logic. *Journal of Biomechanics*, 41(7), 1574–1581. <https://doi.org/10.1016/j.jbiomech.2008.02.009>
- Bizovska, L., Janura, M., Svoboda, Z., Cerny, M., Krohova, J., & Smondrk, M. (2017). Intra- and inter-session reliability of traditional and entropy-based variables describing stance on a wobble board. *Medical Engineering and Physics*, 50, 29–34. <https://doi.org/10.1016/j.medengphy.2017.08.017>
- Bizovská, L., Svoboda, Z., & Janura, M. (2015). Reliabilita meraní zafázenia nohy pri chôdzi. *Lékař a technika*, 45(3), 93–98.
- Bizovska, L., Svoboda, Z., Janura, M., Bisi, M. C., & Vuillerme, N. (2017). Local dynamic stability during gait for predicting falls in elderly people: A one-year prospective study. Manuscript submitted for publication.
- Bizovska, L., Svoboda, Z., Kutilek, P., Janura, M., Gaba, A., & Kovacikova, Z. (2014). Variability of centre of pressure movement during gait in young and middle-aged women. *Gait and Posture*, 40(3), 399–402. <https://doi.org/10.1016/j.gaitpost.2014.05.065>
- Bizovska, L., Svoboda, Z., Vuillerme, N., & Janura, M. (2017). Multiscale and Shannon entropies during gait as fall risk predictors – a prospective study. *Gait and Posture*, 52, 5–10. <https://doi.org/10.1016/j.gaitpost.2016.11.009>
- Blake, A. J., Morgan, K., Bendall, M. J., Dallosso, H., Ebrahim, S. B. J., Arie, T. H. D., ... Bassey, E. J. (1988). Falls by elderly people at home: Prevalence and associated factors. *Age and Ageing*, 17(6), 365–372. <https://doi.org/10.1093/ageing/17.6.365>
- Bohannon, R. W. (2006). Reference values for the five-repetition sit-to-stand test: A descriptive meta-analysis of data from elders. *Perceptual and Motor Skills*, 103(1), 215–222. <https://doi.org/10.2466/PMS.103.1.215-222>
- Bruijn, S. M., Meijer, O. G., Beek, P. J., & Van Dieen, J. H. (2013). Assessing the stability of human locomotion: A review of current measures. *Journal of the Royal Society Interface*, 10(83), Article ID 20120999. <https://doi.org/10.1098/rsif.2012.0999>
- Buatois, S., Perret-Guillaume, C., Gueguen, R., Miget, P., Vançon, G., Perrin, P., & Benetos, A. (2010). A simple clinical scale to stratify risk of recurrent falls in community-dwelling adults aged 65 years and older. *Physical Therapy*, 90(4), 550–560. <https://doi.org/10.2522/ptj.20090158>
- Carr, J., & Shepherd, R. (1998). *Neurological rehabilitation: Optimizing of motor performance*. Oxford: Butterworth-Heinemann.

- Carter, N. D., Khan, K. M., McKay, H. A., Petit, M. A., Waterman, C., Heinonen, A., ... Flicker, L. (2002). Community-based exercise program reduces risk factors for falls in 65- to 75-year-old women with osteoporosis: Randomized controlled trial. *CMAJ: Canadian Medical Association Journal*, 167(9), 997–1004.
- Centers for Disease Control and Prevention. (2007). Fatalities and injuries from falls among older adults – United States, 1993–2003 and 2001–2005. *Morbidity and Mortality Weekly Report*, 55(45), 1221–1224.
- Cesari, M., Landi, F., Torre, S., Onder, G., Lattanzio, F., & Bernabei, R. (2002). Prevalence and risk factors for falls in an older community-dwelling population. *Journals of Gerontology. Series A: Biological Sciences and Medical Sciences*, 57(11), M722–M726.
- Collins, J. J., & De Luca, C. J. (1993). Open-loop and closed-loop control of posture: A random-walk analysis of center-of-pressure trajectories. *Experimental Brain Research*, 95(2), 308–318. <https://doi.org/10.1007/BF00229788>
- Collins, J. J., De Luca, C. J., Burrows, A., & Lipsitz, L. A. (1995). Age-related changes in open-loop and closed-loop postural control mechanisms. *Experimental Brain Research*, 104(3), 480–492. <https://doi.org/10.1007/BF00231982>
- Colné, P., Frelut, M. L., Pérès, G., & Thoumie, P. (2008). Postural control in obese adolescents assessed by limits of stability and gait initiation. *Gait and Posture*, 28(1), 164–169. <https://doi.org/10.1016/j.gaitpost.2007.11.006>
- Costa, M., Goldberger, A. L., & Peng, C. K. (2002). Multiscale entropy analysis of complex physiologic time series. *Physical Review Letters*, 89(6), 068102-1-068102-4.
- Costa, M., Peng, C. K., Goldberger, A. L., & Hausdorff, J. M. (2003). Multiscale entropy analysis of human gait dynamics. *Physica A: Statistical Mechanics and its Applications*, 330(1–2), 53–60. <https://doi.org/10.1016/j.physa.2003.08.022>
- Dalton, E., Bishop, M., Tillman, M. D., & Hass, C. J. (2011). Simple change in initial standing position enhances the initiation of gait. *Medicine and Science in Sports and Exercise*, 43(12), 2352–2358. <https://doi.org/10.1249/MSS.0b013e318222bc82>
- de Noronha Ribeiro Daniel, F., de Souza Vale, R. G., Giani, T. S., Bacellar, S., Escobar, T., Stoutenberg, M., & Dantas, E. H. M. (2011). Correlation between static balance and functional autonomy in elderly women. *Archives of Gerontology and Geriatrics*, 52(1), 111–114. <https://doi.org/10.1016/j.archger.2010.02.011>
- Dickin, D. C., & Doan, J. B. (2008). Postural stability in altered and unaltered sensory environments following fatiguing exercise of lower extremity joints. *Scandinavian Journal of Medicine and Science in Sports*, 18(6), 765–772. <https://doi.org/10.1111/j.1600-0838.2007.00760.x>
- Dingwell, J. B., Cusumano, J. P., Cavanagh, P. R., & Sternad, D. (2001). Local dynamic stability versus kinematic variability of continuous overground and treadmill walking. *Journal of Biomechanical Engineering*, 123(1), 27–32. <https://doi.org/10.1115/1.1336798>
- Dingwell, J. B., & Kang, H. G. (2007). Differences between local and orbital dynamic stability during human walking. *Journal of Biomechanical Engineering*, 129(4), 586–593. <https://doi.org/10.1115/1.2746383>
- Dingwell, J. B., Kang, H. G., & Marin, L. C. (2007). The effects of sensory loss and walking speed on the orbital dynamic stability of human walking. *Journal of Biomechanics*, 40(8), 1723–1730. <https://doi.org/10.1016/j.jbiomech.2006.08.006>

- DiStefano, L. J., Clark, M. A., & Padua, D. A. (2009). Evidence supporting balance training in healthy individuals: A systemic review. *Journal of Strength and Conditioning Research*, 23(9), 2718–2731. <https://doi.org/10.1519/JSC.0b013e3181c1f7c5>
- Doi, T., Hirata, S., Ono, R., Tsutsumimoto, K., Misu, S., & Ando, H. (2013). The harmonic ratio of trunk acceleration predicts falling among older people: results of a 1-year prospective study. *Journal of NeuroEngineering and Rehabilitation*, 10, Article ID 7. <https://doi.org/10.1186/1743-0003-10-7>
- Doyle, R. J., Hsiao-Weckslar, E. T., Ragan, B. G., & Rosengren, K. S. (2007). Generalizability of center of pressure measures of quiet standing. *Gait and Posture*, 25(2), 166–171. <https://doi.org/10.1016/j.gaitpost.2006.03.004>
- Duclos, C., Desjardins, P., Nadeau, S., Delisle, A., Gravel, D., Brouwer, B., & Corriveau, H. (2009). Destabilizing and stabilizing forces to assess equilibrium during everyday activities. *Journal of Biomechanics*, 42(3), 379–382. <https://doi.org/10.1016/j.jbiomech.2008.11.007>
- Duncan, P. W., Weiner, D. K., Chandler, J., & Studenski, S. (1990). Functional reach: A new clinical measure of balance. *Journal of Gerontology*, 45(6), M192–M197. <https://doi.org/10.1093/geronj/45.6.M192>
- Enoka, R. M. (2008). *Neuromechanics of human movement* (4th ed.). Champaign, IL: Human Kinetics.
- Faber, M. J., Bosscher, R. J., & Van Wieringen, P. C. W. (2006). Clinimetric properties of the performance-oriented mobility assessment. *Physical Therapy*, 86(7), 944–954.
- Franchignoni, F., Horak, F., Godi, M., Nardone, A., & Giordano, A. (2010). Using psychometric techniques to improve the balance evaluation systems test: The mini-betest. *Journal of Rehabilitation Medicine*, 42(4), 323–331. <https://doi.org/10.2340/16501977-0537>
- Fujimoto, C., Murofushi, T., Chihara, Y., Ushio, M., Yamaguchi, T., Yamasoba, T., & Iwasaki, S. (2010). Effects of unilateral dysfunction of the inferior vestibular nerve system on postural stability. *Clinical Neurophysiology*, 121(8), 1279–1284. <https://doi.org/10.1016/j.clinph.2010.02.149>
- Gage, H. (1964). Accelerographic analysis of human gait. In C. L. Edward & A. A. Giardini (Eds.), *Proceedings of the American Society of Mechanical Engineers Annual Meeting* (pp. 137–152). Washington, DC: American Society for Mechanical Engineers.
- Ganong, W. F. (1993). *Přehled lékařské fyziologie*. Jinočany: H&H.
- Gardner, M. M., Robertson, M. C., & Campbell, A. J. (2000). Exercise in preventing falls and fall related injuries in older people: A review of randomised controlled trials. *British Journal of Sports Medicine*, 34(1), 7–17. <https://doi.org/10.1136/bjsm.34.1.7>
- Gautier, G., Thouwarecq, R., & Vuillerme, N. (2008). Postural control and perceptive configuration: Influence of expertise in gymnastics. *Gait and Posture*, 28(1), 46–51. <https://doi.org/10.1016/j.gaitpost.2007.09.007>
- Giakas, G., & Baltzopoulos, V. (1997). Time and frequency domain analysis of ground reaction forces during walking: An investigation of variability and symmetry. *Gait and Posture*, 5(3), 189–197. [https://doi.org/10.1016/S0966-6362\(96\)01083-1](https://doi.org/10.1016/S0966-6362(96)01083-1)
- Goldie, P. A., Bach, T. M., & Evans, O. M. (1989). Force platform measures for evaluating postural control: Reliability and validity. *Archives of Physical Medicine and Rehabilitation*, 70(7), 510–517.
- Gow, B. J., Peng, C. K., Wayne, P. M., & Ahn, A. C. (2015). Multiscale entropy analysis of center-of-pressure dynamics in human postural control: Methodological considerations. *Entropy*, 17(12), 7926–7947. <https://doi.org/10.3390/e17127849>

- Granata, K. P., & Lockhart, T. E. (2008). Dynamic stability differences in fall-prone and healthy adults. *Journal of Electromyography and Kinesiology*, 18(2), 172–178. <https://doi.org/10.1016/j.jelekin.2007.06.008>
- Grigg, P. (1994). Peripheral neural mechanisms in proprioception. *Journal of Sport Rehabilitation*, 3(1), 2–17.
- Hamacher, D., Singh, N. B., Van Dieën, J. H., Heller, M. O., & Taylor, W. R. (2011). Kinematic measures for assessing gait stability in elderly individuals: A systematic review. *Journal of the Royal Society Interface*, 8(65), 1682–1698. <https://doi.org/10.1098/rsif.2011.0416>
- Harbourne, R. T., & Stergiou, N. (2009). Movement variability and the use of nonlinear tools: Principles to guide physical therapist practice. *Physical Therapy*, 89(3), 267–282. <https://doi.org/10.2522/ptj.20080130>
- Hausdorff, J. M., Edelberg, H. K., Mitchell, S. L., Goldberger, A. L., & Wei, J. Y. (1997). Increased gait unsteadiness in community-dwelling elderly failers. *Archives of Physical Medicine and Rehabilitation*, 78(3), 278–283. [https://doi.org/10.1016/S0003-9993\(97\)90034-4](https://doi.org/10.1016/S0003-9993(97)90034-4)
- Hausdorff, J. M., Rios, D. A., & Edelberg, H. K. (2001). Gait variability and fall risk in community-living older adults: A 1-year prospective study. *Archives of Physical Medicine and Rehabilitation*, 82(8), 1050–1056. <https://doi.org/10.1053/apmr.2001.24893>
- Healey, F., Monro, A., Cockram, A., Adams, V., & Heseltine, D. (2004). Using targeted risk factor reduction to prevent falls in older in-patients: A randomised controlled trial. *Age and Ageing*, 33(4), 390–395. <https://doi.org/10.1093/ageing/afh130>
- Hebenstreit, F., Leibold, A., Krinner, S., Welsch, G., Lochmann, M., & Eskofier, B. M. (2015). Effect of walking speed on gait sub phase durations. *Human Movement Science*, 43, 118–124. <https://doi.org/10.1016/j.humov.2015.07.009>
- Hegeman, J., Honegger, F., Kupper, M., & Allum, J. H. J. (2005). The balance control of bilateral peripheral vestibular loss subjects and its improvement with auditory prosthetic feedback. *Journal of Vestibular Research: Equilibrium and Orientation*, 15(2), 109–117.
- Hirjaková, Z., Neumannová, K., Kimijanová, J., Šuttová, K., Janura, M., & Hlavačka, F. (2017). Breathing changes accompanying balance improvement during biofeedback. *Neuroscience Letters*, 651, 30–35. <https://doi.org/10.1016/j.neulet.2017.04.051>
- Hitcho, E. B., Krauss, M. J., Birge, S., Dunagan, W. C., Fischer, I., Johnson, S., ... Fraser, V. J. (2004). Characteristics and circumstances of falls in a hospital setting: A prospective analysis. *Journal of General Internal Medicine*, 19(7), 732–739. <https://doi.org/10.1111/j.1525-1497.2004.30387.x>
- Hlaváčková, E., Klementová, M., & Macurová, S. (2012). Jak je sledováno riziko pádů u dětí v českých zdravotnických zařízeních? *Pediatric pro praxi*, 13(6), 412–414.
- Hof, A. L., Gazendam, M. G. J., & Sinke, W. E. (2005). The condition for dynamic stability. *Journal of Biomechanics*, 38(1), 1–8. <https://doi.org/10.1016/j.jbiomech.2004.03.025>
- Holmes, O. (1993). *Human neurophysiology* (2nd ed.). London: Chapman & Hall Medical.
- Horak, F. B. (1987). Clinical measurement of postural control in adults. *Physical Therapy*, 67(12), 1881–1885.
- Horak, F. B. (1997). Clinical assessment of balance disorders. *Gait and Posture*, 6(1), 76–84. [https://doi.org/10.1016/S0966-6362\(97\)00018-0](https://doi.org/10.1016/S0966-6362(97)00018-0)
- Horak, F. B. (2006). Postural orientation and equilibrium: What do we need to know about neural control of balance to prevent falls? *Age and Ageing*, 35(Suppl. 2), ii7–ii11. <https://doi.org/10.1093/ageing/afl077>

- Horak, F. B., Esselman, P., Anderson, M. E., & Lynch, M. K. (1984). The effects of movement velocity, mass displaced, and task certainty on associated postural adjustments made by normal and hemiplegic individuals. *Journal of Neurology, Neurosurgery, and Psychiatry*, 47(9), 1020–1028.
- Horak, F. B., Wrisley, D. M., & Frank, J. (2009). The balance evaluation systems test (BESTest) to differentiate balance deficits. *Physical Therapy*, 89(5), 484–498. <https://doi.org/10.2522/ptj.20080071>
- Horová, J., Brabcová, I., & Krocová, J. (2017). The effectiveness of intervention programs for preventing patients from falls. *Kontakt*, 19(2), e105–e115. <https://doi.org/10.1016/j.kontakt.2017.04.003>
- Howcroft, J., Kofman, J., & Lemaire, E. D. (2013). Review of fall risk assessment in geriatric populations using inertial sensors. *Journal of NeuroEngineering and Rehabilitation*, 10(1), Article ID 91. <https://doi.org/10.1186/1743-0003-10-91>
- Chau, T. (2001a). A review of analytical techniques for gait data. Part 1: Fuzzy, statistical and fractal methods. *Gait and Posture*, 13(1), 49–66. [https://doi.org/10.1016/S0966-6362\(00\)00094-1](https://doi.org/10.1016/S0966-6362(00)00094-1)
- Chau, T. (2001b). A review of analytical techniques for gait data. Part 2: Neural network and wavelet methods. *Gait and Posture*, 13(2), 102–120. [https://doi.org/10.1016/S0966-6362\(00\)00095-3](https://doi.org/10.1016/S0966-6362(00)00095-3)
- Cheng, P. T., Liaw, M. Y., Wong, M. K., Tang, F. T., Lee, M. Y., & Lin, P. S. (1998). The sit-to-stand movement in stroke patients and its correlation with falling. *Archives of Physical Medicine and Rehabilitation*, 79(9), 1043–1046. [https://doi.org/10.1016/S0003-9993\(98\)90168-X](https://doi.org/10.1016/S0003-9993(98)90168-X)
- Cherng, R. J., Lee, H. Y., & Su, F. C. (2003). Frequency spectral characteristics of standing balance in children and young adults. *Medical Engineering and Physics*, 25(6), 509–515. [https://doi.org/10.1016/S1350-4533\(03\)00049-3](https://doi.org/10.1016/S1350-4533(03)00049-3)
- Chiari, L., Rocchi, L., & Cappello, A. (2002). Stabilometric parameters are affected by anthropometry and foot placement. *Clinical Biomechanics*, 17(9–10), 666–677. [https://doi.org/10.1016/S0268-0033\(02\)00107-9](https://doi.org/10.1016/S0268-0033(02)00107-9)
- Chromá, J. (2016). Risk of falling in pediatric nursing. *Central European Journal of Nursing and Midwifery*, 7(4), 542–548. <https://doi.org/10.15452/CEJNM.2016.07.0027>
- Chung, M. J., & Wang, M. J. J. (2010). The change of gait parameters during walking at different percentage of preferred walking speed for healthy adults aged 20–60 years. *Gait and Posture*, 31(1), 131–135. <https://doi.org/10.1016/j.gaitpost.2009.09.013>
- Ihlen, E. A. F., Goihl, T., Wik, P. B., Sletvold, O., Helbostad, J., & Vereijken, B. (2012). Phase-dependent changes in local dynamic stability of human gait. *Journal of Biomechanics*, 45(13), 2208–2214. <https://doi.org/10.1016/j.jbiomech.2012.06.022>
- Ihlen, E. A. F., Weiss, A., Beck, Y., Helbostad, J. L., & Hausdorff, J. M. (2016). A comparison study of local dynamic stability measures of daily life walking in older adult community-dwelling fallers and non-fallers. *Journal of Biomechanics*, 49(9), 1498–1503. <https://doi.org/10.1016/j.jbiomech.2016.03.019>
- Ihlen, E. A. F., Weiss, A., Bourke, A., Helbostad, J. L., & Hausdorff, J. M. (2016). The complexity of daily life walking in older adult community-dwelling fallers and non-fallers. *Journal of Biomechanics*, 49(9), 1420–1428. <https://doi.org/10.1016/j.jbiomech.2016.02.055>
- Janura, M., Vařeka, I., Lehnert, M., Svoboda, Z., Klugarová, J., Elfmark, M., ... Vařeková, R. (2012). *Metody biomechanické analýzy pohybu*. Olomouc: Univerzita Palackého v Olomouci.

- Janura, M., & Zahálka, F. (2004). *Kinematická analýza pohybu člověka*. Olomouc: Univerzita Palackého v Olomouci.
- Jbabdi, M., Boissy, P., & Hamel, M. (2008). Assessing control of postural stability in community-living older adults using performance-based limits of stability. *BMC Geriatrics*, 8, Article ID 8. <https://doi.org/10.1186/1471-2318-8-8>
- Jian, Y., Winter, D., Ishac, M., & Gilchrist, L. (1993). Trajectory of the body COG and COP during initiation and termination of gait. *Gait and Posture*, 1(1), 9–22. [https://doi.org/10.1016/0966-6362\(93\)90038-3](https://doi.org/10.1016/0966-6362(93)90038-3)
- Joint Commission Resources. (2007). *Staff education tools for the national patient safety goals*. Oak Brook, IL: Author.
- Jurásková, D. (2007). Ekonomické dopady úrazů a pádů u hospitalizovaných seniorů v ČR. *Česká geriatrická revue*, 5(1), 33–40.
- Kantz, H. (1994). A robust method to estimate the maximal Lyapunov exponent of a time series. *Physics Letters A*, 185(1), 77–87. [https://doi.org/10.1016/0375-9601\(94\)90991-1](https://doi.org/10.1016/0375-9601(94)90991-1)
- Katz-Leurer, M., Fisher, I., Neeb, M., Schwartz, I., & Carmeli, E. (2009). Reliability and validity of the modified functional reach test at the sub-acute stage post-stroke. *Disability and Rehabilitation*, 31(3), 243–248. <https://doi.org/10.1080/09638280801927830>
- Keller, T. S., Weisberger, A. M., Ray, J. L., Hasan, S. S., Shiavi, R. G., & Spengler, D. M. (1996). Relationship between vertical ground reaction force and speed during walking, slow jogging, and running. *Clinical Biomechanics*, 11(5), 253–259. [https://doi.org/10.1016/0268-0033\(95\)00068-2](https://doi.org/10.1016/0268-0033(95)00068-2)
- Kellogg International Work Group. (1987). The prevention of falls in later life. A report of the Kellogg International Work Group on the Prevention of Falls by the Elderly. *Danish Medical Bulletin*, 34(Suppl. 4), 1–24.
- Kemoun, G., Thoumie, P., Boisson, D., & Guieu, J. D. (2002). Ankle dorsiflexion delay can predict falls in the elderly. *Journal of Rehabilitation Medicine*, 34(6), 278–283. <https://doi.org/10.1080/165019702760390374>
- Kerrigan, D. C., Lee, L. W., Collins, J. J., Riley, P. O., & Lipsitz, L. A. (2001). Reduced hip extension during walking: Healthy elderly and fallers versus young adults. *Archives of Physical Medicine and Rehabilitation*, 82(1), 26–30. <https://doi.org/10.1053/apmr.2001.18584>
- Kerrigan, D. C., Todd, M. K., Della Croce, U., Lipsitz, L. A., & Collins, J. J. (1998). Biomechanical gait alterations independent of speed in the healthy elderly: Evidence for specific limiting impairments. *Archives of Physical Medicine and Rehabilitation*, 79(3), 317–322. [https://doi.org/10.1016/S0003-9993\(98\)90013-2](https://doi.org/10.1016/S0003-9993(98)90013-2)
- Kim, C. M., & Eng, J. J. (2003). Symmetry in vertical ground reaction force is accompanied by symmetry in temporal but not distance variables of gait in persons with stroke. *Gait and Posture*, 18(1), 23–28. [https://doi.org/10.1016/S0966-6362\(02\)00122-4](https://doi.org/10.1016/S0966-6362(02)00122-4)
- Kirtley, C. (2006). *Clinical gait analysis*. Washington, DC: Elsevier.
- Klán, J., & Topinková, E. (2003). Pády a jejich rizikové faktory ve stáří. *Česká geriatrická revue*, 2003(2), 38–43.
- Kolarova, B., Janura, M., Svoboda, Z., & Elfmark, M. (2013). Limits of stability in persons with transtibial amputation with respect to prosthetic alignment alterations. *Archives of Physical Medicine and Rehabilitation*, 94(11), 2234–2240. <https://doi.org/10.1016/j.apmr.2013.05.019>
- Kolář, P. et al. (Ed.). (2009). *Rehabilitace v klinické praxi*. Praha: Galén.

- Konrad, H. R., Girardi, M., & Helfert, R. (1999). Balance and aging. *Laryngoscope*, 109(9), 1454–1460. <https://doi.org/10.1097/00005537-199909000-00019>
- Kovacikova, Z., Neumannova, K., Bizovska, L., Rydlova, J., Siska, M., & Janura, M. (2016). Postural stability in school-age children with mild bronchial asthma disease (a pilot study). *Journal of Asthma*, 53(1), 11–14. <https://doi.org/10.3109/02770903.2015.1038391>
- Králíček, P. (2011). *Úvod do speciální neurofyzologie* (3rd ed.). Praha: Galén.
- Kurz, M. J., Arpin, D. J., & Corr, B. (2012). Differences in the dynamic gait stability of children with cerebral palsy and typically developing children. *Gait and Posture*, 36(3), 600–604. <https://doi.org/10.1016/j.gaitpost.2012.05.029>
- Lackner, J. R., & DiZio, P. (2005). Vestibular, proprioceptive, and haptic contributions to spatial orientation. *Annual Review of Psychology*, 56, 115–147. <https://doi.org/10.1146/annurev.psych.55.090902.142023>
- Lafond, D., Corriveau, H., Hébert, R., & Prince, F. (2004). Intrassession reliability of center of pressure measures of postural steadiness in healthy elderly people. *Archives of Physical Medicine and Rehabilitation*, 85(6), 896–901. <https://doi.org/10.1016/j.apmr.2003.08.089>
- Latash, M. (2008). *Neurophysiological basis of movement* (2nd ed.). Champaign, IL: Human Kinetics.
- Laughton, C. A., Slavin, M., Katdare, K., Nolan, L., Bean, J. F., Kerrigan, D. C., ... Collins, J. J. (2003). Aging, muscle activity, and balance control: Physiologic changes associated with balance impairment. *Gait and Posture*, 18(2), 101–108. [https://doi.org/10.1016/S0966-6362\(02\)00200-X](https://doi.org/10.1016/S0966-6362(02)00200-X)
- Ledin, T., Fransson, P. A., & Magnusson, M. (2004). Effects of postural disturbances with fatigued triceps surae muscles or with 20% additional body weight. *Gait and Posture*, 19(2), 184–193. [https://doi.org/10.1016/S0966-6362\(03\)00061-4](https://doi.org/10.1016/S0966-6362(03)00061-4)
- Liaw, M. Y., Chen, C. L., Pei, Y. C., Leong, C. P., & Lau, Y. C. (2009). Comparison of the static and dynamic balance performance in young, middle-aged, and elderly healthy people. *Chang Gung Medical Journal*, 32(3), 297–304.
- Lobotková, J. (2015). *Senzorická regulácia chôdze* (Dizertační práce). Univerzita Komenského v Bratislave, Lekárska fakulta, Bratislava.
- Lonner, J. H., & Koval, K. J. (1995). Polytrauma in the elderly. *Clinical Orthopaedics and Related Research*, 318, 136–143.
- Maki, B. E., Holliday, P. J., & Topper, A. K. (1994). A prospective study of postural balance and risk of falling in an ambulatory and independent elderly population. *Journals of Gerontology*, 49(2), M72–M84.
- Maki, B. E., & McIlroy, W. E. (1997). The role of limb movements in maintaining upright stance: The ‘change- in-support’ strategy. *Physical Therapy*, 77(5), 488–507.
- Mancini, M., & Horak, F. B. (2010). The relevance of clinical balance assessment tools to differentiate balance deficits. *European Journal of Physical and Rehabilitation Medicine*, 46(2), 239–248.
- Massion, J., & Woollacott, M. H. (1996). Posture and equilibrium. In A. M. Bronstein, T. Brandt & M. H. Woollacott (Eds.), *Clinical disorders of balance, posture and gait* (pp. 1–18). London: Arnold.
- Mathias, S., Nayak, U. S. L., & Isaacs, B. (1986). Balance in elderly patients: The ‘get-up and go’ test. *Archives of Physical Medicine and Rehabilitation*, 67(6), 387–389.


- Maurer, C., Mergner, T., Bolha, B., & Hlavacka, F. (2000). Vestibular, visual, and somatosensory contributions to human control of upright stance. *Neuroscience Letters*, 281(2–3), 99–102. [https://doi.org/10.1016/S0304-3940\(00\)00814-4](https://doi.org/10.1016/S0304-3940(00)00814-4)
- Means, K. M., Rodell, D. E., O'Sullivan, P. S., & Cranford, L. A. (1996). Rehabilitation of elderly fallers: Pilot study of a low to moderate intensity exercise program. *Archives of Physical Medicine and Rehabilitation*, 77(10), 1030–1036. [https://doi.org/10.1016/S0003-9993\(96\)90064-7](https://doi.org/10.1016/S0003-9993(96)90064-7)
- Melzer, I., Benjuya, N., & Kaplanski, J. (2004). Postural stability in the elderly: A comparison between fallers and non-fallers. *Age and Ageing*, 33(6), 602–607. <https://doi.org/10.1093/ageing/afh218>
- Melzer, I., Kurz, I., & Oddsson, L. I. E. (2010). A retrospective analysis of balance control parameters in elderly fallers and non-fallers. *Clinical Biomechanics*, 25(10), 984–988. <https://doi.org/10.1016/j.clinbiomech.2010.07.007>
- Menz, H. B., Lord, S. R., & Fitzpatrick, R. C. (2003). Acceleration patterns of the head and pelvis when walking on level and irregular surfaces. *Gait and Posture*, 18(1), 35–46. [https://doi.org/10.1016/S0966-6362\(02\)00159-5](https://doi.org/10.1016/S0966-6362(02)00159-5)
- Mergner, T., Schweigart, G., Maurer, C., & Blümle, A. (2005). Human postural responses to motion of real and virtual visual environments under different support base conditions. *Experimental Brain Research*, 167(4), 535–556. <https://doi.org/10.1007/s00221-005-0065-3>
- Ministerstvo zdravotnictví České republiky. (2015). *Věstník č. 16/2015*. Retrieved from http://www.mzcr.cz/Legislativa/dokumenty/vestnik-c16/2015_10927_3242_11.html
- Mori, S. (1990). Reflexes, synergies, strategies. In T. Brandt et al. (Eds.), *Disorders of posture and gait* (pp. 76–81). Stuttgart: Georg Thieme.
- Morris, E. V., & Isaacs, B. (1980). The prevention of falls in a geriatric hospital. *Age and Ageing*, 9(3), 181–185. <https://doi.org/10.1093/ageing/9.3.181>
- Morse, J. M. (2002). Enhancing the safety of hospitalization by reducing patient falls. *American Journal of Infection Control*, 30(6), 376–380. <https://doi.org/10.1067/mic.2002.125808>
- Mortaza, N., Abu Osman, N. A., & Mehdikhani, N. (2014). Are the spatio-temporal parameters of gait capable of distinguishing a faller from a non-faller elderly? *European Journal of Physical and Rehabilitation Medicine*, 50(6), 677–691.
- Mosenthal, A. C., Livingston, D. H., Elcavage, J., Merritt, S., & Stucker, S. (1995). Falls: Epidemiology and strategies for prevention. *Journal of Trauma – Injury, Infection and Critical Care*, 38(5), 753–756. <https://doi.org/10.1097/00005373-199505000-00013>
- Nakamura, D. M., Holm, M. B., & Wilson, A. (1998). Measures of balance and fear of falling in the elderly: A review. *Physical and Occupational Therapy in Geriatrics*, 15(4), 17–32. https://doi.org/10.1300/J148V15N04_02
- Nashner, L. M., & McCollum, G. (1985). The organization of human postural movements: A formal basis and experimental synthesis. *Behavioral and Brain Sciences*, 8(1), 135–150. <https://doi.org/10.1017/S0140525X00020008>
- Negahban, H., Sanjari, M. A., Karimi, M., & Parnianpour, M. (2016). Complexity and variability of the center of pressure time series during quiet standing in patients with knee osteoarthritis. *Clinical Biomechanics*, 32, 280–285. <https://doi.org/10.1016/j.clinbiomech.2015.10.011>
- Negahban, H., Sanjari, M. A., Mofateh, R., & Parnianpour, M. (2013). Nonlinear dynamical structure of sway path during standing in patients with multiple sclerosis and in healthy

- controls is affected by changes in sensory input and cognitive load. *Neuroscience Letters*, 553, 126–131. <https://doi.org/10.1016/j.neulet.2013.08.024>
- Neumannová, K., Janura, M., Kováčiková, Z., Svoboda, Z., & Jakubec, L. (2015). *Analýza chůze u osob s chronickou obstrukční plicní nemocí*. Olomouc: Univerzita Palackého v Olomouci.
- Neumannová, K., Svoboda, Z., Zatloukal, J., Sedlák, V., Plutinský, M., Bizovská, L., ... Koblížek, V. (2017). Poruchy rovnováhy u nemocných s chronickou obstrukční plicní nemocí. *Studia pneumologica et phthiseologica*, 77(3), 110–114.
- Newton, R. A. (2001). Validity of the multi-directional reach test: A practical measure for limits of stability in older adults. *Journals of Gerontology. Series A: Biological Sciences and Medical Sciences*, 56(4), M248–M252. <https://doi.org/10.1093/gerona/56.4.M248>
- Nilsson, J., & Thorstensson, A. (1989). Ground reaction forces at different speeds of human walking and running. *Acta Physiologica Scandinavica*, 136(2), 217–227. <https://doi.org/10.1111/j.1748-1716.1989.tb08655.x>
- Ohde, S., Terai, M., Oizumi, A., Takahashi, O., Deshpande, G. A., Takekata, M., ... Fukui, T. (2012). The effectiveness of a multidisciplinary QI activity for accidental fall prevention: Staff compliance is critical. *BMC Health Services Research*, 12(1), Article ID 197. <https://doi.org/10.1186/1472-6963-12-197>
- Oliveira, L. F., Simpson, D. M., & Nadal, J. (1996). Calculation of area of stabilometric signals using principal component analysis. *Physiological Measurement*, 17(4), 305–312. <https://doi.org/10.1088/0967-3334/17/4/008>
- Otová, B., & Mihalová, R. (2012). *Základy biologie a genetiky člověka*. Praha: Karolinum.
- Paillard, T., & Noé, F. (2006). Effect of expertise and visual contribution on postural control in soccer. *Scandinavian Journal of Medicine and Science in Sports*, 16(5), 345–348. <https://doi.org/10.1111/j.1600-0838.2005.00502.x>
- Park, R.-Y., Kee, H.-S., Kang, J.-H., Lee, S.-J., Yoon, S.-R., & Jung, K.-I. (2011). Effect of dominant versus non-dominant vision in postural control. *Annals of Rehabilitation Medicine*, 35(3), 427–431. <https://doi.org/10.5535/arm.2011.35.3.427>
- Patchay, S., Gahéry, Y., & Serratrice, G. (2002). Early postural adjustments associated with gait initiation and age-related walking difficulties. *Movement Disorders*, 17(2), 317–326. <https://doi.org/10.1002/mds.10074>
- Peel, N. M., McClure, R. J., & Hendrikz, J. K. (2006). Health-protective behaviours and risk of fall-related hip fractures: A population-based case-control study. *Age and Ageing*, 35(5), 491–497. <https://doi.org/10.1093/ageing/afl056>
- Peng, C. K., Mietus, J., Hausdorff, J. M., Havlin, S., Stanley, H. E., & Goldberger, A. L. (1993). Long-range anticorrelations and non-Gaussian behavior of the heartbeat. *Physical Review Letters*, 70(9), 1343–1346. <https://doi.org/10.1103/PhysRevLett.70.1343>
- Peterka, R. J., & Loughlin, P. J. (2004). Dynamic regulation of sensorimotor integration in human postural control. *Journal of Neurophysiology*, 91(1), 410–423. <https://doi.org/10.1152/jn.00516.2003>
- Pincus, S. M. (1991). Approximate entropy as a measure of system complexity. *Proceedings of the National Academy of Sciences of the United States of America*, 88(6), 2297–2301.
- Podsiadlo, D., & Richardson, S. (1991). The Timed “Up & Go”: A test of basic functional mobility for frail elderly persons. *Journal of the American Geriatrics Society*, 39(2), 142–148. <https://doi.org/10.1111/j.1532-5415.1991.tb01616.x>

- Prieto, T. E., Myklebust, J. B., Hoffmann, R. G., Lovett, E. G., & Myklebust, B. M. (1996). Measures of postural steadiness: Differences between healthy young and elderly adults. *IEEE Transactions on Biomedical Engineering*, 43(9), 956–966. <https://doi.org/10.1109/10.532130>
- Proske, U., & Gandevia, S. C. (2009). The kinaesthetic senses. *Journal of Physiology*, 587(17), 4139–4146. <https://doi.org/10.1113/jphysiol.2009.175372>
- Public Health Agency of Canada. (2005). *Report on seniors' falls in Canada*. Retrieved from <http://publications.gc.ca/collections/Collection/HP25-1-2005E.pdf>
- Pyykkö, I., Aalto H., Hytönen, M., Starck, J., Jäntti, P., & Ramsay, H. (1988). Effect of age on postural control. In B. Amblard, A. Berthoz, & F. Clarac (Eds.), *Posture and gait: Development, adaptation and modulation*. Amsterdam: Excerpta Medica.
- Ragnarsdóttir, M. (1996). The concept of balance. *Physiotherapy*, 82(6), 368–375. [https://doi.org/https://doi.org/10.1016/S0031-9406\(05\)66484-X](https://doi.org/https://doi.org/10.1016/S0031-9406(05)66484-X)
- Ramdani, S., Tallon, G., Bernard, P. L., & Blain, H. (2013). Recurrence quantification analysis of human postural fluctuations in older fallers and non-fallers. *Annals of Biomedical Engineering*, 41(8), 1713–1725. <https://doi.org/10.1007/s10439-013-0790-x>
- Raymakers, J. A., Samson, M. M., & Verhaar, H. J. J. (2005). The assessment of body sway and the choice of the stability parameter(s). *Gait and Posture*, 21(1), 48–58. <https://doi.org/10.1016/j.gaitpost.2003.11.006>
- Richman, J. S., & Moorman, J. R. (2000). Physiological time-series analysis using approximate and sample entropy. *American Journal of Physiology – Heart and Circulatory Physiology*, 278(47–6), H2039–H2049.
- Rispens, S. M., Pijnappels, M., van Schooten, K. S., Beek, P. J., Daffertshofer, A., & van Dieën, J. H. (2014). Consistency of gait characteristics as determined from acceleration data collected at different trunk locations. *Gait and Posture*, 40(1), 187–192. <https://doi.org/10.1016/j.gaitpost.2014.03.182>
- Riva, F., Bisi, M. C., & Stagni, R. (2014). Gait variability and stability measures: Minimum number of strides and within-session reliability. *Computers in Biology and Medicine*, 50, 9–13. <https://doi.org/10.1016/j.combiomed.2014.04.001>
- Riva, F., Toebes, M. J. P., Pijnappels, M., Stagni, R., & van Dieën, J. H. (2013). Estimating fall risk with inertial sensors using gait stability measures that do not require step detection. *Gait and Posture*, 38(2), 170–174. <https://doi.org/10.1016/j.gaitpost.2013.05.002>
- Rosengren, K. S., Rajendran, K., Contakos, J., Chuang, L. L., Peterson, M., Doyle, R., & McAuley, E. (2007). Changing control strategies during standard assessment using computerized dynamic posturography with older women. *Gait and Posture*, 25(2), 215–221. <https://doi.org/10.1016/j.gaitpost.2006.03.009>
- Rosenstein, M. T., Collins, J. J., & De Luca, C. J. (1993). A practical method for calculating largest Lyapunov exponents from small data sets. *Physica D: Nonlinear Phenomena*, 65(1–2), 117–134. [https://doi.org/10.1016/0167-2789\(93\)90009-P](https://doi.org/10.1016/0167-2789(93)90009-P)
- Rubenstein, L. Z. (2006). Falls in older people: Epidemiology, risk factors and strategies for prevention. *Age and Ageing*, 35(Suppl. 2), ii37–ii41. <https://doi.org/10.1093/ageing/afl084>
- Rubenstein, L. Z., Robbins, A. S., Josephson, K. R., Schulman, B. L., & Osterweil, D. (1990). The value of assessing falls in an elderly population: A randomized clinical trial. *Annals of Internal Medicine*, 113(4), 308–316.
- Ruhe, A., Fejer, R., & Walker, B. (2010). The test-retest reliability of centre of pressure measures in bipedal static task conditions – a systematic review of the literature. *Gait and Posture*, 32(4), 436–445. <https://doi.org/10.1016/j.gaitpost.2010.09.012>

- Růžička, E. (2005). Poruchy chůze a pády. *Sanquis*, 37, 36.
- Scott, V., Pearce, M., & Pengelly, C. (2005). *Technical report: Hospitalizations due to falls among Canadians age 65 and over*. Retrieved from http://www.phac-aspc.gc.ca/seniors-aines/alt-formats/pdf/publications/pro/injury-blessure/seniors_falls/technical-report-hospitalizations_e.pdf
- Seigle, B., Ramdani, S., & Bernard, P. L. (2009). Dynamical structure of center of pressure fluctuations in elderly people. *Gait and Posture*, 30(2), 223–226. <https://doi.org/10.1016/j.gaitpost.2009.05.005>
- Shumway-Cook, A., Baldwin, M., Polissar, N. L., & Gruber, W. (1997). Predicting the probability for falls in community-dwelling older adults. *Physical Therapy*, 77(8), 812–819. <https://doi.org/10.1093/ptj/77.8.812>
- Shumway-Cook, A., Brauer, S., & Woollacott, M. (2000). Predicting the probability for falls in community-dwelling older adults using the timed up and go test. *Physical Therapy*, 80(9), 896–903. <https://doi.org/10.1093/ptj/80.9.896>
- Shumway-Cook, A., & Woollacott, M. H. (2000). *Motor control: Theory and practical applications* (2nd ed.). Baltimore, MD: Lippincott Williams & Wilkins.
- Shumway-Cook, A., & Woollacott, M. H. (2011). *Motor control: Translating research into clinical practice* (4th ed.). Philadelphia, PA: Lippincott Williams & Wilkins.
- Shupert, C. L., & Horak, F. B. (1999). Adaptation of postural control in normal and pathologic aging: Implications for fall prevention programs. *Journal of Applied Biomechanics*, 15(1), 64–74.
- Schmid, M., Casabianca, L., Bottaro, A., & Schieppati, M. (2008). Graded changes in balancing behavior as a function of visual acuity. *Neuroscience*, 153(4), 1079–1091. <https://doi.org/10.1016/j.neuroscience.2008.03.024>
- Schwartz, M. H., Rozumalski, A., & Trost, J. P. (2008). The effect of walking speed on the gait of typically developing children. *Journal of Biomechanics*, 41(8), 1639–1650. <https://doi.org/10.1016/j.jbiomech.2008.03.015>
- Skelton, D. A., & Beyer, N. (2003). Exercise and injury prevention in older people. *Scandinavian Journal of Medicine and Science in Sports*, 13(1), 77–85. <https://doi.org/10.1034/j.1600-0838.2003.00300.x>
- Smidt, G. L., Arora, J. S., & Johnston, R. C. (1971). Accelerographic analysis of several types of walking. *American Journal of Physical Medicine*, 50(6), 285–300.
- Soderberg, G. (1997). *Kinesiology: Application to pathological motion* (2nd ed.). Baltimore, MD: Williams & Wilkins.
- Springer, B. A., Marin, R., Cyhan, T., Roberts, H., & Gill, N. W. (2007). Normative values for the unipedal stance test with eyes open and closed. *Journal of Geriatric Physical Therapy*, 30(1), 8–15. <https://doi.org/10.1519/00139143-200704000-00003>
- Stalenoef, P. A., Diederiks, J. P. M., Knottnerus, J. A., Kester, A. D. M., & Crebolder, H. F. J. M. (2002). A risk model for the prediction of recurrent falls in community-dwelling elderly: A prospective cohort study. *Journal of Clinical Epidemiology*, 55(11), 1088–1094. [https://doi.org/10.1016/S0895-4356\(02\)00502-4](https://doi.org/10.1016/S0895-4356(02)00502-4)
- Steffen, T. M., Hacker, T. A., & Mollinger, L. (2002). Age- and gender-related test performance in community-dwelling elderly people: Six-Minute Walk Test, Berg Balance Scale, Timed Up & Go Test, and gait speeds. *Physical Therapy*, 82(2), 128–137.

- Stergiou, N., Giakas, G., Byrne, J. E., & Pomeroy, V. (2002). Frequency domain characteristics of ground reaction forces during walking of young and elderly females. *Clinical Biomechanics*, 17(8), 615–617. [https://doi.org/10.1016/S0268-0033\(02\)00072-4](https://doi.org/10.1016/S0268-0033(02)00072-4)
- Svoboda, Z., Bizovska, L., Janura, M., Kubonova, E., Janurova, K., & Vuillerme, N. (2017). Variability of spatial temporal gait parameters and center of pressure displacements during gait in elderly fallers and nonfallers: A 6-month prospective study. *PloS One*, 12(2), Article ID e0171997. <https://doi.org/10.1371/journal.pone.0171997>
- Svoboda, Z., & Janura, M. (2010). Využití 3D kinematické analýzy chůze pro potřeby rehabilitace – systém VICON MX. *Rehabilitace a fyzikální lékařství*, 17(1), 26–31.
- Svoboda, Z., Janura, M., Cabell, L., & Elfmark, M. (2012). Variability of kinetic variables during gait in unilateral transtibial amputees. *Prosthetics and Orthotics International*, 36(2), 225–230. <https://doi.org/10.1177/0309364612439572>
- Svobodová, D. (2013). *Sledování pádů u hospitalizovaných pacientů v letech 2011–2012*. Retrieved from http://www.cnn.cz/docs/tiskoviny/zaverecna_zprava_2011_2012-91b6f.pdf
- Sylos Labini, F., Meli, A., Ivanenko, Y. P., & Tufarelli, D. (2012). Recurrence quantification analysis of gait in normal and hypovestibular subjects. *Gait and Posture*, 35(1), 48–55. <https://doi.org/10.1016/j.gaitpost.2011.08.004>
- Šenkárová, Z. (2012). Management pádů v ošetrovatelství. *Sestra*, 22(9), 36–37.
- Tang, P. F., & Woollacott, M. H. (1996). Balance control in the elderly. In A. M. Bronstein, T. Brandt, & M. Woollacott (Eds.), *Clinical disorders of balance, posture and gait* (pp. 268–284). London: Arnold.
- Teplá, L., Janura, M., Svoboda, Z., & Zemková, E. (2016). Slackline a jeho možnosti využití v rehabilitační terapii. *Rehabilitácia*, 53(3), 163–173.
- Teplá, L., Procházková, M., Svoboda, Z., & Janura, M. (2014). Kinematic analysis of the gait in professional ballet dancers. *Acta Gymnica*, 44(2), 85–91. <https://doi.org/10.5507/ag.2014.009>
- Teranishi, T., Kondo, I., Sonoda, S., Wada, Y., Miyasaka, H., Tanino, G., ... Saitoh, E. (2011). Validity study of the standing test for imbalance and disequilibrium (SIDE): Is the amount of body sway in adopted postures consistent with item order? *Gait and Posture*, 34(3), 295–299. <https://doi.org/10.1016/j.gaitpost.2011.05.007>
- Terrier, P., & Reynard, F. (2015). Effect of age on the variability and stability of gait: A cross-sectional treadmill study in healthy individuals between 20 and 69 years of age. *Gait and Posture*, 41(1), 170–174. <https://doi.org/10.1016/j.gaitpost.2014.09.024>
- Thompson, C., Bélanger, M., & Fung, J. (2011). Effects of plantar cutaneo-muscular and tendon vibration on posture and balance during quiet and perturbed stance. *Human Movement Science*, 30(2), 153–171. <https://doi.org/10.1016/j.humov.2010.04.002>
- Tiedemann, A., Shimada, H., Sherrington, C., Murray, S., & Lord, S. (2008). The comparative ability of eight functional mobility tests for predicting falls in community-dwelling older people. *Age and Ageing*, 37(4), 430–435. <https://doi.org/10.1093/ageing/afn100>
- Tinetti, M. E. (1986). Performance-oriented assessment of mobility problems in elderly patients. *Journal of the American Geriatrics Society*, 34(2), 119–126. <https://doi.org/10.1111/j.1532-5415.1986.tb05480.x>
- Tinetti, M. E. (1987). Factors associated with serious injury during falls by ambulatory nursing home residents. *Journal of the American Geriatrics Society*, 35(7), 644–648. <https://doi.org/10.1111/j.1532-5415.1987.tb04341.x>



- Tinetti, M. E., Franklin Williams, T., & Mayewski, R. (1986). Fall risk index for elderly patients based on number of chronic disabilities. *American Journal of Medicine*, 80(3), 429–434. [https://doi.org/10.1016/0002-9343\(86\)90717-5](https://doi.org/10.1016/0002-9343(86)90717-5)
- Tinetti, M. E., & Williams, C. S. (1997). Falls, injuries due to falls, and the risk of admission to a nursing home. *New England Journal of Medicine*, 337(18), 1279–1284. <https://doi.org/10.1056/NEJM199710303371806>
- Tjernström, F., Fransson, P. A., Patel, M., & Magnusson, M. (2010). Postural control and adaptation are influenced by preceding postural challenges. *Experimental Brain Research*, 202(3), 613–621. <https://doi.org/10.1007/s00221-010-2166-x>
- Toebe, M. J. P., Hoozemans, M. J. M., Furrer, R., Dekker, J., & Van Dieën, J. H. (2012). Local dynamic stability and variability of gait are associated with fall history in elderly subjects. *Gait and Posture*, 36(3), 527–531. <https://doi.org/10.1016/j.gaitpost.2012.05.016>
- Topinková, E. (2005). *Geriatric pro praxi*. Praha: Galén.
- Topinková, E., & Neuwirth, J. (1996). Poruchy chůze a mobility, pády ve stáří. *AMI Report*, 4(3), 38–42.
- Trew, M., & Everett, T. (1997). *Human movement* (3rd ed.). New York, NY: Churchill Livingstone.
- Trojan, S., Druga, R., & Pfeiffer, J. (1991). *Centrální mechanismy řízení motoriky: teorie, poruchy a léčebná rehabilitace* (2nd ed.). Praha: Avicenum.
- Uemura, K., Yamada, M., Nagai, K., Shinya, M., & Ichihashi, N. (2012). Effect of dual-tasking on the center of pressure trajectory at gait initiation in elderly fallers and non-fallers. *Aging Clinical and Experimental Research*, 24(2), 152–156.
- Uchiyama, M., & Demura, S. (2007). Influence of changes in visual acuity under various visual field conditions on the spectral characteristics of center of pressure sway. *Journal of Sports Medicine and Physical Fitness*, 47(2), 210–216.
- Ústav ošetrovatelství a porodní asistence, Lékařská fakulta, Ostravská univerzita v Ostravě. (2014). *Prevence pádů a zranění způsobených pády u starších dospělých*. Retrieved from <http://dokumenty.osu.cz/lf/uom/uom-publikace/kdp-pady-plna-verze.pdf>
- Ústav zdravotnických informací a statistiky České republiky. (2012). *Hospitalizovaní v nemocnicích ČR 2012*. Retrieved from <http://www.uzis.cz/publikace/hospitalizovani-nemocnicich-cr-2012>
- Vařeka, I. (2002a). Posturální stabilita (I. část). Terminologie a biomechanické principy. *Rehabilitace a fyzikální lékařství*, 9(4), 115–121.
- Vařeka, I. (2002b). Posturální stabilita (II. část). Řízení, zajištění, vývoj, vyšetření. *Rehabilitace a fyzikální lékařství*, 9(4), 122–129.
- Vaverka, F., Elfmark, M., Svoboda, Z., & Janura, M. (2015). System of gait analysis based on ground reaction force assessment. *Acta Gymnica*, 45(4), 187–193. <https://doi.org/10.5507/ag.2015.022>
- Véle, F. (1995). *Kineziologie posturálního systému*. Praha: Karolinum.
- Véle, F. (1997). *Kineziologie pro klinickou praxi*. Praha: Grada.
- Véle, F. (2006). *Kineziologie* (2nd ed.). Praha: Triton.
- Véle, F., Čumpelík, J., & Pavlů, D. (2001). Úvaha nad problémem „stability“ ve fyzioterapii. *Rehabilitace a fyzikální lékařství*, 8(3), 103–105.
- Vellas, B. J., Wayne, S. J., Romero, L., Baumgartner, R. N., Rubenstein, L. Z., & Garry, P. J. (1997). One-leg balance is an important predictor of injurious falls in older persons. *Journal of the American Geriatrics Society*, 45(6), 735–738.

- Villafañe, J. H., Pirali, C., Buraschi, R., Arienti, C., Corbellini, C., & Negrini, S. (2015). Moving forward in fall prevention: An intervention to improve balance among patients in a quasi-experimental study of hospitalized patients. *International Journal of Rehabilitation Research*, 38(4), 313–319. <https://doi.org/10.1097/MRR.0000000000000128>
- Vrabec, P., Lischkeová, B., Světlík, M., & Skřivan, J. (2002). *Rovnovážný systém I. – obecná část*. Praha: Triton.
- Vuillerme, N., Burdet, C., Isableu, B., & Demetz, S. (2006). The magnitude of the effect of calf muscles fatigue on postural control during bipedal quiet standing with vision depends on the eye-visual target distance. *Gait and Posture*, 24(2), 169–172. <https://doi.org/10.1016/j.gaitpost.2005.07.011>
- Vuillerme, N., Pinsault, N., & Vaillant, J. (2005). Postural control during quiet standing following cervical muscular fatigue: Effects of changes in sensory inputs. *Neuroscience Letters*, 378(3), 135–139. <https://doi.org/10.1016/j.neulet.2004.12.024>
- Watkins, J. (2010). *Structure and function of the musculoskeletal system* (2nd ed.). Champaign, IL: Human Kinetics.
- Weiner, D. K., Duncan, P. W., Chandler, J., & Studenski, S. A. (1992). Functional reach: A marker of physical frailty. *Journal of the American Geriatrics Society*, 40(3), 203–207. <https://doi.org/10.1111/j.1532-5415.1992.tb02068.x>
- Whittle, M. W. (1997). Three-dimensional motion of the center of gravity of the body during walking. *Human Movement Science*, 16(2–3), 347–355.
- Wight, D. L., Kubica, E. G., & Wang, D. W. L. (2007). Introduction of the foot placement estimator: A dynamic measure of balance for bipedal robotics. *Journal of Computational and Nonlinear Dynamics*, 3(1), Article ID 011009. <https://doi.org/10.1115/1.2815334>
- Wikstrom, E. A., Tillman, M. D., Smith, A. N., & Borsa, P. A. (2005). A new force-plate technology measure of dynamic postural stability: The dynamic postural stability index. *Journal of Athletic Training*, 40(4), 305–309.
- Winter, D. A. (1990). *Biomechanics and motor control of human movement* (2nd ed.). New York, NY: John Wiley and Sons.
- Winter, D. A. (1995a). A. B. C. (*Anatomy, Biomechanics and Control*) of balance during standing and walking. Waterloo: University of Waterloo.
- Winter, D. A. (1995b). Human balance and posture control during standing and walking. *Gait and Posture*, 3(4), 193–214. [https://doi.org/10.1016/0966-6362\(96\)82849-9](https://doi.org/10.1016/0966-6362(96)82849-9)
- Winter, D. A., Patla, A. E., & Frank, J. S. (1990). Assessment of balance control in humans. *Medical Progress through Technology*, 16(1–2), 31–51.
- World Health Organization. (2007). *WHO global report on falls prevention in older age*. Retrieved from http://www.who.int/entity/ageing/publications/Falls_prevention7March.pdf
- World Health Organization. (2017). *Falls*. Retrieved from <http://www.who.int/mediacentre/factsheets/fs344/en/>
- Wrisley, D. M., & Kumar, N. A. (2010). Functional gait assessment: Concurrent, discriminative, and predictive validity in community-dwelling older adults. *Physical Therapy*, 90(5), 761–773. <https://doi.org/10.2522/ptj.20090069>
- Wrisley, D. M., Marchetti, G. F., Kuharsky, D. K., & Whitney, S. L. (2004). Reliability, internal consistency, and validity of data obtained with the functional gait assessment. *Physical Therapy*, 84(10), 906–918.

- Yentes, J. M., Hunt, N., Schmid, K. K., Kaipust, J. P., McGrath, D., & Stergiou, N. (2013). The appropriate use of approximate entropy and sample entropy with short data sets. *Annals of Biomedical Engineering*, 41(2), 349–365. <https://doi.org/10.1007/s10439-012-0668-3>
- Zákon č. 372/2011 Sb., o zdravotních službách a podmínkách jejich poskytování (zákon o zdravotních službách). (2011). In *Sbírka zákonů České republiky, částka 131*. Praha: Ministerstvo vnitra České republiky.
- Zbilut, J. P., & Webber, C. L., Jr. (1992). Embeddings and delays as derived from quantification of recurrence plots. *Physics Letters A*, 171(3–4), 199–203. [https://doi.org/10.1016/0375-9601\(92\)90426-M](https://doi.org/10.1016/0375-9601(92)90426-M)
- Zecevic, A. A., Salmoni, A. W., Speechley, M., & Vandervoort, A. A. (2006). Defining a fall and reasons for falling: Comparisons among the views of seniors, health care providers, and the research literature. *Gerontologist*, 46(3), 367–376.
- Zeleníková, R., Kozáková, R., & Jarošová, D. (2015). Intervence v prevenci pádů seniorů v institucích: Přehledová studie. *Praktický lékař*, 95(1), 20–30.
- Zijlstra, W., & Hof, A. L. (2003). Assessment of spatio-temporal gait parameters from trunk accelerations during human walking. *Gait and Posture*, 18(2), 1–10. [https://doi.org/10.1016/S0966-6362\(02\)00190-X](https://doi.org/10.1016/S0966-6362(02)00190-X)
- Zuckerman, J. D. (1996). Hip fracture. *New England Journal of Medicine*, 334(23), 1519–1525. <https://doi.org/10.1056/NEJM199606063342307>