

8 REFERENCES

- Aadland, E. & Johannessen, K. (2015). Agreement of objectively measured physical activity and sedentary time in preschool children. *Preventive Medicine Reports*, 2, 635–639. <http://dx.doi.org/10.1016/j.pmedr.2015.07.009>
- Ainsworth, B. E., Haskell, W. L., Whitt, M. C., Irwin, M. L., Swartz, A. M., Strath, S. J., O'Brien, W. L., Bassett, D. R. Jr., Schmitz, K. H., Emplainscourt, P. O., Jacobs, D. R. Jr., & Leon, A. S. (2000). Compendium of physical activities: An update of activity codes and MET intensities. *Medicine and Science in Sports and Exercise*, 32(suppl 9), S498-S516.
- Alderman, B. L., Benham-Deal, T. B., & Jenkins, J. M. (2010). Change in parental influence on children's physical activity over time. *Journal of Physical Activity and Health*, 7(1), 60–67.
- Andersen, N., & Wold, B. (1992). Parental and peer influences on leisure-time physical activity in young adolescents. *Research Quarterly for Exercise and Sport*, 63(4), 341–348. <http://dx.doi.org/10.1080/02701367.1992.10608754>
- Anderson, D. R., Field, D. E., Collins, P. A., Lorch, E. P., & Nathan, J. G. (1985). Estimates of young children's time with television: A methodological comparison of parent reports with time-lapse video home observation. *Child Development*, 56(5), 1345–1357.
- Anderson, P., & Butcher, K. F. (2006). Childhood obesity: Trends and potential causes. *The Future of Children*, 16(1), 19–45.
- Australian Government, Department of Health and Ageing. (AGDHA). (2013). Get up and grow: Healthy eating and physical activity for early childhood. Staf and carer book. <http://www.health.gov.au/internet/main/publishing.nsf/Content/phd-gug-staffcarers>
- Baquet, G., Stratton, G., van Praagh, E., & Berthoin, S. (2007). Improving physical activity assessment in prepubertal children with high-frequency accelerometry monitoring: A methodological issue. *Preventive Medicine*, 44(2), 143–147. <http://dx.doi.org/10.1016/j.ypmed.2006.10.004>
- Bandura, A. (1977). *Social learning theory*. New York: General Learning Press.
- Bandura, A. (1986). *Social foundations of thought and action: A social cognitive theory* (1st ed.). Englewood Cliffs, NJ: Prentice Hall.
- Bandura, A. (1997). *Self-efficacy: The exercise of control*. New York: W.H. Freeman.
- Bandura, A. (2001). Social cognitive theory: An agentic perspective. *Annual Review of Psychology*, 52, 1–26. <http://dx.doi.org/10.1146/annurev.psych.52.1.1>
- Barradas, D. T., Fulton, J. E., Blanck, H. M., & Huhman, M. (2007). Parental influences on youth television viewing. *The Journal of Pediatrics*, 151(4), 369–373. <http://dx.doi.org/10.1016/j.jpeds.2007.04.069>
- Beets, M. W., Cardinal, B. J., & Alderman, B. L. (2010). Parental social support and the physical activity-related behaviors of youth: A review. *Health Education and Behavior*, 37(5), 621–644. <http://dx.doi.org/10.1177/1090198110363884>
- Bellisle, F., & Rolland-Cachera, M. F., & Kellogg Scientific Advisory Committee Child and Nutrition. (2007). Three consecutive (1993, 1995, 1997) surveys of food intake, nutritional attitudes and knowledge, and lifestyle in 1000 French children, aged 9–11 years. *Journal of Human Nutrition and Dietetics*, 20(3), 241–251. <http://dx.doi.org/10.1111/j.1365-277X.2007.00773.x>
- Biddle, S. J. H., & Nigg, C. R. (2000). Theories of exercise behavior. *International Journal of Sport Psychology*, 31(2), 290–304.
- Biddle, S. J. H., Atkin, A. J., Cavill, N., & Foster, C. (2011). Correlates of physical activity in youth: A review of quantitative systematic reviews. *International Review of Sport and Exercise Psychology*, 4(1), 25–49. <http://dx.doi.org/10.1080/1750984X.2010.548528>
- Birch, L., Savage, J. S., & Ventura, A. (2007). Influences on the development children's eating behaviours: From infancy to adolescence. *Canadian Journal of Dietetic Practise and Research*, 68(1), S1-S56.
- Bleakley, A., Jordan, A. B., & Hennessey, M. (2013). The relationship between parents' and children's television viewing. *Pediatrics*, 132(2), e364-e371. <http://dx.doi.org/10.1542/peds.2012-3415>

- Bouchard, C., Blair, S. N., & Haskell, W. L. (2007). Why study physical activity and health. In C. Bouchard, S. N. Blair, & W. L. Haskell (Eds.), *Physical activity and health* (pp. 3–19). Champaign, IL: Human Kinetics.
- Bouchard, C., Shephard, R. J., & Stephens, T. (1994). The consensus statement. In C. Bouchard, R. J. Shephard, & T. Stephens (Eds.), *Physical activity, fitness, and health: International proceedings and consensus statement* (pp. 9–76). Champaign, IL: Human Kinetics.
- Bowers, E. P., Geldhof, G. J., Johnson, S. K., Lerner, J. V., & Lerner, R. M. (2014). Special issue introduction: thriving across the adolescent years: a view of the issues. *Journal of Youth and Adolescence*, 43(6), 859–868. <http://dx.doi.org/10.1007/s10964-014-0117-8>
- Branca, F., Nikogosian, H., & Lobstein, T. (Eds.). (2007). *The challenge of obesity in the WHO European region and the strategies for response: Summary*. Copenhagen: WHO Regional Office for Europe.
- Brindova, D., Pavelka, J., Sevcikova, A., Zezula, I., van Dijk, J. P., Reijneveld, S. A., & Geckova, A. M. (2014). How parents can affect excessive spending of time on screen-based activities. *BMC Public Health*, 14:1261. <http://dx.doi.org/10.1186/1471-2458-14-1261>
- Bronfenbrenner, U. (1986). Ecology of the family as a context for human development: Research perspectives. *Developmental Psychology*, 22(6), 723–742. <http://dx.doi.org/10.1037/0012-1649.22.6.723>
- Brown, R., & Ogden, J. (2004). Children's eating attitudes and behaviour: A study of the modelling and control theories of parental influence. *Health Education Research*, 19(3), 261–271. <http://dx.doi.org/10.1093/her/cyg040>
- Brooke, H. L., Corder, K., Atkin, A. J., & van Sluijs, E. M. (2014). A systematic literature review with meta-analyses of within- and between-day differences in objectively measured physical activity in school-aged children. *Sports Medicine*, 44(10), 1427–1438. <http://dx.doi.org/10.1007/s40279-014-0215-5>
- Brusseau, T. A., Kulinna, P. H., Tudor-Locke, C., Ferry, M., van der Mars, H., & Darst, P. W. (2011). Pedometer-determined segmented physical activity patterns of fourth- and fifth-grade children. *Journal of Physical Activity and Health*, 8(2), 279–286.
- Caballero, B., Clay, T., Davis, S. M., Ethelbah, B., Rock, B. H., Lohman, T., Norman, J., Story, M., Stone, E. J., Stephenson, L., & Stevens, J. (2003). Pathways: A school-based, randomized controlled trial for the prevention of obesity in American Indian schoolchildren. *The American Journal of Clinical Nutrition*, 78(5), 1030–1038.
- Cardon, G. & De Bourdeaudhuij, I. (2007). Comparison of pedometer and accelerometer measures of physical activity in preschool children. *Pediatric Exercise Science*, 19(2), 205–214.
- Cardon, G., De Bourdeaudhuij, I., Iotova, V., Latomme, J., Socha, P., Koletzko, B., Moreno, L., Manios, Y., Androutsos, O., De Craemer, M., & ToyBox-study group. (2016). Health related behaviours in normal weight and overweight preschoolers of a large pan-european sample: The ToyBox-Study. *PLoS One*, 11(3), <http://dx.doi.org/10.1371/journal.pone.0150580>
- Carpensen, C. J., Powell, K. E., & Christenson, G. M. (1985). Physical activity, exercise, and physical fitness: Definition and distinctions for health-related research. *Public Health Reports*, 100(2), 126–131.
- Carson, V., Stearns, J., & Janssen, I. (2015). The relationship between parental physical activity and screen time behaviors and the behaviors of their young children. *Pediatric Exercise Science*, 27(3), 390–395. <http://dx.doi.org/10.1123/pes.2014-0214>
- Cerin, E., Baranowski, T., Barnett, A., Butte, N., Hughes, S., Lee, R., E., Mendoza, J. A., Thompson, D., & O'Connor, T. M. (2016). Places where preschoolers are (in)active: An observational study on Latino preschoolers and their parents using objective measures. *International Journal of Behavioral Nutrition and Physical Activity*, 13:29. <http://dx.doi.org/10.1186/s12966-016-0355-0>
- Český statistický úřad. (2010). Domácnosti na trhu práce Ročenka statistiky trhu práce – 2010. Retrieved from <https://www.czso.cz/documents/10180/20568983/311110a05.pdf/90dfc0a1-b5cd-4cef-a305-d611e857eff1?version=1.0>
- Chan, N. P. T., Choi, K. C., Nelson, E. A. S., Sung, R. Y. T., Chan, J. C. N., & Kong, A. P. S. (2013). Self-reported body weight and height: An assessment tool for identifying children with overweight/

- obesity status and cardiometabolic risk factors clustering. *Maternal and Child Health Journal*, 17(2), 282–291. <http://dx.doi.org/10.1007/s10995-012-0972-4>
- Chaput, J. P., Saunders, T. J., Mathieu, M.-È., Henderson, M., Tremblay, M. S., O'Loughlin, J., & Tremblay, A. (2013). Combined association between moderate to vigorous physical activity and sedentary behaviour with cardiometabolic risk factors in children. *Applied Physiology, Nutrition, and Metabolism*, 38(5), 477–483. <http://dx.doi.org/10.1139/apnm-2012-0382>
- Chomistek, A. K., Manson, J. E., Stefanick, M. L., Lu, B., Sands-Lincoln, M., Goings, S. B., Garcia, L., Allison, M. A., Sims, S. T., LaMonte, M., Johnson, K. C., & Eaton, C. B. (2013). Relationship of sedentary behavior and physical activity to incident cardiovascular disease. *Journal of the American College of Cardiology*, 61(23), 2346–2354. <http://dx.doi.org/10.1016/j.jacc.2013.03.031>
- Clark, M. I., Spence, J. C., & Holt, N. (2011). In the shoes of young adolescent girls: Understanding physical activity experiences through interpretive description. *Qualitative Research in Sport and Exercise*, 3(2), 193–210. <http://dx.doi.org/10.1080/2159676X.2011.572180>
- Cleland, V., Timperio, A., Salmon, J., Hume, C., Telford, A., & Crawford, D. (2011). A longitudinal study of the family physical activity environment and physical activity among youth. *American Journal of Health Promotion*, 25(3), 159–167.
- Clemes, S. A. & Biddle, J. H. (2013). The use of pedometers for monitoring physical activity in children and adolescents: Measurement considerations. *Journal of Physical Activity and Health*, 10(2), 249–262.
- Clemes, S. A., Hamilton, S. L., & Griffiths, P. L. (2011). Summer to winter variability in the step counts of normal weight and overweight adults living in the UK. *Journal of Physical Activity and Health*, 8, 36–44.
- Collings, P. J., Brage, S., Ridgway, C. L., Harvey, N. C., Godfrey, K. M., Inskip, H. M., Cooper, C., Wareham, N. J., & Ekelund, U. (2013). Physical activity intensity, sedentary time, and body composition in pre-schoolers. *American Journal of Clinical Nutrition*, 97(5), 1020–1028. <http://dx.doi.org/10.3945/ajcn.112.045088>
- Cooke, L., & Wardle, J. (2005). Age and gender differences in children's food preferences. *British Journal Nutrition*, 93(5), 741–746. <http://dx.doi.org/10.1079/BJN20051389>
- Coon, K. A., Goldberg, J., Rogers, B. L., & Tucker, K. L. (2011). Relationships between use of television during meals and children's food consumption patterns. *Pediatrics*, 107(1), e1565-e1574. <http://dx.doi.org/10.1542/peds.2010-1440>
- Corder, K., Ekelund, U., Steele, M., Wareham, N. J., & Brage, S. (2008). Assessment of physical activity in youth. *Journal of Applied Physiology*, 105(3), 977–987. <http://dx.doi.org/10.1152/jap-physiol.00094.2008>
- Craggs, C., Corder, K., van Sluijs, E. M. F., & Griffin, S. J. (2011). Determinants of change in physical activity in children and adolescents A systematic review. *American Journal of Preventive Medicine*, 40(6), 645–658. <http://dx.doi.org/10.1016/j.amepre.2011.02.025>
- Craig, C. L., Cameron, C., & Tudor-Locke, C. (2013). CANPLAY pedometer normative reference data for 21,271 children and 12,956 adolescents. *Medicine and Science in Sports and Exercise*, 45(1), 123–129. <http://dx.doi.org/10.1249/MSS.0b013e31826a0f3a>
- Craig, C. L., Marshall, A. L., Sjöström, M., Bauman, A. E., Booth, M. L., Ainsworth, B. E., Pratt, U., Ekelund, U., Yngve, A., Sallis, J. F., & Oja, P. (2003). International physical activity questionnaire: 12-country reliability and validity. *Medicine and Science in Sports and Exercise*, 35(8), 1381–1395. <http://dx.doi.org/10.1249/01.MSS.0000078924.61453.FB>
- Craig, L. (2006). Does father care mean fathers share? A comparison of how mothers and fathers in intact families spend time with children. *Gender and Society*, 20(2), 259–281. <http://dx.doi.org/10.1177/0891243205285212>
- Craigie, A. M., Lake, A. A., Kelly, S. A., Adamson, A. J., & Mathers, J. C. (2011). Tracking of obesity-related behaviours from childhood to adulthood: A systematic review. *Maturitas*, 70(3), 266–284. <http://dx.doi.org/10.1016/j.maturitas.2011.08.005>
- Cuberek, R., Ansari, W. E., Frömel, K., Skalik, K., & Sigmund, E. (2010). A comparison of two motion sensors for the assessment of free-living physical activity of adolescents. *International Journal of Environmental Research and Public Health*, 7(4), 1558–1576. <http://dx.doi.org/10.3390/ijerph7041558>

- Czajka, K., Sławińska, T., Kotodziej, M., & Kochan, K. (2015). Assessment of physical activity by pedometer in Polish preschool children. *Human Movement, 16*(1), 15–19. <http://dx.doi.org/10.1515/humo-2015-0021>
- Dahlgren, G., & Whitehead, M. (1991). *Policies and strategies to promote social equity in health*. Stockholm, Sweden: Institute for Futures Studies.
- Danielzik, S., Pust, S., & Müller, M. J. (2007). School-based interventions to prevent overweight and obesity in prepubertal children: Process and 4-years outcome evaluation of the Kiel Obesity Prevention Study (KOPS). *Acta Paediatrica, 96*(s454), 19–25. <http://10.1111/j.1651-2227.2007.00165.x>
- Dave, J. M., Evans, A. E., Condasky, M. D., & Williams, J. E. (2012). Parent-reported social support for child's fruit and vegetable intake: Validity of measures. *Journal of Nutrition Education and Behavior, 44*(2), 132–139. <http://dx.doi.org/10.1016/j.neb.2011.07.002>
- Davison, K. K., & Birch, L. L. (2001). Childhood overweight: A contextual model and recommendations for future research. *Obesity Reviews, 2*(3), 159–171. <http://dx.doi.org/10.1046/j.1467-789x.2001.00036.x>
- Davison, K. K., Francis, L. A., & Birch, L. L. (2005). Links between parents' and girls' television viewing behaviors: A longitudinal examination. *Journal of Pediatrics, 147*(4), 436–442. <http://dx.doi.org/10.1016/j.jpeds.2005.05.002>
- Davison, K. K., Li, K., Baskin, M. L., Cox, T., & Affuso, O. (2011). Measuring parental support for children's physical activity in white and African American parents: The activity support scale for multiple groups (ACTS-MG). *Preventive Medicine, 52*(1), 39–43. <http://dx.doi.org/10.1016/j.ypmed.2010.11.008>
- De Craemer, M., De Decker, E., De Bourdeaudhuij, I., Vereecken, C., Deforche, B., Manios, Y., & Cardon, G. (2012). Correlates of energy balance-related behaviours in preschool children: A systematic review. *Obesity Reviews, 13*(suppl 1), 13–28. <http://dx.doi.org/10.1111/j.1467-789x.2011.00941.x>
- De Craemer, M., De Decker, E., De Bourdeaudhuij, I., Verloigne, M., Manios, Y., & Cardon, G. (2015). The translation of preschoolers' physical activity guidelines into a daily step count target. *Journal of Sports Sciences, 33*(10), 1051–1057. <http://dx.doi.org/10.1080/02640414.2014.981850>
- De Craemer, M., Lateva, M., Iotova, V., De Decker, E., Verloigne, M., De Bourdeaudhuij, I., Androutsos, O., Socha, P., Kulaga, Z., Moreno, L., Koletzko, B., Manios, Y., Cardon, G., & the ToyBox-study group. (2015). Differences in energy balanced-related behaviours in European preschool children: The ToyBox-Study. *PLoS One, 10*(3), <http://dx.doi.org/10.1371/journal.pone.0118303>
- De Decker, E., De Craemer, M., De Bourdeaudhuij, I., Wijndaele, K., Duvinage, K., Koletzko, B., Grammatikaki, E., Iotova, V., Usheva, N., Fernández-Alvira, J. M., Zych, K., Manios, Y., & Cardon, G. (2012). Influencing factors of screen time in preschool children: An exploration of parents' perceptions through focus groups in six European countries. *Obesity Reviews, 13*(suppl 1), 75–84. <http://dx.doi.org/10.1111/j.1467-789X.2011.00961.x>
- de Onis, M., & Lobstein, T. (2010). Defining obesity risk status in the general childhood population: Which cut-offs should we use? *International Journal of Pediatric Obesity, 5*(6), 458–460. <http://dx.doi.org/10.3109/17477161003615583>
- de Onis, M., Blössner, M., & Borghi, E. (2010). Global prevalence and trends of overweight and obesity among preschool children. *American Journal of Clinical Nutrition, 92*(5), 1257–1264. <http://dx.doi.org/10.3945/ajcn.2010.29786>
- de Onis, M., Onyango, A. W., Borghi, E., Siyam, A., Nishida, C., & Siekmann, J. (2007). Development of a WHO growth reference for school-aged children and adolescents. *Bulletin of the World Health Organization, 85*(9), 660–667. <http://dx.doi.org/10.2471/blt.07.043497>
- Deci, E. L., & Ryan, R. M. (1985). *Intrinsic motivation and self-determination in human behavior*. New York: Plenum Press.
- Dollman, J., Okely, A. D., Hardy, L., Timperio, A., Salmon, J., & Hills, A. P. (2009). A hitchhiker's guide to assessing young people's physical activity: Deciding what method to use. *Journal of Science and Medicine in Sport, 12*(5), 518–525. <http://dx.doi.org/10.1016/j.jsams.2008.09.007>

- Dowda, M., Pfeiffer, K. A., Brown, W. H., Mitchel, J. A., Byun, W., & Pate, R. R. (2011). Parent and environmental correlates of physical activity of children attending preschool. *Archives of Pediatrics and Adolescent Medicine*, 165(10), 939–944. <http://dx.doi.org/10.1001/archpediatrics.2011.84>
- Downing, K. L., Hinkley, T., & Hesketh, K. D. (2015). Associations of parental rules and socioeconomic position with preschool children's sedentary behaviour and screen time. *Journal of Physical Activity and Health*, 12(4), 515–521. <http://dx.doi.org/10.1123/jpah.2013-0427>
- Duncan, S. C., Duncan, T. E., & Strycker, L. A. (2005). Sources and types of social support in youth physical activity. *Health Psychology*, 24(1), 3–10. <http://dx.doi.org/10.1037/0278-6133.24.1.3>
- Durmuş, B., Arends, L. R., Ay, L., Hokken-Koelega, A. C., Raat, H., Hofman, A., Steegers, E. A. P., & Jaddoe, V. W. V. (2012). Parental anthropometrics, early growth and the risk of overweight in pre-school children: The Generation R Study. *Pediatric Obesity*, 8(5), 339–350. <http://dx.doi.org/10.1111/j.2047-6310.2012.00114.x>
- Edwardson, C. L., & Gorely, T. (2010). Parental influences on different types and intensities of physical activity in youth: A systematic review. *Psychology of Sport and Exercise*, 11(6), 522–535. <http://dx.doi.org/10.1016/j.psychsport.2010.05.001>
- Eldridge, G., Paul, L., Bailey, S. J., Ashe, C. B., & Martz, J. (2016). Effects of parent-only childhood obesity prevention programs on BMIz and body image in rural preteens. *Body Image*, 16, 143–153. <http://dx.doi.org/10.1016/j.bodyim.2015.12.003>
- Epstein, L. H., Roemmich, J. N., Robinson, J. L., Paluch, R. A., Winiewicz, D. D., Fuerch, J. H., & Robinson, T. N. (2008). A randomized trial of the effects of reducing television viewing and computer use on body mass index in young children. *Archives of Pediatrics and Adolescents Medicine*, 162(3), 239–245. <http://dx.doi.org/10.1001/archpediatrics.2007.45>
- Eriksson, J., Forsen, T., Osmond, C., & Barker, D. (2003). Obesity from cradle to grave. *International Journal of Obesity and Related Metabolic Disorders*, 27(6), 722–727. <http://dx.doi.org/10.1038/sj.ijo.0802278>
- Erkelenz, N., Kobel, S., Kettner, S., Drenowatz, C., Steinacker, J. M., & The Research Group “Join the Healthy Boat – Primary School”. (2014). Parental activity as influence on children's BMI percentiles and physical activity. *Journal of Sports Science and Medicine*, 13(3), 645–650.
- Eston, R. G., Rowlands, A. V., & Ingledew, D. K. (1998). Validity of heart rate, pedometer, and accelerometry for predicting the energy cost of children's activities. *Journal of Applied Physiology* (1985), 84(1), 362–371.
- Fitzgibbon, M. L., Stolley, M. R., Schiffer, L., Van Horn, L., KauferChristoffel, K., & Dyer, A. (2005). Two-year follow-up results for hip-hop to health jr.: A randomized controlled trial for overweight prevention in preschool minority children. *The Journal of Pediatrics*, 146(5), 618–625. <http://dx.doi.org/10.1016/j.jpeds.2004.12.019>
- Freedman, D. S., Khan, L. K., Serdula, M. K., Dietz, W. H., Srinivasan, S. R., & Berenson, G. S. (2005). The relation of childhood BMI to adult adiposity: The bogalusa heart study. *Pediatrics*, 115(1), 22–27. <http://dx.doi.org/10.1542/peds.2004-0220>
- Fuemmeler, B. F., Anderson, C. B., & Mâsse, L. C. (2011). Parent-child relationship of directly measured physical activity. *International Journal of Behavioral Nutrition and Physical Activity*, 8:17. <http://dx.doi.org/10.1186/1479-5868-8-17>
- Furlong, M., McGilloway, S., Bywater, T., Hutchings, J., Smith, S. M., & Donnelly, M. (2012). Behavioural and cognitive-behavioural group-based parenting programmes for early-onset conduct problems in children aged 3 to 12 years (Review). *Evidence-based Child Health: A Cochrane Review Journal*, 2(8), 318–692. <http://dx.doi.org/10.1002/ebch.1905>
- Goldscheider, F., Thornton, A., & Young-DeMarco, L. (1993). A portrait of the nest-leaving process in early adulthood. *Demography*, 30(4), 683–699.
- Golley, R. K., Hendrie, G. A., Slater, A., & Corsini, N. (2011). Interventions that involve parents to improve children's weight-related nutrition intake and activity patterns – what nutrition and activity targets and behaviour change techniques are associated with intervention effectiveness? *Obesity Reviews*, 12(2), 114–130. <http://dx.doi.org/10.1111/j.1467-789X.2010.00745.x>
- Griffith, J. R., Clasey, J. L., King, J. T., Gantz, S., Kryscio, R. J., & Bada, H. S. (2007). Role of parents in determining children's physical activity. *World Journal of Pediatrics*, 3(4), 265–270.

- Guo, S., Huang, C., Maynard, L., Demerath, E., Towne, B., Chumlea, W. C., & Siervogel, R. (2000). Body mass index during childhood, adolescence and young adulthood in relation to adult overweight and adiposity: the Fels Longitudinal Study. *International Journal of Obesity and Related Metabolic Disorders*, 24(12), 1628–1635.
- Gustafson, S. L., & Rhodes, R. E. (2006). Parental correlates of physical activity in children and early adolescents. *Sports Medicine*, 36(1), 79–97.
- Hammons, A. J., & Fiese, B. H. (2011). Is frequency of shared family meals related to the nutritional health of children and adolescents? *Pediatrics*, 127(1), e1565–e1574. <http://dx.doi.org/10.1542/peds.2010-1440>
- Hancock, T. (1986). Lalonde and beyond: Looking back at “A New Perspective on the Health of Canadians”. *Health Promotion*, 1(1), 93–100. <http://dx.doi.org/10.1093/heapro/1.1.93>
- Hancox, R. J., & Poulton, R. (2006). Watching television is associated with childhood obesity: but is it clinically important? *International Journal of Obesity*, 30(1), 171–175. <http://dx.doi.org/10.1038/sj.ijo.0803071>
- Hands, B. P., & Larkin, D. (2006). Physical activity measurement methods for young children: A comparative study. *Measurement in Physical Education and Exercise Science*, 10(3), 203–214. http://dx.doi.org/10.1207/s15327841mpee1003_5
- Hardy, L. L., King, L., Hector, D., & Lloyd, B. (2012). Weight status and weight-related behaviors of children commencing school. *Preventive Medicine*, 55(5), 433–437. <http://dx.doi.org/10.1016/j.ypmed.2012.09.009>
- Harris, K. C., Kuramoto, L. K., Schulzer, M., & Retallack, J. E. (2009). Effect of school-based physical activity interventions on body mass index in children: A meta-analysis. *Canadian Medical Association Journal*, 180(7), 719–726. <http://dx.doi.org/10.1503/cmaj.080966>
- Hausenblas, H., Carron, A. V., & Mack, D. E. (1997). Application of the theories of reasoned action and planned behavior to exercise behavior: A meta-analysis. *Journal of Sport and Exercise Psychology*, 19(1), 36–51. <http://dx.doi.org/10.1123/jsep.19.1.36>
- He, M., Piché, L., Beynon, C., & Harris, S. (2010). Screen-related sedentary behaviours: Children's and parents' attitudes, motivations, and practices. *Journal of Nutrition Education and Behavior*, 42(1), 17–25. <http://dx.doi.org/10.1016/j.jneb.2008.11.011>
- Helliwell, J. F., & Wang, S. (2014). Weekends and subjective well-being. *Social Indicators Research*, 116(2), 389–407. <http://dx.doi.org/10.1007/s11205-013-0306-y>
- Hnatiuk, J. A., Salmon, J., Campbell, K. J., Ridgers, N. D., & Hesketh, K. D. (2015). Tracking of maternal self-efficacy for limiting young children's television viewing and associations with children's television viewing time: a longitudinal analysis over 15-months. *BMC Public Health*, 15:517, <http://dx.doi.org/10.1186/s12889-015-1858-3>
- Huybrechts, I., Himes, J. H., Ottevaere, C., De Vriendt, T., De Keyzer, W., Cox, B., Van Trimpont, I., De Bacquer, D., & De Henauw, S. (2011). Validity of parent-reported weight and height of preschool children measured at home or estimated without home measurement: A validation study. *BMC Pediatrics*, 11:63. <http://dx.doi.org/10.1186/1471-2431-11-63>
- Jacobi, D., Caille, A., Borys, J.-M., Lommez, A., Couet, C., Charles, M.-A., & Oppert, J.-M. (2011). Parent-offspring correlations in pedometer-assessed physical activity. *PLoS One*, 6(12):e29195. <http://dx.doi.org/10.1371/journal.pone.0029195>
- Jago, R., Davison, K. K., Thompson, J. L., Page, A. S., Brockman, R., & Fox, K. R. (2011). Parental sedentary restriction, maternal parenting style, and television viewing among 10- to 11-year-olds. *Pediatrics*, 128(3), 572–578. <http://dx.doi.org/10.1542/peds.2010-3664>
- Jago, R., Sebire, S. J., Wood, L., Pool, L., Zahra, J., Thompson, J. L., & Lawlor, D. A. (2014). Associations between objectively assessed child and parental physical activity: A cross-sectional study of families with 5–6 year old children. *BMC Public Health*, 14:655, <http://dx.doi.org/10.1186/1471-2458-14-655>
- Jago, R., Thompson, J. L., Sebire, S. J., Wood, L., Pool, L., Zahra, J., & Lawlor, D. A. (2014). Cross-sectional associations between the screen-time of parents and young children: Differences by parent and child gender and day of the week. *International Journal of Behavioral Nutrition and Physical Activity*, 11:54. <http://dx.doi.org/10.1186/1479-5868-11-54>

- Jansen, P. W., Roza, S. J., Jaddoe, V. W. V., Mackenbach, J. D., Raat, H., Hofman, A., Verhulst, F. C., & Tiemeier, H. (2012). Children's eating behavior, feeding practices of parents and weight problems in early childhood: Results from the population-based Generation R Study. *International Journal of Behavioral Nutrition and Physical Activity*, 9:130. <http://dx.doi.org/10.1186/1479-5868-9-130>
- Janssen, I., & LeBlanc, A. G. (2010). Systematic review of the health benefits of physical activity and fitness in school-aged children and youth. *Journal of Behavioral Nutrition and Physical Activity*, 12:10. <http://dx.doi.org/10.1186/1479-5868-7-40>
- Johnson, L., Mander, A. P., Jones, L. R., Emmett, P. M., & Jebb, S. A. (2008). Energy-dense, low-fiber, high-fat dietary pattern is associated with increased fatness in childhood. *American Journal of Clinical Nutrition*, 87(4), 846–854.
- Jordan, A. (2004). The role of media in children's development: An ecological perspective. *Journal of Developmental and Behavioral Pediatrics*, 25(3), 196–206.
- Kalman, M., Inchley, J., Sigmundova, D., Iannotti, R. J., Tynjälä, J. A., Hamrik, Z., Haug, E., & Bucksch, J. (2015). Secular trends in moderate-to-vigorous physical activity in 32 countries from 2002 to 2010: A cross-national perspective. *European Journal of Public Health*, 25(suppl 2), 37–40. <http://dx.doi.org/10.1093/eurpub/ckv024>
- Kambas, A., Venetsanou, F., Avloniti, A., Giannakidou, D. M., Gourgoulis, V., Draganidis, D., Chatzinikolaou, A., Fatouros, I., & Michalopoulou, M. (2015). Pedometer determined physical activity and obesity prevalence of Greek children aged 4–6 years. *Annals of Human Biology*, 42(3), 233–238. <http://dx.doi.org/10.3109/03014460.2014.943286>
- Katzmarzyk, P. T. (2010). Physical activity, sedentary behavior, and health: Paradigm paralysis of paradigm shift? *Diabetes*, 59(11), 2717–2725. <http://dx.doi.org/10.2337/db10-0822>
- Katzmarzyk, P.; Barreira, T.; Broyles, S.; Champagne, C.; Chaput, J.-P.; Fogelholm, M.; Hu, G.; Johnson, W.; Kuriyan, R.; Kurpad, A.; Lambert, E. V.; Maher, C.; Maia, J.; Matsudo, V.; Olds, T.; Onywera, V.; Sarmiento, O. L.; Standage, M.; Tremblay, M. S.; Tudor-Locke, C.; Zhao, P.; & Church, T. S. (2013). The International Study of Childhood Obesity, Lifestyle and the Environment (ISCOLE): Design and methods. *BMC Public Health*, 13:900. <http://dx.doi.org/10.1186/1471-2458-13-900>
- Kaur, H., Choi, W. S., Mayo, M. S., & Harris, K. J. (2003). Duration of television watching is associated with increased body mass index. *Journal of Pediatrics*, 143(3), 506–511. [http://dx.doi.org/10.1067/S0022-3476\(03\)00418-9](http://dx.doi.org/10.1067/S0022-3476(03)00418-9)
- Kitsantas, P., & Gaffney, K. F. (2010). Risk profiles for overweight/obesity among preschoolers. *Early Human Development*, 86(9), 563–568. [doi:http://dx.doi.org/10.1016/j.earlhumdev.2010.07.006](http://dx.doi.org/10.1016/j.earlhumdev.2010.07.006)
- Klesges, R. C., Malott, J. M., Boschee, P. F., & Weber, J. M. (1986). The effects of parental influences on children's food intake, physical activity, and relative weight. *International Journal of Eating Disorders*, 5(2), 335–345. [http://dx.doi.org/10.1002/1098-108X\(198602\)5:2<335::AID-EAT2260050212>3.0.CO;2-T](http://dx.doi.org/10.1002/1098-108X(198602)5:2<335::AID-EAT2260050212>3.0.CO;2-T)
- Kooiman, T. J. M., Dontje, M. L., Sprenger, S. R., Krijnen, W. P., van der Schans, C. P., & de Groot, M. (2015). Reliability and validity of ten consumer activity trackers. *BMC Sports Science, Medicine and Rehabilitation*, 7:24. <http://dx.doi.org/10.1186/s13102-015-0018-5>
- Kothandan, S. K. (2014). School based interventions versus family based interventions in the treatment of childhood obesity- a systematic review. *Archives of Public Health*, 72:3. <http://dx.doi.org/10.1186/2049-3258-72-3>
- Kourlaba, G., Kondaki, K., Liargkovinos, T., & Manios, Y. (2009). Factors associated with television viewing time in toddlers and pre-schoolers in Greece: The GENESIS study. *Journal of Public Health*, 31(2), 222–230. <http://dx.doi.org/10.1093/pubmed/fdp011>
- Kuntsche, E., & Ravens-Sieberer, U. (2015). Monitoring adolescent health behaviours and social determinants cross-nationally over more than a decade: introducing the Health Behaviour in School-aged Children (HBSC) study supplement on trends. *European Journal of Public Health*, 25(suppl 2), 1–3. <http://dx.doi.org/10.1093/eurpub/ckv009>
- Kwon, S., Janz, K. F., Letuchy, E. M., Burns, T. L., & Levy, S. M. (2015). Active lifestyle in childhood and adolescence prevents obesity development in young adulthood. *Obesity (Silver Spring)*, 23(12), 2462–2469. <http://dx.doi.org/10.1002/oby.21262>

- Lalonde, M. (1974). *A new perspective on the health of Canadians*. Ottawa: Government of Canada.
- Larsen, J. K., Hermans, R. C. J., Sleddens, E. F. C., Engels, R. C. M. E., Fisher, J. O., & Kremers, S. P. J. (2015). How parental dietary behavior and food parenting practices affect children's dietary behavior. Interacting sources of influence? *Appetite*, 89(1), 246–257. <http://dx.doi.org/10.1016/j.appet.2015.02.012>
- Lerner, R. M., Lerner, J. V., Almerigi, J. B., Theokas, C., Phelps, E., Gestsdottir, S., Naudeau, S., Jelacic, H., Alberts, A., Ma, L., Smith, L. M., Bobek, D. L., Richman-Raphael, D., Simpson, I., Christiansen, E., D., & Eye, A. V. (2005). Positive youth development, participation in community youth development programs, and community contributions of fifth grade adolescents: finding from the first wave of the 4-H study of positive youth development. *Journal of Early Adolescence*, 25(1), 17–71.
- Lerner, R. M., Lerner, J. V., Bowers, E. P., & Geldhof, G. J. (2015). Positive youth development and relational-developmental-systems. In W. F. Overton & P. C. Molenaar (Eds.) (Editor-in-Chief: R. M. Lerner), *Handbook of child psychology and developmental science, Vol. 1: Theory and method* (7th ed.). Hoboken, NJ: Wiley & Sons. <http://dx.doi.org/10.1002/9781118963418.childpsy116>
- Lin, Y.-C., Wu, J. C.-L., Chiou, S.-T., & Chiang, T.-L. (2015). Healthy living practices in families and child health in Taiwan. *International Journal of Public Health*, 60(6), 691–698. <http://dx.doi.org/10.1007/s00038-015-0701-z>
- Linabery, A. M., Nahhas, R. W., Johnson, W., Choh, A. C., Towne, B., Odegaard, A. O., Czerwinski, S. A., & Demerath, E. W. (2013). Stronger influence of maternal than paternal obesity on infant and early childhood BMI: The Fels Longitudinal Study. *Pediatric Obesity*, 8(3), 159–169. <http://dx.doi.org/10.1111/j.2047-6310.2012.00100.x>
- Lindberg, L., Ek, A., Nyman, J., Marcus, C., Ulijaszek, S., & Nowicka, P. (2015). Low grandparental social support combined with low parental socioeconomic status is closely associated with obesity in preschool aged children: A pilot study. *Pediatric Obesity*, 11(4), 313–316. <http://dx.doi.org/10.1111/ijpo.12049>
- Ling, J., Robbins, L. B., & Wen, F. (2016). Interventions to prevent and manage overweight or obesity in preschool children: A systematic review. *International Journal of Nursing Studies*, 53(1), 270–289. <http://dx.doi.org/10.1016/j.ijnurstu.2015.10.017>
- Lobstein, T., Baur, L., & Uauy, R. (2004). Obesity in children and young people: A crisis in public health. *Obesity Reviews*, 5(suppl 1), 4–85.
- Lobstein, T., Jackson-Leach, R., Moodie, M. L., Hall, D. K., Gotmaker, S. L., Swinburn, B. A., James, W. P. T., Wang, Y., & McPherson, K. (2015). Child and adolescent obesity: part of a bigger picture. *Lancet*, 385(9986), 2510–2520. [http://dx.doi.org/10.1016/S0140-6736\(14\)61746-3](http://dx.doi.org/10.1016/S0140-6736(14)61746-3)
- Lopez, N. V., Ayala, G. X., Corder, K., Eisenberg, C. M., Zive, M. M., Wood, C., & Elder, J. P. (2011). Parent support and parent-mediated behaviors are associated with children's sugary beverage consumption. *Journal of the Academy of Nutrition and Dietetics*, 112(4), 541–547. <http://dx.doi.org/10.1016/j.jand.2011.11.013>
- Loprinzi, P. D., & Trost, S. G. (2010). Parental influences on physical activity behavior in preschool children. *Preventive Medicine*, 50(3), 129–133. <http://dx.doi.org/10.1016/j.ypmed.2009.11.010>
- Loprinzi, P. D., Cardinal, B. J., Loprinzi, K. L., & Lee, H. (2012). Parenting practices as mediators of child physical activity and weight status. *Obesity Facts*, 5(3), 420–430. <http://dx.doi.org/10.1159/000341097>
- Malina, R. M. (2001). Physical activity and fitness: Pathways from childhood to adulthood. *American Journal of Human Biology*, 13(2), 162–172. [http://dx.doi.org/10.1002/1520-6300\(200102/03\)13:2<162::AID-AJHB1025>3.0.CO;2-T](http://dx.doi.org/10.1002/1520-6300(200102/03)13:2<162::AID-AJHB1025>3.0.CO;2-T)
- Martín-Matillas, M., Ortega, F. B., Chillón, P., Pérez, I. J., Ruiz, J. R., Castillo, R., Gómez-Martínez, S., Moreno, L. A., Delgado-Fernández, M., & Tercedor, P. (2011). Physical activity among Spanish adolescents: Relationship with their relatives' physical activity – The AVENA Study. *Journal of Sports Sciences*, 29(4), 329–336. <http://dx.doi.org/10.1080/02640414.2010.523091>
- McKee, D. P., Boreham, C. A. G., Murphy, M. H., & Nevill, A. M. (2005). Validation of the Digiwalker™ pedometer for measuring physical activity in young children. *Pediatric Exercise Science*, 17(4), 345–352.

- McMinn, A. M., Griffin, S. J., Jones, A. P., & van Sluijs, E. M. F. (2012). Family and home influences on children's after-school and weekend physical activity. *European Journal of Public Health*, 23(5), 805–810. <http://dx.doi.org/eurpub/cks160>
- McMurray, R. G., Berry, D. C., Schwartz, T. A., Hall, E. G., Neal, M. N., Li, S., & Lam, D. (2016). Relationships of physical activity and sedentary time in obese parent-child dyads: A cross-sectional study. *BMC Public Health*, 16:124. <http://dx.doi.org/10.1186/s12889-016-2795-5>
- McNamara, E., Hudson, Z., & Taylor, S. J. C. (2010). Measuring activity levels of young people: The validity of pedometers. *British Medical Bulletin*, 95(1), 121–137. <http://dx.doi.org/10.1093/bmb/ldq016>
- Mendoza, J. A., Zimmerman, F. J., & Christakis, D. A. (2007). Television viewing, computer use, obesity, and adiposity in US preschool children. *International Journal of Behavioral Nutrition and Physical Activity*, 4:44. <http://dx.doi.org/10.1186/1479-5868-4-44>
- Miles, L. (2007). Physical activity and health. *Nutrition Bulletin*, 32, 314–363.
- Mistry, S. K., & Puthussery, S. (2015). Risk factors of overweight and obesity in childhood and adolescence in South Asian countries: A systematic review of the evidence. *Public Health*, 129(3), 200–209. <http://dx.doi.org/10.1016/j.puhe.2014.12.004>
- Mitchel, J., Skouteris, H., McCabe, M., Ricciardelli, L. A., Milgrom, J., Baur, L. A., Fuller-Tyszkiewicz, M., & Genevieve, D. (2012). Physical activity in young children: A systematic review of parental influences. *Early Child Development and Care*, 182(11), 1411–1437.
- Mitchell, G. L., Farrow, C., Haycraft, E., & Meyer, C. (2012). Parental influences on children's eating behaviour and characteristics of successful parent-focussed interventions. *Appetite*, 60(1), 85–94. <http://dx.doi.org/10.1016/j.appet.2012.09.014>
- Mitchell, J. A., Pate, R. R., Beets, M. W., & Nader, P. R. (2013). Time spent in sedentary behaviour and changes in childhood BMI: A longitudinal study from ages 9 to 15 years. *International Journal of Obesity*, 37(1), 54–60. <http://dx.doi.org/10.1038/ijo.2012.41>
- Moore, L. L., Lombardi, D. A., White, M. J., Campbell, J. L., Oliveria, S. A., & Ellison, R. C. (1991). Influence of parent's physical activity levels on activity levels of young children. *Journal of Pediatrics*, 118(2), 215–219.
- Morris, H., Skouteris, H., Edwards, S., & Rutherford, L. (2015). Obesity prevention interventions in early childhood education and care settings with parental involvement: A systematic review. *Early Child Development and Care*, 185(8), 1283–1313. <http://dx.doi.org/10.1080/03004430.2014.991723>
- Müller, M. J., Danielzik, S., & Pust, S. (2005). School- and family-based interventions to prevent overweight in children. *Proceedings of the Nutrition Society*, 64(2), 249–254. <http://dx.doi.org/10.1079/PNS2005424>
- Nader, P. R., O'Brien, M., Houts, R., Bradley, R., Belsky, J., Crosnoe, R., Friedman, S., Mei, Z., & Susman, E. J. (2006). Identifying risk for obesity in early childhood. *Pediatrics*, 118(3), E594–E601. <http://dx.doi.org/10.1542/peds.2005-2801>
- Ness, A. R., & Powles, J. W. (1997). Fruit and vegetables, and cardiovascular disease: A review. *International Journal of Epidemiology*, 26(1), 1–13.
- Ng, M., Fleming, T., Robinson, M., Thomson, B., Graetz, N., Margono, C., Mullany, E. C., ... Gakidou, E. (2014). Global, regional, and national prevalence of overweight and obesity in children and adults during 1980–2013: A systematic analysis for the Global Burden of Disease Study 2013. *Lancet*, 384(9945), 766–781. [http://dx.doi.org/10.1016/S0140-6736\(14\)60460-8](http://dx.doi.org/10.1016/S0140-6736(14)60460-8)
- Niemeier, B. S., Hektner, J. M., & Enger, K. B. (2012). Parent participation in weight-related health interventions for children and adolescents: A systematic review and meta-analysis. *Preventive Medicine*, 55(1), 3–13. <http://dx.doi.org/10.1016/j.ypmed.2012.04.021>
- Nigg, C. R., & Courneya, K. S. (1998). Transtheoretical model: Examining adolescent exercise behavior. *Journal of Adolescent Health*, 22(3), 214–224. [http://dx.doi.org/10.1016/S1054-139X\(97\)00141-9](http://dx.doi.org/10.1016/S1054-139X(97)00141-9)
- Oliver, M., Schofield, G. M., Kolt, G. S., & Schluter, P. J. (2007). Pedometer accuracy in physical activity assessment of preschool children. *Journal of Science and Medicine in Sport*, 10(5), 303–310. <http://dx.doi.org/10.1016/j.jsams.2006.07.004>

- Olveza-Ezzell, N., Power, T. G., & Cousins, J. H. (1990). Maternal socialization of children's eating habits: Strategies used by obese Mexican-american mothers. *Child Development*, 61(2), 395–400. <http://dx.doi.org/10.1111/j.1467-8624.1990.tb02785.x>
- Owen, N. (2012). Ambulatory monitoring and sedentary behaviour: A population-health perspective. *Physiological Measurement*, 33(11), 1801–1810. <http://dx.doi.org/10.1088/0967-3334/33/11/1801>
- Owen, N., Healy, G. N., Matthews, C. E., & Dunstan, D. W. (2010). Too much sitting: The population-health science of sedentary behavior. *Exercise and Sport Sciences Reviews*, 38(3), 105–113. <http://dx.doi.org/10.1097/JES.0b013e3181e373a2>
- Pagels, P., Boldemann, C., & Raustorp, A. (2011). Comparison of pedometer and accelerometer measures of physical activity during preschool time on 3- to 5-year-old children. *Acta Paediatrica*, 100(1), 116–120. <http://dx.doi.org/10.1111/j.1651-2227.2010.01962.x>
- Parrika, S., Mäki, P., Levälahti, E., Lehtinen-Jacks, S., Martelin, T., & Laatikainen, T. (2015). Associations between parental BMI, socioeconomic factors, family structure and overweight in Finnish children: A path model approach. *BMC Public Health*, 15:271. <http://dx.doi.org/10.1186/s12889-015-1548-1>
- Patrick, H., & Nicklas, T. A. (2005). A review of family and social determinants of children's eating patterns and diet quality. *Journal of the American College of Nutrition*, 24(2), 83–92. <http://dx.doi.org/10.1080/07315724.2005.10719448>
- Pearson, N., Atkin, A. J., Biddle, S. J. H., Gorely, T., & Edwardson, C. (2009). Parenting styles, family structure and adolescent dietary behaviour. *Public Health Nutrition*, 13(8), 1245–1253. <http://dx.doi.org/10.1017/S1368980009992217>
- Pereira-da-Silva, L., Rêgo, C., & Pietrobelli, A. (2016). The diet of preschool children in the Mediterranean Countries of the European Union: A systematic review. *International Journal of Environmental Research and Public Health*, 13(6), 572. <http://dx.doi.org/10.3390/ijerph13060572>
- Peters, B. P., Kate, A., & Abbey, B. M. (2013). Validation of Omron™ pedometers using MTI accelerometers for use with children. *International Journal of Exercise Science*, 6(2), 106–113.
- Prochaska, J. J., Rodgers, M. W., & Sallis, J. F. (2002). Association of parent and peer support with adolescent physical activity. *Research Quarterly for Exercise and Sport*, 73(2), 206–210. <http://dx.doi.org/10.1080/02701367.2002.10609010>
- Pugliese, J., & Tinsley, B. (2007). Parental socialization of child and adolescent physical activity: A meta-analysis. *Journal of Family Psychology*, 21(3), 331–343. <http://dx.doi.org/10.1037/0893-3200.21.3.331>
- Pyper, E., Harrington, D., & Manson, H. (2016). The impact of different types of parental support behaviours on child physical activity, healthy eating, and screen time: A cross-sectional study. *BMC Public Health*, 16:568. <http://dx.doi.org/10.1186/s12889-016-3245-0>
- Quelly, S. B., & Lieberman, L. S. (2011). Global prevalence of overweight and obesity in pre-schoolers. *Antropologischer Anzeiger*, 68(4), 437–456. <http://dx.doi.org/10.1127/0003-5548/2011/0149>
- Raley, S., Bianchi, S. M., & Wang, W. (2012). When do fathers care? Mothers' economic contribution and fathers' involvement in child care. *American Journal of Sociology*, 117(5), 1422–1459. <http://dx.doi.org/10.1086/663354>
- Reilly, J. J., Methven, E., McDowell, Z. C., Hacking, B., Alexander, D., Stewart, L., & Kelnar, C. J. H. (2003). Health consequences of obesity. *Archives of Disease in Childhood*, 88(9), 748–752. <http://dx.doi.org/10.1136/ad.88.9.748>
- Rhee, K. E., Coleman, S. M., Appugliese, D. P., Kaciroti, N. A., Davidson, N. S., Bradley, R. H., & Lumenq, J. C. (2009). Maternal feeding practices become more controlling after and not before excessive rates of weight gain. *Obesity (Silver Spring)*, 17(9), 1724–1729. <http://dx.doi.org/10.1038/oby.2009.54>
- Rhee, K. E., Jelalian, E., Boutelle, K., Dickstein, S., Seifer, R., & Wing, R. (2016). Warm parenting associated with decreasing or stable child BMI during treatment. *Childhood Obesity*, 12(2), 94–102. <http://dx.doi.org/10.1089/chi.2015.0127>
- Rhodes, R. E., & Nigg, C. R. (2011). Advancing physical activity theory: A review and future directions. *Exercise and Sports Sciences Reviews*, 39(3), 113–119. <http://dx.doi.org/10.1097/JES.0b013e31821694c8>

- Rhodes, R. E., Spence, J. C., Berry, T., Deshpande, S., Faulkner, G., Latimer-Cheung, A. M., O'Reilly, N., & Tremblay, M. S. (2015). Predicting changes across 12 months in three types of parental support behaviors and mother's perception of child physical activity. *Annals of Behavioral Medicine*, 49(6), 853–864. <http://dx.doi.org/10.1007/s12160-015-9721-4>
- Robinson, T. N. (1999). Reducing children's television viewing to prevent obesity: A randomized controlled trial. *Journal of American Medical Association*, 282(16), 1561–1567. <http://dx.doi.org/10.1001/jama.282.16.1561>
- Rosenstock, I. M., Strecher, V. J., & Becker, M. H. (1988). Social learning theory and the Health belief model. *Health Education Quarterly*, 15(2), 175–183.
- Roth, K., Kriemler, S., Lehmacher, W., Ruf, K. C., Graf, C., & Hebestreit, H. (2015). Effects of a physical activity intervention in preschool children. *Medicine and Science in Sports and Exercise*, 47(12), 2542–2551. <http://dx.doi.org/10.1249/MSS.0000000000000703>
- Rowe, D. A., Mahar, M. T., Raedeke, T. D., & Lore, J. (2004). Measuring physical activity in children, with pedometers: Reliability, reactivity, and replacement of missing data. *Pediatric Exercise Science*, 16(4), 343–354. <http://dx.doi.org/10.1123/pes.16.4.343>
- Rowlands, A. V., & Eston, R. G. (2007). The measurement and interpretation of children's physical activity. *Journal of Sport Science and Medicine*, 6(3), 270–276.
- Saelens, B. E., Sallis, J. F., Nader, P. R., Broyles, S. L., Berry, C. C., & Taras, H. L. (2002). Home environmental influences on children's television watching from early to middle childhood. *Journal of Developmental Behavioral Pediatrics*, 23(3), 127–132.
- Sallis, J. F., & Hovell, M. F. (1990). Determinants of exercise behavior. *Exercise and Sport Sciences Reviews*, 18, 307–330.
- Sallis, J. F., Cervero, R. B., Ascher, W., Handerson, K. A., Kraft, M. K., & Kerr, J. (2006). An ecological approach to creating active living communities. *Annual Review of Public Health*, 27, 297–322. <http://dx.doi.org/10.1146/annurev.publhealth.27.021405.1021000>
- Sallis, J. F., Prochaska, J. J., & Taylor, W. (2000). A review of correlates of physical activity of children and adolescents. *Medicine and Science in Sports and Exercise*, 32(5), 963–975.
- Salmon, J., Campbell, K. J., & Crawford, D. A. (2006). Television viewing habits associated with obesity risk factors: A survey of Melbourne schoolchildren. *The Medical Journal of Australia*, 184(2), 64–67.
- Saunders, T. J. (2011). Potential contributors to the Canadian pediatric obesity epidemic. *International Scholarly Research Notices Pediatrics*, 2011, Article ID 917684. <http://dx.doi.org/10.5402/2011/917684>
- Saunders, T. J., Chaput, J. P., & Tremblay, M. S. (2014). Sedentary behaviour as an emerging risk factor for cardiometabolic diseases in children and youth. *Canadian Journal of Diabetes*, 38(1), 53–61. <http://dx.doi.org/10.1016/j.cjd.2013.08.266>
- Saunders, T. J., Tremblay, M. S., Mathieu, M. É., Henderson, M., O'Loughlin, Tremblay, A., & Chaput, J. P. (2013). Associations of sedentary behaviour, sedentary bouts and breaks in sedentary time with cardiometabolic risk in children with a family history of obesity. *PLoS One*, 8(11), e79143. <http://dx.doi.org/10.1371/journal.pone.0079143>
- Savage, J. S., Fisher, J. O., & Birch, L. L. (2007). Parental influence on eating behavior: Conception to adolescence. *Journal of Law Medicine and Ethics*, 35(1), 22–34. <http://dx.doi.org/10.1111/j.1748-720X.2007.00111.x>
- Scaglioni, S., Arriza, C., Vecchi, F., & Tedeschi, S. (2011). Determinants of children's eating behaviors. *American Journal of Clinical Nutrition*, 94(suppl 6), 2006S–2011S. <http://dx.doi.org/10.3945/ajcn.110.001685>
- Scaglioni, S., Salvioni, M., & Galimberti, C. (2008). Influence of parental attitudes in the development of children eating behaviour. *British Journal of Nutrition*, 99(suppl 1), S22–S25. <http://dx.doi.org/10.1017/S0007114508892471>
- Segen's Medical Dictionary. (2011). Retrieved November 4 2016 from <http://medical-dictionary.thefreedictionary.com/lifestyle>

- Serdula, M. K., Ivery, D., Coates, R. J., Freedman, D. S., Williamson, D. F., & Byers, T. (1993). Do obese children become obese adults? A review of the literature. *Preventive Medicine*, 22(2), 167–177. <http://dx.doi.org/10.1006/pmed.1993.1014>
- Shankaran, S., Bann, C., Das, A., Lester, B., Bada, H., Bauer, C. R., La Grasse, L., Higgins, R. D., & the Eunice Kennedy Shiver National Institute of Child Health and Human Development Neonatal Research Network. (2011). Risk for obesity in adolescence starts in early childhood. *Journal of Perinatology*, 31(11), 711–716. <http://dx.doi.org/10.1038/jp.2011.14>
- Shashaj, B., Graziani, M. P., Contoli, B., Ciuffo, C., Cives, C., Facciolini, S., Rigoni, M. L., Spaterna, S., Tauci, M., Raponi, M., & Manco, M. (2016). Energy balance-related behaviors, perinatal, sociodemographic, and parental risk factors associated with obesity in Italian preschoolers. *Journal of the American College of Nutrition*, 35(4), 362–371. <http://dx.doi.org/10.1080/07315724.2015.1070699>
- Shelleby, E. C., & Shaw, D. S. (2014). Outcomes of parenting interventions for child conduct problems: A review of differential effectiveness. *Child Psychiatry and Human Development*, 45(5), 628–645. <http://dx.doi.org/10.1007/s10578-013-0431-5>
- Sigmund, E., Croix, D. S. M., Mikláňková, L., & Frömel, K. (2007). Physical activity patterns of kindergarten children in comparison to teenagers and young adults. *European Journal of Public Health*, 17(6), 646–651. <http://dx.doi.org/10.1093/eurpub/ckm033>
- Sigmund, E., & Sigmundová, D. (2013). Longitudinal 2-year follow-up on the effect of a non-randomised school-based physical activity intervention on reducing overweight and obesity of Czech children aged 10–12 years. *International Journal of Environmental Research and Public Health*, 10(8), 3667–3683. <http://dx.doi.org/10.3390/ijerph10083667>
- Sigmund, E., & Sigmundová, D. (2014). *School-Related Physical Activity, Lifestyle and Obesity in Children* (1st ed). Olomouc: Palacký University Olomouc. <http://dx.doi.org/10.5507/ftk.14.24439266>
- Sigmund, E., Sigmundová, D., & El Ansari, W. (2009). Changes in physical activity in pre-schoolers and first-grade children: Longitudinal study in the Czech Republic. *Child: Care, Health & Development*, 35(3), 376–382. <http://dx.doi.org/10.1111/j.1365-2214.2009.00945.x>
- Sigmund, E., Badura, P., Vokacova, J., & Sigmundová, D. (2016). Parent-child relationship of pedometer-assessed physical activity and proxy-reported screen time in Czech families with preschoolers. *International Journal of Environmental Research and Public Health*, 13(7):740. <http://dx.doi.org/10.3390/ijerph13070740>
- Sigmund, E., El Ansari, W., & Sigmundová, D. (2012). Does school-based physical activity decrease overweight and obesity in children 6–9 years? A two-year non-randomized longitudinal intervention study in the Czech Republic. *BMC Public Health*, 12:570. <http://dx.doi.org/10.1186/1471-2458-12-570>
- Sigmund, E., Sigmundová, D., Badura, P., & Voráčová, J. (2015). Relationship between Czech parent and child pedometer-assessed weekday and weekend physical activity and screen time. *Central European Journal of Public Health*, 23(suppl), S83–S90. <http://dx.doi.org/10.21101/cejph.a4181>
- Sigmund, E., Sigmundová, D., Badura, P., Trhlíková, L., & Gecková, A. M. (2016). Time trends: A ten-year comparison (2005–2015) of pedometer-determined physical activity and obesity in Czech preschool children. *BMC Public Health*, 16:560. <http://dx.doi.org/10.1186/s12889-016-3269-5>
- Sigmundová, D., & Sigmund, E. (2015). *Trendy v pohybovém chování českých dětí a adolescentů* (1st ed). Olomouc: Univerzita Palackého v Olomouci. <http://dx.doi.org/10.5507/ftk.15.24448398>
- Sigmundová, D., El Ansari, W., Sigmund, E., & Frömel K. (2011). Secular trends: A ten-year comparison of the amount and type of physical activity and inactivity of random samples of adolescents in the Czech Republic. *BMC Public Health*, 11:731. <http://dx.doi.org/10.1186/1471-2458-11-731>
- Sigmundova, D., Sigmund, E., Badura, P., Vokacova, J., Trhlikova, L., & Bucksch, J. (2016). Weekday-weekend patterns of physical activity and screen time in parents and their pre-schoolers. *BMC Public Health*, 16(1), 898. <http://dx.doi.org/10.1186/s12889-016-3586-8>
- Sigmundová, D., Sigmund, E., Vokáčová, J., & Kopčáková, J. (2014). Parent-child associations in pedometer-determined physical activity and sedentary behaviour on weekdays and weekends in random samples of families in the Czech Republic. *International Journal of Environmental Research and Public Health*, 11(7), 7163–7181. <http://dx.doi.org/10.3390/ijerph110707163>

- Sijtsma, A., Sauer, P. J. J., & Corpeleijn, E. (2015). Parental correlations of physical activity and body mass index in young children- the GECKO Drenthe cohort. *International Journal of Behavioral Nutrition and Physical Activity*, 12:132. <http://dx.doi.org/10.1186/s12966-015-0295-0>
- Singh, A. S., Mulder, C., Twisk, J. W. R., Van Mechelen, W., & Chinapaw, M. J. M. (2008). Tracking of childhood overweight into adulthood: A systematic review of the literature. *Obesity Reviews*, 9(5), 474–488. <http://dx.doi.org/10.1111/j.1467-789X.2008.00475.x>
- Skinner, J. D., Caruth, B. R., Bounds, W., & Zeigler, P. J. (2002). Children's food preferences: A longitudinal analysis. *Journal of the American Dietetic Association*, 102(11), 1638–1647. [http://dx.doi.org/10.1016/S0002-8223\(02\)90349-4](http://dx.doi.org/10.1016/S0002-8223(02)90349-4)
- Springer, A. E., Kelder, S. H., & Hoelscher, D. M. (2006). Social support, physical activity and sedentary behaviour among 6th-grade girls: A cross-sectional study. *International Journal of Behavioral Nutrition and Physical Activity*, 3:8. <http://dx.doi.org/10.1186/1479-5868-3-8>
- Spurrier, N. J., Magarey, A. A., Golley, R., Curnow, F., & Sawyer, M. G. (2008). Relationships between the home environment and physical activity and dietary patterns of preschool children: A cross-sectional study. *International Journal of Behavioral Nutrition and Physical Activity*, 5:31. <http://dx.doi.org/10.1186/1479-5868-5-31>
- Stearns, J. A., Rhodes, R., Ball, G. D. C., Boule, N., Veugelers, P. J., Cutumisu, N., & Spence, J. C. (2016). A cross-sectional study of the relationship between parents' and children's physical activity. *BMC Public Health*, 16:1129. <http://dx.doi.org/10.1186/s12889-016-3793-3>
- Stommel, M., & Schoenborn, A. (2009). Accuracy and usefulness of BMI measures based on self-reported weight and height: Findings from the NHANES & NHIS 2001–2006. *BMC Public Health*, 9:421. <http://dx.doi.org/10.1186/1471-2458-9-421>
- Stone, A. A., Schneider, S., & Harter, J. K. (2012). Day-of-week mood patterns in the United States: On the existence of “Blue Monday”, “Thank God it's Friday” and weekend effects. *The Journal of Positive Psychology*, 7(4), 306–314. <http://dx.doi.org/10.1080/17439760.2012.691980>
- Strath, S. J., Kaminsky, L. A., Ainsworth, B. E., Ekelund, U., Freedson, P. S., Gary, R. A., Richardson, C. R., Smith, D. T., & Swartz, A. M. (2013). Guide to the assessment of physical activity: Clinical and research applications: A scientific statement from the American Heart Association. *Circulation*, 128(20), 2259–2279. <http://dx.doi.org/10.1161/01.cir.0000435708.67487.da>
- Tate, E. B., Shah, A., Jones, M., Pentz, M. A., Liao, Y., & Dunton, G. (2015). Toward a better understanding of the link between parent and child physical activity levels: The moderating role of parental encouragement. *Journal of Physical Activity and Health*, 12(9), 1238–1244. <http://dx.doi.org/10.1123/jpah.2014-0126>
- Taylor, W. C., Baranowski, T., & Sallis, J. F. (1994). *Family determinants of childhood physical activity: A social-cognitive model*. In: R. K. Dishman (ed.), *Advances in Exercise Adherence* (pp. 319–342). Champaign, IL: Human Kinetics.
- te Velde, S. J., van Nassau, F., Uijtdewilligen, L., van Stralen, M. M., Cardon, G., De Craemer, M., Manios, Y., Brug, J., & Chinapaw, J. M. (2012). Energy balance-related behaviours associated with overweight and obesity in preschool children: A systematic review of prospective studies. *Obesity Reviews*, 13(suppl 1), 56–74. <http://dx.doi.org/10.1111/j.1467-789x.2011.00960.x>
- Telama, R., Yang, X., Leskinen, E., Kankaanpää, A., Hirvensalo, M., Tammelin, T., Viikari, J. S., & Raitakari, O. T. (2014). Tracking of physical activity from early childhood through youth into adulthood. *Medicine and Science in Sports and Exercise*, 46(5), 955–962. <http://dx.doi.org/10.1249/MSS.0000000000000181>
- Telama, R., Yang, X., Viikari, J., Välimäki, I., Wanne, O., & Raitakari, O. (2005). Physical activity from childhood to adulthood: A 21-year tracking study. *American Journal of Preventive Medicine*, 28(3), 267–273. <http://dx.doi.org/10.1016/j.amepre.2004.12.003>
- Telford, R. M., Telford, R. D., Cunningham, R. B., Cochrane, T., Davey, R., & Waddington, G. (2013). Longitudinal patterns of physical activity in children aged 8 to 12 years: The LOOK study. *International Journal of Behavioral Nutrition and Physical Activity*, 10:81. <http://dx.doi.org/10.1186/1479-5868-10-81>

- Thibault, H., Contrand, B., Saubusse, E., Baine, M., & Maurice-Tison, S. (2010). Risk factors for overweight and obesity in French adolescents: Physical activity, sedentary behavior and parental characteristics. *Nutrition*, 26(2), 192–200. <http://dx.doi.org/10.1016/j.nut.2009.03.015>
- Totland, T. H., Bjelland, M., Lien, N., Bergh, I. H., Gebremariam, M. K., Grydeland, M., Ommundsen, Y., & Andersen, L. F. (2013). Adolescents' prospective screen time by gender and parental education, the mediation of parental influences. *International Journal of Behavioral Nutrition and Physical Activity*, 10:89. <http://dx.doi.org/10.1186/1479-5868-10-89>
- Tremblay, M. S., Colley, R. C., Saunders, T. J., Healy, G. N., & Owen, N. (2010). Physiological and health implications of a sedentary lifestyle. *Applied Physiology, Nutrition, and Metabolism*, 35(6), 725–740. <http://dx.doi.org/10.1139/H10-079>
- Tremblay, M. S., LeBlanc, A. G., Kho, M. E., Saunders, T. J., Larouche, R., Colley, R. C., Goldfield, G., & Gorber, S. C. (2011). Systematic review of sedentary behaviour and health indicators in school-aged children and youth. *International Journal of Behavioral Nutrition and Physical Activity*, 8:98. <http://dx.doi.org/10.1186/1479-5868-8-98>
- Trost, S. G., & Loprinzi, P. D. (2011). Parental influences on physical activity behaviour in children and adolescents: A brief review. *American Journal of Lifestyle Medicine*, 5(2), 171–181. <http://dx.doi.org/10.1177/1559827610387236>
- Trost, S. G., McDonald, S., & Cohen, A. (2013). Measurement of general and specific approaches to physical activity parenting: A systematic review. *Childhood Obesity*, 9(suppl 1), S40–S50. <http://dx.doi.org/10.1089/chi.2013.0027>
- Trost, S. G., Pate, R. R., Freedson, P. S., & Sallis, J. F. (2000). Using objective physical activity measures with youth: How many days of monitoring are needed? *Medicine and Science in Sports and Exercise*, 32(2), 426–431.
- Trost, S. G., Sallis, J. F., Pate, R. R., Freedson, P. S., Taylor, W. C., & Dowda, M. (2003). Evaluating a model of parental influence on youth physical activity. *American Journal of Preventive Medicine*, 25(4), 277–282.
- Trost, S. G., Sirard, J. R., Dowda, M., Pfeiffer, K. A., & Pate, R. R. (2003). Physical activity in overweight and nonoverweight preschool children. *International Journal of Obesity*, 27(7), 834–839. <http://dx.doi.org/10.1038/sj.ijo.0802311>
- Tu, A. W., Watts, A. W., & Masse, L. C. (2015). Parent-adolescent patterns of physical activity, sedentary behaviors and sleep among a sample of overweight and obese adolescents. *Journal of Physical Activity and Health*, 12(11), 1469–1476. <http://dx.doi.org/10.1123/jpah.2014-0270>
- Tudor-Locke, C. E., & Bassett, D. R. Jr. (2004). How many steps/days are enough: Preliminary pedometer indices for public health. *Sports Medicine*, 34(1), 1–8.
- Tudor-Locke, C. E., Hatano, Y., Pangrazi, R. P., & Kang, M. (2008). Revisiting “How many steps are enough?”. *Medicine and Science in Sports and Exercise*, 40(suppl 7), S537–S543. <http://dx.doi.org/10.1249/MSS.0b013e31817c7133>
- Tudor-Locke, C. E., Johnson, W. D., & Katzmarzyk, P. T. (2009). Accelerometer-determined steps per day in US adults. *Medicine and Science in Sports and Exercise*, 41(7), 1384–1391. <http://dx.doi.org/10.1249/MSS.0b013e318199885c>
- Tudor-Locke, C., Craig, C., Beets, M. W., Belton, S., Cardon, G. M., Duncan, S., Hatano, Y., Lubans, D. R., Olds, T. S., Raustorp, A., Rowe, D. A., Spence, J. C., Tanaka, S., & Blair, S. N. (2011). How many steps/day are enough? for children and adolescents. *International Journal of Behavioral Nutrition and Physical Activity*, 8:78. <http://dx.doi.org/10.1186/1479-5868-8-78>
- Tudor-Locke, C., Craig, C., Brown, W., Clemes, S., De Cocker, K., Giles-Corti, B., Hatano, Y., Inoue, S., Matsudo, S. M., Mutrie, N., Oppert, J. M., Rowe, D. A., Schmidt, M. D., Schofield, G. M., Spence, J. C., Teixeira, P. J., Tully, M. A., & Blair, S. N. (2011). How many steps/day are enough? for adults. *International Journal of Behavioral Nutrition and Physical Activity*, 8:79. <http://dx.doi.org/10.1186/1479-5868-8-79>
- van Ansem, W. J. C., Schrijvers, C. T. M., Rodenburg, G., & van de Mheen, D. (2015). Children's snack consumption: Role of parents, peers and child snack-purchasing behaviour. Results from the INPACT study. *European Journal of Public Health*, 25(6), 1006–1011. <http://dx.doi.org/10.1093/eurpub/ckv098>

- Van Jaarsveld, C. H. M., & Gulliford, M. C. (2015). Childhood obesity trends from primary care electronic health records in England between 1994 and 2013: Population-based cohort study. *Archives of Disease in Childhood*, 100(3), 214–219. <http://dx.doi.org/10.1136/archdischild-2014-307151>
- Van Lippevelde, W., Verloigne, M., De Bourdeaudhuij, I., Brug, J., Bjelland, M., Lien, N., & Maes, L. (2012). Does parental involvement make a difference in school-based nutrition and physical activity interventions? A systematic review of randomized controlled trials. *International Journal of Public Health*, 57(4), 673–678. <http://dx.doi.org/10.1007/s00038-012-0335-3>
- van Sluijs, E. M. F., McMinn, A. M., & Griffin, S. J. (2007). Effectiveness of interventions to promote physical activity in child and adolescents: Systematic review of controlled trials. *British Medical Journal*, 335:703. <http://dx.doi.org/10.1136/bmj.39320.843947.BE>
- van Stralen, M. M., te Velde, S. J., van Nassau, F., Brug, J., Grammatikaki, E., Maes, L., De Bourdeaudhuij, I., Verbestel, V., Galcheva, S., Iotova, V., Koletzko, B., von Kries, R., Bayer, O., Kulaga, Z., Serra-Majem, L., Sánchez-Villegas, A., Ribas-Barba, L., Manios, Y., & Chinapaw, J. M. (2012). Weight status of European preschool children and associations with family demographics and energy balance-related behaviours: A pooled analysis of six European studies. *Obesity Reviews*, 13(suppl. 1), 29–41. <http://dx.doi.org/10.1111/j.1467-789X.2011.00959.x>
- Vander Ploeg, K. A., Kuhle, S., Maximova, K., McGavock, J., Wu, B., & Veugelers, P. J. (2013). The importance of parental beliefs and support for pedometer-measured physical activity on school days and weekend days among Canadian children. *BMC Public Health*, 13:1132. <http://dx.doi.org/10.1186/1471-2458-13-1132>
- Vereecken, C., Pedersen, T. P., Ojala, K., Krølner, R., Dzielska, A., Ahluwalia, N., Giacchi, M., & Kelly, C. (2015). Fruit and vegetable consumption trends among adolescents from 2002 to 2010 in 33 countries. *European Journal of Public Health*, 25(suppl 2), 16–19. <http://dx.doi.org/10.1093/eurpub/ckv012>
- Vollmer, R. L., Adamsons, K., Gorin, A., Foster, J. S., & Mobley, A. R. (2015). Investigating the relationship of body mass index, diet quality, and physical activity level between fathers and their preschool-aged children. *Journal of Academy of the Academy of Nutrition and Dietetics*, 115(2), 919–926. <http://dx.doi.org/10.1016/j.jand.2014.12.003>
- Voráčová, J., Sigmund, E., Sigmundová, D., & Kalman, M. (2016). Family affluence and the eating habits of 11- to 15-year-old adolescents: HBSC 2002 and 2014. *International Journal of Environmental Research and Public Health*, 13:1034. <http://dx.doi.org/10.3390/ijerph13101034>
- Wang, Y., Ge, K., & Popkin, B. M. (2000). Tracking of body mass index from childhood to adolescence: A 6-y follow-up study in China. *American Journal of Clinical Nutrition*, 72(4), 1018–1024.
- Warren, J. M., Ekelund, U., Besson, H., Mezzani, A., Geladas, N., & Vanhees, L. (2010). Assessment of physical activity – a review of methodologies with reference to epidemiological research: A report of the exercise physiology section of the European Association of Cardiovascular Prevention and Rehabilitation. *European Journal of Cardiovascular Prevention and Rehabilitation*, 17(2), 129–139. <http://dx.doi.org/10.1097/HJR.0b013e32832ed875>
- Warren, T. Y., Barry, V., Hooker, S. P., Sui, X., Church, T., & Blair, S. N. (2010). Sedentary behaviors increase risk of cardiovascular disease mortality in men. *Medicine and Science in Sports and Exercise*, 42(5), 879–885. <http://dx.doi.org/10.1249/MSS.0b013e3283181c3aa7e>
- Waters, E., de Silva-Sanigorski, A., Hall, B. J., Brown, T., Campbell, K. J., Gao, Y., Armstrong, R., Prosser, L., & Summerbell, C. D. (2011). Interventions for preventing obesity in children. *Cochrane Database of Systematic Reviews*, 7(12):CD001871. <http://dx.doi.org/10.1002/14651858.CD001871.pub3>
- Welk, G., Wood, K., & Morss, G. (2003). Parental influences on physical activity in children: An exploration of potential mechanisms. *Pediatric Exercise Science*, 15(1), 19–33. <http://dx.doi.org/10.1123/pes.15.1.19>
- Whitaker, R. C., Wright, J. A., Pepe, M. S., Seidel, K. D., & Dietz, W. (1997). Predicting obesity in young adulthood from childhood and parental obesity. *The New England Journal of Medicine*, 337(13), 869–873. <http://dx.doi.org/10.1056/NEJM199709253371301>

- WHO Multicentre Growth Reference Study Group, & de Onis, M. (2006). WHO child growth standards based on length/height, weight and age. *Acta Paediatrica*, 95(Suppl. S450), 76–85. <http://dx.doi.org/10.1111/j.1651-2227.2006.tb02378.x>
- WHO. (1948). Preamble to the constitution of the World Health Organization as adopted by the International Health Conference, New York, 19–22 June, 1946. *Official Record of the World Health Organization*, 2, 100.
- WHO. (2007). *Growth Reference Data for 5–19 Years. WHO Reference 2007*. <http://www.who.int/growthref/en> Accessed 3 Feb 2016
- WHO. (2014). Obesity and overweight. Fact sheet No°311 <http://www.who.int/mediacentre/factsheets/fs311/en/> Accessed 3 Feb 2016
- WHO. (2016). *What is overweight and obesity? Global Strategy on Diet, Physical Activity and Health*. http://www.who.int/dietphysicalactivity/childhood_what/en/
- Yang, W. Y., Burrows, T., MacDonald-Wicks, L., Williams, L. T., Collins, C. E., & Chee, W. S. S. (2016). The family diet study: A cross-sectional study into the associations between diet, food habits and body weight status in Malay families. *Journal of Human Nutrition and Dietetics*, 29(4), 441–448. <http://dx.doi.org/10.1111/jhn.12356>
- Yao, C. A., & Rhodes, R. E. (2015). Parental correlates in child and adolescent physical activity: a meta-analysis. *International Journal of Behavioral Nutrition and Physical Activity*, 12:10. <http://dx.doi.org/s12966-015-0163-y>
- Young, E. M., Fors, S. W., & Hayes, D. M. (2004). Association between perceived parent behaviors and middle school student fruit and vegetable consumption. *Journal of Nutrition Education and Behavior*, 36(1), 2–12. [http://dx.doi.org/10.1016/S1499-4046\(06\)60122-x](http://dx.doi.org/10.1016/S1499-4046(06)60122-x)
- Zhao, J., & Settles, B. H. (2014). Environmental correlates of children's physical activity and obesity. *American Journal of Health Behavior*, 38(1), 124–133. <http://dx.doi.org/10.5993/AJHB.38.1.13> <http://www.quotationpage.com/>