

Literatura

- Abrantes, A. M., Strong, D. R., Cohn, A., Cameron, A. Y., Greenberg, B. D., Man-
cebo, M. C. a Brown, R. A. (2009). Acute changes in obsessions and com-
pulsions following moderate-intensity aerobic exercise among patients with
obsessive-compulsive disorder. *Journal of Anxiety Disorders*, 23 (7), 923–927.
- Alcoholrehab.com. *Exercise an effective treatment in rehab: physical fitness can help
in early recovery*. [2015-04-04]. Dostupné na <http://alcoholrehab.com/alcoholism/exercise-for-alcohol-rehab-treatment/>.
- Alzheimer's Association (2015a). *Alzheimer's facts and figures*. [2015-02-02]. Do-
stupné na http://www.alz.org/alzheimers_disease_facts_and_figures.asp.
- Alzheimer's Association (2015b). *Stay physically active*. [2015-02-02]. Dostupné
na http://alz.org/we_can_help_stay_physically_active.asp.
- American Foundation for Suicide Prevention (AFSP). (2015). *Facts and figures*.
[2015-01-15]. Dostupné na www.afsp.org/understanding-suicide/facts-and-figures.
- American Heart Association. (13. listopadu 2014). *The AHA's recommendations
for physical activity in children*. [2015-01-28]. Dostupné na www.heart.org/HEARTORG/GettingHealthy/HealthierKids/ActivitiesforKids/Te-AHAs-Recommendations-for-Physical-Activity-in-Children_UCM_304053_Article.jsp.
- American Institute of Stress (AIS). *Stress is killing you*. [2015-01-07]. Dostupné
na www.stress.org/stress-is-killing-you/.
- American Psychological Association. *Children's mental health*. [2015-01-23]. Do-
stupné na www.apa.org/pi/families/children-mental-health.aspx.
- American Society of Addiction Medicine. (9. dubna 2011). *Definition of addiction:
Public policy statement*. [2015-06-02]. Dostupné na www.asam.org/for-the-public/definition-of-addiction.
- Andel, R., Crowe, M., Pederson, N. L., Fratiglioni, L., Johansson, B. a Gatz, M. (2008).
Physical exercise at midlife and risk of dementia three decades later: A po-
pulation-based study of Swedish twins. *The Journals of Gerontology, Series A*,
63(1), 62–66.

- Anxiety and Depression Association of America (ADAA). (2014). *Facts and Statistics*. [2015-06-08]. Dostupné na www.adaa.org/about-adaa/press-room/facts-statistics.
- Arizona Postpartum Wellness Coalition. (2015). *Perinatal mood and anxiety disorders: assesment and treatment*.
- Aruajo, C. G. a Stein, R. (10. srpna 2015). *Leisure time physical activity and mortality: it is time to fill the prescription – more activity for adults*. [2015-09-14]. Dostupné na www.acc.org/latest-in-cardiology/articles/2015/08/07/12/01/leisure-time-physical-activity-and-mortality?w_nav=TI.
- Babyak, M., Blumenthal, J. A., Herman, S., Khatry, P. a kol. (2000). Exercise treatment for major depression: maintenance of therapeutic benefit at 10 months. *Psychosomatic Medicine*, 62(5), 633–8.
- Baxter, A. J., Scott, K. M., Vos, T. a Whiteford, H. A. (2013). Global prevalence of anxiety disorders: A systematic review and meta-regression. *Psychological Medicine*, 43(5), 879–910.
- Belloc, N. B. a Breslow, L. (1972). Relationship of physical health status and health practices. *Preventive Medicine*, 1(3), 409–21.
- Beretsky, S. (15. dubna 2011). *When Exercise Feels Just Like a Panic Attack*. [2015-06-22]. Dostupné na www.psychcentral.com/blog/archives/2011/04/14/when-physical-exercise-feels-just-like-a-panic-attack/.
- Bergland, C. (2013). *Cortisol: why „the stress hormone“ is public enemy no. 1*. [2015-09-11]. Dostupné na www.psychologytoday.com/blog/the-athletes-way/201301/cortisol-why-the-stress-hormone-is-public-enemy-no-1.
- Bernard, P. a Ninot, G. (2012). Benefits of exercise for people with schizophrenia: A systematic review. *Encephale*, 38(4), 280–7.
- Bhargava, H. D. (2014). *5 simple, fun ideas for family fitness*. [2015-06-04]. Dostupné na www.webmd.com/parenting/raising-fit-kids/move/family-fitness-ideas.
- Biddle, S. J. a Asare, M. (2011). Physical activity and mental health in children and adolescents: A review of reviews. *British Journal of Sports Medicine*, 45, 886–895.
- Biddle, S. J. a Fox, K. R. (1989). Exercise and health psychology: Emerging relationships. *British Journal of Medical Psychology*, 62, 205–216.
- Blair, S. (1995). Exercise prescription for health. *Quest*, 37, 338–353.
- Blisker, D. a White, J. (2011). The silent epidemic of male suicide. *British Columbia Medical Journal*, 52(10), 529–534.
- Blumenthal, J. A., Babyak, M. A., Doraiswamay, M., Watkins, L., Hoffman, B. M., Barbour, K. A. a kol. (2007). Exercise and pharmacotherapy in the treatment of major depressive disorder. *Psychosomatic Medicine*, 69, 587–596.

- Branden, N. (1995). *The six pillars of self-esteem: The definitive work on self-esteem by the leading pioneer in the field*. Bantam Books: New York, NY.
- Brooks, A., Bandelow, B., Pekrun, G., Meyer, T. a kol. (1998). Comparison of aerobic exercise, clomipramine, and placebo in the treatment of panic disorder. *American Journal of Psychiatry*, 155(5), 603–9.
- Brown, S. (2009). *Play is more than just fun*. (video) TedTalks. [2015-02-24]. Dostupné na www.ted.com/talks/stuart_brown_says_play_is_more_than_fun_it_s_vital?language=en#t-26377.
- Brustad, R. J. (1993). Who will go out and play? Parental and psychological influences on children's attraction to physical activity. *Pediatric Exercise Science*, 5(3), 210–223.
- Brustad, R. J. (2010). The role of the family in promoting physical activity. *President's Council on Physical Fitness and Sports Research Digest*, 10(3), 1–8.
- Canadian Pediatric Society. (2004). Maternal depression and child development. *Pediatric Child Health*, 9(8), 575–583.
- Carli, V. a kol. (2014). A newly identified group of adolescents at invisible risk of psychopathology and suicidal behavior: Findings from the SEYLE study. *World Psychiatry*, 13(1), 78–86.
- Carr, D. a Utz, R. (2001). Late-life widowhood in the United States: New directions in research and theory. *Ageing International*, 27(65).
- Cash, H., Rae, C. D., Steel, A. H. a Winklerb, A. (2012). Current psychiatry reviews, 8(4), 292–298.
- Centers for Disease Control and Prevention. (2011). *How much physical activity adults need?* [2014-12-13]. Dostupné na www.cdc.gov/physicalactivity/everyone/guidelines/adults.html.
- Centers for Disease Control and Prevention. (2015). *CDC behavioral risk factors surveillance survey*. [2015-02-07]. Dostupné na www.cdc.gov/brffs/.
- Chouloff, F. (1994). Influence of physical exercise on 5-HT_{1A} receptor and anxiety-related behaviors. *Neuroscience Letters*, 176(2), 226–230.
- Chouloff, F. (1997). The serotonin hypothesis. In W. P. Morgan (Ed.), *Physical Activity and Mental Health*. Taylor and Francis: Washington, D. C., 179–98.
- Clayton, R. (2014). How regular exercise helps you balance work and family. *Harvard Business Review*. [2015-02-22]. Dostupné na <https://hbr.org/2014/01how-regular-exercise-helps-you-balance-work-and-family>.
- Cohen, G. E. a Shamus, R. (2009). Depressed, low self-esteem? What can exercise do for you? *The Internet Journal of Allied Sciences and Practices*, (7)2, 1–5.
- Cohen, L., Altshuler, L., Harlow, B., Nonacs, R., Newport DJ, Viguera A., Suri R., Burt, V., Hendrick, A. M., Loudhead, A., Vitonis A. F., Stowe, Z. (2006). Relapse of major depression during pregnancy in women who maintain or discon-

- tinue antidepressant treatment. *Journal of the American Medical Association*, 295(5), 499–507.
- Cook, S., Hausenblas, H., Tuccitto, D., Giacobbi, G. R. (2011). Eating disorders and exercise: A structural equation modeling analysis of a conceptual model. *Eur. Eat. Disorders Rev.*, 19, 216–225.
- Covey, S. (2013). *The seven habits of highly effective people: Powerful lessons in personal change*. New York: Simon and Schuster.
- Craft, L. L. a Perna, F. M. (2004). The benefits of exercise for the clinically depressed. *Primary Care Companion to the Journal of Clinical Psychiatry*, 6(3), 104–111.
- Crocker, J. (2002). The costs of seeking self-esteem. *Journal of Social Issues*, 58(3), 597–615.
- Daly, A. J., Macarthur, C. a Winter, H. (2007). The role of exercise in treating postpartum depression: A review of the literature. *Journal of Midwifery and Women's Health*, 52(1), 56–62.
- Depression and Bipolar Support Alliance. (2015). *Depression statistics*. [2015-01-12]. Dostupné na www.dbsalliance.org/site/PageServer?pagename=education_statistics_depression.
- Diener, E. (1984). Subjective well-being. *Psychological Bulletin*, 95, 542–575.
- Doheny, K. (2008). *Midlife crisis: Transition or depression?* [2015-01-31]. Dostupné na www.webmd.com/depression/features/midlife-crisis-opportunity.
- Driver, H. S. a Taylor, S. R. (2000). Exercise and sleep. *Sleep Medicine Reviews*, 4(4), 387–402.
- Duhigg, C. (2012). *The power of habit: Why we do what we do in life and business*. New York: Random House.
- Duncan, S. C., Duncan, T. E., Strycker, L. A. (2005). Sources and types of social support in youth physical activity. *Health Psychology*, 24(1), 3–10.
- Durden-Smith, J. (1978). A chemical cure for madness. *Quest*, 2, 31–36.
- Dzewaltowski, D. A., Geller, K. S., Rosenkranz, R. R., Karteroliotis, K. (2010). Children's self-efficacy and proxy efficacy for after-school physical activity. *Psychology of Sports and Exercise*, 11(1), 100–106.
- Eaton, W. W., Shao, H., Nestadt, G., Lee, J. B., Bienvenu, O. J. a Zandi, P. (2008). Population-based study of first onset of chronicity in major depressive disorder. *Archives of General Psychiatry*, 65, 513–520.
- Ekeland, E., Heian, F., Hagen, K. B., Abbott, J. M. a Nordheim, L. (2004). Exercise to improve self-esteem in children and young people. *Cochrane Database of Systematic Reviews*, (1): CDC003683.

- Ertel, K. A., Rich-Edwards, J. W., a Koenen, K. C. (2011). Maternal depression in the United States: Nationally representative rates and risks. *J Women's Health*, 20(11), 1609–1617.
- Faulkner, B. a Biddle, S. (1999). Exercise as an adjunct treatment for schizophrenia: A review of the literature. *Journal of Mental Health*, 3(5), 441–457.
- Fields, D. (2010). *Middle-age suicide*. [2015-02-04]. Dostupné na <http://goodmen-project.com/featured-content/middle-age-suicide/>.
- Fogarty, M., Happell, B. a Pinikahana, J. (2004). The benefits of an exercise program for people with schizophrenia: A pilot study. *Psychiatric Rehabilitation Journal*, 28, 173–176.
- Fox, K. (2000). The effects of exercise on self-esteem and self-perceptions. *Physical Activity and Psychological Well-Being*, Biddle, S., Fox, K. a Boutcher, S. (editoři). Psychology Press, 88–98.
- Freeman, E. W., Sammel, M. D., Lin, H., Nelson, D. B. (2006). Associations of hormones and menopausal status with depressed mood in women with no history of depression. *Archives of General Psychiatry*, 63(4), 375–382.
- Fritz, E. (1989). *Path of Least Resistance: Learning to become the creative force in your own life*. New York, NY: Ballantine Books.
- Fulton, J. D., Shisler, J. L., Yore, M. M., Caspersen, C. J. (2006). Active transportation to school: Findings from a national survey. *Research Quarterly for Exercise and Sport*, 76(3), 352–357.
- Galvin, R., Cusack, T., O'Grady, E., Murphy, T. B a Stokes, E. (2011). Family-mediated exercise intervention (FAME): Evaluation of a novel form of exercise delivery after stroke. *Stroke*, 42, 681–686.
- Garber, C. E., Blissmer, B., Deschenes, M. R., Franklin, B. A., Lamonte, M. J., Lee, I., Nieman, D. C. a Swain, D. P. (2011). Quantity and quality of exercise for developing and maintaining cardiorespiratory, musculoskeletal, and neuromotor fitness in apparently healthy adults: Guidance for prescribing exercise. *Medicine and Science in Sports and Exercise*, 43(7), 1334–1359.
- Gerber, M., Brand, S., Elliot, C., Holsboer-Trachsler, E., Puhse, U. a Beck, J. (2013). Aerobic exercise training and burnout: A pilot study with male participants suffering from burnout. *BMC Research Notes*, 2013, 6:78.
- Gillen, J. B., Percival, M. E., Skelly, L. E., Martin, B. J., Tan, R. B. a kol. (2014). Three minutes of all-out intermittent exercise per week increases skeletal muscle oxidative capacity and improves cardio-metabolis health. *PLoS One*, 9(11): e111489.
- Goldberg, J. (21. srpna 2014). *Electroconvulsive therapy and other depression treatments*. [2015-09-12]. Dostupné na www.webmd.com/depression/guide/electroconvulsive-therapy.

- Goodreads (2015). *Benjamin Franklin: Quotable quote*. [2015-09-11]. Dostupné na www.goodreads.com/quotes/1220489-energy-and-persistence-conquer-all-things.
- Goodwin, R. D. (2003). Association between physical activity and mental disorders among adults in the United States. *Preventive Medicine*, 36, 689–703.
- Gorczynski, P. a Faulkner, G. (2010). Exercise therapy for schizophrenia. *Cochrane Database Syst Rev*, 12(5).
- Gordon, J. (2001). *Comprehensive cancer care: Integrating alternative, complementary, and conventional therapies*. Cambridge, MA: Perseus Publishing.
- Gramann, S. (duben 2012). *Menopause and mood disorders*. [2015-02-05]. Dostupné na <http://emedicine.medscape.com/article/295382-overview>.
- Griffin, S. J. a Trinder, J. (1978). Physical fitness, exercise, and human sleep. *Psychophysiology*, 15(5), 447–50.
- Gutin, B. (1966). Effect of increase in physical fitness on mental ability following physical and mental stress. *Research Quarterly*, 37(2), 211–20.
- Hamer, M., Sabia, S., Batty, G. D., Shipley, M. J., Tabak, A. G., Singh-Manoux, A. a kol. (2012). Physical activity and inflammatory markers over 10 years: Followup in men and women from the Whitehall II cohort study. *Circulation*, 126(8), 928–33.
- Hayden, J. A., van Tulder, M. W., Malmivaara, A. a Koes, B. W. (2005). Exercise therapy for treatment of non-specific low back pain. *Cochrane Database of Systematic Reviews*, 20(3), CD000335.
- Harvard Health Publications. (2015). *What's the best exercise plan for me?* [2015-02-15]. Dostupné na www.helpguide.org/harvard/whats-the-best-exercise-plan-for-me.htm.
- Helmrich, S. P., Ragland, D. R., Leung, R. W. a Paffenbarger, R. S. Jr. (1991). Physical activity and reduced occurrence of non-insulin-dependent diabetes mellitus. *New England Journal of Medicine*, 325(3), 147–52.
- Herring, M. P., Jacob, M. L., Subeg, C., Dishman, R. K. a O'Connor, P. J. (2012). Feasibility of exercise training for the short-term treatment of generalized anxiety disorder: a randomized controlled trial. *Psychotherapy and Psychosomatics*, 81, 21–28.
- Hibbert, C. (2013). *This is how we grow: A psychologist's memoir of loss, motherhood, and discovering self-worth and joy, one season at a time*. Flagstaff, AZ: Oracle Folio.
- Hibbert, C. (2015). *Who am I without you? 52 ways to rebuild self-esteem after a breakup*. Ontario, CA: New Harbinger Publications.
- Huberty, J. L., Randsell, L. B., Sidman, C., Flohr, J. A., Schultz, B., Grosshans, O. a Durrant, L. (2008). Explaining long-term exercise adherence in women who

- complete a structured exercise program. *Research Quarterly for Exercise and Support*, (79)3, 374–384.
- Hull, E. E., Rofey, D. L., Robertson, R. J., Nagle, E. F., Otto, A. D. a Aron, D. J. (2010). Influence of marriage and parenthood on physical activity: A 2-year prospective analysis. *J Phys Act Health*, 7(5), 577–583.
- Hunter, G. R., McCarthy, J. P., Bamman, M. M. (2004). Effects of resistance training in older adults. *Sports medicine*, 34, 329–348.
- Iannotti, R. J. a Wang, J. (2013). Patterns of physical activity, sedentary behavior, and diet in U. S. adolescents. *Journal of Adolescent Health*, 52(2), 280–286.
- Jazaieri, H., Goldin, P., Werner, K., Ziv, M., Heimberg, R., Gross, J. J. (2012). A randomized clinical trial of mindfulness-based stress reduction versus aerobic exercise for social anxiety disorder. *Journal of Clinical Psychology*, 68:715–731.
- Kerr, M. (29. března 2012). *Elderly depression: Depression and aging*. [2015-02-05]. Dostupné na <http://healthline.com/health/depression/elderly-and-aging>.
- Kessler, R. C., Chiu, W. T., Demler, O., Walters, E. E. (2009). Prevalence, severity and comorbidity of twelve-month DSM-IV disorders in the national comorbidity survey replication (NCS-R). *Archives of General Psychiatry*, 62(6), 617–27.
- Kessler, R. C. a kol. (2007). Lifetime prevalence and age-of-onset distributions of mental disorders in the World Health Organization's world mental health survey initiative. *World Psychiatry*, 6(3), 168–176.
- Krans, B. (12. ledna 2012). *How exercise can help bipolar disorder*. [2015-01-03]. Dostupné na www.healthline.com/health/bipolar-disorder/exercise#1.
- Kulas, M. (28. ledna 2015). *Social and emotional benefits of exercise*. [2014-12-12]. Dostupné na www.livestrong.com/article/477451-social-emotional-benefits-of-regular-exercise/.
- Kuper, S. (11. září 2009). *The Man Who Invented Exercise*. Financial Times. [2014-09-12].
- Lannem, A. M., Sørensen, M., Frøslie, K. F., a Hjeltnes, N. (2009). Incomplete spinal cord injury, exercise and life satisfaction. *Spinal Cord*, 47, 295–300.
- Larson, E. B., Wang, L., Bowen, J. D., McCormick, W. C., Teri, L., Crane, P., a Kulk, W. (2006). Exercise is associated with reduced risk for incident dementia among persons 65 years of age and older. *Annals Of Internal Medicine*, 144(2), 73–81.
- Latham, G. P. a Locke, E. A. (1991). Self-regulation through goal-setting. *Organizational Behavior and Human Decision Processes*, 50(2), 212–247.
- Leith, L. M. (2009). *Foundations of exercise and mental health*, 2nd ed. Morgantown, WV: Fitness Information Technology.

- Let's move. (2015). *Make physical activity a part of your family's routine*. [2015-04-17]. Dostupné na www.letsmove.gov/make-physical-activity-part-your-familys-routine.
- Let's move. (2015). *Let's move health family calendar*. [2015-08-09]. Dostupné na www.letsmove.gov/sites/letsmove.gov/files/Family_Calendar.pdf.
- Lirgg, C. (1991). Gender differences in self-confidence in physical activity: A meta-analysis of recent studies. *Journal of Sport and Exercise Psychology*, 13, 294–310.
- Locke, E. A. (1968). Toward a theory of task motivation and incentives. *Organizational Behavior and Human Performance*, 3(2), 157–189.
- Locke, E. A., Shaw, K. N., Saari, L. M. a Latham, G. P. (1981). Goal setting and task performance: 1969–1980. *Psychological Bulletin*, 90(1), 125–152.
- Lund, J. (2011). *For all eternity: practical tools for strengthening your marriage*. American Fork, UT: Covenant Communications.
- Lunenburg, F. C. (2011). Goal-setting theory of motivation. *International Journal of Management, Business, and Administration*, (15)1, 1–6.
- Mann, M., Hosman, C., Schaalma, H. a de Vries, N. (2004). Self-esteem in a broad-spectrum approach for mental health promotion. *Health Educ. Research*, 19(4), 357–372.
- Markland, D. (2009). The mediating role of behavioural regulations in the relationship between perceived body size discrepancies and physical activity among adult women. *Hellenic Journal of Psychology*, 6, 169–182.
- Gulati, M., Black, H., Shaw, L., Arnsdorf, M., Merz, N., Lauer, M. a kol. (2005). The prognostic value of nomogram of exercise capacity in women. *New England Journal of Medicine*, 353(5), 468–75.
- Mayo Clinic. (21. července 2012). *Exercise and stress: Get moving to manage stress*. [2015-01-05]. Dostupné na www.mayoclinic.org/healthy-living/stress-management/in-depth/exercise-and-stress/art-20044469?pg=1.
- Mayo Clinic. (5. února 2014). *Exercise: 7 benefits of regular physical activity*. [2014-12-02]. Dostupné na www.mayoclinic.org/healthy-living/fitness/in-depth/exercise/art-20048389?pg=1.
- Mental Health America. *Depression in older adults*. [2015-02-05]. Dostupné na www.mentalhealthamerica.net/conditions/depression-older-adults#9.
- Mercola. (2014). *Sweating out sadness: How exercise can help the grieving process*. [2015-02-07]. Dostupné na fitness.mercola.com/sites/fitness/archive/2014/06/27/exercise-grief.aspx.
- Mishler, A. *Yoga with Adrienne*. (YouTube). Dostupné na www.youtube.com/channel/UCFKE7WVJfvaHW5q283SxchA?spfreload=10.

- Mohammed, T. A., Kucyi, A., Law, C. W. a McIntyre, R. S. (2009). Exercise and bipolar disorder: A review of neurobiological mediators. *Neruomol Med*, 11, 338–336.
- Thomas Jefferson's Monticello. *Exercise*. [2015-09-14]. Dostupné na www.monticello.org/site/research-and-collections/exercise.
- Moore, L. L., Lombardi, D.A., White, M. J., Campbell, S.A., Oliveria, S. A., Ellison, R. C. (1991). Influence of parents' physical activity levels on activity levels of young children. *Journal of Pediatrics*, 118, 215–219.
- Morris, J. N., Crawford, M. D. (1958). Coronary heart disease and physical activity of work. *British Medical Journal*, 2(5111), 1485–1496.
- Murray, C. J. a Lopez, A. D. (1997). Alternative projections of mortality and disability by cause 1990–2020: Global burden of disease study. *Lancet*, 349, 1498–1504.
- Musick, M. A., Traphagan, J. W., Koenig, H. G. a Larsen, D. B. (2000). Spirituality in physical health and aging. *Journal of Adult Development*, 7(2).
- National Alliance on Mental Illness. (2013). *Mental Illness Facts and Numbers*. [2015-02-02]. Dostupné na www.2nami.org/factsheets/mentalillness_factsheet.pdf.
- National Alliance on Mental Illness. (2014). *Depression in children and teens*. [2015-01-17]. Dostupné na www.nami.org/Template.cfm?Section=By_Illness&template=/ContentManagement/ContentDisplay.cfm&ContentID=88551.
- National Association for Sport and Physical Education. (1999). *The fitness equation: Physical activity + balanced diet = fit kids*. Reston, VA: National Association for Sport and Physical Education.
- National Broadcasting Center News. (2004). *Global study finds mental illness widespread: Depression and anxiety often go untreated*. [2015-01-10]. Dostupné na www.nbcnews.com/id/5111202/ns/health-mental_health/t/global-study-finds-mental-ill-ness-widespread/#.VLf1HMaSVUQ.
- National Institute of Mental Health. (2008). *Introduction: mental health medications*. [2015-01-17]. Dostupné na <http://www.nimh.nih.gov/health/publications/mental-health-medications/index.shtml>.
- National Institute of Mental Health. (2009). *Treatment of children with mental illness*. [2015-05-22]. Dostupné na www.nimh.nih.gov/health/publications/treatment-of-children-with-mental-illness-fact-sheet/index.shtml.
- National Institute of Mental Health. (2015a). *Depression in children and adolescents: Fact sheet*. [2015-01-17]. Dostupné na www.nimh.nih.gov/health/publications/depression-in-children-and-adolescents/index.html.
- National Institute of Mental Health. (2015b). *Major depression among adults*. [2015-01-12]. Dostupné na www.nimh.nih.gov/health/statistics/prevalence/major-depression-among-adults.shtml.

- National Institute of Mental Health. (2015c). *Women & depression: Discovering hope*. [2015-01-20]. Dostupné na www.nimh.nih.gov/health/publications/women-and-depression-discovering-hope/index.shtml.
- Nelson, M. E., Rejeski, W. J., Blair, S. N. a kol. (2007). Physical activity and public health in older adults: Recommendation from the American College of Sports Medicine and the American Heart Association. *Circulation*, 116, 1094–105.
- North, T. C., McCullagh, E., a Tran, Z. V. (1990). Effects of exercise on depression. *Exercise and Sport Science Reviews*, 18, 379–415.
- Northrup, C. (2006). *The wisdom of menopause (revised edition): Creating physical & emotional health during the change*. New York: Bantam Dell Publishing.
- O'Connor, P. J., Raglin, J. S. a Martinsen, E. W. (2000). Physical activity, anxiety and anxiety disorders. *International Journal of Sports Psychology*, 31(2), 136–155.
- Office of Disease Prevention and Health Promotion. (2008). *Physical activity guidelines for Americans*. [2015-01-14]. Dostupné na www.health.gov/paguidelines/pdf/paguide.pdf.
- Oliver, R. (1974). Expectancy theory predictions of salesmen's performance. *Journal of Marketing Research*, 11, 243–253.
- Olderman, R. (2014). *15 easy ways to be healthier*. [2015-05-02]. Dostupné na www.life.gaiam.com/article/15-easy-ways-be-healthier.
- Olson, S. (25. června 2013). *Half of U. S. youth fails to meet physical activity standards: NIH calls for lifestyle changes*. Medical Daily. [2015-06-01]. Dostupné na www.medicaldaily.com/half-us-youth-fails-meet-physical-activity-standards-nih-calls-lifestyle-changes-247133.
- Oppezzo, M. a Schwartz, D. L. (2014). Give your ideas some legs: The positive effect of walking on creative thinking. *Journal of Experimental Psychology: Learning, Memory, and Cognition*, 40(4), 1142–1152.
- Orzech, K. M., Vivian, J., Torres, C. H., Armin, J. a Shaw, S. J. (2013). Diet and exercise adherence and practices among medically underserved patients with chronic disease: Variation across four ethnic groups. *Health Education Behavior*, 40(1), 56–66.
- Otto, M. W. a Smits, J. A. (2011). *Exercise for mood and anxiety: Proven strategies for overcoming depression and enhancing well-being*. New York, NY: Oxford University Press.
- Orzech, K. M., Vivian, J., Torres, C. H., Armin, J., a Shaw, S. J. (2013). Diet and exercise adherence and practices among medically underserved patients with chronic disease: variation across four ethnic groups. *Health Education & Behavior*, 40(1), 56–66.
- Pagnin, D., de Queiroz, V., Stefano, P. a Cassaon, G. (2004). Efficacy of ECT in depression: a meta-analytic review. *The Journal of ECT*, 20(1), 13–20.

- Palmer, J., Vacc, N. a Epstein, J. (1988). Adult inpatient alcoholics: physical exercise as a treatment intervention. *Psychosomatic Medicine*, 62(5), 633–638.
- Pate, R. R., Pratt, M., Blair, S. N., Haskell, W. L., Macera, C. A., Bouchard, C., Buchner, D., Ettinger, W. a kol. (1995). Physical activity and public health. *Journal of the American Medical Association*, 23, 402–407.
- Pate, R. R., Baranowski, T., Dowda, M., Trost, S. G. (1996). Tracing of physical activity and physical fitness across the lifespan. *Medicine and Science of Sports and Exercise*, 28(1), 82–96.
- Paulson, J. F., Bazemore, S. D. (2010). Prenatal and postpartum depression in fathers and its association with maternal depression: a meta-analysis. *JAMA*, 303(19).
- Pavey, S. (2015). *Locke's goal-setting theory: Setting meaningful, challenging goals*. [2015-06-06]. Dostupné na www.mindtools.com/pages/article/newHTE_87.html.
- Perou, R. a kol. (2013). Mental health surveillance among children – United States, 2005–2011. *Center for Disease Control Morbidity and Mortality Weekly Report*, 62(02), 1-35.
- Peterson, A. (2011). So cute, so hard on a marriage: After baby, men and women are unhappy in different ways; Pushing pre-emptive steps. *Wall Street Journal*.
- PopSugar Fitness. PopSugar Fitness (YouTube). [2015-06-01]. Dostupné na www.youtube.com/user/popsugartvfit.
- Postpartum Support International. *Depression during pregnancy and post-partum*. [2015-01-14]. Dostupné na www.postpartum.net/Get-the-Facts/Depression-During-Pregnancy-Postpartum.aspx.
- President's Council on Fitness, Sports, & Nutrition. (2015). *Facts and statistics, physical activity*. [2015-04-15]. Dostupné na www.fitness.gov/resource-center/facts-and-statistics/.
- Prior, J. (1987). Conditioning exercise decreases premenstrual symptoms: A prospective controlled 6-month trial. *Fertility & Sterility*, 47(402).
- Prochaska, J., Norcross, J. a Declemente, C. (2007). *Changing for good: A revolutionary six-stage program for overcoming bad habits and moving your life positively forward*. New York: HarperCollins.
- Rader Programs. (2015). *Exercise therapy: Exercise does not have to be overly strenuous*. [2015-01-02]. Dostupné na www.raderprograms.com/treatment/exercise-therapy.html.
- Rainville, J., Hartigan, C., Martinez, E., Limke, J., Jouve, C. a Finno, M. (2004). Exercise as a treatment for chronic low back pain. *The Spine Journal*, 1(2), 106–115.

- Ransdell, L. B., Eastep, E., Taylor, A., Oakland, D., Schmidt, J., Moyer-Mileur, L. a Shultz, B. (2003). Daughters and mothers exercising together (DAMET): Effects of home-and university-based interventions on physical activity behavior and family relations. *American Journal of Health Education*, 34(1).
- Recovery.org. (2015). *What is exercise addiction?* [2015-02-06]. Dostupné na www.recovery.org/topics/exercise-addiction-recovery/.
- Recovery Ranch. (2015). *The effects of exercise on drug or alcohol rehab.* [2015-03-10]. Dostupné na www.recoveryranch.com/articles/exercise-drug-alcohol-rehab/.
- Riggs, C. E. (1981). Endorphins, neurotransmitters and/or neuromodulators and exercise. In M. H. Sacks & M. L. Sachs (Eds.), *Psychology of Running* (str. 224–230). Champaign, IL: Human Kinetics.
- Rodriguez, D. (14. února 2014). Exercise, diet, and sleep: How they work together. In *Sleep in America*, 2012. [2015-01-10]. Dostupné na www.everydayhealth.com/health-report/healthy-sleep/exercise-diet-sleep.aspx.
- Rose, E., Larkin, D., Hands, B. Howard, B., Parker, H. (2009). Evidence for the validity of the children's attraction to physical activity (CAPA) questionnaire with young children. *Journal of Science Med Sport*, 12(5), 573–578.
- Rosenbaum, S., Nguyen, D., Lenehan, T., Tiedemann, A., van der Ploeg, H. a Sherrington, C. (2011). Exercise augmentation compared to usual care for post traumatic stress disorder: a randomized controlled trial (the REAP study: Randomised Exercise Augmentation for PTSD), *BMC Psychiatry*, 11, 115.
- Ryan, R. M., Deci, E. L. (2000). Self-determination theory and the facilitation of intrinsic motivation, social development, and well-being. *American psychologist*, 55(1), 68–78.
- Ryan, R. M., Frederick, C. M., Lipes, D., Rubio, N. a Sheldoon, K. M. (1997). Intrinsic motivation and exercise adherence. *International Journal of Sports Psychology*, 28, 335–354.
- Sasson, I. a Umberson, D. J. (2013). Widowhood and depression: New light on gender differences, selection, and psychological adjustment. *Journal of Gerontology, Psychology Sciences and Social Sciences*, series B.
- Schmalz, D., Deane, G. D., Birch, L. L. a Davison, K. K. (2007). A longitudinal assessment of the links between physical activity and self-esteem in early adolescent non-Hispanic females. *Journal of Adolescent Health*, 41(6), 559–565.
- Seabra, A. F., Mendonca, D. M., Goring, H. H., Thomis, M. A., Maia, J. A. (2008). Genetic and Environmental Factors in Familial Clustering in Physical Activity. *European Journal of Epidemiology*, 32(9), 1598–1600.
- Seligman, M. (2004). *Authentic happiness: Utilizing the new positive psychology to realize your potential for lasting fulfillment.* New York: Atria Books.

- Seligman, M. (2012). *Flourish: A visionary new understanding of happiness and well-being*. New York: Atria Books.
- Sharma, A., Madaan, V. a Petty, F. D. (2006). Exercise for mental health. *Primary Care Companion Journal of Clinical Psychiatry*, 8(2), 106.
- Shear, M. K. (2010). Complicated grief treatment: the theory, practice and outcomes. *Bereavement Care*, 29(3), 10–14.
- Sichel, D. a Driscoll, J. (2000) *Women's moods: What every woman must know about hormones, the brain, and emotional health*. New York: HarperCollins.
- Singh-Manoux, A., Hillsdon, M., Brunner, E. a Marmot, M. (2005). Effects of physical activity on cognitive functioning in middle age: Evidence from the Whitehall II Prospective Cohort Study. *American Journal of Public Health*, 95(12), 2252–58.
- Smith, K. (2015). *Porn addiction statistics*. [2015-01-12]. Dostupné na www.guy-stuffcounseling.com/porn-addiction-statistics.
- Smith, P. J., Blumenthal, J. A., Hoffman, B. M., Cooper, H., Staruman, T. A., Welsh-Bohmer, K., Browndyke, J. N. a Sherwood, A. (2010). Aerobic exercise and neurocognitive performance: A meta-analytic review of randomized controlled trials. *Psychosomatic Medicine*, 72(3), 239–252.
- Smits, J. A., Rosenfield, D., Powers, M. B., Behar, E. a Otto, M. W. (2008). Reducing anxiety sensitivity with exercise. *Depression and Anxiety*, 25, 689–699.
- Sonstroem, R. J., Speliotis, E. D. a Fava, J. L. (1992). Perceived physical competence in adults: An examination of the physical self-perception profile. *Journal of Sport & Exercise Psychology*, 14(2), 207–221.
- Substance Abuse and Mental Health Services Administration. (2015). *Alcohol, tobacco, & other drugs*. [2015-09-04]. Dostupné na www.samhsa.gov/atod.
- Substance Abuse and Mental Health Services Administration. (2014). Serious mental health challenges among older adolescents and young adults. *The CBHQ Report*.
- Sung, I. (2013). Data points to behavioral health as a growing challenge for pediatricians. [2015-01-14]. Dostupné na www.athenahealth.com/blog/2013/10/28/data-points-to-behavioral-health-as-a-growing-challenge-for-pediatricians.
- Sussman, S., Lisha, N. a Griffiths, M. (2011). Prevalence of the addictions: A problem of the majority or the minority? *Eval. Health Prof.*, 34(1), 3–56.
- Szabo, A. (2000). Physical activity and psychological well-being. In *Physical activity as a source of psychological dysfunction*, S. J. H. Biddle, K. R. Fox a S. H. Boutcher (editoři). London: Routledge, pp. 130–195.
- Taylor, C. B., Sallis, J. F. a Needle, R. (1985). The relation of physical activity and exercise to mental health. *Journal ListPublic Health Repv*, 100(2).

- Teixeira, P. J., Carraca, V., Markland, D., Silva, M. N. a Ryan, R. M. (2008). Exercise, physical activity, and self-determination theory: a systematic review. *International Journal of Behavioral Nutrition and Physical Activity*, 9, 78.
- Terman, M. a Terman, J. S. (2005). Light therapy for seasonal and non-seasonal depression: efficacy, protocol, safety, and side effects. *CNS Spectrum*, 10(8), 647–663.
- Thayer, R. E. (2001) *Calm energy: How people regulate mood with food and exercise*. New York: Oxford University Press.
- Thune, I., Brenn, T., Lund, E. a Gaard, M. (1997). Physical Activity and the Risk of Breast Cancer. *New England Journal of Medicine*, 1;336(18): 1269–75.
- Thompson, J. a Blanton, P. (1987). Energy conservation and exercise dependence: a sympathetic arousal hypothesis. *Medicine & Science in Sports & Exercise*, 19(2), 91–99.
- Torres, R. a Fernandez, F. (1995). Self-esteem and value of health as correlates of adolescent health behavior. *Adolescence*, 30(118), 403–12.
- Trivedi, M. H. (2013). The link between depression and physical symptoms. Mental Illness Facts and Numbers. [2015-01-03]. Dostupné na www2.nami.org/factsheets/mentalillness_factsheet.pdf.
- Trost, S. G. a Loprinzi, P. D. (2011). Parental influences on physical Activity Behavior in children and adolescents: A brief review. *American Journal of Lifestyle Medicine*, 5(2), 171–181.
- Trost, S. G., Owen, N., Bauman, A. E., Sallis, J. F. a Brown, W. (2002). Correlates of adults' participation in physical activity: review and update. *Medicine & Science in Sports & Exercise*, 34(12), 1996–2001.
- University of Cambridge. (11. července 2014). *Brain activity in sex addiction mirrors that of drug addiction*. [2015-06-01]. Dostupné na www.cam.ac.uk/research/news/brain-activity-in-sex-addiction-mirrors-that-of-drug-addiction.
- U. S. Department of Agriculture. (2010). *Dietary guidelines for Americans, 2010*. [2015-02-03]. Dostupné na www.cnpp.usda.gov/dietaryguidelines.html.
- U. S. Department of Health and Human Services. (2008). *Physical activity guidelines for Americans*. [2015-10-27]. Dostupné na www.health.gov/PAGuidelines.
- U. S. Public Health Service. (2000). *Report of the Surgeon General's Conference on Children's Mental Health: A national action agenda*. Washington, DC: Department of Health and Human Services, 2000. Stock No. 017-024-01659-4. ISBN No. 0-16-050637-9.
- University of Maryland Medical Center. (2013). *Stress*. [2015-09-14]. Dostupné na <http://umm.edu/health/medical/reports/articles/stress>.

- University of Minnesota Duluth. *Personality and exercise*. [2015-09-12]. Dostupné na www.d.umn.edu/~dmillsla/courses/Exercise%20Adherence/documents/PersonalityExercise.pdf.
- Valliant, P. M. a Asu, M. E. (1985). Exercise and its effects on cognition and physiology in older adults. *Perceptual and Motor Skills*, 61, 1031–1038.
- Van Grootheest, D. S., Beekman, A. T. F., Broese van Groenou, M. I. a Deeg, D. J. H. (1999). Sex differences in depression after widowhood: Do men suffer more? *Soc Psychiatry Psychiatr Epidemiol*, 34, 391–398.
- Volkow, N. (1. března 2011). *Physical activity may prevent substance abuse*. National Institute on Drug Abuse. [2015-06-02]. Dostupné na www.drugabuse.gov/news-events/nida-notes/2011/03/physical-activity-may-prevent-substance-abuse.
- Wellness Monthly. (říjen 2012). *Moving through grief: Exercise can help*. [2015-02-07]. Dostupné na www.mansfield.edu/hr/upload/SEAP-October-2012.pdf.
- Whaley, D. E. a Schrider, A. F. (2005). The process of adult exercise adherence: Self-perceptions and competence. *The Sport Psychologist*, 19, 148–63.
- Williams, M. A., Haskell, W. L., Ades, P. A. a kol. (2007). Resistance exercise in individuals with and without cardiovascular disease: 2007 update: a scientific statement from the American Heart Association Council on Clinical Cardiology and Council on Nutrition, Physical Activity, and Metabolism. *Circulation*, 116, 572–84.
- Wilson, K. a Brookfield, D. (2009). Effect of goal setting on motivation and adherence in a six-week exercise program. *International Journal of Sport and Exercise Physiology*, 6, 89–100.
- Young, R. J. (1979). Effects of regular exercise on cognitive functioning and personality. *British Journal of Sports Medicine*, 13(3), 110–17.
- Zhao, G., Ford, E. S. a Mokdad, A. H. (2008). Compliance with physical activity recommendations in US adults with diabetes. *Diabetic Medicine*, 25(2), 221–227.