8 DEDIKACE VÝZKUMNÉMU PROJEKTU

Metodika vznikla v rámci projektu Technologické agentury ČR č. SS06010148 „Kvantifikace zásob uhlíku v lesních půdách ČR a možnost jejího ovlivnění lesnickým managementem".

9 LITERATURA

9.1 Seznam použité související literatury

AKSELSSON C., BERG B., MEENTEMEYER V., WESTLING O. 2005. Carbon sequestration rates in organic layers of boreal and temperate forest soils — Sweden as a case study. Global Ecology and Biogeography, 14: 77–84.

AMERAY A., BERGERON Y., VALERIA O., MONTORO GIRONA M., CAVARD X. 2021. Forest Carbon Management: a Review of Silvicultural Practices and Management Strategies Across Boreal, Temperate and Tropical Forests. Current Forestry Reports, 7: 245–266.

ASKARI Y., SOLTANI A., AKHAVAN R., TAHMASEBI KOHYANI P. 2017 Assessment of root-shoot ratio biomass and carbon storage of *Quercus brantii* Lindl. in the central Zagros forests of Iran. Journal of Forest Science, 63, 6: 282–289.

BALDRIAN P., LÓPEZ-MONDÉJAR R., KOHOUT P. 2023. Forest microbiome and global change. Nature Reviews Microbiology, 21: 487–501. DOI: 0.1038/s41579-023-00876-4

BERNER R.A., LASAGA A.C. 1989. Modelling the geochemical carbon cycle. Scientific American, 260 (3): 74–81. DOI:10.1038/scientificamerican0389-74

BINKLEY D. 2025. Assmann review: spatial ecology of rotational and continuous cover forestry in boreal landscapes. European Journal of Forest Research, 144: 225–254.

BINKLEY D., GIARDINA CH. 1998. Why do tree species affect soils? The warp and woof of tree–soil interactions. Biogeochemistry, 42: 89–106.

BLUJDEA V.N.B., VISKARI T., KULMALA L., GÂRBACEA G., DUTCA I., MICLAUS M., MARIN G., LISKI J. 2021. Silvicultural interventions drive the changes in soil organic carbon in Romanian forests according to two model simulations. Forests, 12: 795. DOI: 10.3390/f12060795

BOWDEN R.D.; DEEM L.; PLANTE A.F.; PELTRE C.; NADELHOFFER K.; LAJTHA K. 2014. Litter input controls on soil carbon in a temperate deciduous forest. Soil Science Society of America Journal, 78: S66–S75.

BRUCKMAN V. J., YAN S., HOCHBICHLER E., GLATZEL G. 2011. Carbon pools and temporal dynamics along a rotation period in *Quercus* dominated high forest and coppice with standards stands. Forest Ecology and Management, 262, 9: 1853–1862.

CONEN F., ZERVA A., ARROUAYS D., JOLIVET C., JARVIS P.G., GRACE J., MENCUCCINI M. 2005. The carbon balance of forest soils: detectability of changes in soil carbon stocks in temperate and Boreal forests. In: Griffiths H., Jarvis P.G. (eds.): The Carbon Balance in Forest Biomes. Oxon, New York, Taylor & Francis Group: 252–267.

COVINGTON W.W. 1981. Changes in forest floor organic matter and nutrient content following clear cutting in northern hardwoods. Ecology, 62, 1: 41–48.

CZIMCZIK C.I., MUND M., SCHULZE E.-D., WIRTH CH. 2005. Effects of reforestation, deforestation, and afforestation on carbon storage in soils. In: Griffiths H. Jarvis P.G. (eds.). The Carbon Balance of Forest Biomes. Taylor & Francis: 342–355

DARENOVA, E., CATER M., PAVELKA M. 2016. Different harvest intensity and soil CO_2 efflux in sessile oak coppice forests. Iforest-Biogeosciences and Forestry, 9: 546–552.

EGGLETON T. 2013. A Short Introduction to Climate Change. Cambridge, Cambridge University Press. 52 s.

EGNELL G., JUREVICS A., PEICHL M. 2015. Negative effects of stem and stump harvest and deep soil cultivation on the soil carbon and nitrogen pools are mitigated by enhanced tree growth. Forest Ecology and Management, 338: 57–67. DOI: 10.1016/j.foreco.2014.11.006

FAO. 2020. Global Forest Resources Assessment 2020. Main report. Roma, FAO: 164 s. Dostupné na: https://doi.org/10.4060/ca9825en

FENG J., HE K., ZHANG Q., HAN M., ZHU B. 2022. Changes in plant inputs alter soil carbon and microbial communities in forest ecosystems. Global Change Biology, 28: 3426–3440. https://doi.org/10.1111/gcb.16107

FRIEDLINGSTEIN P. et al. 2020. Global Carbon Budget 2020., Earth System. Science. Data, 12: 3269–3340. DOI: 10.5194/essd-12-3269-2020

GRÜNEBERG E., SCHÖNNIG I., RIEK W., ZICHE D., EVERS J. 2019. Carbon stock changes in German forest soils. In: Wellbrock, N., Bolte, A. (eds.): Status and dynamics of forests in Germany. Results of the national forest monitoring. Cham, Springer: 167–198. Ecological studies 237. ISBN 978-030-15734-0. DOI: 10.1007/978-p.3-030-15734-0

HÖLSCHER, D., SCHADE E., LEUSCHNER C. 2001. Effects of coppicing in temperate deciduous forests on ecosystem nutrient pools and soil fertility. Basic and Applied Ecology, 2, 2: 155–164.

HOOVER C.M. 2011. Management Impacts on Forest Floor and Soil Organic Carbon in Northern Temperate Forests of the US. Carbon Balance and Management, 6, 17.

HOU G., DELANG C.O., LU X., GAO L. 2020. A meta-analysis of changes in soil organic carbon stocks after afforestation with deciduous broadleaved, sempervirent broadleaved, and conifer tree species. Annals of Forest Science, 77: 92.

CHEN Z., YU G., WANG Q. 2020. Effects of climate and forest age on the ecosystem carbon exchange of afforestation. Journal of Forest Research, 31, 2: 365–374.

IPCC. 2021. Summary for Policymakers [online]. In: Climate Change 2021. The Physical Science Basis. Contribution of Working Group I to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge, Cambridge University Press: 31 s. [cit. 2023-11-28]. Dostupné na: https://www.ipcc.ch/report/ar6/wg1/downloads/report/IPCC_AR6_WGI_SPM.pdf

JANDL R., LINDNER M., VESTERDAL L., BAUWENS B., BARITZ R., HAGEDORN F., JOHNSON D.W., MINKKINEN K., BYRNE K.A. 2007. How strongly can forest management influence soil carbon sequestration? Geoderma, 137: 253–268. DOI: 10.1016/j.geoderma.2006.09.003

JARVIS P.G., IBROM A., LINDER S. 2005. Carbon forestry': managing forests to conserve carbon. In: Griffiths H., Jarvis P.G. (eds.). The Carbon Balance of Forest Biomes. Oxon, New York, Taylor & Francis Group: 356–376

JOCHER G., KOWALSKA N., ACOSTA M., KREJZA J., MARKOVÁ I., MARSHALL J.D., UCHYTILOVÁ T., PAVELKA M., MAREK M.V. 2021. Po-

tential of typical highland and mountain forests in the Czech Republic for climate-smart forestry: ecosystem-scale drought responses. Canadian Journal of Forest Research, 51, 12: 1811–1820.

KAYLER Z., JANOWIAK M., SWANSTON C. 2017. Global Carbon. (June, 2017). U. S. Department of Agriculture, Forest Service, Climate Change Resource Center. Dostupné na: (https://www.fs.usda.gov/ccrc/topics/ global-carbonhttps://www.fs.usda.gov/ccrc/topics/ global-carbon

KEENAN T.F., WILLIAMS C.A. 2018. The Terrestrial Carbon Sink. Annual Review of Environment and Resources, 43: 219–43. DOI: 10.1146/annurev-environ-102017-030204

KIM S., AXELSSON E-P., GIRONA M.M., SENIOR J.K. 2021. Continuous-cover forestry maintains soil fungal communities in Norway spruce dominated boreal forests. Forest Ecology and Management, 480: 118659.

KÖSTER K., PÜTTSEPP U., PUMPANEN J. 2011. Comparison of soil CO_2 flux between uncleared and cleared windthrow areas in Estonia and Latvia. Forest Ecology and Management, 262: 65–70. DOI: 101016/j.foreco.2010.09.023

KURTH T., BARNES W., MURRAY L., COAD L., WEGENER J., TRUITT N., RILEY L., CADIGAN C., TRAN C.: How Forests Can Revitalize Carbon Markets. Dostupné na: https://www.bcg.com/publications/2025/how-forests-can-revitalize-carbon-markets

LEHTONEN A., EYVINDSON K., HÄRKÖNEN K., LEPPÄ K., SALMIVAARA A., PELTONIEMI M., SALMINEN O., SARKKOLA S., LAUNIAINEN S., OJANEN P., RÄTY M., MÄKIPÄÄ R. 2023. Potential of continuous cover forestry on drained peatlands to increase the carbon sink in Finland. Scientific Reports, 13: 15510.

LEUSCHNER C, FELDMANN E., PICHLER V., GLATTHORN J., HERTEL D. 2022. Forest management impact on soil organic carbon: A paired-plot study in primeval and managed European beech forests, Forest Ecology and Management, 512: 120163

MACÍAS F., CAMPS ARBESTAIN M. 2010. Soil carbon sequestration in a changing global environment. Mitigation and Adaptation Strategies for Global Change, 15: 511–529.

MADARAS M., SKALSKÝ R., BALKOVIČ J. 2025. Potenciál sekvestrace uhlíku v orných půdách České republiky. Soubor map 2025. Národní centrum zemědělského a potravinářského výzkumu. Dostupné na: https://www.carc.cz/wp-content/uploads/2025/11/Nmap-Madaras-a-kol.-2025.pdf

MAREK M.V., JANOUŠ D., TAUFAROVÁ K., HAVRÁNKOVÁ K., PAVELKA M., KAPLAN V., MARKOVÁ I. 2011. Carbon exchange between ecosystems and atmosphere in the Czech Republic is affected by climate factors. Environmental Pollution, 159 (5): 1035–1039.

MARKOVÁ I., JANOUŠ D., PAVELKA M., MACKŮ J., HAVRÁNKOVÁ K., REJŠEK K., MAREK M.V. 2016. Potential changes in Czech forest soil carbon stocks under different climate change scenarios. Journal of Forest Science, 62, 12: 537–544.

MAYERA M., PRESCOTT C.E., ABAKERD W.E.A., AUGUSTO L., CÉCILLON L., FERREIRA G.W.D., JAMES J., JANDL R., KATZENSTEINER K., LACLAU J. P., LAGANIÈRE J., NOUVELLON Y., PARÉ D., STANTURF J.A., VANGUELOVA E.I., VESTERDAL L. 2020. Influence of forest management activities on soil organic carbon stocks: A knowledge synthesis. Forest Ecology and Management, 466: 118127.

MÉNARD I., THIFFAULT E., KURZ W.A., BOUCHER J.-F. 2023. Carbon sequestration and emission mitigation potential of afforestation and reforestation of unproductive territories. New Forests, 54: 1013–1035.

MENICHETTI L., LEHTONEN A., LINDROOS A.J., MERILÄ P., HUUSKONEN S., UKONMAANAHO L., MÄKIPÄÄ R. 2025. Soil Carbon Dynamics During Stand Rotation in Boreal Forests. European Journal of Soil Science, 76, 4: e70154.

MJÖFORS K., STRÖMGREN M., NOHRSTEDT H.Ö., JOHANSSON M.B., GÄRDENÄS A.I. 2017. Indications that site preparation increases forest ecosystem carbon stocks in the long term. Scandinavian Journal of Forest Research, 32: 717–725. DOI: 10.1080/02827581.2017.1293152

MURPHY B. A., ROLLINSON C. R., DIETZE M. C., STAUDHAMMER C. L., VONHEDEMANN N. R., SCHULTZ C. A., KLEINDL W.J., DESAI A.R. 2025. Insights into nature-based climate solutions: Managing forests for climate resilience and carbon stability. Journal of Geophysical Research: Biogeosciences, 130: e2024JG008391.

MURPHY D.J. 2024. Biological Carbon Sequestration: From Deep History to the Present Day. Earth, 5: 195–213.

NAN H., HE H.Y., FAN R., LI X.Y., ZHAO C.M., LI J.H. 2025. Planting of nitrogen-fixing shrubs promote soil carbon sequestration by increasing mineral-associated organic fraction. Geoderma, 457: 117282.

NASA Global Climate. 2026. "Carbon Dioxide Concentration | NASA Global Climate Change". Climate Change: Vital Signs of the Planet. citováno 15. ledna 2026.

NAVE L.E., WALTERS B.F., HOFMEISTER K.L., PERRY C.H., MISHRA U., DOMKE G.M., SWANSTON C.W. 2019. The role of reforestation in carbon sequestration. New Forests, 50: 115–137.

NAVE L. E., VANCE E. D., SWANSTON C. W., CURTIS P. S. 2010. Harvest impacts on soil carbon storage in temperate forests. Forest Ecology and Management, 259 (5): 857–866.

NEUDERTOVÁ HELLEBRANDOVÁ K., FADRHONSOVÁ V., ŠRÁMEK V. 2024. Aggregated database of forest soil chemical properties in the Czech Republic based on surveys from 2000 to 2020. Annals of Forest Science, 81: 17.

NOVOTNÝ R., TEJNECKÝ V., VALTERA M., KACÁLEK D., FADRHONSOVÁ V., HELLEBRANDOVÁ K., PAVLŮ L., HOLÍK L., NOVÁK J., LEUGNER J., ŠRÁMEK V., BORŮVKA L., DRÁBEK O., ŘEPKOVÁ V., JIŘIČKA D., VOLÁNEK J. 2024. Doporučené hospodářské postupy pro podporu sekvestrace uhlíku, zajištění kvality vody povrchových toků a imobilizace rizikových prvků – certifikovaná metodika. Lesnický průvodce 10. Strnady, Výzkumný ústav lesního hospodářství a myslivosti: 50 s.

OELBERMANN M., VORONEY R.P., GORDON A.M. 2004. Carbon sequestration in tropical and temperate agroforestry systems: a review with examples from Costa Rica and southern Canada. Agriculture, Ecosystems and Environment, 104: 359–377.

OULEHLE F., SVOBODA J., HRUŠKA J. 2024. Modelované zásoby uhlíku v lesních půdách do hloubky 50 cm pro rok 2050. Soubor map. Česká geologická služba. Dostupné na: https://cgs.gov.cz/projekty/663700-catchcan

PAN Y., BIRDSEY R.A., PHILLIPS O.L., JACKSON R.B. 2013. The structure, distribution, and biomass of the world´s forests. Annual Review of Ecology Evolution, and Systematics, 44: 593–622. DOI: 10.1146/annurev-ecolsys-110512-135914

PANCHAL P., PREECE C., PEÑUELAS J., GIRI J., 2022. Soil carbon sequestration by root exudates. Trends in Plant Science, 27: 749–757. https://doi.org/10.1016/j.tplants.2022.04.009

PRESCOTT C.E., REID A., WU S.Y., NILSSON M.C. 2017. Decomposition rates of surface and buried forest-floor materiál. Canadian Journal of Forest Research, 47: 1140–1144. DOI: 10.1139/cjfr-2016-0533

PUGH T.A.M., LINDESKOG M., SMITH B., POULTER B., ARNETH A., HAVERD V., CALLE L. 2019. Role of forest regrowth in global carbon sink dynamics. Proceedings of the National Academy of Sciences, 116, 10: 4382–4387.

REGULATION (EU) 2021/1119 of the European Parliament and of the Council of 30 June 2021 establishing the framework for achieving climate neutrality and amending Regulations (EC) No 401/2009 and (EU) 2018/1999 ('European Climate Law')

REGULATION (EU) 2024/3012 of the European Parliament and of the Council of 27 November 2024 establishing a Union certification framework for permanent carbon removals, carbon farming and carbon storage in products

ROMM J., LEZAK S., ALSHAMSI A. 2025. Are Carbon Offsets Fixable? Annual Review of Environment and Resources, 50: 649–680.

ROTH E.-M., KARHU K., KOIVULA M., HELMISAARI H.-S., TUITTILA E.-S. 2023. How do harvesting methods applied in continuous-cover forestry and rotation forest management impact soil carbon storage and degradability in boreal Scots pine forests? Forest Ecology and Management, 544: 121144.

SAMEC P., VOLÁNEK J., BAJER A. 2017. Role tvaru lesa v uhlíkovém lesnictví. Lesnická práce, 10: 40–41.

SIERRA, C.A., TRUMBORE, S.E., DAVIDSON, E.A., VICCA, S., JANSSENS, I., 2015. Sensitivity of decomposition rates of soil organic matter with respect to simultaneous changes in temperature and moisture. Journal of Advances in Modeling Earth Systems, 7: 335–356. https://doi.org/10.1002/2014MS000358

SLODIČÁK M., KACÁLEK D., MAUER O., DUŠEK D. HOUŠKOVÁ K., JURÁSEK A., LEUGNER J., NOVÁK J., SOUČEK J., ŠPULÁK O., PODRÁZSKÝ V., ZOUHAR V. 2017. Meliorační a zpevňující funkce lesních dřevin v CHS borového a smrkového hospodářství – certifikovaná metodika. Lesnický průvodce 7. Strnady, Výzkumný ústav lesního hospodářství a myslivosti: 44 s.

SOKOL N.W., BRADFORD M.A. 2019. Microbial formation of stable soil carbon is more efficient from belowground than aboveground input. Nature Geoscience, 12. 46–53. https://doi.org/10.1038/s41561-018-0258-6

SUCRE E. B., FOX T. R. 2009. Decomposing stumps influence carbon and nitrogen pools and fine-root distribution in soils. Forest Ecology and Management, 258 (10): 2242–2248.

ŠPULÁK O., KACÁLEK D. 2020. How different approaches to logging residues handling affected retention of nutrients at poor-soil Scots pine site after clear-cutting? A case study. Journal of Forest Science, 66, 11: 461–470.

ŠRÁMEK V., FADRHONSOVÁ V., NEUDERTOVÁ HELLEBRANDOVÁ K., NOVOTNÝ R., 2021. Doporučené metody nakládání s těžebními zbytky v lesních porostech s významnou produkční funkcí z hlediska udržitelnosti bilance hlavních živin. Certifikovaná metodika. Lesnický průvodce 3/2021. Strnady, VÚLHM: 60 s

ŠRÁMEK V., FADRHONSOVÁ V., NEUDERTOVÁ HELLEBRANDOVÁ K., CIENCIALA E., BORŮVKA L. 2024. Zásoby uhlíku v lesních půdách a lesní hospodářství – review. Zprávy lesnického výzkumu, 69, 1: 22–36.

TATTERSALL SMITH C., BRIGGS R.D., STUPAK I., PREECE C., REZAI-STEVENS A., BARUSCO B., ROTH B.E., FERNANDEZ I.J., SIMPSON M. 2022. Effects of whole-tree and stem-only clearcutting on forest floor and soil carbon and nutrients in a balsam fir (*Abies balsamea* (L.) Mill.) and red spruce (*Picea rubens* Sarg.) dominated ecosystem. Forest Ecology and Management, 519: 120325. DOI: 10.1016/j.foreco.2022.120325

THIBAULT M., THIFFAULT E., BERGERON Y., OUIMET R., TREMBLAY S. 2022. Afforestation of abandoned agricultural lands for carbon sequestration: how does it compare with natural succession? Plant and Soil, 475: 605–621.

URI V., KUKUMÄGI M., AOSAAR J., VARIK M., BECKER H., SOOSAAR K., MOROZOV G., LIGI K., PADARI A., OSTONEN I., KAROLES K. 2017. Carbon budgets in fertile grey alder (*Alnus incana* (L.) Moench.) stands of different ages. Forest Ecology and Management, 396: 55–67.

VAŠÁT R., BORŮVKA L., ŠRÁMEK V., CIENCIALA E., NĚMEČEK K., PAVLŮ L., FADRHONSOVÁ V., NEUDERTOVÁ HELLEBRANDOVÁ K., TEJNECKÝ V. 2025. Zásoby uhlíku v celém půdním profilu lesních půd České republiky v rozlišení 100 m. Soubor map. Strnady, VÚLHM: 16 s.

VAŠÁT R., NEUDERTOVÁ HELLEBRANDOVÁ K., ŠRÁMEK V., BORŮVKA L., SÁŇKA M., SÁŇKA O., VACEK O., PENÍŽEK V., ČECHMÁNKOVÁ J. 2021a. Mapa procentuálního obsahu organického uhlíku v lesních půdách. Soubor map. Strnady, VÚLHM: 11 s.

VAŠÁT R., KOMPRDOVÁ K., NEUDERTOVÁ HELLEBRANDOVÁ K., ŠRÁMEK V., BORŮVKA L., SÁŇKA M., SÁŇKA O., FADRHONSOVÁ V., ČECHMÁNKOVÁ J. 2021b. Zásoby prvků v nadložním organickém horizontu lesních půd a zásoby uhlíku v celém půdním profilu. Soubor map. Strnady, VÚLHM: 25 s.

YAN Y. 2018. Integrate carbon dynamic models in analyzing carbon sequestration impact of forest biomass harvest. Science of the Total Environment, 615: 581–587. DOI: 10.1016/j.scitotenv.2017.09326