20 LITERATURA

Arias, M., Jurado, C., Gallardo, C., Fernández-Pinero, J., & Sánchez-Vizcaíno, J. M. (2018). Gaps in African swine fever: Analysis and priorities. *Transboundary and Emerging Diseases, 65*, 235-247.

Ballari, S. A., & Barrios-García, M. N. (2014). A review of wild boar *Sus scrofa* diet and factors affecting food selection in native and introduced ranges. *Mammal Review, 44*(2), 124-134.

Barasona, J. A., López-Olvera, J. R., Beltrán-Beck, B., Gortázar, C., & Vicente, J. (2013). Trap--effectiveness and response to tiletamine-zolazepam and medetomidine anaesthesia in Eurasian wild boar captured with cage and corral traps. *BMC Veterinary Research, 9*(1), 107.

Beaulieu, M., & Masilkova, M. (2024). Plugging biologging into animal welfare: An opportunity for advancing wild animal welfare science. *Methods in Ecology and Evolution, 15*(12), 2172-2188.

Blome, S., Franzke, K., & Beer, M. (2020). African swine fever – A review of current knowledge. *Virus Research, 287*, 198099.

Bogdziewicz, M., Kelly, D., Tanentzap, A. J., Thomas, P. A., Lageard, J. G., & Hacket-Pain, A. (2020). Climate change strengthens selection for mast seeding in European beech. *Current Biology, 30*(17), 3477-3483.

Boyce, C. M., Vercauteren, K. C., & Beasley, J. C. (2020). Timing and extent of crop damage by wild pigs (*Sus scrofa* Linnaeus) to corn and peanut fields. *Crop Protection, 133*, 105131.

Bywater, K. A., Apollonio, M., Cappai, N., & Stephens, P. A. (2010). Litter size and latitude in a large mammal: the wild boar *Sus scrofa*. *Mammal Review, 40*(3).

Campbell, T. A., & Long, D. B. (2009). Feral swine damage and damage management in forested ecosystems. *Forest Ecology and Management*, 257(12), 2319-2326.

Carpio, A. J., Apollonio, M., & Acevedo, P. (2021). Wild ungulate overabundance in Europe: contexts, causes, monitoring and management recommendations. *Mammal Review, 51*(1), 95-108.

Casas-Díaz, E., Closa-Sebastià, F., Marco, I., Lavín, S., Bach-Raich, E., & Cuenca, R. (2015). Hematologic and biochemical reference intervals for wild boar (*Sus scrofa*) captured by cage trap. *Veterinary Clinical Pathology, 44*(2), 215-222.

Conejero, C., López-Olvera, J. R., González-Crespo, C., Ráez-Bravo, A., Castillo-Contreras, R., Tampach, S., ... & Mentaberre, G. (2022). Assessing mammal trapping standards in wild boar drop-net capture. *Scientific Reports*, 12(1), 15090.

Cukor, J., Ježek, M., Brož, L., Václavek, P., Horn, M. (2023). Africký mor prasat ve střední Evropě (II.) Lov černé zvěře odchytem u Saských lesů. *Svět myslivosti*, 2/2023, 17–19.

Erdtmann, D., & Keuling, O. (2020). Behavioural patterns of free roaming wild boar in a spatio-temporal context. *PeerJ, 8*, e10409.

Escobar-González, M., López-Martín, J. M., Mentaberre, G., Valldeperes, M., Estruch, J., Tampach, S., ... & López-Olvera, J. R. (2024). Evaluating hunting and capture methods for urban wild boar population management. *Science of the Total Environment*, *940*, 173463.

Fonseca, C., Da Silva, A. A., Alves, J., Vingada, J., & Soares, A. M. (2011). Reproductive performance of wild boar females in Portugal. *European Journal of Wildlife Research*, *57*(2), 363-371.

Frauendorf, M., Gethöffer, F., Siebert, U., & Keuling, O. (2016). The influence of environmental and physiological factors on the litter size of wild boar (*Sus scrofa*) in an agriculture dominated area in Germany. *Science of the Total Environment*, *541*, 877-882.

Galindo Barreales, I., & Alonso Martí, C. (2017). African swine fever virus: A review. *Viruses*, 9, *103*.

Gaskamp, J. A., Gee, K. L., Campbell, T. A., Silvy, N. J., & Webb, S. L. (2021). Effectiveness and efficiency of corral traps, drop nets and suspended traps for capturing wild pigs (*Sus scrofa*). *Animals*, *11*(6), 1565.

Gethöffer, F., Sodeikat, G., & Pohlmeyer, K. (2007). Reproductive parameters of wild boar (*Sus scrofa*) in three different parts of Germany. *European Journal of Wildlife Research*, *53*(4), 287-297.

Güldenpfennig, J., Schmicke, M., Hoedemaker, M., Siebert, U., & Keuling, O. (2021). An approach to assess stress in response to drive hunts using cortisol levels of wild boar (*Sus scrofa*). *Scientific Reports*, 11(1), 16381.

Hamrick, W., Smith, M. D., Jaworowski, C., & Strickland, B. K. (2016). A landowner's guide for wild pig management. Practical methods for wild pig control. *Publication ANRE*. Dostupné na https://extension.msstate.edu/sites/default/files/publications/p2659.pdf

Huber, N., Vetter, S. G., Evans, A. L., Kjellander, P., Küker, S., Bergvall, U. A., & Arnemo, J. M. (2017). Quantifying capture stress in free ranging European roe deer (*Capreolus capreolus*). *BMC Veterinary Research*, 13(1), 127.

Choquenot, D., Kilgour, R. J., & Lukins, B. S. (1993). An evaluation of feral pig trapping. *Wildlife Research*, *20*(1), 15-21.

Iossa, G., Soulsbury, C. D., & Harris, S. (2007). Mammal trapping: a review of animal welfare standards of killing and restraining traps. *Animal Welfare*, *16*(3), 335-352.

ISO 10990-5. Methods for testing restraining traps. in Animal (Mammal) Traps—Part 5 (International Organization for Standardization, 1999).

Maistrelli, C., Hüneke, H., Langeheine, M., Keuling, O., Siebert, U., & Brehm, R. (2021). Precocious puberty in male wild boars: a possible explanation for the dramatic population increase in Germany and Europe. *PeerJ*, *9*, e11798.

Markov, N., Pankova, N., & Filippov, I. (2019). Wild boar (*Sus scrofa* L.) in the north of Western Siberia: history of expansion and modern distribution. *Mammal Research*, *64*(1), 99-107.

Martin, P., & Bateson, P. (2009). *Úvod do teorie a metodologie měření chování*. Praha, Portál. 221 s.

Masilkova, M., Ježek, M., Silovský, V., Faltusová, M., Rohla, J., Kušta, T., & Burda, H. (2021). Observation of rescue behaviour in wild boar (*Sus scrofa*). *Scientific reports*, *11*(1), 16217.

Mauget, R. & Pepin, D. (1991). Energy intake, growth and timing of puberty in the European wild boar *Sus scrofa* L. In: Global trends in wildlife management ; 205-210

Mason-D'Croz, D., Bogard, J. R., Herrero, M., Robinson, S., Sulser, T. B., Wiebe, K., ... & Godfray, H. C. J. (2020). Modelling the global economic consequences of a major African swine fever outbreak in China. *Nature Food*, *1*(4), 221-228.

Massei, G., Genov, P. V., Staines, B. W., & Gorman, M. L. (1997). Mortality of wild boar, *Sus scrofa*, in a Mediterranean area in relation to sex and age. *Journal of Zoology*, *242*(2), 394-400.

Massei, G., Cowan, D. P., Coats, J., Bellamy, F., Quy, R., Pietravalle, S., ... & Miller, L. A. (2012). Long-term effects of immunocontraception on wild boar fertility, physiology and behaviour. *Wildlife Research*, *39*(5), 378-385.

Massei, G., Kindberg, J., Licoppe, A., Gačić, D., Šprem, N., Kamler, J., ... & Náhlik, A. (2015). Wild boar populations up, numbers of hunters down? A review of trends and implications for Europe. *Pest Management Science*, *71*(4), 492-500.

Moberg, G. P. (1985). Biological response to stress: key to assessment of animal well-being? In: *Animal Stress*. New York, Springer, 27–49.

Mormède, P., Andanson, S., Aupérin, B., Beerda, B., Guémené, D., Malmkvist, J., ... & Veissier, I. (2007). Exploration of the hypothalamic–pituitary–adrenal function as a tool to evaluate animal welfare. *Physiology & Behavior*, 92(3), 317-339.

Náhlik, A., & Sándor, G. (2003). Birth rate and offspring survival in a free-ranging wild boar *Sus scrofa* population. *Wildlife Biology*, *9*, 37-42.

Niemi, J. K. (2020). Impacts of African swine fever on pigmeat markets in Europe. *Frontiers in Veterinary Science*, *7*, 634.

Övergaard, R., Gemmel, P., & Karlsson, M. (2007). Effects of weather conditions on mast year frequency in beech (*Fagus sylvatica* L.) in Sweden. *Forestry*, *80*(5), 555-565.

Palme, R. (2019). Non-invasive measurement of glucocorticoids: Advances and problems. *Physiology & Behavior*, 199, 229-243.

Pejsak, Z., Niemczuk, K., Frant, M., Pomorska-Mól, M., Ziętek-Barszcz, A., Bocian, Ł., ... & Woźniakowski, G. (2018). Four years of African swine fever in Poland. New insights into epidemiology and prognosis of future disease spread. *Polish Journal of Veterinary Sciences*, *21*(4).

Pépin, D., Spitz, F., Janeau, G., & Valet, G. (1987). Dynamics of reproduction and development of weight in the wild boar (*Sus scrofa*) in South-west France. *Zeitschrift für Säugetierkunde*, *52*(1), 21-30.

Powell, R. A., & Proulx, G. (2003). Trapping and marking terrestrial mammals for research: integrating ethics, performance criteria, techniques, and common sense. *ILAR Journal*, *44*(4), 259-276.

Proulx, G., Cattet, M., Serfass, T. L., & Baker, S. E. (2020). Updating the AIHTS trapping standards to improve animal welfare and capture efficiency and selectivity. *Animals*, *10*(8), 1262.

Proulx, G., Allen, B. L., Cattet, M., & Feldstein, P. (2022a). International mammal trapping standards—Part III: Restraining trap systems. In: Proulx, G. (ed.): Mammal Trapping – Wildlife Management, Animal Welfare & International Standards. Alpha Wildlife Publications, 273–285.

Proulx, G., Allen, B. L., Cattet, M., Feldstein, P., Iossa, G., Meek, P. D., ... & Soulsbury, C. D. (2022b). International mammal trapping standards–Part I: Prerequisites. In: Proulx, G. (ed.): Mammal Trapping – Wildlife Management, Animal Welfare & International Standards. Alpha Wildlife Publications, 233–258.

Rivero, M. J., Rodríguez-Estévez, V., Pietrosemoli, S., Carballo, C., Cooke, A. S., & Kongsted, A. G. (2019). Forage consumption and its effects on the performance of growing swine – Discussed in relation to European wild boar (*Sus Scrofa* L.) in semi-extensive systems: A review. *Animals*, 9(7), 457.

Sheriff, M. J., Dantzer, B., Delehanty, B., Palme, R., & Boonstra, R. (2011). Measuring stress in wildlife: techniques for quantifying glucocorticoids. *Oecologia*, 166(4), 869-887.

Taylor, R. A., Condoleo, R., Simons, R. R., Gale, P., Kelly, L. A., & Snary, E. L. (2020). The risk of infection by African swine fever virus in European swine through boar movement and legal trade of pigs and pig meat. *Frontiers in Veterinary Science*, *6*, 486.

Taylor, C. R., Buxton, L., & Beasley, J. C. (2025). Evaluation of common trap types for capturing wild pigs. *Wildlife Society Bulletin*, *49*(1), e1567.

Torres-Blas, I., Mentaberre, G., Castillo-Contreras, R., Fernández-Aguilar, X., Conejero, C., Valldeperes, M., ... & López-Olvera, J. R. (2020). Assessing methods to live-capture wild boars (*Sus scrofa*) in urban and peri-urban environments. *Veterinary Record*, *187*(10), e85-e85.

Westhoff, K. M., Fetzer, A., Büttner, K., Schuler, G., Lang, J., & Lierz, M. (2022). Stress assessment of wild boar (*Sus scrofa*) in corral-style traps using serum cortisol levels. *Animals*, 12(21), 3008.

Westhoff, K. M., Fetzer, A., Schwan, Z., Büttner, K., Lang, J., & Lierz, M. (2024). Refining animal welfare of wild boar (*Sus scrofa*) corral-style traps through behavioral and pathological investigations. *Plos one*, *19*(5), e0303458.

Williams, B. L., Holtfreter, R. W., Ditchkoff, S. S., & Grand, J. B. (2011). Trap style influences wild pig behavior and trapping success. *The Journal of Wildlife Management*, *75*(2), 432-436.