Citovaná literatura

Abdelwahab GE, Ishag HZA, Al Hammadi ZM, Al Yammahi SMS, Yusof MFB, Al Yassi MSY, Al Neyadi SSA, Al Mansoori AMA, Al Hamadi FHA, Al Hamadi IAS, Al Hosani MAA, Al Muhairi SSM. Antibiotics resistance in *Escherichia coli* isolated from livestock in the Emirate of Abu Dhabi, UAE, 2014–2019. Int J Microbiol. 2022;2022:3411560.

Adegbeye MJ, Adetuyi BO, Igirigi AI, Adisa A, Palangi V, Aiyedun S, Alvarado-Ramirez ER, Elghandour MMMY, Molina OM, Oladipo AA, Salem AZM. Comprehensive insights into antibiotic residues in livestock products: Distribution, factors, challenges, opportunities, and implications for food safety and public health. Food Control. 2024;163:110545.

Ahmed SA, Baris E, Go DS, Lofgren H, Osorio-Rodarte I, Thierfelder K. Assessing the global economic and poverty effects of antimicrobial resistance. Policy research working paper. World Bank Group. 2017;WPS8133.

Aizpurua-Olaizola O, Soydaner U, Ozturk E, Schibano D, Simsir Y, Navarro P, Etxebarria N, Usobiaga A. Evolution of the cannabinoid and terpene content during the growth of *Cannabis sativa* plants from different chemotypes. J Nat Prod. 2016;79(2):324-31.

Alfei S, Schito GC, Schito AM. Synthetic pathways to non-psychotropic phytocannabinoids as promising molecules to develop novel antibiotics: A review. Pharmaceutics. 2023;15(7):1889.

Appendino G, Gibbons S, Giana A, Pagani A, Grassi G, Stavri M, Smith E, Rahman M. Antibacterial cannabinoids from *Cannabis sativa*: A structure–activity study. J Nat Products 2008;71:1427-30.

Aqawi M, Sionov RV, Friedman M, Steinberg D. The antibacterial effect of cannabigerol toward *Streptococcus mutans* is influenced by the autoinducers 21-CSP and AI-2. Biomedicines 2023;11:668.

Askari N, Momtaz H, Tajbakhsh E. *Acinetobacter baumannii* in sheep, goat, and camel raw meat: Virulence and antibiotic resistance pattern. AIMS Microbiology.2019;5(3):272-84.

Balenovic M, Janjecic Z, Savic V, Kasap A, Popovic M, Simpraga B, Sokolovic M, Bedekovic D, Kis G, Zglavnik T, Spoljaric D, Krstulovic F, Listes I, Zelenika TA. Immunostimulatory and antibacterial effects of *Cannabis sativa* L. leaves on broilers. Animals. 2024;14(8):1159.

Balthazar C, Cantin G, Novinscak A, Joly DL, Filion M. Expression of putative defense responses in *Cannabis* primed by *Pseudomonas* and/or *Bacillus* strains and infected by *Botrytis cinerea*. Front Plant Sci. 2020;11:572112.

Barros MM, Castro J, Araujo D, Campos AM, Oliveira R, Silva S, Outor-Monteiro D, Almeida C. Swine colibacillosis: Global epidemiologic and antimicrobial scenario. Antibiotics-Basel. 2023;12(4):682.

Beleggia R, Iannucci A, Menga V, Quitadamo F, Suriano S, Citti C, Pecchioni N, Trono D. Impact of chitosan-based foliar application on the phytochemical content and the antioxidant activity in hemp (Cannabis sativa L) inflorescences. Plants. 2023;212:3692.

Berchtold JF, Constable PD. Antibiotic treatment of diarrhea in preweaned calves. Food Animal Practice. 2009;2009:520–5.

Bien D, Michalczuk M, Jozwik A, Matuszewski A, Konieczka P. Effects of *Cannabis sativa* extract on growth performance, meat physicochemical properties, and oxidative status in chickens challenged with *Clostridium perfringens* and lipopolysaccharide. Anim Sci Papers Rep. 2024;42(1):81-108.

Blaskovich MAT, Kavanagh AM, Elliott AG, Zhang B, Ramu S, Amado M, Lowe GJ, Hinton AO, Pham DMT, Zuegg J, Beare N, Quach D, Sharp MD, Pogliano J, Rogers AP, Lyras D, Tan L, West NP, Crawford DW, Peterson ML, Callahan M, Thurn M. The antimicrobial potential of cannabidiol. Commun Biol. 2021;4:7.

Bloomfield MAP, Yamamori Y, Hindocha C, Jones APM, Yim JLL, Walker HR, Statton B, Wall MB, Lees RH, Howes OD, Curran VH, Roiser JP, Freeman TP. The acute effects of

cannabidiol on emotional processing and anxiety: A neurocognitive imaging study. Psychopharmacology. 2022;329(5):1539-49.

Brkljaca N, Durovic S, Milosevic S, Gasic U, Pankovic D, Zekovic Z, Pavlic B. Sequential extraction approach for sustainable recovery of various hemp (*Cannabis sativa* L) bioactive compounds. Sust Chem Pharmacy. 2023;35:101213.

Brunetti P, Lo Faro AF, Pirani F, Berretta P, Pacifici R, Pichini S, Busardo FP. Pharmacology and legal status of cannabidiol. Ann Ist Super Sanita. 2020;56(3):285-91.

Cahill MS, Arsenault T, Bui TH, Zuverza-Mena N, Bharadwaj A, Prapayotin-Riveros K, White JC, Dimkpa CO. Copper stimulation of tetrahydrocannabinol and cannabidiol production in hemp (*Cannabis sativa* L) is copper-type, dose, and cultivar dependent. J Agric Food Chem. 2024;72:6921-30.

Cai S, Zhang Z, Huang S, Bai X, Huang Z, Zhang YJ, Huang L, Tang W, Haughn G, You S, Liu Y. CannabisGDB: A comprehensive genomic database for *Cannabis sativa* L. Plant Biotechnol J. 2021;19(5):857-9.

Calvi L, Pentimalli D, Panseri S, Giupponi L, Gelmini F, Beretta G, Vitali D, Bruno M, Zilio E, Pavlovic R, Giorgi A. Comprehensive quality evaluation of medical *Cannabis sativa* L. inflorescence and macerated oils based on HS-SPME coupled to GC-MS and LC-HRMS (q-exactive orbitrap®) approach. J Pharm Biomed Anal. 2018;150:208-19.

Campbell AJ, Dotel R, Braddick M, Britton PN, Eisen DP, Francis JR, Lynar S, McMullan B, Meagher N, Nelson J, O'Sullivan MVN, Price DJ, Robinson JO, Whelan A, Tong SYC, Bowen AC, Davis JS. Clindamycin adjunctive therapy for severe *Staphylococcus aureus* treatment evaluation (CASSETTE) - an open-labelled pilot randomized controlled trial. JAC-Antimicrob Resist. 2021;4(1):dlac014.

Carlson RE, Dolphin DH. Chromatographic analysis of isoflavonoid accumulation in stressed *Pisum sativum*. Phytochemistry. 1981;20(10):2281-4.

CLSI - Clinical and Laboratory Standards Institute. CLSI M100 - Performance standards for antimicrobial susceptibility testing. 35th Edition, 2025.

Coelho MJ, Araújo MD, Carvalho M, Cardoso IL, Manso MC, Pina C. Antimicrobial potential of cannabinoids: A scoping review of the past 5 years. Microorganisms 2025, 13, 325.

Costa LV, Gebara C, Zacaroni OD, Freitas NE, da Silva AN, Prado CS, Nunes IA, Cavicchioli VQ, Duarte FOS, Lage ME, de Alencar FR, Machado BAS, Hodel KVS, Minafra C. Antibiotic residues in raw cow's milk: A systematic review of the last decade. Foods. 2024;13(23):3758.

Cozma A, Andrei S, Pintea A, Miere D, Filip L, Loghin F, Ferlay A. Effect of hemp seed oil supplementation on plasma lipid profile, liver function, milk fatty acid, cholesterol, and vitamin A concentrations in Carpathian goats. Czech J. Anim. Sci. 2015;60 (7):289-301.

Dame-Korevaar A, Gielen C, van Hout J, Bouwknegt M, Faba L, Vrieling M. Quantification of antibiotic usage against *Streptococcus suis* in weaner pigs in the Netherlands between 2017 and 2021. Prev Vet Med. 2025;235:106400.

Dirikoc S, Priola SA, Marella M, Zsurger N, Chabry J. Nonpsychoactive cannabidiol prevents prion accumulation and protects neurons against prion toxicity. The J Neurosci. 2007; 27(36):9537-44.

Divín D, Samblas MG, Veetil NK, Voukali E, Swiderská Z, Krajzingrová T, Tesicky M, Benes V, Elleder D, Bartos O, Vinkler M. Cannabinoid receptor 2 evolutionary gene loss makes parrots more susceptible to neuroinflammation. Proc Royal Soc B-Biol Sci 2022;289(1988):AR 20221941.

Doyle ME. Multidrug-resistant pathogens in the food supply. Foodborne Pathogens Dis. 2015;2(4):261-79.

EFSA - European Food Safety Authority, Panel on additives and products or substances used in animal feed (FEEDAP). Scientific opinion on the safety of hemp (*Cannabis* genus) for use as animal feed. EFSA J. 2011;9(3):1-41.

Ekore DO, Onanga R, Nguema PPM, Lozano C, Kumulungui BS. The antibiotics used in livestock and their impact on resistance in *Enterococcus faecium* and *Enterococcus hirae* on farms in Gabon. Antibiotics-Basel. 2022;11(2):224.

Enshaie E, Nigam S, Patel S, Rai V. Livestock antibiotics use and antimicrobial resistance. Antibiotics. 2025;14(6):621.

European Union. Nařízení EU/ 2019/6 o veterinárních léčivých přípravcích a o zrušení směrnice 2001/82/ES. Document 32019R0006. Úřední věstník Evropské unie, L4/43, 7.1.2019.

European Union. Regulation (EU) 2021/2115 of the European Parliament and of the Council establishing rules on support for strategic plans… http://data.europa.eu/eli/reg/2021/2115/oj.

Fenta MD, Feleke MG, Feleke G, Mebratu AS, Mengistu BA, Demessie Y. Streptococcal infection and its antimicrobial resistance profile associated with bovine mastitis in Ethiopia: A systematic review and meta-analysis. Front Vet Sci. 2025;12:1503904.

Fischedick JT, Hazekamp A, Erkelens T, Choi YH, Verpoorte R. Metabolic fingerprinting of *Cannabis sativa* L, cannabinoids and terpenoids for chemotaxonomic and drug standardization purposes. Phytochemistry. 2010;71:2058-73.

Fitzgerald JR. Livestock-associated *Staphylococcus aureus*: Origin, evolution and public health threat. Trends Microbiol. 2012;20(4):192-8.

Founou LL, Founou RC, Essack SY. Antibiotic resistance in the food chain: A developing country-perspective. Front Microbiol. 2016;7:1881.

Gabotti D, Locatelli F, Cusano E, Baldoni E, Genga A, Pucci L, Consonni R, Mattana M. Cell suspensions of *Cannabis sativa* (var Futura): Effect of elicitation on metabolite content and antioxidant activity. Molecules. 2019; 24:4056.

Gajda A, Nowacka-Kozak E, Gbylik-Sikorska M, Tetracycline antibiotics transfer from contaminated milk to dairy products and the effect of the skimming step and pasteurisation process on residue concentrations. Food Addit Contam Part A Chem Anal Control Expo Risk Assess. 2018;35(1):66-76.

Galletta M., Reekie TA, Nagalingam G, Bottomley AL, Harry EJ, Kassiou M, Triccas JA. Rapid antibacterial activity of cannabichromenic acid against methicillin-resistant *Staphylococcus aureus*. Antibiotics. 2020;9:523.

Gao S, Wang B, Xie S, Xiaoyu X, Zhang J, Pei L, Yu Y, Yang W, Zhang YA. A high- quality reference genome of wild *Cannabis sativa*. Horticulture Res. 2020;7:73.

Garcia-Diez J, Moura D, Grispoldi L, Cenci-Goga B, Saraiva S, Silva F, Saraiva C, Ausina J. *Salmonella* spp. in domestic ruminants, evaluation of antimicrobial resistance based on the one health approach - A systematic review and meta-analysis. Vet. Sci. 2024;11(7):315.

Garrido J, Rico S, Corral C, Sanchez C, Vidal N, Martinez-Quesada JJ, Ferreiro-Vera C. Exogenous application of stress-related signaling molecules affect growth and cannabinoid accumulation in medical cannabis (*Cannabis sativa* L). Front Plant Sci. 2022;13:1082554.

Gautier-Bouchardon AV. Antimicrobial resistance in *Mycoplasma* spp. Microbiol Spectr. 2018;6(4):ARBA-0030-2018.

Ghimpeteanu OM, Pogurschi EN, Popa DC, Dragomir N, Dragotoiu T, Mihai OD, Petcu CD. Antibiotic use in livestock and residues in food - a public health threat: A review. Foods. 2022;11(10):1430.

Gildea L, Ayariga JA, Ajayi OS, Xu J, Villafane R, Samuel-Foo M. *Cannabis sativa* CBD extract shows promising antibacterial activity against *Salmonella typhimurium* and *S. newington*. Molecules. 2022;27:2669.

Giupponi L, Leoni V, Pavlovic R, Giorgi A. Influence of altitude on phytochemical composition of hemp inflorescence: A metabolomic approach. Molecules. 2020;25(6):1381.

Golombek P, Müller M, Barthlott I, Sproll C, Lachenmeier DW. Conversion of cannabidiol (CBD) into psychotropic cannabinoids including tetrahydrocannabinol (THC): A controversy in the scientific literature. Toxics. 2020;8(2):41.

Grisebach H, Ebel J. Phytoalexins, chemical defense substances of higher-plants. Angewandte Chemie International Edition. 1978;17:635-47.

Halawa EM, Fadel M, Al-Rabia MW, Behairy A, Nouh NA, Abdo M, Olga R, Fericean L, Atwa AM, El-Nablaway M, Abdeen A. Antibiotic action and resistance: Updated review of mechanisms, spread, influencing factors, and alternative approaches for combating resistance. Front Pharmacol. 2024;14:3389.

Hargis BM, Swayne DE. Necrotic enteritis in poultry. MSD Veterinary Manual. 2024. https://www.msdvetmanual.com/poultry/necrotic-enteritis/necrotic-enteritis-in-poultry.

Hernandez-Cervantes R, Mendez-Diaz M, Prospero-Garcia O, Morales-Montor J. Immunoregulatory role of cannabinoids during infectious disease. Neuroimmunomodulation. 2017;24:183-99.

Hurgobin B, Tamiru-Oli M, Welling MT, Doblin MS, Bacic A, Whelan J, Lewsey MG. Recent advances in *Cannabis sativa* genomics research. New Phytol. 2021;230:73-89.

Chacon FT, Raup-Konsavage WM, Vrana KE, Kellogg JJ. Secondary terpenes in *Cannabis sativa* L.: Synthesis and synergy. Biomedicines. 2022;10:3142.

Chakraborty S, Afaq N, Singh N, Majumdar S. Antimicrobial activity of *Cannabis sativa*, *Thuja orientalis* and *Psidium guajava* leaf extracts against methicillin-resistant *Staphylococcus aureus*. J Integr Med. 2018;16:350-7.

Cham PS, Deepika, Bhat R, Raina D, Manhas D, Kotwal P, Mindala DP, Pandey N, Ghosh A, Saran S, et al. Exploring the antibacterial potential of semisynthetic phytocannabinoid: Tetrahydrocannabidiol (THCBD) as a potential antibacterial agent against sensitive and resistant strains of *Staphylococcus aureus*. ACS Infect Dis. 2024;10:64–78.

Chen X, Guo HY, Zhang QY, Wang L, Guo R, Zhan YX, Lv P, Xu YP, Guo MB, Zhang Y, Zhang K, Liu YH, Yang M. Whole-genome resequencing of wild and cultivated cannabis reveals the genetic structure and adaptive selection of important traits. BMC Plant Biol. 2022;22:371.

Chimalizeni HY, Kawaza K, Molyneux E. The epidemiology and management of non typhoidal salmonella infections. In Hot Topics in Infection and Immunity in Children VI; Springer: New York, NY, USA, 2010; pp. 33–46.

Iseger TA, Bossong MG. A systematic review of the antipsychotic properties of cannabidiol in humans. Schizophrenia Res. 2015;162(1-3):153-61.

Iseppi R, Brighenti V, Licata M, Lambertini A, Sabia C, Messi P, Pellati F, Benvenuti S. Chemical characterization and evaluation of the antibacterial activity of essential oils from fibre-type *Cannabis sativa* L (hemp). Molecules. 2019;24:2302.

Islam M, Hossain I, Islam S, Azam G, Sultana S. Prevalence, antibiotic resistance patterns, and virulence factors of *Staphylococcus aureus* isolates associated with bovine mastitis in northern Bangladesh. Helyion. 2025;11:e42107.

Jemison JM, Jr. Soil and weed management effects on floral hemp (*Cannabis sativa* L) production and cannabinoid content. Agron J. 2024;116:1758-74.

Kabelitz T, Aubry E, van Vorst K, Amon T, Fulde M. The role of *Streptococcus* spp. in bovine mastitis. Microorganisms. 2021;9(7):1497.

Kanafani ZA, Kanj SS. *Acinetobacter* infection: Treatment and prevention. UpToDate. 2023 Nov 8. https://www.uptodate.com/contents/acinetobacter-infection-treatment-and-prevention/print.

Karas JA, Labell JM, Wong LJM, Paulin OKA, Mazeh AC, Hussein MH, Li J, Velkov T. The antimicrobial activity of cannabinoids. Antibiotics. 2020;9:406.

Kasanga M, Shempela DM, Daka V, Mwikisa MJ, Sikalima J, Chanda D, Mudenda S. Antimicrobial resistance profiles of *Escherichia coli* isolated from clinical and environmental samples: Findings and implications. JAC-Antimicrob Resist. 2024;6(2):dlae061.

Kaur J, Sun N, Hill JE. Comprehensive profiling of terpenes and terpenoids in different *Cannabis* strains using GC x GC-TOFMS. Separations. 2023;10:500.

Khan MUZ, Humza M, Yang SL, Iqbal MZ, Xu X, Cai JP. Evaluation and optimization of antibiotics resistance profile against *Clostridium perfringens* from buffalo and cattle in Pakistan. Antibiotics. 2021;10(1):59.

Kimera ZI, Mdegela RH, Mhaiki CJN, Karimuribo ED, Mabiki F, Nonga HE, Mwesongo J. Determination of oxytetracycline residues in cattle meat marketed in the Kilosa district, Tanzania. Onderstepoort J. Vet Res. 2015;82(1):911.

Kirchhelle C. Join forces to tackle antibiotic resistance. Nature. 2018;563(7732):473.

Kleinhenz MD, Magnin G, Lin ZM, Griffin J, Kleinhenz KE, Montgomery S, Curtis A, Martin M, Coetzee, JF. Plasma concentrations of eleven cannabinoids in cattle following oral administration of industrial hemp (*Cannabis sativa*). Sci Rep. 2020;10:12753.

Kohanski MA, Dwyer DJ, Collins JJ. How antibiotics kill bacteria: From targets to networks. Nat Rev Microbiol. 2010;8(6):423-35.

Konieczka P, Szkopek D, Kinsner M, Fotschki B, Juskiewicz J, Banach J. Cannabis-derived cannabidiol and nanoselenium improve gut barrier function and affect bacterial enzyme activity in chickens subjected to *C. perfringens* challenge. Vet Res. 2020;51(1):141.

Krejčí Z. Antibakterialni ucinek *Cannabis indica* [Antibacterial action of *Cannabis indica*]. Lek Listy. 1952;7(20):500-3. Czech.

Krejčí Z. Hemp (*Cannabis sativa*) - antibiotic drugs. II. Method and results of bacteriological experiments and preliminary clinical experience. Die Pharm. 1958;13:155-66.

Kyriakidis I, Vasileiou E, Pana ZD, Tragiannidis A. *Acinetobacter baumannii* antibiotic resistance mechanisms. Pathogens. 2021;10(3):373.

Lakes JE, Davis BE, Flythe M. Activity of cannabidiol on ex vivo amino acid fermentation by bovine rumen microbiota. Fermentation. 2024;10:267.

Lambert DM, Fowler CJ. The endocannabinoid system: Drug targets, lead compounds, and potential therapeutic applications. J Med Chem. 2005;48:5059-87.

Lanzoni D, Mercogliano F, Rebucci R, Bani C, Pinotti L, Di Lorenzo C, Savoini G, Baldi A, Giromini C. Phenolic profile and antioxidant activity of hemp co-products following green chemical extraction and ex vivo digestion. Ital J Anim Sci. 2024;23 (1):651-63.

Lanzoni D, Skřivan M, Englmaierová M, Petrosillo E, Marchetti L, Skřivanová V, Bontempo V, Rebucci R, Baldi A, Giromini C. Effects of dietary hemp co-product inclusion on laying hens performances and on egg nutritional and functional profile. Ital J Anim Sci. 2025;24:248-65.

Lelario F, Scrano L, Franchi SD, Bonomo MG, Salzano G, Milan S, Milella L, Bufo SA. Identification and antimicrobial activity of most representative secondary metabolites from different plant species. Chem Biol Technol Agric. 2018;5:1-12.

Leung L. Cannabis and its derivatives: Review of medical use. J Am Board Fam Med. 2011;24:452-62.

Lone TA, Lone RA. Extraction of cannabinoids from *Cannabis sativa* L plant and its potential antimicrobial activity. Universal J Med Dent. 2012;1(4):51-5.

Lu H-C, Mackie K. An introduction to the endogenous cannabinoid system. Biol Psychiatry. 2016;79:516-25.

Malá L, Laloučková K, Skřivanová E. Bacterial skin infections in livestock and plant-based alternatives to their antibiotic treatment. Animals. 2021;11:2473.

Malík M, Velechovský J, Tlustoš P. The overview of existing knowledge on medical cannabis plants growing. Plant Soil Envir. 2021;67:425-442.

Malíková L, Malík M, Pavlík J, Ulman M, Pěchoučková E, Skřivan M, Kokoška L, Tlustoš P. Anti-staphylococcal activity of soilless cultivated cannabis across the whole vegetation cycle under various nutritional treatments in relation to cannabinoid content. Sci Rep. 2024;14:4343.

Mandolino G, Bagatta M, Carboni A, Ranalli P, de Meijer E. Qualitative and quantitative aspects of the inheritance of chemical phenotype in *Cannabis*. J Ind Hemp. 2003;8(2):51-72.

Mann S, Siler JD, Jordan D, Warnick LD. Antimicrobial susceptibility of fecal *Escherichia coli* isolates in dairy cows following systemic treatment with ceftiofur or penicillin. Foodborne Pathog Dis. 2011;8(8):861-7.

Marti G, Schnee S, Andrey Y, Simoes-Pires C, Carrupt P-A, Wolfender J-L, Gindro K. Study of leaf metabolome modifications induced by UV-C radiations in representative *Vitis*, *Cissus* and *Cannabis* species by LC-MS based metabolomics and antioxidant assays. Molecules. 2014;19:14004-21.

Martinena CB, Corleto M, Martinez MMB, Amiano NO, Garcia VE, Maffia PC, Tateosian NL. Antimicrobial effect of cannabidiol on intracellular *Mycobacterium tuberculosis*. Cannabis Cannabinoid Res. 2024;9(2):464-9.

Martinenghi LD, Jonsson R, Lund T, Jenssen H. Isolation, purification, and antimicrobial characterization of cannabidiolic acid and cannabidiol from *Cannabis sativa* L. Biomolecules 2020;10:900.

McPartland JM, Guy GW, Hegman W. Cannabis is indigenous to Europe and cultivation began during the Copper or Bronze age: A probabilistic synthesis of fossil pollen studies. Veg Hist Archaeobot. 2018;27:635-48.

Mechoulam R, Shvo Y. Hashish. 1. Structure of cannabidiol. Tetrahedron. 1963;19:2073-8.

Mirzamohammad E, Alirezalu A, Alirezalu K, Norozi A, Ansari A. Improvement of the antioxidant activity, phytochemicals, and cannabinoid compounds of *Cannabis sativa* by salicylic acid elicitor. Food Sci Nutr. 2021;9:6873-81.

Novák K, Kropáčová M, Havlíček V, Škrdleta V. Isoflavonoid phytoalexin pisatin is not recognized by the flavonoid receptor NodD of *Rhizobium leguminosarum* bv *viciae*. Folia Microbiologica. 1995;40(5):535-40.

Oladeji OM, Mugivhisa LL, Olowoyo JO. Antibiotic residues in animal products from some African countries and their possible impact on human health. Antibiotics Basel. 2025;14(1):90.

Osman KM, Elhariri M. Antibiotic resistance of *Clostridium perfringens* isolates from broiler chickens in Egypt. Rev Sci Tech. 2013; 32(3):841-50.

Osterberger E, Lohwasser U, Jovanovic D, Ruzicka J, Novak J. The origin of the genus *Cannabis*. Genet Res Crop Evol. 2022;69:1439-49.

Padiyara P, Inoue H, Sprenger M. Global governance mechanisms to address antimicrobial resistance. Infect Dis (Auckl). 2018;11:1178633718767887.

Pacher P, Steffens S, Hasko G, Schindler TH, Kunos G. Cardiovascular effects of marijuana and synthetic cannabinoids: The good, the bad, and the ugly. Nat Rev Cardiol. 2018;15:151-66.

Pandey S, Doo H, Keum GB, Kim ES, Kwak J, Ryu S, Choi Y, Kang JY, Kim S, Lee NR, Oh KK, Lee JH, Kim HB. Antibiotic resistance in livestock, environment and humans: One Health perspective. J Anim Sci Technol 2024;66(2):266-78.

Papatzimos G, Kasapidou E. Review of hemp components as functional feed and food ingredients: Impact on animal product quality traits and nutritional value. Explor Foods Foodomics. 2024;2(6):626-50.

Pasquali F, Schinzari M, Lucchi A, Mandrioli M, Toschi TG, De Cesare A, Manfreda G. Preliminary data on the antimicrobial effect of *Cannabis sativa* L. variety Futura 75 against food-borne pathogens in vitro as well as against naturally occurring microbial populations on minced meat during storage. Ital J Food Safety. 2020;9(2):80-7.

Patel J, Harant A, Fernandes G, Mwamelo AJ, Hein W, Dekker D, Sridhar D. Measuring the global response to antimicrobial resistance, 2020-21: A systematic governance analysis of 114 countries. Lancet Infectious Diseases. 2023;23(6):706-718

Paulová T, Malíková L, Lanzoni D, Taubner T, Malík M, Houdková M, Pěchoučková E. Inhibitory potential of *Cannabis* biomass extracts on livestock-associated staphylococcal and streptococcal pathogens. Microrganisms. 2025a;13:432.

Paulová T, Novák K, Pěchoučková E. Antimicrobial properties of secondary metabolites of *Cannabis sativa*: A promising natural alternative for livestock health. Czech J Anim Sci. 2025b;70(9):357-382.

Payment J, Cvetkovska M. The responses of *Cannabis sativa* to environmental stress: A balancing act. Botany. 2023;101:318-32.

Petit J, Salentijn EMJ, Paulo M-J, Denneboom C, Trindade LM. Genetic architecture of flowering time and sex determination in hemp (*Cannabis sativa* L): A genome-wide association study. Front Plant Sci. 2020;11:569958.

Pollastro F, Minassi A, Fresu LG. Cannabis phenolics and their bioactivities. Curr Med Chem. 2018;25:1160-85.

Portes AB, Panzenhagen P, dos Santos AMP, Conte CA Jr. Antibiotic resistance in *Campylobacter*: A systematic review of South American isolates. Antibiotics-Basel. 2023;12(3):548.

Punja ZK, Rodriguez G. *Fusarium* and *Pythium* species infecting roots of hydroponically grown marijuana (*Cannabis sativa* L.) plants. Can J Plant Pathol. 2018;40:498-513.

Quagliata G, Celletti S, Coppa E, Mimmo T, Cesco S, Astolfi S. Potential use of copper-contaminated soils for hemp (*Cannabis sativa* L) cultivation. Environments. 2021;8:111.

Reygaert WC. An overview of the antimicrobial resistance mechanisms of bacteria. AIMS Microbiology. 2018;4(3):482–501.

Robi DT, Mossie T, Temteme S. A comprehensive review of the common bacterial infections in dairy calves and advanced strategies for health management. Vet Med Res Rep. 2024;15:1-14.

Roshan M, Singh I, Vats A, Behera M, Singh DP, Gautam D, Rajput S, Tarak J, Packirisamy G, De S. Antimicrobial and antibiofilm effect of cannabinoids from *Cannabis sativa* against methicillin-resistant *Staphylococcus aureus* (MRSA) causing bovine mastitis. Internat Microbiol. 2024;27(6):1839-52.

Sakamoto K, Akiyama Y, Fukui K, Kamada H, Satoh S. Characterization, genome sizes and morphology of sex chromosomes in hemp (*Cannabis sativa* L). Cytologia. 1998;63:459-64.

Salam MA, Al-Amin MY, Salam MT, Pawar JS, Akhter N, Rabaan AA, Alqumber MAA. Antimicrobial resistance: A growing serious threat for global public health. Health Care. 2023;11(13):1946.

Sarmadyan H, Solhi H, Hajimir T, Najarian-Araghi N, Ghaznavi-Rad E. Determination of the antimicrobial effects of hydro-alcoholic extract of *Cannabis sativa* on multiple drug resistant bacteria isolated from nosocomial infections. Iran J Toxicol. 2014;7:967-72.

Sato T, Kawamura M, Furukawa E, Fujimura S. Screening method for trimethoprim/sulfamethoxazole-resistant small colony variants of *Staphylococcus aureus*. J Glob Antimicrob Resist. 2018;15:1-5.

Sawler J, Stout JM, Gardner KM, Hudson D, Vidmar J, Butler L, Page JE, Myles S. The genetic structure of marijuana and hemp. PLoS ONE. 2015;10:0133292.

Sikora V, Berenji J, Latkovic D. Influence of agroclimatic conditions on content of main cannabinoids in industrial hemp (*Cannabis sativa* L). Genetika-Belgrade. 2011;43:449-56,

Sionov RV, Steinberg D. Anti-microbial activity of phytocannabinoids and endocannabinoids in the light of their physiological and pathophysiological roles. Biomedicines. 2022;10:631.

Sirangelo TM, Ludlow RA, Spadafora ND. Molecular mechanisms underlying potential pathogen resistance in *Cannabis sativa*. Plants-Basel. 2023;12:2764.

Smith CJ, Vergara D, Keegan B, Jikomes N. The phytochemical diversity of commercial Cannabis in the United States. PLoS ONE. 2022;17(5):0267498.

Soliani L, Rugna G, Prosperi A, Chiapponi C, Luppi A. *Salmonella* infection in pigs: Disease, prevalence, and a link between swine and human health. Pathogens. 2023;12(10):1267.

Sovljanski O, Acimovic M, Sikora V, Koren A, Saveljic A, Tomic A, Tesevic V. Exploring (un)covered potentials of industrial hemp (*Cannabis sativa* L) essential oil and hydrolate: From chemical characterization to biological activities. Natural Product Commun. 2024;19:1-12.

Stefanetti V, Passamonti F, Rampacci E. Antimicrobial strategies proposed for the treatment of *S. pseudintermedius* and other dermato-pathogenic *Staphylococcus* spp. In Companion Animals: A Narrative Review. Vet Sci. 2024;11(7):311.

Stout SM, Cimino NM. Exogenous cannabinoids as substrates, inhibitors, and inducers of human drug metabolizing enzymes: A systematic review. Drug Metab Rev. 2014;46:86-95.

Timmons B, Mattson N. Effect of end of cycle supplemental UV-B radiation on yield and cannabinoid quality of two hemp cultivars. Hortscience. 2023;58:S247.

Torkamaneh D, Jones AMP. Cannabis, the multibillion dollar plant that no genebank wanted. Genome. 2021;9:1-5.

Trancoso I, de Souza GAR, dos Santos PR, dos Santos KD, de Miranda RMDN, da Silva ALPM, Santos DZ, Garcia-Tejero IF, Campostrini E. *Cannabis sativa* L.: Crop

management and abiotic factors that affect phytocannabinoid production. Agronomy. 2022;12(7):1492.

Trono D. Elicitation as a tool to improve the accumulation of secondary metabolites in *Cannabis sativa*. Phytochem Rev. 2024 Sep. Epub 2024.

Trott DJ, Turnidge J, Kovac JH, Simjee S, Wilson D, Watts J. Comparative macrolide use in humans and animals: Should macrolides be moved off the World Health Organisation's critically important antimicrobial list? J Antimicrob Chemother. 2021;76(8):1955-61.

Van Bakel H, Stout J, Cote A, Tallon C, Sharpe A, Hughes T, Page J. The draft genome and transcriptome of *Cannabis sativa*. Genome Biol. 2011;12(10):R102.

van Klingeren B, Ten Ham M. Antibacterial activity of Δ9-tetrahydrocannabinol and cannabidiol. Antonie Van Leeuwenhoek. 1976;42:9-12.

Vikram A, Jayaprakasha GK, Jesudhasan PR, Pillai SD, Patil BS. Suppression of bacterial cell–cell signalling, biofilm formation and type III secretion system by citrus flavonoids. J Appl Microbiol. 2010;109(2):515-27.

Villagran-de la Mora Z, Macias-Rodriguez ME, Arratia-Quijada J, Gonzalez-Torres YS , Nuño K, Villarruel-López A. *Clostridium perfringens* as foodborne pathogen in broiler production: Pathophysiology and potential strategies for controlling necrotic enteritis. Animals. 2020;10(9):1718.

Virto M, Santamarina-Garcia G, Amores G, Hernandez I. Antibiotics in dairy production: Where is the problem? Dairy. 2022;3(3):541-64.

Vispute MM, Sharma D, Mandal AB, Rokade JJ, Tyagi PK, Yadav AS. Effect of dietary supplementation of hemp *Cannabis sativa* and dill seed *Anethum graveolens* on performance, serum biochemicals and gut health of broiler chickens. J Animal Physiol Animal Nutr. 2019;103:525-33.

Vu TT, Kim H, Tran VK, Le Dang Q, Nguyen HT, Kim H, Kim IS, Choi GJ, Kim JC. In vitro antibacterial activity of selected medicinal plants traditionally used in Vietnam against human pathogenic bacteria. BMC Complement Altern Med. 2016;16:32.

Wang CY, Chen YW, Hou CY. Antioxidant and antibacterial activity of seven predominant terpenoids. Int J Food Prop. 2019;22(1):230-8.

Wang LH, Zeng XA, Wang MS, Brennan CS, Gong DM. Modification of membrane properties and fatty acids biosynthesis-related genes in Escherichia coli and Staphylococcus aureus: Implications for the antibacterial mechanism of naringenin. BBA-Biomembranes. 2018b;1860(2):481-90.

Wassmann CS, Højrup P, Klitgaard JK. Cannabidiol is an effective helper compound in combination with bacitracin to kill Gram-positive bacteria. Sci Rep. 2020;10:4112.

Welling MT, Shapter T, Rose TJ, Liu L, Stanger R, King GJ. A belated green revolution for cannabis: Virtual genetic resources to fast-track cultivar development. Front Plant Sci 2016;7:1113.

Wernli D, Jorgensen PS, Morel CM, Carroll S, Harbarth S, Levrat N, Pittet D. Mapping global policy discourse on antimicrobial resistance. BMJ Global Health. 2017;2(2):e000378.

WHO - Foodborne Disease Burden Epidemiology Reference Group. WHO estimates of the global burden of foodborne diseases 2007-2015. WHO, 2015.

Williams-Nguyen J, Sallach JB, Bartelt-Hunt S, Boxall AB, Durso LM, McLain JE, Singer RS, Snow DD, Zilles JL. Antibiotics and antibiotic resistance in agroecosystems: State of the science. J Envir Qual. 2016;45(2):394-406.

Wu Q, Guo M, Zou L, Wang Q, Xia Y. 8,9-dihydrocannabidiol, an alternative of cannabidiol, its preparation, antibacterial and antioxidant ability. Molecules. 2023;28:445.

Xu CM, Kong LQ, Gao HF, Cheng XY, Wang XM. A review of current bacterial resistance to antibiotics in food animals. Front Microbiol. 2022;13:822689.

Yue JX, Yang HY, Liu SY, Song FF, Guo JM, Huang C. Influence of naringenin on the biofilm formation of *Streptococcus mutans*. J Dent. 2018;76:24-31.

Zengin G, Menghini L, Di Sotto A, Mancinelli R, Sisto F, Carradori S, Cesa S, Fraschetti C, Filippi A, Angiolella L, Locatelli M, Mannina L, Ingallina C, Puca V, D'Antonio M, Grande R. Chromatographic analyses, in vitro biological activities, and cytotoxicity of *Cannabis sativa* L essential oil: A multidisciplinary study. Molecules. 2018;23:3266.

Zhang GXZ, Zhang N, Xu J, Yang TL, Yin H, Cai Y. Efficacy and safety of vancomycin for the treatment of *Staphylococcus aureus* bacteraemia: A systematic review and meta-analysis. Int J Antimicrob Agents. 2023;62(4):106946.

Seznam tabulek

Tab, 1. Výskyt hlavních bakeriálních patogenů s rezistencí vůči antibiotikům (AMR) a dopady (Paulová et al., 2025b)

Tab. 2. Význačné antimikrobní látky publikované pro konopí (podle Paulová et al. 2025b)

Tab. 3. Cílení účinku klasických antibiotik

Tab. 4. Cílení účinku aktivních látek pocházejících z konopí

Tab. 5. Antibakteriální aktivita etanolových extraktů z celých rostlin různých kultivarů *Cannabis sativa* proti vybraným bakteriálním patogenům

Tab. 6. Obsah sledovaných kanabinoidů z různých ethanolových extraktů technických odrůd konopí setého (převzato z Paulová et al. 2025a)

Tab. 7. Růstově inhibiční efekt ethanolových extraktů léčebného konopí proti grampozitivním patogenům způsobujícím mastitidu

Seznam obrázků

Obr. 1. Syntéza základních kanabinoidů u konopí (Paulová et al. 2025b, podle https://x.com/smokereports 2008 – 2011)

Obr. 2. Základní terpenoidy a flavonoidy z konopných extraktů, které jsou uvedeny v textu, a jejich struktura

Obr. 3. Schéma synergie při současném působení antibiotických látek

Obr. 4. Celkový obsah stanovovaných kanabinoidů ethanolových konopných extraktů v µg/g (převzato z Paulová et al. 2025a)

Obr. 5. Vztah mezi obsahem jednotlivých látek v extraktech z technického konopí a antimikrobiální aktivitou