

Použitá a doporučená literatura

1. A Report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. *Circulation* 2009; 120: e169–e276.
2. Bajwa SJ, Jindal R: Epilepsy and nonepilepsy surgery: Recent advancements in anesthesia management. *Anesth Essays Res* 2013; 7(1): 10–17.
3. Barnett S, Moonesinghe SR: Clinical risk scores to guide perioperative management. *Postgrad Med J* 2011; 87: 535–541.
4. Beneš J, Gregor P, Mokráček A: Infekční endokarditida. Doporučené postupy diagnostiky, léčby, dispenzarizace a profylaxe. *Cor Vasa* 2000; 42(2): K21–K28.
5. Berger M, Nadler JW, Browndyke J et al.: Minding the Gaps in Our Knowledge of a Common Postoperative Complication in the Elderly. *Anesthesiol Clin* 2015; 33(3): 517–550.
6. Berwanger O, Le Manach Y, Suzumura EA et al., on behalf of for the VISION Investigators: Association between pre-operative statin use and major cardiovascular complications among patients undergoing non-cardiac surgery: the VISION study. *Eur Heart J* 2016; 37(2): 177–185.
7. Bevacqua BK: Pre-operative pulmonary evaluation in the patient with suspected respiratory disease. *Indian J Anaesth* 2015; 59(9): 542–549.
8. Bhangu A, Singh P, Fitzgerald JE et al.: Postoperative Nonsteroidal Anti-inflammatory Drugs and Risk of Anastomotic Leak: Meta-analysis of Clinical and Experimental Studies. *World J Surg* 2014; 38(9): 2247–2257; doi: 10.1007/s00268-014-2531-1.
9. De Hert S, Staender S, Fritsch G et al.: Pre-operative evaluation of adults undergoing elective noncardiac surgery: Updated guideline from the European Society of Anaesthesiology. *Eur J Anaesthesiol* 2018; 35(6): 407–446.
10. Douketis JD, Spyropoulos AC, Kaatz S et al., for the BRIDGE Investigators: Perioperative Bridging Anticoagulation in Patients with Atrial Fibrillation. *N Engl J Med* 2015; 373(9): 823–833.
11. Fleisher LA, Beckman JA, Brown KA et al.: ACC/AHA 2007 Guidelines on perioperative cardiovascular evaluation and care for noncardiac surgery: executive summary. A report of the American College of

- Cardiology/American Heart Association Task Force on Practice Guidelines (Writing committee to revise the 2002 guidelines on perioperative cardiovascular evaluation for noncardiac surgery). *Circulation* 2007; 116(17): 1971–1996.
- 12. Flu WJ, van Kuijk JP, Hoeks SE et al.: Prognostic implications of a symptomatic left ventricular dysfunction in patients undergoing vascular surgery. *Anesthesiology* 2010; 112(6): 1316–1324.
 - 13. Fralick M, Schneeweiss S, Patorno E: Risk of Diabetic Ketoacidosis after Initiation of an SGLT2 Inhibitor. *N Engl J Med* 2017; 376(23): 2300–2302.
 - 14. Friedell ML, Van Way CW, Freyberg RW et al.: β-Blockade and Operative Mortality in Noncardiac Surgery: Harmful or Helpful? *JAMA Surg* 2015; 150(7): 658–663.
 - 15. Gaglia MA Jr, Waksman R: Systematic review of thienopyridine discontinuation and its impact upon clinical outcomes. *Eur Heart J* 2011; 32(19): 2358–2364.
 - 16. Hanje AJ, Patel T: Preoperative evaluation of patients with liver disease. *Nat Clin Pract Gastroenterol Hepatol* 2007; 4(5): 266–276.
 - 17. Holcomb CN, Hollis RH, Graham LA et al.: Association of Coronary Stent Indication With Postoperative Outcomes Following Noncardiac Surgery. *JAMA Surg* 2016; 151(5): 462–469.
 - 18. Hudson AE, Hemmings HC Jr: Are anaesthetics toxic to the brain? *Br J Anaesth* 2011; 107(1): 30–37.
 - 19. Chassot PG, Delabays A, Spahn DR: Perioperative antiplatelet therapy: the case for continuing therapy in patients at risk of myocardial infarction. *Br J Anaesth* 2007; 99(3): 316–328.
 - 20. Isaacs M, Tonks KT, Greenfield JR: Euglycaemic diabetic ketoacidosis in patients using sodium-glucose co-transporter 2 inhibitors. *Intern Med J* 2017; 47(6): 701–704.
 - 21. Kotík L: Předoperační vyšetření u nemocných před nekardiálním chirurgickým výkonem. *Vnitř Lék* 2011; 57(9): 722–727.
 - 22. Kristensen SD, Knuuti J, Saraste A et al.: The Joint Task Force on non-cardiac surgery: cardiovascular assessment and management of the European Society of Cardiology (ESC) and the European Society of Anaesthesiology (ESA): 2014 ESC/ESA Guidelines on non-cardiac surgery: cardiovascular assessment and management. *Eur Heart J* 2014; 35(35): 2383–2431.
 - 23. Kylie N, Walton D: Anaesthesia for non-obstetric surgery during pregnancy. *Contin Educ Anaesth Crit Care Pain* 2006; 6(2): 83–85.

24. Langley RW, Burch HB: Perioperative management of the thyreotoxic patient. *Endocrinol Metab Clin N Am* 2003; 32: 519–534.
25. Le Manach Y, Ibanez Esteves C, Bertrand M et al.: Impact of preoperative statin therapy on adverse postoperative outcomes in patients undergoing vascular surgery. *Anesthesiology* 2011; 114(1): 98–104.
26. Lieb K, Selim MH: Preoperative evaluation of patients with neurological disease. *Semin Neurol* 2008; 28(5): 603–610.
27. Lowenfels AB, Leichtle SW et al.: Does preoperative anemia affect surgical outcomes? *J Am Coll Surg* 2011; 212: 187–194.
28. Macfarlane AJR, Prasad GA, Chan VWS, Brull R: Does regional anaesthesia improve outcome after total hip arthroplasty? A systematic review. *Br J Anaesth* 2009; 103(3): 335–345.
29. Milde AS, Bottiger BW, Morcos M: Adrenal cortex and steroids. Supplementary therapy in the perioperative phase. *Anaesthetist* 2005; 54(7): 639–654.
30. Skalická H, Bruthans J, Hradec J: Příprava kardiaka k nekardiální operaci. Doporučený postup České kardiologické společnosti. *Cor Vasa* (suppl.) 2011; 53(1): 78–85.
31. Smetana GW, Lawrence VA, Cornell JE: Preoperative pulmonary risk stratification for noncardiothoracic surgery: Systematic review for the American College of Physicians. *Annals of Internal Medicine* 2006; 144(8): 581–595.