

Literatura

1. PAWANKAR R, CANONICA WG, HOLGATE ST, LOCKEY RF. WAO White Book on Allergy 2011–2012: Executive Summary. World Allergy Organization. A World Federation of Allergy, Asthma and Clinical Immunology Societies, 2011
2. JOHANSSON SG, BIEBER T, DAHL R, et al. Revised nomenclature for allergy for global use: Report of the Nomenclature Review Committee of the World Allergy Organization. *J Allergy Clin Immunol*, 2004; 113: 832–836
3. JOHANSSON SG, HAAHTELA T, DAVIES KH, et al. Prevention of Allergy and Allergic Asthma. World Allergy Organization Project, Report and Guidelines. Chemical Immunology and Allergy. Vol. 84. Basel: Karger, 2005
4. SHARMA S, RABY BA, HUNNINGHAKE GM, et al. Variants in TGFB1, dust mite exposure, and disease severity in children with asthma. *Am J Respir Crit Care Med*, 2009; 179 (5): 356–362
5. HOLLOWAY JW, ARSHAD SH, HOLGATE ST. Using genetics to predict the natural history of asthma? *J Allergy Clin Immunol*, 2010; 126: 200–209
6. SPERGEL JM. From atopic dermatitis to asthma: the atopic march. *Annals Allergy Asthma Immunology*, 2010; 105: 99–106
7. PERSKY VW. Acetaminophen and asthma. *Thorax*, 2010; 65: 99–100
8. SUZUKI Y, KODMA M, ASANO K. Skin barrier-related molecule and pathophysiology of asthma. *Allergology international*, 2011; 60: 11–15
9. CORRIGAN CJ, WANG W, MENG Q, et al. Allergen-induced expression of IL-25 and IL-25 receptor in atopic asthmatic airways and late-phase cutaneous responses. *J Allergy Clin Immunol*, 2011; 128: 116–124
10. ROBINSON DS. The role of the T cell in asthma. *J Allergy Clin Immunol*, 2010; 126: 1081
11. OKADA H, KUHN C, FEILLET H. The „hygiene hypothesis“ for autoimmune and allergic diseases: an update. *Clinical and Experimental Immunology*, 2010; 160: 1–9c.ei
12. BIRREL MA, EPROM S. The role of NLPR3 inflammasome in the pathogenesis of airway disease. *Pharmacology & Therapeutics* 11; doi 10.1016/j.pharmatera.2011.03.007

13. OBOKI K, NAKAE S, MATSUMOTO K, SAITO H. IL-33 and airway inflammation. *Allergy Asthma Immunol Res*, 2011; 3 (2): 81–88
14. KREJSEK J. Inflamasom a IL-33 v patogenezi bronchiálního astmatu. In: NOVÁK J. Sborník přednášek z 10. setkání lékařů ČR a SR v Litomyšli. Akademie alergie, imunity, astmatu a ekzému. Litomyšl: HRG, 2011
15. PINCUS M, KEIL T, RUCKE M, et al. Fetal origin of atopic dermatitis. *J Allergy Clin Immunol*, 2009; 125: 273–275
16. McFADDEN JP, DEARMAN JR, WHITE JML, et al. Does hapten exposure predispose to atopic disease? The hapten-atopy hypothesis. *Trend Immunol*, 2009; 30: 67–74
17. JAMES EA, KWOK WW. Autoreactive CD4+cells in patients with atopic dermatitis. *J Allergy Clin Immunol*, 2011; 128: 100–101
18. ALBRECHT M, CHEN HC, PRESTON-HULBURT P, et al. TH17 cells mediate pulmonary collateral priming. *J Allergy Clin Immunol*, 2011; 128: 168–177.e8
19. BALAJI H, HERATIZADEH A, WICHMANN K, et al. Malasezzia sympodialis thioredoxin-specific T cells are highly cross-reactive to human thioredoxin in atopic dermatitis. *J Allergy Clin Immunol*, 2011; 128: 92–99.e4
20. FLOHR C, QUINNELL RJ, BRITTON J. Do helminth parasites protect against atopy and allergic disease? *Clin Exp Allergy*, 2009; 39: 20–32
21. HANCOX RJ, LE SOUEF PN, BEASLEY R. Asthma: time to confront some inconvenient truths. *Respirology*, 2010; 15: 194–201
22. ARSHAD SH, BATEMAN B, SADEGHNEJAD A, et al. Prevention of allergic disease during childhood by allergy avoidance: The Isle of Wight prevention study. *J Allergy Clin Immunol*, 2007; 119: 307–313
23. TOELLE BG, NG KKW, CRISAFULLI D. Eight-year outcomes of the Childhood Asthma Prevention Study. *J Allergy Clin Immunol*, 2010; 126: 388–389
24. ARSHAD SH. Primary prevention of asthma and allergy. *J Allergy Clin Immunol*, 2005; 116: 3–14.2a1
25. ISOLAURI E, SALMINEN S. Nutrition, Allergy, Mucosal Immunology, and Intestinal Microbiota (NAMI) Research Group Report. Probiotics: use in allergic disorders. *J Clin Gastroenterol*, 2008; 42 (suppl. 2): S91–96
26. TANG ML, LAHTINEN SJ, BOYLE RJ. Probiotics and prebiotics: clinical effects in allergic disease. *Curr Opin Pediatr*, 2010; 22: 626–634

27. RIEDLER J, BRAUN-FAHRLANDER C, EDER W, et al. Exposure to farming in early life and development of asthma and of allergy: a cross sectional survey. *Lancet*, 2001; 358: 1129–1133
28. BALL TM, CASTRO-RODRIGUEZ JA, GRIFFITH KA, HOLBERG CJ, MARTINEZ FD, WRIGHT AL. Siblings, day-care attendance, and the risk of asthma and wheezing during childhood. *N Engl J Med*, 2000; 343: 538–543
29. ZUREIK M, NEUKIRCH C, LEYNAERT B, et al. Sensitisation to airborne moulds and severity of asthma: cross sectional study from European Community respiratory health survey. *BMJ*, 2002; 325: 411–414
30. SOOD A, GUALLS C, LI R, et al. Lean mass predicts asthma better than fat mass among females. *Eur Respir J*, 2011; 37: 65–71
31. BISGAARD H, LOLAND L, HOLST K, et al. Prenatal determinants of neonatal lung function in high-risk newborns. *J Allergy Clin Immunol*, 2009; 123: 651–657
32. JOHNSTON RA, ZHU M, LU FL, et al. Diet-induced obesity causes innate airway hyperresponsiveness to metacholine and enhances ozone-induced pulmonary inflammation. *J Appl Physiol*, 2008; 104: 1727–1735
33. SCHOLTENS S, WIJGA AH. Overweight and asthma in preschool children. *Pediatric Allergy and Immunology*, 2011; 22: 344–349
34. RYAN PH, LEMASTERS G, BIAGINI J, et al. Is it traffic type, volume, or distance? Wheezing in infants living near truck and bus traffic. *J Allergy Clin Immunol*, 2005; 116: 279–284
35. ŠPIČÁK V. 2010 rok plic. *Alergie, Astma, bronchitida*, 2010; 13 (2): 5–7
36. RENZETTI G, SILVESTRE G, D'AMARIO C, et al. Less air pollution leads to rapid reduction of airway inflammation and improved airway function in asthmatic children. *Pediatrics*, 2009; 123: 1051–1058
37. HALTERMAN JS, CONN KM, HERNANDEZ T. Parent knowledge, attitudes, and household practices regarding SHS exposure: a case-control study of urban children with and without asthma. *Clinical Pediatrics*, 2010; 49: 782–789
38. KATON W, LOZANO P, RUSSO J, et al. The prevalence of DSM-IV anxiety and depressive disorders in youth with asthma compared with controls. *J Adolesc Health*, 2007; 41: 455–463
39. WOOD BL, MILLER BD, CHEAH P, et al. Family emotional climate, depression, emotional triggering of asthma and disease severity in pediatric asthma: examination of pathways of effect. *J Pediatr Psychol*, 2007; 32: 542–551

40. LIM J, WOOD BL, MILLER BD. Maternal depression and parenting in relation to child internalizing symptoms and asthma disease activity. *J Fam Psychol*, 2008; 22: 264–273
41. JOHANSEN H, PRESCOTT SL. Practical prebiotics, probiotics and synbiotics for allergists: how useful are they? *Clin Exp Allergy*, 2009; 39: 1801–1814
42. KALLIOMAKI M, SALMINEN S, ARVILOMMA H, et al. Probiotics during the first 7 years of life: a cumulative risk reduction of eczema in a randomized placebo-controlled trial. *J Allergy Clin Immunol*, 2007; 119: 1019–1021
43. KOPP MV, HENNEMUTH I, HEINZMANN A, et al. Randomized, doubleblind, placebo-controlled trial of probiotics for primary prevention: no clinical effects of *Lactobacillus GG* supplementation. *Pediatrics*, 2008; 121: e850–856
44. JI GE. Probiotics in primary prevention of atopic dermatitis. *Forum Nutr*, 2009; 61: 117–128
45. KUITUNEN M., KUKKONEN K., JUNTUNEN-BACKMAN K, et al. Probiotics prevent IgE-associated allergy until age 5 years in cesarean-delivered children but not in the total cohort. *J Allergy Clin Immunol*, 2009; 123: 335–341
46. KOPP MV, SALFELD P. Probiotics and prevention of allergic disease. *Curr Opin Clin Nutr Metab Care*, 2009; 12: 298–303
47. WICKENS K, BLACK PN, STANLEY TV, et al. A differential effect of 2 probiotics in the prevention of eczema and atopy: a double-blind, randomized, placebo-controlled trial. *J Allerg Clin Immunol*, 2008; 122: 788–794
48. TAYLOR AL, DUNSTAN JA, PRESCOTT SL. Probiotic supplementation for the first 6 months of life fails to reduce the risk of atopic dermatitis and increases the risk of allergen sensitization in high-risk children: a randomized controlled trial. *J Allergy Clin Immunol*, 2007; 119: 184–191
49. LODINOVÁ-ŽÁDNÍKOVÁ R. Prevence u dětí alergických matek perorálním osídlením probiotických kmenů *E. coli* po narození. *Alergie*, 2006; 8: 180–185
50. NOVOTNÁ B. Probiotika v primární prevenci alergických onemocnění – přehled studií. *Alergie*, 2007; (suppl. 2): 43–45
51. NOVÁK J. K otázce probiotik a primární prevence alergických onemocnění. *Alergie*, 2007; 9: 357–358

52. CAUDRI D, WIJGA A, SCHIPPER A, et al. Predicting the long-term prognosis of children with symptoms suggestive of asthma at preschool age. *J Allergy Clin Immunol*, 2009; 124: 903–910
53. MCKEEVER TM, LEWIS SA, TMITH C, et al. The importance of prenatal exposures on the development of allergic disease: a birth cohort study using the West Midlands General Practice Database. *Am J Respir Crit Care Med*, 2002; 166: 827–832
54. MUCHE-BOROWSKI C, KOPP M, REESE I, et al. Allergy Prevention. Clinical practice guideline. *Dtsch Arztebl Int*, 2009; 106: 625–631
55. ARNOLDUSSEN DL, LINEHAN M, SHEIKH A. BCG vaccination and allergy: a systematic review and meta-analysis. *J Allergy Clin Immunol*, 2011; 127: 246–253.e1–21
56. EL-ZEIN M, PARENT ME, BENEDETTI A, ROUSSEAU MC. Does BCG vaccination protect against the development of childhood asthma? A systematic review and meta-analysis of epidemiological studies. *Int J Epidemiol*, 2010; 39: 469–486
57. GDALEVICH M, MIMOUNI D, MIMOUNI M. Breast-feeding and the risk of bronchial asthma in childhood: a systematic review with meta-analysis of prospective studies. *J Pediatr*, 2001; 139: 261–266
58. ODDY WH. Breastfeeding and asthma in children: findings from a West Australian study. *Breastfeed Rev*, 2000; 8: 5–11
59. KULL I, ALMQVIST C, LILJA G, PERSHAGEN G, WICKMAN M. Breast-feeding reduces the risk of asthma during the first 4 years of life. *J Allergy Clin Immunol*, 2004; 114: 755–760
60. GIWERCMAN CH, JENSEN SM, HALKJAER LB, BISGAARD H, et al. Increased risk of eczema but reduced risk of early wheezy disorder from exclusive breast-feeding in high-risk infants. *J Allergy Clin Immunol*, 2010; 125: 866–871
61. KULL I, MELEN E, ALM J, et al. Breast-feeding in relation to asthma, lung function, and sensitization in young schoolchildren. *J Allergy Clin Immunol*, 2010; 125: 1013–1019
62. WRIGHT AL, HOLBERG CJ, TAUSSIG LM, MARTINEZ FD. Factors influencing the relation of infant feeding to asthma and recurrent wheeze in childhood. *Thorax*, 2001; 56: 192–197
63. SEARS MR, GREENE JM, WILLAN AR, et al. Long-term relation between breastfeeding and development of atopy and asthma in children and young adults: a longitudinal study. *Lancet*, 2002; 360: 901–907

64. KRAMER MS, KAKUMA R. Optimal duration of exclusive breastfeeding. *Cochrane Database Syst Rev*, 2002 (1): CD003517
65. GDALEVICH M, MIMOUNI D, DAVID M, MIMOUNI M. Breast-feeding and the onset of atopic dermatitis in childhood: a systematic review and meta-analysis of prospective studies. *J Am Acad Dermatol*, 2001; 45: 520–527
66. DATTNER AM. Breastfeeding and atopic dermatitis: protective or harmful? Facts and controversies. *Clin Dermatol*, 2010; 28: 34–37
67. LUDVIGSSON JF, MOSTROM M, LUDVIGSSON J, DUCHEN K. Exclusive breastfeeding and risk of atopic dermatitis in some 8300 infants. *Pediatr Allergy Immunol*, 2005; 16: 201–208
68. KULL I, BOHME M, WAHLGREN CF, NORDVALL L, PERS-HAGEN G, WICKMAN M. Breast-feeding reduces the risk for childhood eczema. *J Allergy Clin Immunol*, 2005; 116: 657–661
69. LAUBEREAU B, BROCKOW I, ZIRNGIBL A, et al. Effect of breast-feeding on the development of atopic dermatitis during the first 3 years of life: results from the GINI-birth cohort study. *J Pediatr*, 2004; 144: 602–607
70. DUCHEN K, CASAS R, FAGERAS-BOTTCHER M, YU G, BJORKSEN B. Human milk polyunsaturated long-chain fatty acids and secretory immunoglobulin A antibodies and early childhood allergy. *Pediatr Allergy Immunol*, 2000; 11: 29–39
71. MURARO A, DREBORG S, HALKEN S, et al. Dietary prevention of allergic diseases in infants and small children. Part III: critical review of published peer-reviewed observational and interventional studies and final recommendations. *Pediatr Allergy Immunol*, 2004; 15: 291–307
72. KRAMER MS. „Breast is best“: The evidence. *Early Hum Dev*, 2010; 86: 729–732
73. KNEEPKENS CM., BRAND PL. Breastfeeding and the prevention of allergy. *Eur J Pediatr*, 2010; 169: 911–917
74. AGOSTONI C, DECSI T, FEWTRELL M, et al. Complementary feeding: a commentary by the ESPGHAN Committee on Nutrition. *J Pediatr Gastroenterol Nutr*, 2008; 46: 99–110
75. GREER FR, SICHERER SH, BURKS AW and the Committee on Nutrition and Section on Allergy and Immunology. Effects of Early Nutritional Interventions on the Development of Atopic Disease in Infants and Children: The Role of Maternal Dietary restriction, Breastfeeding, Timing of Introduction of Complementary Foods, and Hydrolyzed Formulas. *Pediatrics*, 2008; 121: 183–191

76. JENNINGS S, PRESCOTT SL. Early dietary exposures and feeding practices: role in pathogenesis and prevention of allergic disease? *Postgrad Med J*, 2010; 86: 94–99
77. ZUTAVERN A, BROKOW I, SCHAAF B, et al. Timing of solid food introduction in relation to atopic dermatitis and atopic sensitization: results from a prospective birth cohort study. *Pediatrics*, 2006; 117: 401–411
78. KULL I, BERGSTROM A, LILJA G, et al. Fish consumption during the first year of life and development of allergic diseases during childhood. *Allergy*, 2006; 61: 1009–1015
79. FILIPIAK B, ZUTAVERN A, KOLETZKO S, et al. Solid food introduction in relation to eczema: results from the 4 year prospective birth cohort study GINI. *J Pediatr*, 2007; 151: 331–333
80. KOPLIN JJ, OSBORNE NJ, WAKE M, ALLEN KJ, et al. Can early introduction of egg prevent egg allergy in infants? A population-based study. *J Allergy Clin Immunol*, 2010; 126: 807–813
81. WEST CE, VIDEKY DJ, PRESCOTT SL. Role of diet in the development of immune tolerance in the context of allergic disease. *Curr Opin Pediatr*, 2010; 22: 635–641
82. KATZ Y, RAJUAN N, GOLDBERG MR, et al. Early exposure to cow's milk protein is protective against IgE-mediated cow's milk protein allergy. *J Allergy Clin Immunol*, 2010; 126: 77–82.e1
83. ZIEGLER AG, SCHMID S, HUBER D, et al. Early infant feeding and risk of developing type 1 diabetes associated autoantibodies. *JAMA*, 2003; 290: 1721–1728
84. NORRIS JM, BARRIGA K, KLINGENSMITH G, et al. Timing of initial cereal exposure in infancy and risk of islet autoimmunity. *JAMA*, 2003; 290: 1713–1720
85. NWARU BI, ERKKOLA M, ABONEN S, et al. Age at the Introduction of Solid Foods During the First Year and Allergic Sensitization at Age 5 Years. *Pediatrics*, 2010; 125: 50–60
86. WENNERGREN G. What if it is the other way around? Early introduction of peanut and fish seems to be better than avoidance. *Acta Paediatrica*, 2009; 98: 1085–1087
87. POOLE JA, BARRIGA K, LEUNG DY, et al. Timing of initial exposure to cereal grains and the risk of wheat allergy. *Pediatrics*, 2006; 117: 2175–2182
88. HOURIHANE J, AIKEN R, BRIGGS R, GUDGEON L, GRIMSHAW K, DUNNGALVIN A, et al. The impact of government advice to preg-

- nant mothers regarding peanut avoidance on the prevalence of peanut allergy in United Kingdom children at school entry. *J Allergy Clin Immunol*, 2007; 119: 1197–1202
89. DU TOIT G, KATZ Y, SASIENI P, MESHER D, MALEKI S, FISHER H, et al. Early consumption of peanuts in infancy is associated with a low prevalence of peanut allergy. *J Allergy Clin Immunol*, 2008; 122: 984–991
 90. PRESCOTT SL, SMITH P, TANG M, PALMER DJ, SINN J, HUNTLEY SJ, et al. The importance of early complementary feeding in the development of oral tolerance: concerns and controversies. *Ped Allergy Immunol*, 2008; 19: 375–380
 91. KRAMER MS, KAKUMA R. Maternal dietary antigen avoidance during pregnancy or lactation, or both, for preventing or treating atopic disease in the child. *Cochrane Database Syst Rev*, 2006 (3): CD000133
 92. PRESCOTT SL, BOUYGUE GR, VIDEKY D, et al. Avoidance or exposure to foods in prevention and treatment of food allergy? *Curr Opin Allergy Clin Immunol*, 2010; 10: 258–256
 93. TROMP ILSE IM, KIEFTE-DE JONG JC, LEBON A, et al. The introduction of allergenic foods and the development of reported wheezing and eczema in childhood. *Arch Pediatr Adolesc Med Published, online June 6, 2011.* <http://archpedi.ama-assn.org/cgi/content/abstract/archpediatrics.2011.93v1>
 94. SNIJDERS BEP, THIJS C, VANREE R, et al. Age at First Introduction of Cow Milk Products and Other Food Products in Relation to Infant Atopic Manifestations in the First 2 Years of Life: The KOALA Birth Cohort Study. *Pediatrics*, 2008; 122/1/e115.full
 95. FILIPIAK B, ZUTAVERN A, KOLETZKO S, et al. Solid food introduction in relation to eczema: results from a four-year prospective birth cohort study. *J Pediatr*, 2007; 151: 352–358
 96. FIOCCHI A, SCHUNEMANN HJ, BROZEK J, CAGNANI CB, CANONICA W, LOCKEY RF, et al. Diagnosis and Rationale for Action against Cow's milk Allergy (DRACMA): A summary Report. *J Allergy Clin Immunol*, 2010; 126: 1119–1128
 97. VANDENPLAS Y. Infant formula with partial protein hydrolysates: evidence and remaining questions. *J Pediatr Gastroenterol Nutr*, 2010; 50: 356–358

98. SZAJEWSKA H, HORVATH A. Meta-analysis of the evidence for a partially hydrolyzed 100% whey formula for the prevention of allergic diseases. *Curr Med Res Opin*, 2010; 26: 423–437
99. ALEXANDER DD, SCHMITT DF, TRAN NL, BARRAJ LM, CUSHING CA. Partially hydrolyzed 100% whey protein infant formula and atopic dermatitis risk reduction: a systematic review of the literature. *Nutr Rev*, 2010; 68: 232–245
100. ISKEDJIAN M, SZAJEWSKA H, SPIELDENNER J, FARAH B, BERBARI J. Meta-analysis of a partially hydrolysed 100%-whey infant formula vs. extensively hydrolysed infant formulas in the prevention of atopic dermatitis. *Curr Med Res Opin*, 2010; 26: 2599–2606
101. ALEXANDER DD, CABANA MD. Partially hydrolyzed 100% whey protein infant formula and reduced risk of atopic dermatitis: a meta-analysis. *J Pediatr Gastroenterol Nutr*, 2010; 50: 422–430
102. KUO HC, LIU CA, OU CY, HSU TY, WANG CL, HUANG HC, CHUANG H, LIANG HM, YANG KD. Partial protein-hydrolyzed infant formula decreased food sensitization but not allergic diseases in a prospective birth cohort study. *Int Arch Allergy Immunol*, 2011; 154: 310–317
103. VON BERG A, KOLETZKO S, PITTRÖF BF, et al. Formulas Reduce the Incidence od Atopic Dermatitis but not taht of Asthma: Three-Year Result of the German Infant Nutritional Intervention Study. *J Allergy Clin Immunol*, 2007; 119: 718–725
104. VON BERG A, PITTRÖF BF, KRAMER U, et al. Preventive effect of hydrolyzed infant formulas persists until age 6 years: Long-term results from the German Infant Nutritional Intervention Study (GINI). *J Allergy Clin Immunol*, 2008; 121: 1442–1447
105. http://www.alergieimunita.cz/clanky/pro-nelekare/vyziva_a_prevence
106. McLEAN S, SHEIKH A. Does avoidance of peanuts in early life reduce the risk of peanut allergy? *BMJ*, 2010; 340: c424
107. KREJSEK J, KOPECKÝ O. Klinická imunologie. Hradec Králové: Nukleus HK, 2004
108. NWARU BI, ERKKOLA M, AHONEN S, et al. Maternal diet during lactation and allergic senzitization in the offspring at age of 5. *Pediatr Allergy Immunol*, 2011; 22: 334–341
109. TURKE J, VENTER C, DEAN T. Maternal experiences of peanut avoidance during pregnancy/lactation: an in-depth qualitative study. *Ped Allergy Immunol*, 2005; 16: 512–518

110. ANANDAN C, NURMATOV U, SHEIKH A. Omega 3 and 6 oils for primary prevention of allergic disease: systematic review and meta-analysis. *Allergy*, 2009; 64: 840–848
111. ENKE U, SEYFARTH L, SCHLEUSSNER E, MARKERT UR. Impact of PUFA on early immune and fetal development. *British Journal of Nutrition*, 2008; 100: 1158–1168
112. GAO J, GAO X, LI W, et al. Observational studies on the effect of dietary antioxidants on asthma: a meta-analysis. *Respirology*, 2008; 13: 528–536
113. NURMATOV U, DEVEREUX G, SHEIKH A. Nutrients and foods for the primary prevention of asthma and allergy: Systematic review and meta-analysis. *J Allergy Clin Immunol*, 2011; 127: 724–733
114. TOELLE BG, NG KKW, CRISAFULLI D, et al. Eight-year outcomes of the Childhood Asthma Prevention Study. *J Allergy Clin Immunol*, 2010; 126: 388–389
115. MAK G, HANANIA NA. Vitamin D and Asthma. *Curr Opin Pulm Med*, 2011; 17: 1–5
116. LITONJUA A. Vitamin D levels and Risk for Viral infections, Wheeze and Asthma exacerbations. AAAAI Annual Meeting, San Francisco, 2011
117. SEARING DA, LEUNG DYM. Vitamin D in Atopic Dermatitis, Asthma and Allergic Diseases. *Immunol Allergy Clin N Am*, 2010; 30: 397–409
118. BAYER M. Vitamin D v praxi. *Postgraduální medicína*, 2010; 12: příloha 2
119. WJST M. Vitamin D deficiency cause Asthma. CON Session 3523 AAAAI Annual Meeting, San Francisco, 2011. www.wjst.de
120. HUGHES AM, LUCAS RM, PONSONBY AL. The role of latitude ultraviolet radiation exposure and vitamin D in childhood asthma and hayfever: an Australian multicenter study. *Pediatric Allergy and Immunol*, 2011, 22, 327–333
121. BREHM JM, SCHEURMANN B, FUHLBRIDGE AL, et al. Serum vitamin D levels and severe asthma exacerbations in The Childhood Asthma Management Program study. *JACI*, 2010; 126: 52–58
122. FRIERI M. The Role of Vitamin D in Asthmatic Children. *Curr Allergy Asthma Rep*, 2011; 11: 1–3
123. SHUTERLAND ER, GOLEVA E, JACKSON LP. Vitamin D Levels, Lung Function, and Steroid Response in Adult Asthma. *Am J Resp Crit Care Med*, 2010; 181: 669–704

124. SANDHU MS, CASALE TB. The role of vitamin D in asthma. *Ann Allergy Asthma Immunol*, 2010; 105: 191–199
125. LY NP, LITONJUA A, GOLD DS, et al. Gut microbiota, probiotics and vitamin D: Interrelated exposures influencing allergy, asthma and obesity? *J Allergy Clin Immunol*, 2011; 127: 1087–1094
126. SEARING DA, LEUNG DYM. Vitamin D in Atopic Dermatitis, Asthma and Allergic Diseases. *Immunol Allergy Clin N Am*, 2010; 30: 397–409
127. NOVOTNÁ B. Vitamin D, alergie a astma. In: NOVÁK J. Sborník přednášek z 10. setkání lékařů ČR a SR v Litomyšli. Akademie alergie, imunity, astmatu a ekzému. Litomyšl: HRG, 2011
128. NOVÁK J. Fosfokalciový metabolismus u kojených a nekojených dětí. *Čs ped*, 1986; 41 (2): 109–110
129. GRUBER C, VAN STUIJVENBERG M, MOSCA F, et al. MIPS 1 Working Group. Reduced occurrence of early atopic dermatitis because of immunoactive prebiotics among low-atopy-risk infants. *J Allergy Clin Immunol*, 2010; 126: 791–797
130. SHAFAI T. Routine Supplement of Prebiotics and Probiotics to Newborn Infants Is Not Recommended. *Pediatrics*, 2009; 123 e543
131. ARVANITI F, PRIFTIS KN, PAPADIMITRIOU A, et al. Adherence to the Mediterranean type of diet is associated with lower prevalence of asthma symptoms, among 10–12 years old children: the PANACEA study. *Pediatric Allergy and Immunology*, 2011; 22: 283–289
132. MAAS T, KAPER J, SHEIKH A. 1 Mono and multifaceted inhalant and/or food allergen reduction interventions for preventing asthma in children at high risk of developing asthma. *Cochrane Database of Systematic Reviews*, 2009 (3): CD006480
133. SIMPSON A, CUSTOVIC A. Prevention of allergic sensitization by environmental control. *Current Allergy & Asthma Reports*, 2009; 9: 363–369
134. ATKINS D, BOCK SA. Fatal anaphylaxis to foods: epidemiology, recognition, and prevention. *Curr Allergy Asthma Rep*, 2009; 9: 179–185
135. ARSHAD SH. Does exposure to indoor allergens contribute to the development of asthma and allergy? *Curr Allergy Asthma Rep*, 2010; 10: 49–55
136. BAXI SN, PHIPATANAKUL W. The role of allergen exposure and avoidance in asthma. *Adolescent Medicine*, 2010; 21: 57–71
137. NOVÁK J. Roztočová alergie. *Postgraduální medicína*, 2009; 11: 62–68

138. HALKEN S, HOST A, NIKLASSEN U, et al. Effect of mattress and pillow incasings on children with asthma and house dust allergy. *J Allergy Clin Immunol*, 2003; 111: 169–176
139. SCHATZ M, ZEIGER RS. Ineffectiveness of telephone-based environmental control intervention to improve asthma outcomes. *J Allergy Clin Immunol*, 2010; 126: 873–875
140. CUSTOVIC A, SIMPSON BM, SIMPSON A, et al.: Effect of environmental manipulation in pregnancy and early life: Effect on respiratory symptoms and atopy during first year of life: a randomised trial. *Lancet*, 2001; 358: 188–193
141. SHEIKH A, HURWITZ B, NURMATOV U, VAN SCHAYCK CP. House dust mite avoidance measures for perennial allergic rhinitis. Update of Cochrane Database Syst Rev, 2007 (1): CD001563; PMID: 17253461. Cochrane Database Syst Rev, 2010 (7): CD001563
142. BUSH RK, PROCHNAU JJ. Alternaria-induced asthma. *J Allergy Clin Immunol*, 2004; 113: 227–234
143. CHEW LG, ROGERS C, GURGE HA, et al. Dustborne and airborne fungal propagules represent a different spectrum of fungi with differing relations to home characteristics. *Allergy*, 2003; 58: 13–20
144. VIALE PH. Management of hypersensitivity reactions: a nursing perspective. *Oncology*, 2009; 23 (2, suppl. 1): 26–30
145. LIGHTFOOT CB, ABRAHAM RJ, MAMMEN T, et al. Survey of radiologists knowledge regarding the management of severe contrast material-induced allergic reactions. *Radiology*, 2009; 251: 691–696
146. POLLART SM, WARNIMENT C, MORI T. Latex allergy. *Am Fam Physician*, 2009; 80: 1413–1418
147. HEITZ JW, BADER SO. An evidence-based approach to medication preparation for the surgical patient at risk for latex allergy: is it time to stop being stopper poppers? *J Clin Anesth*, 2010; 22: 477–483
148. DE QUEIROZ M, COMBET S, BERARD J, et al. Latex allergy in children: modalities and prevention. *Paediatric Anaesthesia*, 2009; 19: 313–319
149. NICHOLSON PJ, LLEWELLYN D, ENGLISH JS. Guidelines Development Group. Evidence-based guidelines for the prevention, identification and management of occupational contact dermatitis and urticaria. *Contact Dermatitis*, 2010; 63: 177–186
150. LU LK, WARSHAW EM, DUNNICK CA. Prevention of nickel allergy: the case for regulation? *Dermatologic Clinics*, 2009; 27: 155–161

151. FERENČÍK M, MAŤHA V, ROVENSKÝ J, JENSEN-JAROLIM E. Imunológia a alergológia v základných heslach a termínoch. Bratislava: Slovak Akademik Press, 2006
152. WARNER JO. A double blinded, randomized, placebo-controlled trial of cetirizine in preventing the onset of asthma in children with atopic dermatitis: 18 months' treatment and 18 months' posttreatment follow up. *J Allergy Clin Immunol*, 2001; 108: 929–937
153. WARNER JO. The challenge of allergy prevention in children. Main Symposium EAACI. Abstrakt book, Viena, 2006
154. WAHN U. Allergic factors associated with the development of asthma and the influence of cetirizine in a double-blind, randomised, placebo-controlled trial: First results of ETAC. *Pediat Allergy Immunol*, 1998; 9: 116–124
155. Global Iniciative For Asthma. Global Strategy for Asthma Management and Prevention. 2009. www.ginasthma.org
156. National Heart, Lung, and Blood Institute. National Asthma Education and Prevention Program. Expert panel report 3. Guidelines for the Diagnosis and Managment Asthma. <http://www.nhlbi.nih.gov/guidelines/asthma/epr3/resource.pdf>
157. The Childhood Asthma Management Program Research group. Long-term effects of budesonide or nedocromil in children with asthma. *New Engl J Med*, 2000; 343: 1054–1061
158. GUILBERT TW, ALLEN DB, LEMANSKE RF, LIU AH, MARTINEZ FD, SZEFLER SJ, TAUSSIG LM, ZIEGLER RS, et al. Long term inhaled corticosteroids in preschool children at high risk for asthma. *N Engl J Med*, 2006; 354: 1985–1997
159. MARTINEZ FD, WRIGHT AL, TAUSSIG LM, et al. Asthma and wheezing in the first six years of life. The Group Health Medical Associates. *A Engl J Med*, 1995; 332: 133–138
160. Global Iniciative For Asthma. Global Strategy for the Diagnosis and Management of Asthma in Children 5 Years And Younger. 2009. www.ginasthma.org
161. <http://www.fda.gov/Drugs/Drugsafety>
162. SHIELDS M. Long acting beta 2 agonists (LABA) in children with asthma. In: Sborník přednášek z 9. setkání lékařů ČR a SR. Astma a alergie z různých pohledů. Litomyšl, HRG: 2009
163. NINO G, HU A, GRUNSTEIN JS, GRUNSTEIN MM. Mechanism of glucocorticoid protection of airway smooth muscle from proasthmatic

163. effects of long-acting beta₂-adrenoceptor agonist exposure. *J Allergy Clin Immunol*, 2010; 125: 1020–1027
164. DIMOVA S, HORTY PH, NEMERY B. Paracetamol cytotoxicity in rat type II pneumocytes and alveolar macrophages in vitro. *Biochem Pharmacol*, 2010; 59: 1467–1475
165. FARQUHAR H, CRANE J, MITCHELL E, et al. The acetaminophen and asthma hypothesis 10 years on: A case to answer. *J Allergy Clin Immunol*, 2009; 124: 649–651
166. ENELI I., SADRI K, et al. Acetaminophen and the Risk of Asthma. The epidemiologic and Pathophysiological Evidence. *Chest*, 2005; 127: 604–612
167. SHAHEEN SO, STERNE JAC, SONGHURST CE, et al. Frequent paracetamol use and asthma in adults. *Thorax*, 2000; 55: 266–270
168. REBORDOSA C., KOGEVINAS M., SORENSEN H, et al. Prenatal exposure to paracetamol and risk of wheezing and asthma in children: A birth cohort study. 2008. www.ije.oxfordjournals.org/content/37/3/583.full
169. PERZANOWSKI MS, MILLER RL, TANG D, et al. Prenatal acetaminophen exposure and risk of wheeze at age 5 years in an urban low-income cohort. *Thorax*, 2010; 65: 118–123
170. ETMINAN M., SADTSAAFI M., JAFARI S, et al. Acetaminophen Use and the Risk of Asthma in Children and Adults. A systematic Review and Metaanalysis. *Am J Respir Crit Care Med*, 2010; 181: 1181–1187
171. SUTHERLAND ER, KING TS, ICITOVIC N, et al. A trial of clarithromycin for the treatment of suboptimally controlled asthma. National Heart, Lung and Blood Institute's Asthma Clinical Research Network. *J Allergy Clin Immunol*, 2010; 126: 747–753
172. O'HEHIR RE, GARDNER LM, DE LEON MP, et al. House dust mite sublingual immunotherapy: the role for transforming growth factor-beta and functional regulatory T cells. *Am J Respir Crit Care Med*, 2009; 180: 936–947
173. JACOBSEN L, NIGGEMANN B, DREBORG S, et al. (The PAT investigator group). Specific immunotherapy has long-term preventive effect of seasonal and perennial asthma: 10-year follow-up on the PAT study. *Allergy*, 2007; 62: 943–948
174. BROZEK JL, BOUSQUET J, BAENA-CAGNANI CE, et al. Global Allergy and Asthma European Network. Grading of Recommendations

- Assessment, Development and Evaluation Working Group. Allergic Rhinitis and its Impact on Asthma (ARIA) guidelines: 2010 revision. *J Allergy Clin Immunol*, 2010; 126: 466–476
175. RYBNÍČEK O, SEBEROVÁ E, et al. ČIPA o.p.s., Praha: Průvodce alergenovou imunoterapií (SIT), doporučení ČSAKI. Praha: TIGIS, 2009
176. COMPALATI E, PASSALACQUA G, BONINI M, CANONICA GW. The efficacy of sublingual immunotherapy for house dust mites respiratory allergy: results of a GA2LEN meta-analysis. *Allergy*, 2009; 64: 1570–1579
177. NELSON HS, NOLTE H, RETICOS P, MALONEY J, WU J, BERNSTEIN DI. Efficacy and safety of timothy grass allergy immunotherapy tablet treatment in North American adults. *J Allergy Clin Immunol*, 2011; 127: 72–80.80.e1–2
178. BLAISS M, MALONEY J, NOLTE H, GAWCHIK S, YAO R, SKONER DP. Efficacy and safety of timothy grass allergy immunotherapy tablets in North American children and adolescents. *J Allergy Clin Immunol*, 2011; 127: 64–71.71.e1–4
179. ABRAMSON MJ, PUY RM, WEINER JM. Injection Allergen Immunotherapy for Asthma. *Cochrane Database Syst Rev* 2010 (4): CD001186
180. CALAMITA Z, SACONATO H, PELA AB, et al. Efficacy of sublingual immunotherapy in asthma: systematic review of randomized-clinical trials using the Cochrane Collaboration method. *Allergy*, 2006; 61: 1162–1172
181. COMPALATI E, PENAGOS M, TARANTINI F, et al. Specific immunotherapy for respiratory allergy: state of the art according to current meta-analyses. *Ann Allergy Asthma Immunol*, 2009; 102: 22–28
182. PENAGOS M, COMPALATI E, TARANTINI F, et al. Efficacy of sublingual immunotherapy in the treatment of allergic rhinitis in pediatric patients 3 to 18 years of age: a meta-analysis of randomized, placebo controlled, double-blind trials. *Ann Allergy respiratory allergy: state of the art according to current meta-analyses. Ann Allergy Immunol*, 2009; 102: 22–28
183. BIRD JA, BURKS AW. Food allergy and asthma. *Primary Care Respiratory Journal*, 2009; 18: 258–265
184. NWARU BI, ERKKOLA M, AHONEN S, et al. Maternal diet during lactation and allergic sensitization in the offspring at age of 5. *Pediatr Allergy Immunol*, 2011; 22: 334–341

185. TEODORESCU M, POLOMIS DA, HALL SV, et al. Association of obstructive sleep apnea risk with asthma control in adults. *Chest*, 2010; 138: 543–550
186. LOUGHEED MD, FISHER T, O'DONNELL DE. Dynamic Hyperinflation During Bronchoconstriction in Asthma. *Chest*, 2006; 130: 1072–1081
187. HACZKU A, PANETTIERI R. Social stress and asthma: The role of corticosteroid insensitivity. *J Allergy Clin Immunol*, 2010; 125: 550–558
188. LAHMANN C, HENNIGSEN P, SCHULZ C, et al. Effects of functional relaxation and guided imagery on IgE in dust-mite allergic adult asthmatics: a randomized, controlled clinical trial. *J Nerv Ment Dis*, 2010; 198: 125–130
189. ZUNIGA GC, HERNANDEZ T, KIRK S, et al. On linkages: a multi-institutional collaboration to develop asthma education for school settings in south Texas. *Public Health Rep*, 2011; 126: 139–144
190. SZEFLER SJ. Managing asthma and allergies in schools: an opportunity to coordinate health care. *J Allergy Clin Immunol*, 2009; 124: 201–204
191. RIJNKELS JM, SMID T, VAN DEN AKER EC, et al. Prevention of work-related airway allergies; summary of the advice from the Health Council of the Netherlands. *Allergy*, 2008; 63: 1593–1596
192. TARLO SM, LISS GM. Prevention of occupational asthma. *Curr Allergy Asthma Rep*, 2010; 10: 278–286