

# Literatura chirurgická

- ALIMI, Y.S., HARTUNG, O., VALERIO, N., et al. Laparoscopic aortoiliac surgery for aneurysm and occlusive disease: when should a minilaparotomy be performed? *J Vasc Surg*, 2001, 33(3), p. 469–475.
- ANONYMOUS. Mortality results for randomised controlled trial of early elective surgery or ultrasonographic surveillance for small abdominal aortic aneurysms. UK Small Aneurysm Trial Participants. *Lancet*, 1998, 352, p. 1649–1655.
- ASCHER, E., MARKEVICH, N., SCHUTZER, RW., et al. Cerebral hyperperfusion syndrome after carotid endarterectomy: predictive factors and hemodynamic changes. *J Vasc Surg*, 2003, 37, p. 769–777.
- BEALE, RJ., GOUGH, MJ. Treatment Options for Primary Varicose Veins – A Review. *Eur J Vasc Endovasc Surg*, 2005, 30, p. 83–95.
- Beneficial effect of carotid endarterectomy in symptomatic patients with high-grade carotid stenosis. North American Symptomatic Carotid Endarterectomy Trial Collaborators. *N Engl J Med*, 1991, 325(7), p. 445–453.
- BERGAN, JJ., YAO, JT. *Aortic Surgery*. Philadelphia: W. B. Saunders Co., 1989.
- BERGLUND, J., BJÖRCK, M., ELFSTROM, J. Long-term Results of Above Knee Femoro-popliteal Bypass Depend on Indication for Surgery and Graft-material. *Eur J Vasc Endovasc Surg*, 2005, 29, p. 412–418.
- BOND, R., RERKASEM, K., ROTHWELL, PM. Systematic review of the risks of carotid endarterectomy in relation to the clinical indication for and timing of surgery. *Stroke*, 2003, 34(9), p. 2290–2301.
- BRANCHEREAU, A., JACOBS, M. *Surgical and Endovascular Treatment of Aortic Aneurysms*. Armonk: Futura Publishing Co., 2000.
- BRANCHEREAU, A., JACOBS, M., et al. Hybrid vascular procedures. Futura (an imprint of Blackwell Publishing), 2004.
- BRECKWOLDT, WL., MACKEY, WC., BELKIN, M., et al. The effect of suprarenal crossclamping on abdominal aortic aneurysm repair. *Arch Surg*, 1992, 127, p. 520–524.
- BREWSTER, DC., FRANKLIN, DP., CAMBRIA, RP., et al. Intestinal ischemia complicating abdominal aortic surgery. *Surgery*, 1991, 109, p. 447–454.
- CABROL, C., PAVIE, A., GANDJBAKHCH, I., et al. Complete replacement of the ascending aorta with reimplantation of the coronary arteries: new surgical approach. *J Thorac Cardiovasc Surg*, 1989, 81, p. 309.
- CAMBRIA, RP. Thoracoabdominal aortic aneurysm repair: how I do it. *Cardiovasc Surg*, 1999, 7, p. 597–606.
- CAMBRIA, RP., BREWSTER, DC., GERTLER, J., et al. Vascular complications associated with spontaneous aortic dissection. *J Vasc Surg*, 1988, 7, p. 199.
- CAO, P., GIORDANO, G., DE RANGO, P., et al. Collaborators of the EVEREST Study Group: eversion versus conventional carotid endarterectomy: late results of a prospective multicenter randomized trial. *J Vasc Surgery*, 2000, 31, p. 19–30.
- CAVATAS Investigators. Endovascular versus surgical treatment in patients with carotid stenosis in the Carotid and Vertebral Artery Transluminal Angioplasty Study (CAVATAS): a randomised trial. *Lancet*, 2001, 357(9270), p. 1729–1737.
- CLAGETT, GP., RICH, NM., McDONALD, PT., et al. Etiologic factors for recurrent carotid artery stenosis. *Surgery*, 1983, 93, p. 313–318.
- COADY, MA., RIZZO, JA., GOLDSTEIN, LJ., et al. Natural history, pathogenesis, and etiology of thoracic aortic aneurysms and dissections. *Cardiol Clin*, 1999, 17, p. 615.
- COADY, MA., RIZZO, JA., HAMMOND, GL., et al. Surgical intervention criteria for thoracic aortic aneurysms: a study of growth rates and complications. *Ann Thorac Surg*, 1999, 67, p. 1922.

- COGGIA, M., JAVERLIAT, I., DI CENTA, I., et al. Total videoscopic treatment of a type IV thoracoabdominal aneurysm. *J Vasc Surg*, 2005, 41(1), p. 141–145.
- COOLEY, DA. *Surgical Treatment of Aortic Aneurysms*. Philadelphia: W. B. Saunders Co., 1986.
- COSELLI, JS., LE MARIE, SA. Left heart bypass reduces paraplegia rates after thoracoabdominal aortic aneurysm repair. *Ann Thorac Surg*, 1999, 67, p. 1931–1934.
- COSELLI, JS., LE MARIE, SA., DE FIGUEIREDO, LP., et al. Paraplegia after thoracoabdominal aneurysma repair: is dissection a risk factor? *Ann Thorac Surg*, 1997, 63, p. 28.
- CRAWFORD, ES. Ruptured abdominal aortic aneurysms. *J Vasc Surg*, 1991, 13, p. 348–350.
- CRAWFORD, ES., CRAWFORD, JL., SAFI, HJ., et al. Redo operations for recurrent aneurysma disease of the ascending aorta and transverse aortic arch. *Ann Thorac Surg*, 1989, 40, p. 439.
- CRAWFORD, ES., SALEM, AS., BABB, JW., et al. Infra-renal abdominal aortic aneurysms: Factors influencing survival after operation performed over a 25-year period. *Ann Surg*, 1981, 193, p. 699–709.
- CRAWFORD, ES., SVENSSON, LG., HESS, KR., et al. A prospective randomized study of cerebrospinal fluid drainage to prevent paraplegia after high risk surgery on the thoracoabdominal aorta. *J Vasc Surg*, 1991, 13, p. 36–46.
- ČERTÍK, B., a kol. *Onemocnění karotid a velkých cév aortálního obrouku*. Praha: Grada, 2005.
- DAVID, TE., FEINDEL, CM. An aortic valve-sparing operation for patients with aortic incompetence and aneurysm of the ascending aorta. *J Thorac Cardiovasc Surg*, 1992, 103, p. 617.
- DETTER, C., MAIR, H., KLEIN, HG., et al. Long-term prognosis of surgically-treated aortic aneurysma and dissections in patients with and without Marfan syndrome. *Eur J Cardiothorac Surg*, 1998, 13, p. 416.
- DEVINE, C., MCCOLLUM, C. Heparin-bonded Dacron or polytetrafluoroethylene for femoropopliteal bypass: Five-year results of a prospective randomized multicenter clinical trial. *J Vasc Surg*, 2004, 40(5), p. 924.
- DION, YM., GRACIA, CR. A new technique for laparoscopic aortobifemoral grafting in occlusive aortoiliac disease. *J Vasc Surg*, 1997, 26, p. 685–692.
- ELEFTERIADES, JA., LOVOULOS, CJ., COADY, MA. Management of descending aortic dissection. *Ann Thorac Surg*, 1999, 67, p. 2002.
- ELKINS, RC., LANE, MM., MCCUE, C. Ross procedure for ascending aortic replacement. *Ann Thorac Surg*, 1999, 67, p. 1843.
- Endarterectomy for asymptomatic carotid artery stenosis. Executive Committee for the Asymptomatic Carotid Atherosclerosis Study. *JAMA*, 1995, 273, p. 1421–1428.
- ERBEL, R., ALFONSO, F., BOILEAU, C., et al. Diagnosis and management of aortic dissection: Recommendations of the Task Force on Aortic Dissection, European Society of Cardiology. *Eur Heart J*, 2001, 22, p. 1642.
- ERNST, CB., STANLEY, JC. *Current Therapy in Vascular Surgery*. 4th ed. St. Louis: Mosby Inc., 2001.
- European Carotid Surgery Trialists' Collaborative Group. Randomised trial of endarterectomy for recently symptomatic carotid stenosis: final results of the MRC European Carotid Surgery Trial (ECST). *Lancet*, 1998, 351(9113), p. 1379–1387.
- FIRT, P., HEJNAL, J., VANĚK, I. *Cévní chirurgie*. Praha: Avicenum, 1991.
- GOTT, VL., GREENE, PS., ALEJO, DE., et al. Replacement of the aortic root in patients with Marfan's syndrome. *N Engl J Med*, 1999, 340, p. 1307.
- GREEN, RM., ABBOTT, WM., MATSUMOTO, T., et al. Prosthetic above-knee femoropopliteal bypass grafting: Five year results of a randomized trial. *J Vasc Surg*, 2000, 31(3), p. 417.
- GREENHALGH, RM. *Vascular and Endovascular Surgical Techniques*. 4th ed. London: W. B. Saunders, 2002.
- GREENHALGH, RM., MANNICK, JA., POWELL, JT. *The Cause and Management of Aneurysms*. Philadelphia: W. B. Saunders Co., 1990.
- GREENWALD, SE., BERRY, CL. Improving vascular grafts: the importance of mechanical and haemodynamic properties. *J Pathol*, 2000, 190, p. 292–299.
- HALLIDAY, A., MANSFIELD, A., MARRO, J., et al. Prevention of disabling and fatal strokes by successful carotid endarterectomy in patients without recent neurological symptoms: randomised controlled trial. *Lancet*, 2004, 363, p. 1491–1502.
- HEJHAL, L., FIRT, P. *Chirurgická prevence a léčba mozkové ischémie*. Praha: Avicenum, 1970.
- HEJNAL, J., KRAJÍČEK, M., ZÁSTAVA, V. *Cévní náhrady*. Praha: Academia, 1967.
- HERMAN, J., aj. *Chirurgie varixů dolních končetin*. Praha: Grada, 2003.
- HOBSON, RW., WILSON, SE., VEITH, FJ. *Vascular Surgery*. 3rd ed. New York: Marcel Dekker, 2004.
- HSIANG, ZN., TURNBULL, RG., NICHOLLS, SC., et al. Predicting death from ruptured abdominal aortic aneurysms. *Am J Surg*, 2001, 181(1), p. 30–35.
- CHEN, JC., HILDEBRAND, HD., SALVIAN, AJ., et al. Predictors of death in nonruptured and ruptured

- abdominal aortic aneurysms. *J Vasc Surg* 1996;24, p. 614–620.
- IMPARATO, AM., RILES, TS., GORSTEIN, F. The carotid bifurcation plaque: pathologic findings associated with cerebral ischemia. *Stroke*, 1979, 10, p. 238–245.
- JACOBS, MJ., MEYLAERTS, SA., DE HAAN, P., et al. Strategies to prevent neurologic deficit based on motor-evoked potentials in type I and II thoracoabdominal aortic aneurysm repair. *J Vasc Surg*, 1999, 29, p. 48–59.
- JACOT, JG., ABDULLAH, I., BELKIN, M., et al. Early adaptation of human lower extremity vein grafts: Wall stiffness changes accompany geometric remodeling. *J Vasc Surg*, 2004, 39(3), p. 547.
- JAVERLIAT, I., COGGIA, M., DI CENTA, I., et al. Total videoscopic bypass graft implantation on the ascending aorta for lower limb revascularization. *J Vasc Surg*, 2005, 42(2), p. 361–4.
- KALA, Z., VOMELA, J., a kol. *Chirurgie periferního nerovegetativního systému*. Praha: Grada, 2002.
- KATONEN, I., LEPANTALO, M., BROMMELS, M., et al. Mortality in ruptured abdominal aortic aneurysms. The Finnvasc Study Group. *Eur J Vasc Endovasc Surg*, 1999, 17, p. 1122–1125.
- KLINKERT, P., POST, PN., BRESLAU, PJ., et al. Saphenous Vein Versus PTFE for Above-Knee Femoropopliteal Bypass. A Review of the Literature. *Eur J Vasc Endovasc Surg*, 2004, 27, p. 357–362.
- KOLBACH, DN., NEUMANN, HAM., PRINS, MH. Definition of the Post-thrombotic Syndrome, Differences Between Existing Classifications. *Eur J Vasc Endovasc Surg*, 2005, 30, p. 404–414.
- KOLVENBACH, R., DA SILVA, L., SCHWIERZ, E., et al. Descending aorta-to-femoral artery bypass: preliminary experience with a thoracoscopic technique. *Surg Laparosc Endosc Percutan Tech*, 2000, 10(2), p. 76–81.
- KONFRŠT, J. *Umělé cévní náhrady – jejich mechanické a hydrodynamické vlastnosti*. Praha: ČVUT, 2005. Dizertační práce.
- KOUCHOUKOS, NT., MASETTI, P., ROKKAS, CK., et al. Safety and efficacy of hypothermic cardiopulmonary bypass and circulatory arrest for operations on the descending thoracic and thoracoabdominal aorta. *Ann Thorac Surg*, 2001, 72, p. 699.
- KRAJÍČEK, M., VANĚK, I. *Chirurgická léčba žilních městsků dolních končetin*. Praha: Avicenum, 1983.
- LEON, L., GREISLER, HP. Vascular grafts. *Exper Rev Cardiovasc Ther*, 2003, 1(4), p. 581.
- MATHES, FD., HAGGSTORM, AN., et al. Clinical characteristics and management of vascular Anomalies. *Arch Dermatol*, 2004, 140, p. 979.
- MATSUDA, H., NAKANO, S., SHIRAKURA, R., et al. Surgery for aortic arch aneurysm with selective cerebral perfusion and hypothermic cardiopulmonary bypass. *Circulation*, 1989, 80, p. 243.
- MICHAL, V., HEJNAL, J., HEJHAL, L., et al. Shunts in der Vaskulären Chirurgie. *Thoraxchirurgie*, 1966, 14, p. 35.
- MICHAL, V., KRAMÁŘ, R., POSPÍCHAL, J., et al. Přímá tepenná anastomóza na corpora cavernosa penis v léčbě erekтивní impotence. *Rozhl. Chir.*, 1973, 52, s. 587–590.
- MIN, RJ., KHILNANI, NM. Endovenous laser ablation of varicose veins. *J Cardiovasc Surg*, 2005, 46, p. 395–405.
- MULLIKEN, JB., GLOWACKI, J. Hemangioma and vascular malformations in infants and children: a classification based on endothelial characteristics. *Plast Reconstr Surg*, 1982, 69, p. 412–422.
- MWIPATAYI, BP., BENINGFIELD, SJ., aj. A Review of the Current Treatment of Renal Artery Stenosis. *Eur J Vasc Endovasc Surg*, 2005, 29, p. 479.
- NGUYEN, LL., CONTE, MS., MENARD, MT., et al. Infrainguinal vein bypass graft revision: Factors affecting long-term outcome. *J Vasc Surg*, 2004, 40(5), p. 916.
- NOEL, KK., GLOVICZKI, P., CHERRY, KJ., et al. Ruptured abdominal aortic aneurysms: the excessive mortality rate of conventional repair. *J Vasc Surg*, 2001, 34(1), p. 41–46.
- POWELL, JT. Abdominal aortic aneurysm: national history and risk of rupture. In BRANCHEREAU, A., JACOBS, M. *Surgical and Endovascular Treatment of Aortic Aneurysms*. Armonk: Futura Publishing Co., 2000, p. 11–18.
- PUGGIONI, A., KALRA, M., CARMO, M., et al. Endovenous laser therapy and radiofrequency ablation of the great saphenous vein: analysis of early efficacy and complications. *J Vasc Surg*, 2005, 42(3), p. 488–93.
- Randomised trial of endarterectomy for recently symptomatic carotid stenosis: final results of the MRC European Carotid Surgery Trial (ECST). *Lancet*, 1998, 351, p. 1379–1387.
- ROBICSEK, F., ROUSH, TS., COOK, JW., et al. From Hippocrates to Palmaz-Schatz. The History of Carotid Surgery. *Eur J Vasc Endovasc Surg*, 2004, 27, p. 389–397.
- ROSS, DB. The place for scalenotomy and first-rib resection in thoracic outlet syndrome. *Surgery*, 1982, 92(6), p. 1077.
- ROSS, SD., KRON, IL., PARRINO, PE. Preservation of intercostal arteries during thoracoabdominal aortic aneurysm surgery: a retrospective study. *J Thorac Cardiovasc Surg*, 1999, 118, p. 17–25.

- ROTHWELL, PM., GIBSON, RJ., SLATTERY, J., et al. Prognostic value and reproducibility of measurements of carotid stenosis. A comparison of three methods on 1001 angiograms. European carotid surgery trialists' collaborative group. *Stroke*, 1994, 25, p. 2440–2444.
- RUTHERFORD, RB. *Vascular Surgery*. 6th ed. Philadelphia: Elsevier-Saunders, 2005.
- SAFI, HJ., MILLER, CC., CARR, CL., et al. Importance of intercostal artery reattachment during thoracoabdominal aortic aneurysm repair. *J Vasc Surg*, 1999, 25, p. 58–68.
- SAFI, HJ., MILLER, CC., REARDON, MJ., et al. Operation for acute and chronic dissection: recent outcome with regard to neurologic deficit and early death. *Ann Thorac Surg*, 1998, 66, p. 402.
- SAFI, HJ., MILLER, CC., ESTRERA, AL., et al. Staged repair of extensive aortic aneurysms: morbidity and mortality in the elephant trunk technique. *Circulation*, 2001, 104, p. 2938.
- SCOTT, MN. Graft type for femoro-popliteal bypass surgery. Chichester: John Wiley and Sons, *The Cochrane Library*, Issue 2, 2004.
- SCOTT, RA., ASHTON, HA., KAY, DN. Abdominal aortic aneurysm in 4237 screened patients: prevalence, development and management over 6 years. *Br J Surg*, 1991, 78, p. 1122–1125.
- SCOTT, RA., TISI, PV., ASHTON, MA., et al. Abdominal aortic aneurysm rupture rates: a 7-year follow-up of the entire abdominal aortic aneurysm population detected by screening. *J Vasc Surg*, 1998, 28, p. 124–128.
- SCHOUTEN, O., aj. End to end versus End to side distal anastomosis in femoropopliteal bypasses: results of a randomized multicenter trial. *Eur J Vasc Endovasc Surg*, 2005, 29, p. 457.
- SLATTER, D. *Textbook of Small Animal Surgery*. Vol. I, II. Philadelphia: W. B. Saunders Co., 1993.
- ŠEBESTA, P., KLIKA, T., ZDRÁHAL, P., et al. Ruptured abdominal aortic aneurysm: Role of initial delay on survival. *J Mal Vascul*, 1998, 23(5), p. 361–367.
- ŠRÁMEK, BB., VALENTA, J., KLIMEŠ, F. *Biomechanics of the Cardiovascular System*. Praha: Czech Technical University Press, 1995.
- ŠTÁDLER, P., ŠEBESTA, P., VITÁSEK, P., et al. A modified technique of transperitoneal direct approach for totally laparoscopic aortoiliac surgery. *Eur J Vasc Endovasc Surg*, 2006, 32, p. 266–9.
- ŠTÁDLER, P., MATOUŠ, P., VITÁSEK, P., et al. Robot-assisted aortoiliac reconstruction: a review of 30 cases. *J Vasc Surg*, 2006, 44, p. 915–18.
- ŠTÁDLER, P., VITÁSEK, P., MATOUŠ, P. Úvodní zkušenosti s robotickým systémem da Vinci v cévní chirurgii. *Rozhl. Chir.*, 2006, 85, s. 228–32.
- TEEBKEN, OE., HAVERICH, A. Tissue Engineering of Small Diameter Vascular Grafts. *Eur J Vasc Endovasc Surg*, 2002, 23, p. 475–485.
- TOŠENOVSKÝ, P., EDMONDS, ME. *Moderní léčba syndromu diabetické nohy*. Praha: Galén, 2004.
- TŘEŠKA, V., a kol. *Aneuryzma břišní aorty*. Praha: Grada, 1989.
- VEITH, FJ., OHKI, T. Endovascular approaches to ruptured infrarenal aortoiliac aneurysms. *J Cardiovasc Surg*, 2002, 43, p. 369–378.
- WEISS, K., KRAMÁŘ, R., FIRT, P. Cranial and cervical nerve injuries: Local complications of carotid artery surgery. *J Cardiovasc Surg*, 1987, 28, p. 171–175.
- WINTERBORN, RJ., EARNSHAW, JJ. Crossectomy and great saphenous vein stripping. *J Cardiovasc Surg*, 2006, 47, p. 19–33.
- WISSELINK, W. Robot-assisted laparoscopic aortobifemoral bypass for aortoiliac occlusive disease: a report of two cases. *J Vasc Surg*, 2002, 36(5), p. 1079–82.

# Literatura radiologická

ANSELL, G., BETTMANN, MA., KAUFMAN, JA., et al. *Complications in diagnostic imaging and interventional radiology*. 3rd ed. Blackwell Science, 1996, 720 p.

BAUM, S., PENTECOST, MJ. *Abrams' Angiography in interventional radiology*. 2nd ed. Lippincott Williams & Wilkins, 2006, 1264 p.

CASTELLI, P., CARRONO, R., PIFFARETTI, et al. Ruptured abdominal aortic aneurysm: endovascular treatment. *Abdom Imaging*, 2005, 30, p. 263–269.

COMEROTA, AJ., WHITE, JV. Overview of catheter-directed thrombolytic therapy for arterial and graft occlusion. In COMEROTA, AJ. *Thrombolytic therapy for peripheral vascular disease*. Philadelphia: Lippincott, 1995, p. 225–252.

DECOURSUS, HD., LEIZOROVICZ, A., PARENT, F., et al. A clinical trial of vena caval filters in the prevention of pulmonary embolism in patients with proximal deep-vein thrombosis. *N Engl J Med*, 1998, 338, p. 409–415.

DOTTER, CT., JUDKINS, MP. Transluminal treatment of arteriosclerotic obstruction. Description of a new technic and a preliminary report of its application. *Circulation*, 1964, 30, p. 654–670.

DUDA, SH., PUSICH, B., RICHTER, G., et al. Sirolimus-eluting stents for the treatment of obstructive superficial femoral artery disease: six-month results. *Circulation*, 2002, 106(12), p. 1505–1509.

ELKOURI, S., HUDON, G., DEMERS, P., et al. Early and long-term results of percutaneous transluminal angioplasty of the lower abdominal aorta. *J Vasc Surg*, 1999, 30(4), p. 679–692.

FAVA, M., LOYOLA, S., FLORES, P., et al. Mechanical fragmentation and pharmacologic thrombolysis in massive pulmonary embolism. *J Vasc Interv Radiol*, 1997, 8, p. 261–266.

FORBES, TL., MILLWARD, SF. Femoral artery thrombosis after percutaneous thrombin injection thrombin

injection of an external iliac artery pseudoaneurysm. *J Vasc Surg*, 2001, 33, p. 1093–1096.

GERASIMIDIS, T., SFYROERAS, G., PAPAZOGLOU, K., et al. Endovascular treatment of popliteal artery aneurysms. *Eur J Vasc Endovasc Surg*, 2003, 26, p. 506–511.

GRIMM, J., MULLER-HULSBECK, S., JAHNKE, T., et al. Randomized study to compare PTA alone versus PTA with Palmaz stent placement for femoropopliteal lesions. *J Vasc Interv Radiol*, 2001, 12(8), p. 935–942.

GRUNTZIG, A., HOPFF, H. Percutaneous recanalization after chronic arterial occlusion with a new dilator-catheter (modification of the Dotter technique). *Dtsch Med Wochenschr*, 1974, 99(49), p. 2502–2511.

HAGIWARA, A., MURATA, A., MATSUDA, T., et al. The efficacy and limitations of transarterial embolization for severe hepatic trauma. *J Trauma*, 2002, 52, p. 1091–1096.

HAGIWARA, A., SAKAKI, S., GOTO, H., et al. The role of interventional radiology in the management of blunt renal injury: a practical protocol. *J Trauma*, 2001, 51, p. 526–531.

HARRIS, J. Chest. In HARRIS, J., HARRIS, W. *The radiology of emergency medicine*. 4th ed. Philadelphia: Lippincott Williams & Wilkins, 2000, p. 437–581.

HLAVA, A., KRAJINA, A. *Intervenční radiologie*. Nucleus HK, 1996. 509 s.

KRAJINA, A., HLAVA, A. *Angiografie*. Nucleus HK, 1999. 550 s.

KRAJINA, A., LOJÍK, M., MAŠKOVÁ, J. *Angiografie oxidem uhličitým*. Čes. Radiol., 2000, 54, s. 290–296.

KRAJINA, A., PEREGRIN, JH., a kol. *Intervenční radiologie. Miniinvazivní terapie*. Olga Čermáková: Hradec Králové, 2005. 835 s.

LAMMER, J. Femoropopliteal artery obstructions: from the balloon to the stent-graft. *Cardiovasc Intervent Radiol*, 2001, 24(2), p. 73–83.

- LAŠTOVIČKOVÁ, J., PEREGRIN, JH. Perkutánní transluminální angioplastika subrenální abdominální aorty. Popis sedmi případů. *Čes. Radiol.*, 2001, 55(3), s. 145–148.
- LEWIS, CA., ALLEN, TE., BURKE, DR. Quality improvement guidelines for central venous access. *J Vasc Interv Radiol*, 2003, 14, S231–S235.
- LINSENMAIER, U., KRÖTZ, M., HÄUSER, H., et al. Whole-body computed tomography in polytrauma: techniques nad management. *Eur Radiol*, 2002, 12, p. 1728–1740.
- LOJÍK, M., KRAJINA, A., MAŠKOVÁ, J. Perkutánní aspirační trombektomie v popliteálním a běrcovém řečišti – 4leté zkušenosti. *Rozhl. Chir.*, 2000, 79, s. 94–98.
- McNAMARA, TO., GOODWIN, SC., KANDARPA, K. Complications of Thrombolysis. *Seminars in interventional radiology*, 1994, 11, p. 134–144.
- NOVOTNÝ, J., PEREGRIN, JH., PIRK, J. Terapie traumatických ruptur hrudní aorty implantací stentgraftu. *Úraz. Chir.*, 2003, 11, s. 2.
- O'SULLIVAN, GJ., SEMBA, CP., BITTNER, CA., et al. Endovascular management of iliac vein compression (May-Thurner) syndrome. *J Vasc Interv Radiol*, 2000, 11, p. 823–836.
- PAVČNIK, D., FERKO, A., KRAJINA, A. Endovaskulární výkony na hrudní aortě. In FERKO, A., KRAJINA, A. *Arteriální aneuryzmaty*. Hradec Králové: ATD, 1999, s. 53–63.
- PLOUIN, PF., CHATELLIER, G., DARNE, B., et al. Blood pressure outcome of angioplasty in atherosclerotic renal artery stenosis: a randomized trial. *Essai Multicentrique Medicaments vs Angioplastie (EMMA) Study Group. Hypertension*, 1998, 31(3), p. 823–829.
- QIAN, Z., STARC, EE., GERSCOVICH, M., et al. Mechanical thrombectomy. In CASTAÑEDA-ZÚÑIGA, WR., TADAVARTHY, SM., QIAN, Z., et al. *Interventional radiology*. 3rd ed. Maryland: Williams & Wilkins, 1997, p. 897–939.
- RAUPACH, J., CHOVARNEC, V., LOJÍK, M., et al. Léčba postkatetrazičních pseudoaneuryzmat: možnosti perkutánní aplikace trombinu jako nové metody. *Čes. Radiol.*, 2003, 57, s. 165–168.
- REEKERS, JA., BOLIA, A. Percutaneous intentional extraluminal (subintimal) recanalization: how to do it yourself. *Eur J Radiol*, 1998, 8, p. 192–198.
- SACKS, D. The TransAtlantic Inter-Society Consensus (TASC) on the management of peripheral arterial disease. *J Vasc Interv Radiol*, 2003, 14(9 Pt 2), S351.
- SAVADER, SJ. Inferior vena cava filters. In SAVADER, SJ., TREROTOLA, SO. *Venous interventional radiology with clinical perspectives*. New York: Thieme, 1996, p. 367–399.
- SHARAFUDDIN, MJ., SHILIANG, S., HOBALLAH, JJ., et al. Endovascular management of venous thrombotic and occlusive diseases of the lower extremities. *J Vasc Interv Radiol*, 2003, 14, p. 405–423.
- SCHEINERT, D., SCHRODER, M., STEINKAMP, H., et al. Treatment of iliac artery aneurysms by percutaneous implantation of stent grafts. *Circulation*, 2000, 102, III253–258.
- SÖDER, HK., MANNINEN, HI., JAAKKOLA, P., et al. Prospective trial of infrapopliteal artery balloon angioplasty for critical limb ischemia: Angiographic and clinical results. *J Vasc Interv Radiol*, 2000, 11, p. 1021–1031.
- TAUFELSBAUER, H., PRUSA, AM., WOLFF, K., et al. Endovascular stent-grafting versus open surgical operation in patients with infrarenal aortic aneurysms. A propensity score – adjusted analysis. *Circulation*, 2002, 106, p. 782–787.
- TOŠENOVSKÝ, P., EDMONDS, ME., et al. Moderní léčba syndromu diabetické nohy. Praha: Galén, 2004.
- TURMEL-RODRIGUES, L., PENGLOAN, J., BOURQUELOT, P. Interventional radiology in hemodialysis fistulae and grafts: a multidisciplinary approach. *Cardiovasc Interv Radiol*, 2002, 25, p. 3–16.
- UFLACKER, R. Interventional therapy for pulmonary embolism. *J Vasc Interv Radiol*, 2001, 12, p. 147–164.
- VALJI, K. Evolving strategies for thrombolytic therapy of peripheral vascular occlusion. *J Vasc Interv Radiol*, 2000, 11, p. 411–420.
- VALJI, K. *Vascular and interventional radiology*. W. B. Saunders Company, 1999. 49 p.
- VAN JAARSVELD, BC., KRIJNEN, P., PIETERMAN, H., et al. The effect of balloon angioplasty on hypertension in atherosclerotic renal-artery stenosis. Dutch Renal Artery Stenosis Intervention Cooperative Study Group. *N Engl J Med*, 2000, 342(14), p. 1007–1014.
- WEIBULL, H., BREGQVIST, D., BERGENTZ, SE., et al. Percutaneous transluminal renal angioplasty versus surgical reconstruction of atherosclerotic renal artery stenosis: a prospective randomised study. *J Vasc Surg*, 1993, 18(5), p. 841–850.
- Working party on thrombolysis in the management of limb ischemia. Thrombolysis in the management of lower limb peripheral arterial occlusion – a consensus document. *J Vasc Interv Radiol*, 2003, 14, S337–S349.
- ZIERLER, RE., BERGELIN, RO., DAVIDSON, RC., et al. A prospective study of disease progression in patients with atherosclerotic renal artery stenosis. *Am J Hypertens*, 1996, 9(11), p. 1055–1061.