

Knižní publikace

- Baloun J, Jahodář L, Leifertová I, Štípek S. *Rostliny způsobující otravy a alergie*. Praha: Avicenum, 1989.
- Barceloux DG. *Medical Toxicology of Natural Substances*. New Jersey: John Wiley & Sons, 2008.
- Burrows GE, Tyrl RJ. *Toxic Plants of North America*. 2. vyd. New York: Wiley-Blackwell, 2013.
- Červenka M et al. *Slovenské botanické názvoslovie*. Bratislava: Príroda, 1986.
- Frohne D, Pfander HJ. *A Colour Atlas of Poisonous Plants*. Stuttgart: Wolfe, 1983.
- Hrdina V, Hrdina R, Jahodář L, Martinec Z et al. *Přírodní toxiny a jedy*. Praha: Galén-Karolinum, 2004.
- Jahodář L. *Léčivé rostliny v současné medicíně*. Praha: HBT, 2010.
- Takhtajan A. *Flowering Plants*. New York: Springer Science & Business Media, 2009.
- The Plant List. A working list of all plant species. Version 1.1. 2013.* Dostupné z www.theplantlist.com
- Wink M, van Wyk B-E. *Mind-altering & Poisonous Plants of the World*. Pretoria: Briza, 2008.

Přehledové články a epidemiologické studie

- Lee WJ, Kim HW, Lee HY, Son CG. Systematic review herb-induced liver injury in Korea. *Food Chem Toxicol* 2015, 84: 47–54.
- Cortinovis C, Caloni F. Alkaloid-containing plants poisonous to cattle and horses in Europe. *Toxins (Basel)* 2015, 7(12): 5301–5307.
- Cortinovis C, Caloni F. Epidemiology of intoxication of domestic animals by

plants in Europe. *Vet J* 2013, 197(2): 163–168.

- Maffé S, Paffoni P, Colombo ML, Davanzo F et al. Herbs and cardiotoxic effects. *G Ital Cardiol (Rome)* 2013, 14(6): 445–455.
- Marras JM, Cohen V, Howland MA. Antidotes for toxicological emergencies: A practical review. *Am J Health-Syst Pharmacy* 2012, 69(3): 199–212.
- Vichová P, Jahodář L. Plant poisonings in children in the Czech Republic, 1996–2001. *Hum Exp Toxicol* 2003, 22: 467–472.
- Jahodář L. *Interiérové rostliny způsobující otravy a alergie*. Luhačovice: SZKT, 2002, s. 94–97.
- Jahodář L, Klečáková J. Toxicita hvězdnicovitých s přihlédnutím k farmaceuticky významným druhům. *Chem Listy* 1999, 93: 320–326.
- Klečáková J, Jahodář L. Adverse and toxic effects of plants. *Folia Pharm Univ Carol* 1999, 23: 49–53.
- Jahodář L. Toxikologicky významné rostliny na území ČR. In Peřinová J. (Ed.) *Solutio* (s. 135–200). Praha: Medon, 1997.

Původní experimentální studie a klinické případy

- Aconitum napellus*
- Chan TY. Aconitum alkaloid poisoning related to the culinary use of aconite roots. *Toxins (Basel)* 2014, 6(9): 2605–2611.
- Coulson JM, Caparrotta TM, Thompson JP. The management of ventricular dysrhythmia in aconite poisoning. *Clin Toxicol (Phila)* 2017, 55(5): 313–321.
- Woods LW, Puschner B, Filigenzi MS et al. Evaluation of the toxicity of Adonis aestivalis in sheep. *Vet Rec* 2011, 168(2): 49.

- Aesculus hyppocastanum*
Zajac M, Wiśniewski M, Sein Anand J. Intoxication by powdered seeds of horse chestnut (*Aesculus hyppocastanum*) used nasally as snuff – a case report. *Przegl Lek* 2014, 71(9): 502–503.
- Aethusa cynapium*
Teuscher E, Greger H, Adrian V. Toxicity of *Aethusa cynapium* L., hundspestersilie. *Pharmazie* 1990, 45(7): 537–538.
- Anchusa officinalis*, *Symphytum officinale*, *Borago officinalis*, *Lithospermum officinale*, *Echium vulgare*, *Cynoglossum officinale*, *Heliotropium europaeum*
Shimshoni JA, Mulder PP, Bouznach A et al. *Heliotropium europaeum* poisoning in cattle and analysis of its pyrrolizidine alkaloid profile. *J Agric Food Chem* 2015, 63(5): 1664–1672.
- Stegelmeyer BL. Pyrrolizidine alkaloid-containing toxic plants (*Senecio*, *Crotalaria*, *Cynoglossum*, *Amsinckia*, *Heliotropium* and *Echium* spp.). *Vet Clin North Am Food Anim Pract* 2011, 27(2): 419–428.
- Aristolochia clematitis*
Xu XL, Yang LJ, Jiang JG. Renal toxic ingredients and their toxicology from traditional Chinese medicine. *Expert Opin Drug Metab Toxicol* 2016, 12(2): 149–159.
- Armeniaca* sp. (*Prunus* sp. div.)
Akyildiz BN, Kurtoğlu S, Kondolot M, Tunç A. Cyanide poisoning caused by ingestion of apricot seeds. *Ann Trop Paediatr* 2010, 30(1): 39–43.
- Sauer H, Wollny C, Oster I et al. Severe cyanide poisoning from an alternative medicine treatment with amygdalin and apricot kernels in a 4-year-old child. *Wien Med Wochenschr* 2015, 165(9–10): 185–188.
- Seghers L, Walenbergh-von Veen M, Salome J, Hamberg P. Cyanide intoxication by apricot kernel ingestion as complimentary cancer therapy. *Neth J Med* 2013, 71(9): 496–498.
- Senthilkumaran S, Menezes RG, Jayaraman S, Thirumalaikolundusubramanian P. Acute cyanide intoxication due to apricot seeds: is „evidence“ countable? *J Emerg Med* 2015, 48(1): 82–83.
- Vlad IA, Armstrong J, Bertilone C, Matisons M. Apricot kernels: a rare case of cyanide toxicity. *Emerg Med Australas* 2015, 27(5): 491–492.
- Artemisia absinthium*
Kocaoglu C, Ozel A. Persistent metabolic acidosis and severe diarrhoea due to *Artemisia absinthium* poisoning. *J Pak Med Assoc* 2014, 64(9): 1081–1083.
- Asarum europaeum*
Nitzsche D, Melzig MF, Arlt VM. Evaluation of the cytotoxicity and genotoxicity of aristolochic acid I – a component of *Aristolochiaceae* plant extracts used in homeopathy. *Environ Toxicol Pharmacol* 2013, 35(2): 325–334.
- Atropa belladonna*
Sanæi-Zadeh H. Can *Atropa belladonna* L. poisoning result in acute subdural hematoma? *Hum Exp Toxicol* 2012, 31(12): 1303–1304.
- Berdai MA, Labib S, Chetouani K, Harandou M. *Atropa belladonna* intoxication a case report. *Pan Afr Med J* 2012, 11: 72.
- Demirhan A, Tekelioglu UY, Yildiz I et al. Anticholinergic toxic syndrom caused by *Atropa belladonna* fruit (deadly nightshade): A case report. *Turk J Anaesthesiol Reanim* 2013, 41(6): 226–228.
- Chadwick a, A, DayJ, BortwickM. Accidental overdose in the deep shade of night a warning on the assumed safety of „natural substances“. *BMJ Case Report* 2015. doi:10.1136/bcr-2015-209333
- Lacković Z. „Bunanje“. XX century abuse of *Atropa belladonna* halucinogenic berries in continental croatia. *Psychiatr Danub* 2017, 29(3): 379–382.
- Bryonia alba*, *B. dioica*
Yamani A, Bunel V, Antoine MH et al. Substitution between *Aristolochia* and *Bryonia* genus in North-Eastern Morocco: toxicological implications. *Ethnopharmacol* 2015, 166: 250–260.
- Buxus sempervirens*
Vachnadze N, Mchedlidze Q, Novikova J, Suladze T. Screening of wild spread and

cultivated of *Buxus* species growing in Georgia on the content of alkaloids and biological activity. *Georgian Med News* 2016, 7–8(256–257): 82–87.

Cannabis sativa

- Feliu C, Cazaubon Y, Fouley A et al. Drowsiness and uncommon fever in a child after cannabis ingestion. *Ann Biol Clin (Paris)* 2017, 75(4): 462–465.
- Mandelbaum DE, de laMonte SM. Adverse structural and functional effects of marijuana on the brain: evidence reviewed. *Pediatr Neurol* 2017, 66: 12–20.
- Pertwee RG (Ed.). *Handbook of cannabis*. Oxford University Press, 2016.
- Redant S, Genis N, Thiery A et al. Infants poisoned with cannabis. *Rev Med Brux* 2017, 38(3): 158–161.
- Zupan Mežnar A, Brvar M, Kralj G, Kovačić D. Accidental cannabis poisoning in the elderly. *Wien Klin Wochenschr* 2016, 128(suppl. 7): 548–552.

Caragana arborescens

- Wu AM, Wu JH, Chen Y et al. Forssman pentasaccharide and polyvalent Galbeta1-4GlcNAc as major ligands with affinity for *Caragana arborescens* agglutinin. *FEBS Lett* 1999, 463(3): 225–230.

Cicuta virosa

- Patocka J, Nepovimova E, Kuca K. Toxic alcohols: Aliphatic unsaturated alcohols. *Mil Med Sci Lett* 2016, 85(4): 171–181.
- Schep LJ, Slaughter RJ, Becket G, Beasley DM. Poisoning due to water hemlock. *Clin Toxicol (Phila)* 2009, 47(4): 270–278.

Colchicum autumnale

- Bajramović-Omeragić L, Čalkić L, Hadžić E, Aličković I. Accidental poisoning with a plant *Colchicum autumnale*: Report of two cases. *Lijec Vjesn* 2015, 137(9–10): 288–291.
- Kicka M, Olszowy Z, Jankowski Z, Celiński R. Fatal colchicine poisoning – case report and review of literature. *Przegl Lek* 2010, 67(8): 630–632.
- Nagesh KR, Menezes RG, Rastogi P et al. Suicidal plant poisoning with *Colchicum autumnale*. *J Forensic Leg Med* 2011, 18(6): 285–287.

- Polat E, Tuygun N, Akca H, Karacan CD. Evaluation of the colchicine poisoning cases in a pediatric intensive care unit: five year study. *J Emerg Med* 2017, 52(4): 499–503.

Conium maculatum

- Erkent U, Iskit AB, Onur R, İlhan M. The effect of coniine on presynaptic nicotinic receptors. *Z Naturforsch C* 2016, 71(5–6): 115–120.
- Chen HY, Horng H, Rowlex F, Smollin C. Rapid respiratory arrest after ingestion of poison hemlock mistaken for wild celery. *Clin Toxicol (Phila)* 2017, 55(2): 155–162.
- Konca C, Kahramaner Z, Bosnak M, Kocamaz H. Hemlock (*Conium maculatum*) poisoning in a child. *Turk J Emerg Med* 2016, 14(1): 34–36.
- Radulović N, Dorđević N, Denić M et al. A novel toxic alkaloid from poison hemlock (*Conium maculatum* L., Apiaceae): identification, synthesis and antinociceptive activity. *Food Chem Toxicol* 2012, 50(2): 274–279.

Convallaria majalis

- Cortinovis C, Caloni F. Epidemiology of intoxication of domestic animals by plants in Europe. *Vet J* 2013, 197(2): 163–168.
- Fitzgerald KT. Lily toxicity in the cat. *Top Companion Anim Med* 2010, 25(4): 213–217.

Coronilla varia (Securigea varia)

- Slavík J, Zácková P, Michlová J et al. Phytotherapeutic aspects of diseases of the circulatory system. III. Cardiotonic and cardiotoxic effects of hyrcanoside and deglucohyrcanoside isolated from *Coronilla varia* L. *Ceska Slov Farm* 1994, 43(6): 298–302.

Corydalis cava

- Kim KH, Lee IK, Piao CJ et al. Benzylisoquinoline alkaloids from the tubers of *Corydalis ternata* and their cytotoxicity. *Bioorg Med Chem Lett* 2010, 20(15): 4487–4490.
- Kang HS, Choi HS, Yun TJ et al. A case of acute cholestatic hepatitis induced by *Corydalis speciosa* Max. *Korean J Hepatol* 2009, 15(4): 517–523.

- Cyclamen* sp. div.
El Hosry L, Di Giorgio C, Birer C, Habib J. In vitro cytotoxic and antitumor activities of saxifragifolin B and cyclamin isolated from *Cyclamen persicum* and *Cyclamen libanoticum*. *Pharm Biol* 2014, 52(9): 1134–1140.
- Cytisus scoparius*
Herranz Pérez X, Sánchez Sitjes L, Maio Barres R, Garcia Cors M. Scotch broom poisoning. *Rev Clin Esp (Barc)* 2013, 213(2): 121–122.
- Datura stramonium*
Adegoke SA, Alo LA. *Datura stramonium* poisoning in children. *Niger J Clin Pract* 2013, 16(1): 116–118.
Gaire BP, Subedi L. A review on the pharmacological and toxicological aspects of *Datura stramonium* L. *J Integr Med* 2013, 11(2): 73–79.
Rakotomavo F, Andriamasy C, Rasamoelina N, Raveloson N. *Datura stramonium* intoxication in two children. *Pediatr Int* 2014, 56(3): 14–16.
Trană SD, Szabo R, Cocis M. Acute poisoning due to ingestion of *Datura stramonium* – a case report. *Rom J Anaesth Intensive Care* 2017, 24(1): 65–68.
- Dictamnus albus*
Schempp CM, Simon-Haarhaus B, Krieger R, Simon JC. Solar simulator-induced phototoxicity of the furoquinoline alkaloid dictamnine compared to 8-methoxypsoralen and 5-methoxypsoralen. *Planta Med* 2006, 72(10): 941–943.
Yang K, Guo SS, Geng ZF et al. Contact toxicity and repellency of the essential oil of *Dictamnus dasycarpus* roots from China against two stored-product insects. *Chem Biodivers* 2015, 12(6): 980–986.
- Dieffenbachia* spp.
Altin G, Sanli A, Erdogan BA, Paksoy M. Severe destruction of the upper respiratory structures after brief exposure to a dieffenbachia plant. *J Craniofac Surg* 2013, 24(3): 245–247.
Mocking RJ, Schene KM, Maingay-Visser DA. *Dieffenbachia* poisoning in an infant. *Ned Tijdschr Geneesk* 2015, 160: A9750.
- Peterson K, Beymer J, Rudloff E, O'Brien M. Airway obstruction in a dog after *Dieffenbachia* ingestion. *J Vet Emerg Crit Care (San Antonio)* 2009, 19(6): 635–639.
- Digitalis* sp. div.
Bonfanti L, Lippi G, Ciullo I, Robuschi F. In the kingdom of „tortelli“ (ravioli-like pasta) plant poisoning is still a threat. A case report of near-fatal poisoning from *Digitalis purpurea* accidentally confused with *Borago officinalis*. *Acta Biomed* 2017, 87(3): 353–357.
Glatstein M, Danino D, Wolyniez I, Scolnik D. Seizures caused by ingestion of *Atropa belladonna* in a homeopathic medicine in a previously well infant: case report and review of the literature. *Am J Ther* 2014, 21(6): 196–198.
Maffè S, Paffoni P, Colombo LM et al. Herbs and cardiotoxic effects. *G Ital Cardiol (Rome)* 2013, 14(6): 445–455.
Wu IL, Yu JH, Lin CC et al. Fatal cardiac glycoside poisoning due to mistaking foxglove for comfrey. *Clin Toxicol (Phila)* 2017, 1–4.
- Eschscholtzia californica*
Paul LD, Maurer HH. Studies on the metabolism and toxicological detection of the *Eschscholtzia californica* alkaloids californine and protopine in urine using gas chromatography-mass spectrometry. *J Chromatogr B Analyt Technol Biomed Life Sci* 2003, 789(1): 43–57.
- Euphorbia* sp. div.
Rajeh MA, Kwan YP, Zakaria Z et al. Acute toxicity impacts of *Euphorbia hirta* L. extract on behavior, organs body weight index and histopathology of organs of the mice and *Artemia salina*. *Pharmacognosy Res* 2012, 4(3): 170–177.
Saleem U, Ahmad B, Ahmad M et al. Is folklore use of *Euphorbia helioscopia* devoid of toxic effects? *Drug Chem Toxicol* 2016, 39(2): 233–237.
- Frangula alnus*
Brkanac SR, Gerić M, Gajski G et al. Toxicity and antioxidant capacity of *Frangula alnus* Mill. bark and its active component emodin. *Regul Toxicol Pharmacol* 2015, 73(3): 923–929.

- Fritillaria* sp. div.
Li Z, Qiao Y, Li J et al. Acute and subchronic toxicity studies of the extract of Thunberg Fritillary Bulb. *Regul Toxicol Pharmacol* 2014, 68(3): 370–377.
- Hedera helix*
Paulsen E, Christensen LP, Andersen KE. Dermatitis from common ivy (*Hedera helix* L. subsp. *helix*) in Europe: past, present, and future. *Contact Dermatitis* 2010, 62(4): 201–209.
- Helleborus niger*
Čakar J, Haverić A, Haverić S et al. Cytotoxic and genotoxic activity of some *Helleborus* species. *Nat Prod Res* 2014, 28(12): 883–887.
- Heracleum mantegazzianum*
Klimaszyk P, Klimaszyk D, Piotrowiak M, Popiołek A. Unusual complications after occupational exposure to giant hogweed (*Heracleum mantegazzianum*): a case report. *Int J Occup Med Environ Health* 2014, 27(1): 141–144.
Pfurtscheller K, Trop M. Phototoxic plant burns: report of a case and review of topical wound treatment in children. *Pediatr Dermatol* 2014, 31(6): 156–159.
Zdrojewicz Z, Stebnicki M, Stebnicki M. Sosnowsky's hogweed – toxicology and threat to health. *Pol Merkuri Lekarski* 2016, 41(243): 165–168.
- Hyoscyamus niger*
Alizadeh A, Moshiri M, Alizadeh J, Balali-Mood M. Black henbane and its toxicity – a descriptive review. *Avicenna J Phytomed* 2014, 4(5): 297–311.
- Chelidonium majus*
Moro PA, Cassetti F, Giugliano G et al. Hepatitis from Greater celandine (*Chelidonium majus* L.): Review of literature and report of a new case. *J Ethnopharmacol* 2009, 124(2): 328–332.
Pantano F, Mannocchi G, Marinelli N et al. Hepatotoxicity induced by greater celandine (*Chelidonium majus* L.): a review of the literature. *Eur Rev Med Pharmacol Sci* 2017, 21(Suppl. 1): 46–52.
- Laburnum anagyroides*
Musshoff F, Madea B. Fatal cytosine intoxication and analysis of biological samples with LC-MS/MS. *Forensic Sci Int* 2009, 186(1–3): e1–4.
Schep LJ, Slaughter RJ, Beasley DM. Nicotinic plant poisoning. *Clin Toxicol (Phila)* 2009, 47(8): 771–781.
- Lactuca virosa*
Besharat S, Besharat M, Jabbari A. Wild lettuce (*Lactuca virosa*) toxicity. *BMJ Case Rep* 2009.
- Lathyrus* sp. div.
Bick AS, Meiner Z, Gotkine M, Levin N. Using advanced imaging methods to study neurolathyrism. *Isr Med Assoc J* 2016, 18(6): 341–345.
Kubota S, Yuguchi M, Yamazaki Y et al. Highly reproducible skeletal deformities induced by administration of β -aminopropionitrile to developing chick embryos. *J Oral Sci* 2016, 58(2): 255–263.
Singh SS, Rao SL. Lessons from neurolathyrism: a disease of the past & the future of *Lathyrus sativus* (Khesari dal). *Indian J Med Res* 2013, 138: 32–37.
Van Moorhem M, Decrock E, De Vuyst E et al. L- β -N-oxalyl- α , β -diaminopropionic acid toxicity in motor neurons. *Neuroreport* 2011, 22(3): 131–135.
- Ledum palustre*
Dampc A, Luczkiewicz M. Rhododendron tomentosum (*Ledum palustre*). A review of traditional use based on current research. *Fitoterapia* 2013, 85: 130–143.
Islam MN, Khalil MI, Islam MA, Gan SH. Toxic compounds in honey. *J Appl Toxicol* 2014, 34(7): 733–742.
- Ligustrum* spp.
Gao BB, She GM, She DM. Chemical constituents and biological activities of plants from the genus *Ligustrum*. *Chem Biodivers* 2013, 10(1): 96–128.
- Lupinus polyphyllus*
Daverio M, Cavicchiolo ME, Grotto P et al. Bitter lupine beans ingestion in a child: a disregarded cause of acute

- anticholinergic toxicity. *Eur J Pediatr* 2014; 173(12): 1549–1551.
- Panter KE, Welch KD, Gardner DR, Green BT. Psonous plants: effects on embryo and fetal development. *Birth Defects Res C Embryo Today* 2013; 99(4): 223–234.
- Narcissus* sp. div.
Hussein A, Yassin A. Poisoning following ingestion of *Narcissus tazetta* bulbs by school children. *Isr Med Assoc J* 2014, 16(2):125–126.
- Nerium oleander*
Butler J, Khan S, Scarzella G. Fatal oleander toxicosis in two miniature horses. *J Am Anim Hosp Assoc* 2016, 52(6): 398–402.
- Page C, Murtaugh RJ. Hypoglycemia associated with oleander toxicity in a dog. *J Med Toxicol* 2015, 11(1): 141–143.
- Pellet G, Masson-Regnault M et al. Irritant contact dermatitis caused by direct contact with oleander (*Nerium oleander*). *Ann Dermatol Venereol* 2015, 142(6–7): 434–436.
- Nicotiana tabacum*
Kamboi A, Spiller HA, Cassavant MJ et al. Pediatric exposure to e-cigarettes, nicotine, and tobacco products in the United States. *Pediatrics* 2016, 137(6): e20160041.
- Oxalis acetosella*
Abeysekera RA, Wijetunge S, Nanayakkara N et al. Star fruit toxicity. A cause of both acute kidney injury and chronic kidney disease: a report of two cases. *BMC Res Notes* 2015, 8: 796.
- Paeonia officinalis*
Ahmad F, Tabassum N. Preliminary phytochemical, acute oral toxicity and antihepatotoxic study of roots of *Paeonia officinalis* Linn. *Asian Pac J Trop Biomed* 2013, 3(1): 64–68.
- Phaseolus vulgaris*
Nciri N, Cho N, El Mhamdi F et al. Toxicity assessment of common beans (*Phaseolus vulgaris* L.) widely consumed by Tunisian population. *J Med Food* 2015, 18(9): 1049–1064.
- Pteridium aquilinum*
Gomes J, Magalhães A, Michel V et al. *Pteridium aquilinum* and its ptaquiloside toxin induce DNA damage response in gastric epithelial cells, a link with gastric carcinogenesis. *Toxicol Sci* 2012, 126: 60–71.
- Gounalan S, Somvanshi R, Kataria M et al. Effect of bracken (*Pteridium aquilinum*) and dryopteris (*Dryopteris juxtaposita*) fern toxicity in laboratory rabbits. *Indian J Exp Biol* 1999, 37: 980–985.
- Vifgilio A, Sinisi A, Russo V et al. Ptaquiloside, the major carcinogen of bracken fern, in the pooled raw milk of healthy sheep and goats: An underestimated global concern of food safety. *J Agric Food Chem* 2015, 63: 4886–4892.
- Ranunculus* sp. div.
Köse R, Okur MI, Bingöl I, Cetin H. Phytocontact dermatitis mimicking a burn injury due to *Ranunculus constantinopolitanus*. *Contact Dermatitis* 2008, 59(4): 249–250.
- Yilmaz B, Yilmaz B, Aktaş B et al. Lesser celandine (pilewort) induced acute toxic liver injury: The first case report worldwide. *World J Hepatol* 2015, 7(2): 285–288.
- Rhododendron* sp. div.
Dong LC, Zhang XH, Ma J et al. The integrated pharmacokinetics of major rhodojaponins correlates with the cardiotoxicity after oral administration of *Rhododendri Mollis Flos* extract in rats. *J Ethnopharmacol* 2014, 157: 69–78.
- Dur A, Sonmez E, Civelek C et al. Mad honey intoxication mimicking acute coronary syndrome. *J Pak Med Assoc* 2014, 64(9): 1078–1080.
- Popescu R, Kopp B. The genus *Rhododendron*: an ethnopharmacological and toxicological review. *J Ethnopharmacol* 2013, 147(1): 42–62.
- Silici S, Doğan Z, Sahin H et al. Acute effects of grayanotoxin in rhododendron honey on kidney functions in rats. *Environ Sci Pollut Res Int* 2016, 23(4): 3300–3309.

Ricinus communis

- Alipour M, Pucanj K, Smith MG, Suntres ZE. Toxicity of ricin toxin A chain in rats. *Drug Chem Toxicol* 2013, 36(2): 224–230.
- Kaland ME, Klein-Schwartz W, Anderson BD. Toxalbumin exposures: 12 years' experience of U.S. poison centers. *Toxicon* 2015, 99: 125–129.
- Thornton SL, Darracq M, Lo J, Cantrell FL. Castor bean seed ingestions: a state-wide poison control system's experience. *Clin Toxicol (Phila)* 2014, 52(4): 265–268.
- Wang CF, Nie XJ, Chen GM et al. Early plasma exchange for treating ricin toxicity in children after castor bean ingestion. *J Clin Apher* 2015, 30(3): 141–146.

Robinia pseudoacacia

- Calzado Agrasot MA, Ortolá Puig J, Cubells Garcia E et al. *Robinia pseudoacacia* poisoning. *An Pediatr (Barc)* 2009, 70(4): 399–400.

Ruta graveolens

- Saak CJ, Lin CC. *Ruta graveolens* intoxication. *Clin Toxicol (Phila)* 2007, 45(2): 173–175.

Sambucus ebulus

- Jimenez P, Cabrero P, Basterrechea JE et al. Isolation and molecular characterization of two lectins from dwarf elder (*Sambucus ebulus* L.) blossoms related to the Sam n1 allergen. *Toxins (Basel)* 2013, 5(10): 1767–1779.
- Jiménez P, Tejero J, Córdoba-Díaz D et al. Ebulin from dwarf elder (*Sambucus ebulus* L.): a mini-review. *Toxins (Basel)* 2015, 7(3): 648–668.

Senecio sp. div.

- Chen P, Wang Y, Chen L, Jiang W. Comparison of the anti-inflammatory active constituents and hepatotoxic pyrrolizidine alkaloids in two *Senecio* plants and their preparations by LC-UV and LC-MS. *J Pharm Biomed Anal* 2015, 115: 260–271.
- Şeremet OC, Bărbuceanu F, Ionică FE et al. Oral toxicity study of certain plant extracts containing pyrrolizidine alkaloids. *Rom J Morphol Embryol* 2016, 57(3): 1017–1023.

Solanum sp. div.

- Sunk Sik Oh, Myung Woo Choi, Mi Rim Choi et al. Acute interstitial nephritis by *Solanum nigrum*. *Kidney Res Clin Pract* 2016, 35(4): 252–254.

Taxus baccata

- Reijnen G, Bethlehem C, van Remmen JMBL et al. Post-mortem findings in 22 fatal *Taxus baccata* intoxications and a possible solution to its detection. *J Forensic Leg Med* 2017, 52: 58–61.
- Vardon Bounes F, Tardif E, Ruiz S et al. Suicide attempt with self-made *Taxus baccata* leaf capsules: survival following the application of extracorporeal membrane oxygenation for ventricular arrhythmia and refractory cardiogenic shock. *Clin Toxicol (Phila)* 2017, 55(8): 925–928.
- Arens AM, Anaebere TC, Hornq H, Olson K. Fatal *Taxus baccata* ingestion with perimortem serum taxine B quantification. *Clin Toxicol (Phila)* 2016, 54(9): 878–880.
- Lassnig E, Heibl C, Punzengruber C, Eber B. ECG of a „dying heart“ in a young woman – a case of yew poisoning. *Int J Cardiol* 2013; 167(3): e71–73.

Toxicodendron quercifolium

- Mersch-Sundermann V, Kassie F, Böhmer S, Lu WQ. Extract of *Toxicodendron quercifolium* caused genotoxicity and antigenotoxicity in bone marrow cells of CD1 mice. *Food Chem Toxicol* 2004, 42(10): 1611–1617.
- Schloemer JA, Zirwas MJ, Burkhart CG. Airborne contact dermatitis: common causes in the USA. *Int J Dermatol* 2015, 54(3): 271–274.

Veratrum album

- Gilotta I, Brvar M. Accidental poisoning with *Veratrum album* mistaken for wild garlic (*Allium ursinum*). *Clin Toxicol (Phila)* 2010, 48(9): 949–952.
- Rauber-Lüthy C, Halbsguth U, Kupferschmidt H, König N. Low-dose exposure to *Veratrum album* in children causes mild effects: a case series. *Clin Toxicol (Phila)* 2010, 48(3): 234–237.
- Schep LJ, Slaughter RJ, Vale JA, Wheatley P. Was the death of Alexander the Great due to poisoning? Was it *Veratrum*

album? *Clin Toxicol (Phila)* 2014, 52(1): 72–77.

Viburnum sp. div.

Li H, Luo Y, Ma Y et al. Cytotoxic lignans from *Viburnum foetidum*. *Arch Pharm Res* 2013, 36(10): 1211–1214.

Viscum album

Sung NY, Byun EB, Song DS et al. Effect of gamma irradiation on mistletoe (*Viscum album*) lectin-mediated toxicity and immunomodulatory activity. *FEBS Open Bio* 2013, 3: 106–111.

Xanthium sp. div.

Silvero-Isidre A, Moringo-Guayacán S, Meza-Ojeda A et al. Acute toxicity *Xanthium spinosum* leaves in BALB/C mice. *Rev Peru Med Exp* 2016, 33(1): 113–119.

Botha CJ, Lessing D, Rosemann M et al. Analytical confirmation of *Xanthium strumarium* poisoning in cattle. *J Vet Diagn Invest* 2014, 26(5): 640–645.