

LITERATURA

1. Agrawal S, et al. Obesity, Bariatric and Metabolic Surgery. Springer 2016.
2. Alvarenga ES, Lo Menzo E, Szomstein S, et al. Safety and efficacy of 1020 consecutive laparoscopic sleeve gastrectomies performed as a primary treatment modality for morbid obesity. A single-center experience from the metabolic and bariatric surgical accreditation quality and improvement program. *Surg Endosc.* 2016;30:2673–8.
3. Andersen T, Hoylund-Pedersen B. Pouch volume, stoma diameter, and clinical outcome after gastroplasty for morbid obesity. *Scand J Gastroenterol.* 1985;19:643–9.
4. Angrisani L, et al. Gastric pouch dilatation following LAGB systém procedure: The Italian experience. *Obes Surg.* 2001;11:400.
5. Angrisani L. Bariatric Surgery Worldwide 2014. *Obes Surg.* 2015;25(10):1822–32.
6. Assimakopoulos K, Panayiotopoulos S, Economou G, et al. Assessing sexual function in obese women preparing for bariatric surgery. *Obes Surg.* 2006;16:1087–91.
7. Baltasar A. Indications for laparoscopic sleeve gastrectomy (LSG). (Abstract). *Obes Surg.* 2006;16:213.
8. Baltasar A, Serra C, Pérez N, et al. Laparoscopic sleeve gastrectomy: A multi-purpose bariatric operation. *Obes Surg.* 2005;15:1124–8.
9. Baltasar A. Stapling of nasogastric stent in a laparoscopic sleeve gastrectomy. (Abstract). *Obes Surg.* 2006;16:406.
10. Baltasar A. Laparoscopic sleeve gastrectomy. (Abstract). *Obes Surg.* 2006;16:406.
11. Bárta M, Červenková J, Kasalický M, et al. Intraluminální penetrace adjustabilní žaludeční bandáže. *Čes Radiol.* 2002;56:290–2.
12. Belachev M, Desaive C, Belva P. Long-term results of laparoscopic adjustable gastric banding in three major centres in Belgium. *Obes Surg.* 2001;11:400–1.
13. Belva P, Takieddine M, Lefebvre JC, Vaneukem P. Laparoscopic gastric banding with Lap-Band® results and complications (Belgian and European data). *Obes Surg.* 1997;7:299–300.
14. Bohdjalian A, Prager G, Aviv R, et al. One-year experience with TantalusTM: A new surgical approach to treat morbid obesity. *Obes Surg.* 2006;16:627–34.
15. Brethauer SA, Hammel JP, Schauer PR. Systematic review of sleeve gastrectomy as staging and primary bariatric procedure. *Surg Obes Relat Dis.* 2009;5(4):469–75.
16. Buddeberg-Fischer B, Klaghofer R, Krug L, et al. Physical and psychosocial outcome in morbidly obese patients with and without bariatric surgery: a 4½-year follow-up. *Obes Surg.* 2006;16:321–30.
17. Bohdjalian A, Langer FB, Shakeri-Leidenmuhler S, Gfrerer L, Ludvik B, Zacherl J, et al. Sleeve gastrectomy as sole and definitive bariatric procedure: 5-year results for weight loss and ghrelin. *Obes Surg.* 2010;20(5):535–40.
18. Buchwald H, Esrok R, Fahrbach K, et al. Weight and Type 2 Diabetes after Bariatric Surgery: Systematic Review and Meta-analysis. *Am J Med.* 2009;3(122):148–256.
19. Cigaina V. Gastric pacing as therapy for morbid obesity: Preliminary results. *Obes Surg.* 2002;12:12s–6s.
20. Dargent J. Laparoscopic surgery in morbid obesity: adjustable-ring gastroplasty. *Ann Chir.* 1999;53:467–71.
21. Deitel M, Bojm MA, Atin MD. Intestinal bypass and gastric partitioning for morbid obesity: A comparison. *Canadian J Surg.* 1982;25(3):283–9.
22. Deitel M, et al. Surgery for morbidly obese patient. Philadelphia: Lea & Febiger; 1989. p. 225–59.

23. Deitel M. Gastric banding for morbid obesity. Overview. *Eur J Gastroenterol Hepatol.* 1999;11:105–14.
24. Delin CR, Watts JM, Saebel JL, Anderson PG. Eating behavior and the experience of hunger following gastric bypass surgery for morbid obesity. *Obes Surg.* 1997;7:405–13.
25. Dixon JB, O'Brien PE. Obesity and the white blood cell count: Changes with sustained weight loss. *Obes Surg.* 2006;16:251–7.
26. Favretti F, Cadiere GB, Segato G. Laparoscopic adjustable silicone gastric banding (Lap-Band®): How to avoid complications. *Obes Surg.* 1997;7:352–8.
27. Forsell P, Hellers G. The Swedish adjustable gastric banding (SAGB) for morbid obesity: 9 year experience and 4-year follow-up of patients operated with new adjustable band. *Obes Surg.* 1997;7:345–51.
28. Forsell P, Hallerbäck B, Glise H, Hellers G. Complications following swedish adjustable gastric banding: a long-term follow-up. *Obes Surg.* 1999;9:11–6.
29. Fried M, Pesková M. Does laparoscopic gastric banding demand sophisticated measurement devices? *Obes Surg.* 1996;6:336–9.
30. Fried M, Peskova M, Kasalicky M. Bariatric surgery at the 1st surgical department in Prague: History and some technical aspects. *Obes Surg.* 1997;7:22–5.
31. Fried M, Peskova M, Kasalicky M. History and technical aspects of bariatric surgery in the Czech republic. *Obes Surg.* 1997;7:429–31.
32. Fried M, Peskova M, Kasalicky M. Assesment of the outcome of laparoscopic nonadjustable gastric banding and stoma adjustable gastric banding: Surgeon's and patient's view. *Obes Surg.* 1998;8:45–8.
33. Fried M, Peskova M, Kasalicky M. The role of laparoscopy in the treatment of morbid obesity. *Obes Surg.* 1998;8:520–3.
34. Fried M, Kasalický M, Kunešová M, Heiner V. Influence of some hereditary factors on weight loss following conservative and surgical treatment of obese female monozygotic twins. *Obes Surg.* 1999;9:265–8.
35. Fried M, Kasalicky M, Melechovsky D, et al. Current status of non-adjustable gastric banding. *Obes Surg.* 2002;12(3):395–8.
36. Fried M. Moderní chirurgické metody léčby obezity. Praha: Grada Publishing; 2005.
37. Fried M, Kormanova K, Kasalicky M. Comparison of SAGB QC Clasic Titanium Port and VelocityTM Port: Pilot Phase Prospective Randomized Study on Perioperative and Short-term Postoperative Implantation Outcomes. *Obes Surg.* 2006;16:716–20.
38. Fried M, Gryga A, Herlesova J, Kasalicky M. Obecné indikace a kontraindikace k bariatrii. *Rozhl Chir.* 2013;92:41–4.
39. Fried M, Hainer V, Basdevand A et al. Interdisciplinary European guidelines for surgery of severe (morbid) obesity. *Obes Surg.* 2007;17:260–70.
40. Frühbeck G. Bariatric and metabolic surgery: a shift in eligibility and success criteria. *Nat Rev Endocrinol.* 2015;11(8):465–77.
41. Gagner M, Hutchinson C, Rosenthal R. Fifth International Consensus Conference: current status of sleeve gastrectomy. *Surg Obes Relat Dis.* 2016;12(4):750–6.
42. Garrow JS. Outelet index as indicator of obesity. *Lancet.* 1986;1(8491):1219.
43. Gehard F, Arand M, Fleiter T, et al. Computer assisted surgery. *Orthopade.* 2001;30(9):666–71.
44. Gerntry K, Helverson JD, Heisler S. Psychologic assesment of morbidly obese patients undergoing gastric bypass. *Surgery.* 1984;25:215–20.
45. Gill RS, Birch DW, Shi X, Sharma AM, Karmali S. Sleeve gastrectomy and type 2 diabetes mellitus: a systematic review. *Surg Obes Relat Dis.* 2010;6(6):707–13.
46. Buchwald H, Avidor Y, Braunwald E, Jensen MD, Pories W, Fahrbach K, et al. Bariatric surgery: a systematic review and meta-analysis. *JAMA.* 2004;292(14):1724–37.
47. Greenstein RJ, Belachew M. Implantable gastric stimulation (IGSTM) as therapy for human morbid obesity: Report from the 2001 IFSO symposium in Crete. *Obes Surg.* 2002;12:3s–5s.
48. Hainer V, Kunešová M, et al. Obezita. Praha: Galén; 1997.
49. Hainer V, Kunešová M, Bendlová B. Úloha genetických faktorů v etiopatogenezi obezity. *Postgrad Med.* 2002;4:399–403.
50. Hainer V, et al. Základy klinické obezitologie. Praha: Grada Publishing; 2004.

51. Haluzík M, et al. Praktická léčba diabetu. Praha: Mladá fronta; 2013.
52. Haluzík M, Svačina Š. Inklretinová léčba diabetu. Praha: Mladá fronta; 2010.
53. Hammond ID. The radiology of gastroplasty for morbid obesity. *J Can Ass Radiol.* 1982;33:21–4.
54. Hellers G, Forsell P. The Swedish adjustable gastric banding (SAGB) for morbid obesity: weight loss and complication in up to a 10 year follow-up. *Obes Surg.* 1997;7:301–2.
55. Herlesová J. In: Kasalický M, et al. Chirurgická léčba obezity. Praha: Ottova tiskárna; 2011. – chybí název kapitoly
56. Housová J, Kasalický M, Michalský D, Haluzík M, Svačina Š. Obezita jako rizikový faktor kardiovaskulárních onemocnění – bariatrická léčba. Kap Kardiol. 2005;7:90–4.
57. Housová J, Kasalický M, Dolinková M, et al. Možnosti bariatrické chirurgie při léčbě metabolického syndromu. *DMEV.* 2006;2 (Suppl):23.
58. Howe RD, Matsuoka Z. Robotics for surgery. *Annu Rev Biomed Eng.* 1999;1:211–40.
59. Huseman B. The gastric bypass procedure in the treatment of morbid obesity. *Int Surg.* 1980;65(2):107–10.
60. Dostálík J. Laparoskopická kolorektální chirurgie. Praha: Presstempus; 2004.
61. Isacsson A, Frederiksen SG, Nilsson P, et al. Quality of life after gastroplasty is normal: a controlled study. *Eur J Surg.* 1997;163:181–6.
62. Kalfarentzos F, et al. Vertical banded gastroplasty versus standard or distal Roux-en-Y gastric bypass based on specific selection criteria in the morbidly obese: preliminary results. *Obes Surg.* 1999;9:433–42.
63. Kasalický M, Fried M, Pešková M. Some complications after laparoscopic nonadjustable gastric banding. *Obes Surg.* 1999;9:443–5.
64. Kasalický M, Fried M, Pešková M. Fixace neadjustabilní gastrické bandáže manžetou z přední stěny žaludku (randomizovaná studie). *Rozhl Chir.* 2000;5:227–33.
65. Kasalický M, Fried M, Pešková M. Historie a současnost chirurgické léčby morbidní obezity. *Sbor Lék.* 2001;102(2):115–22.
66. Kasalický M, Fried M, Pešková M. Chirurgická léčba morbidní obezity – gastrická bandáž. *Sbor Lék.* 2001;102(2):123–31.
67. Kasalický M, Šváb J, Fried M, et al. AESOP 3000 – počítáčově asistovaná chirurgie, naše zkušenosti. *Rozhl Chir.* 2002;7:346–9.
68. Kasalický M, Michalský D. Gastric banding – effective long-term weight loss control. *Biomed Papers.* 2003;146(1):84.
69. Kasalický M, Michalský D. Chirurgická léčba morbidní obezity. *Praktický lékař.* 2004;84(5):273–8.
70. Kasalický M, Michalský D. Late complication after adjustable gastric banding. Abstract of The 6th Czech-Polish-Slovak International Symposium of Videosurgery. 26–28. May, 2004:28.
71. Kasalický M, Peskova M, Fried M, Michalsky D. The Effect and complications of laparoscopic gastric banding: 10-year experience. *Obesity Surg.* 2004;14:473.
72. Kasalický M, Peskova M, Michalsky D. Laparoscopic gastric banding: A 10 years experiences. Abstract of 12th International congress of the EAES. Barcelona, Spain, 9–12. June, 2004:179.
73. Kasalický M, Michalský D. Dlouhodobé zkušenosti s adjustabilní gastrickou bandází. *Rozhl Chir.* 2005;84(6):314–9.
74. Kasalický M, Michalský D, Housová J, Haluzík M. Laparoskopická tubulizace žaludku – sleeve gastrectomy – další možnost bariatrické restrikce příjmu stravy u morbidně obézních jedinců. *Rozhl Chir.* 2007;86(11):601–6.
75. Kasalický M. Tubulizace žaludku chirurgická léčba obezity. Praha: Triton; 2007.
76. Kasalický M, Michalský D, Housová J, et al. Laparoscopic Sleeve Gastrectomy without an Over-Sewin of the Staple Line. *Obes Surg.* 2008;9(18):1257–62.
77. Kasalický M, Michalský D, Housová J, et al. Satisfactory weight loss after laparoscopic sleeve gastrectomy, two years experience. *Surg Endosc.* 2009;Suppl 1:94.
78. Kasalický M, et al. Česká bariatrie v roce 2010. *Rozhl Chir.* 2011;90(4):222–5.
79. Kasalický M, et al. Chirurgická léčba obezity. Praha: Ottova tiskárna; 2011.
80. Kasalický M, et al. 10 let sleeve gastrectomy – tubulizace žaludku v České republice z hlediska operačního výkonu. *Rozhl Chir.* 2016;95(12):425–31.
81. Krahulec B, Fábryová L, Holécz P, et al. Klinická obezitológia. Brno: Facta Medica; 2014.

82. Kunešová M, et al. Základy Obezitologie. Praha: Galén; 2016.
83. Kral JG. Surgical Treatment of Obesity. *Med Clin North Am.* 1989;73(1):251–65.
84. Langer FB, Reza Hoda MA, Bohdjalian A, et al. Sleeve gastrectomy and gastric banding: Effects on plasma ghrelin levels. *Obes Surg.* 2005;15:1024–9.
85. Lucchese, M, Alessio,F, Valeri, A, et al. Adjustable gastric banding: advantages and disadvantages. *Obes Surg.* 1999;9:269–71.
86. Li F, Sheng Ch, Song K, et al. Preventative sleeve gastrectomy contributes to maintaining cell function in db/db diabetic mouse. *Obes Surg.* 2016;26:2402–10.
87. Li J, Lai D, Wu D. Laparoscopic Roux-en-Y gastric bypass versus laparoscopic sleeve gastrectomy to treat morbid obesity-related comorbidities: a systematic review and meta-analysis. *Obes Surg.* 2016;26:429–42.
88. MacLean LD, Rhode BM, Sampalis J, et al. Results of the surgical treatment of obesity. *Am J Surg.* 1993;165:155–62.
89. Mason EE. Vertical banded gastroplasty for obesity. *Ann Surg.* 1982;117:701.
90. Milone L, Strong V, Gagner M. Laparoscopic sleeve gastrectomy is superior to endoscopic intragastric balloon as a first stage procedure for super-obese patients (BMI ≥ 50). *Obes Surg.* 2005;15:612–7.
91. Mognol P, Chosidow D, Marmuse J-P. Laparoscopic sleeve gastrectomy as an initial bariatric operation for high-risk patients: Initial results in 10 patients. *Obes Surg.* 2005;15(7):1030–3.
92. Oria HE, Moorehead MK. Bariatric analysis and reporting outcome system. *Obes Surg.* 1998;8:487–97.
93. Oria HE. Gastric banding for morbid obesity. *Eur J Gastroenterol Hepatol.* 1999;11:105–14.
94. Pešková M, Šonka J, Sucharda P. Gastroplastika k redukci tělesné hmotnosti. *Čas Lék Čes.* 1987;126(27):847–50.
95. Puzziferri N, Roshek 3rd TB, Mayo HG, Gallagher R, Belle SH, Livingston EH. Long-term follow-up after bariatric surgery a systematic review. *JAMA.* 2014;312(9):934–42.
96. Ram E, Vishne T, Maayan R, et al. The relationship between BMI, plasma leptin, insulin and proinsulin before and after laparoscopic adjustable gastric banding. *Obes Surg.* 2005;15:1456–62.
97. Reinhold RB. Critical analysis of long term weight loss following gastric bypass. *Surg Gynec Obstetr.* 1982;155:382–94.
98. Ribaudo MC, Capoccia D, Simbari FMM, et al. Plasma ghrelin levels after sleeve gastrectomy in morbidly obese subjects. (Abstract). *Obes Surg.* 2006;16:416.
99. Sánchez-Pernaute A, Rubio MÁ, Conde M, Arrue E, Pérez-Aguirre E, Torres A. Single-anastomosis duodenoileal bypass as a second step after sleeve gastrectomy. *Surg Obes Relat Dis.* 2015;11:351–5.
100. Sauerland S, Angrisani L, Belachew M, et al. Obesity surgery. *Surg Endosc.* 2005;19:200–21.
101. Sánchez-Pernaute A, Rubiob MA, Conde, M. Single-anastomosis duodenoileal bypass a second step after sleeve gastrectomy. *Surg Obes Relat Dis.* 2016;11:351–5.
102. Schauer PR, Bhatt DL, Kirwan JP, et al. Bariatric Surgery versus Intensive Medical Therapy for Diabetes – 5-Year Outcomes. *N Engl J Med.* 2017;376(7):641–51.
103. Schirmer B. Laparoscopic bariatric surgery. *Surg Endosc.* 2006;20:450–5.
104. Stunkard AJ. Some perspectives of human obesity treatment. *Bull NY Acad Med.* 1988;64(6):924–40.
105. Svačina Š, Haas T, Nedělníková K, et al. Dlouhodobé výsledky agresivní léčebné redukce hmotnosti. *Sb Lek.* 1998;99:273–7.
106. Switzer NJ, Prasad S, Debru E, et al. Sleeve Gastrectomy and Type 2 Diabetes Mellitus: a Systematic Review of Long-Term Outcomes. *Obes Surg.* 2016;26(7):1616–21.
107. Van Hout GCM, Boekstein P, Fortuin FAM, et al. Psychosocial functioning following bariatric surgery. *Obes Surg.* 2006;16:787–94.
108. Wang GF, Yan YX, Xu N, Yin D, Hui Y, Zhang JP, et al. Predictive factors of type 2 diabetes mellitus remission following bariatric surgery: a meta-analysis. *Obes Surg.* 2015;25(2):199–208.
109. Wilkinson LH, Peloso OA. Gastric reduction for morbid obesity. *Arch. Surg.* 1981;116:602–5.

110. Zimmerman V, Campos CT, Buchwald H. Weight loss comparison of gastric bypass and silastic ring vertical gastroplasty. *Obes Surg.* 1992;2:47–9.
111. Zimmermann J-M, Blanc M, Mashoyan P, et al. Lap-Band, prevention of slippage: series of 1410 patients: switching from the 9,5/10,0 band to the new generation 11,0 band. *Obes Surg.* 2001;11:401.
112. www.vzp.cz/o-nas/aktuality/pruzkum-obezity-2011..