

References

- Abramowitz, M. and I.A. Stegun. 1965. *Handbook of Mathematical Functions*. National Bureau of Standards, U.S. Dept. of Commerce, Washington, D.C.
- Allee, B.A. 1981. The role of interspecific competition in the distribution of salmonids in streams. In E.L. Brannon and E.O. Salo (eds.), *Salmon and Trout Migratory Behavior Symposium*. School of Fisheries, Univ. of Wash., Seattle, WA, pp. 111-122.
- Aoki, M. 1967. *Optimization of Stochastic Systems*. Academic Press, New York.
- Armitage, K.B. 1986. Individuality, social behavior, and reproductive success in yellow-bellied marmots. *Ecology* 67: 1186-1193.
- Bachman, R.A. 1981. A growth model for drift-feeding salmonids: A selective pressure for migration. In E.L. Brannon and E.O. Salo (eds.), *Salmon and Trout Migratory Behavior Symposium*. School of Fisheries, Univ. of Wash., Seattle, WA, pp. 128-135.
- Baker, R.R. 1978. *The Evolutionary Ecology of Animal Migration*. Holmes and Meier, New York.
- Basar, T. and G.J. Olsder. 1982. *Dynamic Noncooperative Game Theory*. Academic Press, New York.
- Bellman, R. 1957. *Dynamic Programming*. Princeton Univ. Press, Princeton, NJ.
- Berger, J.O. 1980. *Statistical Decision Theory*. Springer-Verlag, Heidelberg.
- Bertram, B.C.R. 1975. Social factors influencing reproduction in wild lions. *J. Zool., Lond.* 177: 463-482.
- Bertram, B.C.R. 1982. Leopard ecology as studied by radio tracking. *Symp. Zool. Soc. Lond.* 49: 341-352.
- Blaxter, J.H.S. 1974. The role of light in the vertical migration of fish—a review. In G.C. Evans, R. Bainbridge and O. Rackham (eds.), *Light as an Ecological Factor: II*. British Ecological Society 16th Symposium. Blackwell, Oxford, pp. 189-210.
- Borowicz, V.A. and S.A. Juliano. 1986. Inverse density dependent parasitism of *Cornus amomum* fruitfly *Rhagoletis cornivora*. *Ecology* 67: 639-643.
- Boyce, M.S. and C.M. Perrins. 1987. Optimizing great tit clutch size in a fluctuating environment. *Ecology* 68: 142-153.
- Brian, M.V. 1983. *Social Insects*. Chapman and Hall, N.Y.
- Brown, J.L. 1969. Territorial behavior and population regulation in birds. *Wilson Bull.* 81: 293-329.
- Brown, J.L. 1987. *Helping and Communal Breeding in Birds*. Princeton Univ. Press, Princeton, NJ.

- Bryant, D.M. and A.K. Turner. 1982. Central place foraging by swallows (hirundinidae): the question of load size. *Anim. Behav.* 30: 845-856.
- Burtt, E.H. 1977. Some factors in the timing of parent-chick recognition in swallows. *Anim. Behav.* 25: 231-239.
- Caldwell, G. 1986. Predation as a selective force on foraging herons: effects of plumage color and flocking. *Auk* 103: 494-505.
- Caraco, T. 1981. Risk sensitivity and foraging groups. *Ecology* 62: 527-531.
- Caraco, T. and R.G. Gillespie. 1986. Risk-sensitivity: foraging mode in an ambush predator. *Ecology* 67: 1180-1185.
- Caraco, T. and L.L. Wolf. 1975. Ecological determinants of group sizes of foraging lions. *Amer. Nat.* 109: 343-352.
- Caraco, T., S. Martindale, and T.S. Whittam. 1980. An empirical demonstration of risk-sensitive foraging preferences. *Anim. Behav.* 28: 820-830.
- Carey, J.R. 1984. Host-specific demographic studies of the Mediterranean fruit fly *Ceratitis capitata*. *Ecol. Entomol.* 9: 261-270.
- Carlson, A. and J. Moreno. 1981. Central place foraging in the wheatear *Oenanthe oenanthe*: an experimental test. *J. Anim. Ecol.* 50: 917-924.
- Cerri, R.D. 1983. The effect of light intensity on predator and prey behaviour in cyprinid fish: factors that influence prey risk. *Anim. Behav.* 31: 736-742.
- Cerri, R.D. and D.F. Fraser. 1983. Predation and risk in foraging minnows: balancing conflicting demands. *Amer. Nat.* 121: 552-561.
- Charnov, E.L. 1976. Optimal foraging, the marginal value theorem. *Theor. Pop. Biol.* 9: 129-136.
- Charnov, E.L. 1982. *The Theory of Sex Allocation*. Princeton Univ. Press, Princeton, NJ.
- Charnov, E.L. and S.W. Skinner. 1984. Evolution of host selection and clutch size in parasitoid wasps. *Florida Entomol.* 67: 5-21.
- Charnov, E.L. and S.W. Skinner. 1985. Complementary approaches to understanding parasitoid oviposition decisions. *Environ. Entomol.* 14: 383-391.
- Clark, C.W. 1985. *Bioeconomic Modelling and Fisheries Management*. Wiley-Interscience, New York.
- Clark, C.W. 1987. The lazy, adaptable lions: a Markovian model of group foraging. *Anim. Behav.* 35: 361-368.
- Clark, C.W. and R.H. Lamberson. 1988. Polymorphic reproductive strategies in stochastic environments. *Theor. Pop. Biol.* (in press).
- Clark, C.W. and D.A. Levy. 1988. Diel vertical migrations by juvenile sockeye salmon. *Amer. Nat.* 131: 271-290.

REFERENCES • 291

- Clark, C.W. and M. Mangel. 1984. Foraging and flocking strategies: information in an uncertain environment. *Amer. Nat.* 123: 626-641.
- Clark, C.W. and M. Mangel. 1986. The evolutionary advantages of group foraging. *Theor. Pop. Biol.* 30: 45-75.
- Cohen, D. 1966. Optimizing reproduction in a randomly varying environment. *J. Theor. Biol.* 12: 119-129.
- Courtney, S.P. 1986. Why insects move between host patches: some comments on 'risk-spreading.' *Oikos* 47: 112-114.
- Cunjak, R.A. and G. Power. 1986. Winter habitat utilization by stream resident brook trout (*Salvelinus fontinalis*) and brown trout (*Salmo trutta*). *Can. J. Fish. Aquat. Sci.* 43: 1970-1981.
- David, P.M. 1961. The influence of vertical migration on speciation in the oceanic plankton. *Syst. Zool.* 10: 10-16.
- Dawkins, R. 1976. *The Selfish Gene*. Oxford Univ. Press, Oxford.
- De Coursey, P.J. (ed.). 1976. *Biological Rhythms in the Marine Environment*. Univ. South Carolina Press, Columbia, SC.
- de Groot, M. 1970. *Optimal Statistical Decisions*. McGraw-Hill, New York.
- De Jong, G. 1979. The influence of the distribution of juveniles over patches of food on the dynamics of a population. *Nether. J. Zool.* 29: 33-51.
- De Jong, G. 1982. The influence of dispersal pattern on the evolution of fecundity. *Nether. J. Zool.* 32: 1-30.
- Derr, J.A., B. Alden, and H. Dingle. 1981. Insect life histories in relation to migration, body size, and host plant array: a comparative study of *Dysdercus*. *J. Anim. Ecol.* 50: 181-193.
- Dethier, V.G. 1982. Mechanism of host-plant recognition. *Ent. Expl. & Appl.* 31: 49-56.
- Dingle, H. 1984. Behavior, genes, and life histories: complex adaptations in uncertain environments. In P.W. Price, C.N. Slobodchikoff, and W.S. Gaud (eds.), *A New Ecology*. Wiley-Interscience, New York, pp. 169-194.
- Drent, R.H. and S. Daan. 1980. The prudent parent: energetic adjustments in avian breeding. *Ardea* 68: 225-252.
- Dubins, L.E. and L.J. Savage. 1976. *Inequalities for Stochastic Processes (How to Gamble If You Must)*. Dover Publications, New York.
- Dumont, H.J. 1972. A competition-based approach to the reverse vertical migration in zooplankton and its implications, chiefly based on a study of the interactions of the rotifer *Asplanchna priodonta* (Gosse) with several crustacea entomostraca. *Int. Rev. Ges. Hydrobiol.* 57: 1-38.
- Eggers, D.M. 1976. Theoretical effects of schooling by planktivorous fish predators on the rate of prey consumption. *J. Fish. Res. Board Can.* 33: 1964-1971.

- Ekman, J. and C. Askenmo. 1986. Reproductive cost, age-specific survival and a comparison of the reproductive strategy in two European tits (Genus *Parus*). *Evolution* 40: 159–168.
- Ellner, S. 1985. ESS germination strategies in randomly varying environments. I. Logistic-type models. *Theor. Pop. Biol.* 28: 50–79.
- Emlen, J.M. 1966. The role of time and energy in food preference. *Amer. Nat.* 100: 611–617.
- Enright, J.T. 1977. Diurnal vertical migration: Adaptive significance and timing. Part I. Selective advantage: A metabolic model. *Limn. Oceanogr.* 22: 856–872.
- Fagerström, T. 1987. On theory, data and mathematics in ecology. *Oikos* 50: 258–261.
- Fisher, R.A. 1930. *The Genetical Theory of Natural Selection*. Clarendon Press, Oxford.
- Fitt, G.P. 1984. Oviposition behaviour of two tephritid fruit flies, *Dacus tryoni* and *Dacus jarvisi*, as influenced by the presence of larvae in the host fruit. *Oecologia* 62: 37–46.
- Foerster, R.E. 1968. The sockeye salmon, *Oncorhynchus nerka*. *Bull. Fish. Res. Board Can.* 162: 422p.
- Fraser, D.F. and R.D. Cerri. 1982. Experimental evaluation of predator-prey relationships in a patchy environment: consequences for habitat use patterns in minnows. *Ecology* 63: 307–313.
- Gillespie, R.G. and T. Caraco. 1987. Risk-sensitive foraging strategies of two spider populations. *Ecology* 68: 887–899.
- Gilliam, J.F. 1982. Habitat use and competitive bottlenecks in size-structured fish populations. Ph. D. diss., Michigan State University.
- Giraldeau, L.-A. 1986. The stable group and the determinants of foraging group size (unpublished manuscript).
- Gliwicz, Z.M. 1986a. Predation and the evolution of vertical migration in zooplankton. *Nature* 320: 746–748.
- Gliwicz, Z.M. 1986b. A lunar cycle in zooplankton. *Ecology* 67: 883–897.
- Goodman, D. 1982. Optimal life histories, optimal notation, and the value of reproductive value. *Amer. Nat.* 119: 803–823.
- Gossard, T.W. and R.E. Jones. 1977. The effects of age and weather on egg laying in *Pieris rapae* L. *J. Appl. Ecol.* 14: 65–71.
- Gould, S.J. and R.C. Lewontin. 1979. The spandrels of San Marco and the Panglossian paradigm: a critique of the adaptationist programme. *Proc. Roy. Soc. London. B.* 205: 581–598.
- Grafen, A. 1984. Natural selection, kin selection, and group selection. In J.R. Krebs and N.B. Davies (eds.), *Behavioural Ecology*. Second edition. Blackwell, Oxford, pp. 62–84.
- Greenwood, P.J., P.H. Harvey, and C.M. Perrins. 1979. The role of dispersal in the great tit (*Parus major*): the causes, consequences

- and heritability of natal dispersal. *J. Anim. Ecol.* 48: 123-142.
- Grossmueller, D.W. and R.C. Lederhouse. 1985. Oviposition site selection: an aid to rapid growth and development in the tiger swallowtail butterfly, *Papilio galucus*. *Oecologia* 66: 68-73.
- Grubb, T.C. and L. Greenwald. 1982. Sparrows and a brushpile: foraging responses to different combinations of predation risk and energy cost. *Anim. Behav.* 30: 637-640.
- Hairston, N.G. 1976. Photoprotection by carotenoid pigments in the copepod *Diaptomus nevadensis*. *Proc. Nat. Acad. Sci. USA* 73: 971-974.
- Hairston, N.G. and W.R. Munns. 1984. The timing of copepod diapause as an evolutionarily stable strategy. *Amer. Nat.* 123: 733-751.
- Hall, D.J., E.E. Werner, J.F. Gilliam, G.G. Mittelbach, D. Howard, C.G. Doner, J.A. Dickerman, and A.J. Stewart. 1979. Diel foraging behavior and prey selection in the golden shiner (*Notemigonus crysoleucas*). *J. Fish. Res. Board Can.* 36: 1029-1039.
- Hamilton, W.D. 1964. The genetical evolution of social behaviour. *J. Theor. Biol.* 7: 1-52.
- Hamilton, W.D. 1967. Extraordinary sex ratios. *Science* 156: 477-488.
- Hanby, J.P. and J.D. Bygott. 1987. Emigration of subadult lions. *Anim. Behav.* 35: 161-169.
- Hardy, J.E. 1953. Physical factors involved in the vertical migration of plankton. *Quart. J. Microscop. Sci.* 94: 537-550.
- Hardy, A.C. 1958. *The Open Sea: Its Natural History Part 1: The World of Plankton*. Collins, London.
- Hardy, A.C. and E.R. Gunther. 1935. The plankton of the South Georgia whaling grounds and adjacent waters, 1926-1927. *Discovery Report* 11: 1-456.
- Hassell, M.P. 1986. Parasitoids and population regulation. In J. Waage and D. Greathead (eds.), *Insect Parasitoids*. Academic Press, New York, pp. 201-224.
- Hayes, J.L. 1985. Egg distribution and survivorship in the pierid butterfly *Colias alexandra*. *Oecologia* 66: 495-498.
- Hayes, J.W. 1987. Competition for spawning space between brown (*Salmo trutta*) and rainbow trout (*S. gairdneri*) in a lake inlet tributary, New Zealand. *Can. J. Fish. Aquat. Sci.* 44: 40-47.
- Hegner, R.E. 1982. Central place foraging in the white-fronted bee-eater. *Anim. Behav.* 30: 953-963.
- Heiner, R. 1983. The origin of predictable behavior. *Amer. Econ. Rev.* 73: 560-595.
- Henderson, M.A. and T.G. Northcote. 1985. Visual prey detection and foraging in sympatric cutthroat trout (*Salmo clarki clarki*) and Dolly Varden (*Salvelinus malma*). *Can. J. Fish. Fish. Aquat. Sci.* 42: 785-790.
- Heyman, D.P. and M.J. Sobel. 1984. *Stochastic Models in Operations*

- Research*. Vol. 2. McGraw Hill, New York.
- Holekamp, K.E. 1986. Proximal causes of natal dispersal in Belding's ground squirrels (*Spermophilus beldingi*). *Ecol. Monogr.* 56: 365-391.
- Holling, C.S. 1965. The functional response of predators to prey density and its role in mimicry and population regulation. *Mem. Ent. Soc. Can.* 45: 1-60.
- Houston, A.I. and J.M. McNamara. 1985. The choice of two prey types that minimises the probability of starvation. *Behav. Ecol. Sociobiol.* 17: 135-141.
- Houston, A.I. and J.M. McNamara. 1986. Evaluating the selection pressure on foraging decisions. In R. Chapman and R. Zyan (eds.), *Relevance of Models and Theories in Ethology*. Privat, I.C.C., Toulouse, pp. 61-75.
- Houston, A.I. and J.M. McNamara. 1987. Singing to attract a mate—a stochastic dynamic game. *J. Theor. Biol.* 129: 57-68.
- Huey, R.B. and E.R. Pianka. 1981. Ecological consequences of foraging mode. *Ecology* 62: 991-999.
- Iwasa, Y. 1982. Vertical migration of zooplankton: a game between predator and prey. *Amer. Nat.* 120: 171-180.
- Iwasa, Y., Y. Suzuki, and H. Matsuda. 1984. Theory of oviposition strategy of parasitoids. I. Effect of mortality and limited egg number. *Theor. Pop. Biol.* 26: 205-227.
- Jenkins, T.M. 1969. Social structure, position choice, and micro-distribution of two trout species (*Salmo trutta* and *Salmo gairdneri*) resident in mountain streams. *Animal Behavior Monographs* 2: 57-123.
- Johnsgard, P.A. 1973. Proximate and ultimate determinants of clutch size in Anatidae. *Wildfowl* 24: 144-149.
- Johnston, J.M. 1981. Life histories of anadromous cutthroat with emphasis on migratory behavior. In E.L. Brannon and E.O. Salo (eds.), *Salmon and Trout Migratory Behavior Symposium*. School of Fisheries, Univ. of Wash., Seattle, WA, pp. 123-127.
- Jones, R.E. 1977. Movement patterns and egg distribution in cabbage butterflies. *J. Anim. Ecol.* 46: 195-212.
- Kacelnik, A. 1984. Central place foraging in starlings (*Sturnus vulgaris*). I. Patch residence time. *J. Anim. Ecol.* 53: 283-299.
- Kacelnik, A. 1986. Short-term adjustments of parental effort in starlings. In H. Ouellet (ed.), *Proc. 21st Ornith. Conf.*, Ottawa, Canada.
- Kahneman, D. and A. Tversky. 1979. Prospect theory: an analysis of decision under risk. *Econometrica* 47: 263-291.
- Kamien, M.I. and N.L. Schwartz. 1981. *Dynamic Optimization: The Calculus of Variations and Optimal Control in Economics and Management*. North Holland, New York.
- Karlin, S. and S. Lessard. 1986. *Theoretical Studies on Sex Ratio*

REFERENCES ■ 295

- Evolution*. Princeton Univ. Press, Princeton, NJ.
- Karlin, S. and H.M. Taylor. 1977. *A First Course in Stochastic Processes*. Academic Press, New York.
- Katz, P.L. A long-term approach to foraging optimization. *Amer. Nat.* 108: 758-782.
- Kerfoot, W.B. 1970. Bioenergetics of vertical migration. *Amer. Nat.* 104: 529-546.
- Kiester, A.R. and M. Slatkin. 1974. A strategy of movement and resource utilization. *Theor. Pop. Biol.* 6: 1-20.
- Klomp, H. 1970. The determination of clutch-size in birds. A review. *Ardea* 58: 1-124.
- Klomp, H. and B.J. Teernik. 1967. The significance of oviposition rates in the egg parasite *Trichogramma embryophagum*. *Arch. Neerl. Zool.* 17: 350-373.
- Krebs, J.R. and N.B. Davies. 1984. *Behavioural Ecology*. Second edition. Blackwell, Oxford.
- Krebs, J.R. and R.H. McCleery. 1984. Optimization in behavioral ecology. In J.R. Krebs and N.B. Davies (eds.), *Behavioural Ecology*. Second edition. Blackwell, Oxford, pp. 91-121.
- Krebs, J.R., D.W. Stephens, and J. Sutherland. 1983. Perspectives in optimal foraging. In G.A. Clark and A.H. Brush (eds.), *Perspectives in Ornithology*. Cambridge Univ. Press, Cambridge, New York, pp. 165-221.
- Kurland, J.A. and S.J. Beckerman. 1985. Optimal foraging and hominid evolution: labor and reciprocity. *Amer. Anthropol.* 87: 73-93.
- Lack, D. 1954. *The Natural Regulation of Animal Numbers*. Clarendon Press, Oxford.
- Lack, D. 1966. *Population Studies of Birds*. Oxford Univ. Press, Oxford.
- Lack, D. 1968. *Ecological Adaptations for Breeding in Birds*. Methuen, London.
- Lane, P.A. 1975. The dynamics of aquatic systems: a comparative study of the structure of four zooplankton communities. *Ecol. Monogr.* 45: 307-336.
- Le Boeuf, B.J. and B.R. Mate. 1978. Elephant seals colonize additional Mexican and Californian islands. *J. Mamm.* 59: 621-622.
- Le Boeuf, B.J. and K.J. Panken. 1977. Elephant seals breeding on the mainland in California. *Proc. Calif. Acad. Sci., Fourth Series* 41: 267-280.
- Leon, J.A. 1976. Life histories as adaptive strategies. *J. Theor. Biol.* 60: 301-335.
- Levin S.A., A. Hastings, and D. Cohen. 1984. Dispersal strategies in patchy environments. *Theor. Pop. Biol.* 26: 165-191.
- Levy, D.A. 1987. Review of the ecological significance of diel vertical migrations by juvenile sockeye salmon *Oncorhynchus nerka*. *Can.*

- Spec. Publ. Fish. Aquat. Sci.* 96: 44-52.
- Lewontin, R.C. and D. Cohen. 1969. On population growth in a randomly varying environment. *Proc. Nat. Acad. Sci. USA* 62: 1056-1060.
- Lima, S.L. 1984. Downy woodpecker foraging behavior: efficient sampling in simple stochastic environments. *Ecology* 65: 166-174.
- Lima, S.L. 1985a. Maximizing feeding efficiency and minimizing time exposed to predators: a trade-off in the black-capped chickadee. *Oecologia* 66: 60-67.
- Lima, S.L. 1985b. Sampling behavior of starlings foraging in simple patchy environments. *Behav. Ecol. Sociobiol.* 16: 135-142.
- Lomnicki, A. 1978. Individual differences between animals and the natural regulation of their numbers. *J. Anim. Ecol.* 47: 461-475.
- Lomnicki, A. 1988. *Population Ecology of Individuals*. Princeton Univ. Press, Princeton, NJ.
- Lynch, M. 1980. The evolution of cladoceran life histories. *Quart. Rev. Biology* 55: 23-42.
- MacArthur, R.H. and E.R. Pianka. 1966. On the optimal use of a patchy environment. *Amer. Nat.* 100: 603-609.
- Machina, M.J. 1987. Decision-making in the presence of risk. *Science* 236: 537-543.
- Mackauer, M. 1982. Fecundity and host utilization of the aphid parasite *Aphelinus semiflavus* (Hymenoptera: Aphelinidae) at two host densities. *Can. Ent.* 114: 721-726.
- Mackintosh, N.A. 1937. The seasonal circulation of the Antarctic macroplankton. *Discovery Report* 16: 365-412.
- Mangel, M. 1985a. Search models in fisheries and agriculture. In M. Mangel (ed.), Springer-Verlag *Lect. Notes in Biomath.* 61: 105-138.
- Mangel, M. 1985b. *Decision and Control in Uncertain Resource Systems*. Academic Press, New York.
- Mangel, M. 1987a. Modelling behavioral decisions of insects. In Y. Cohen (ed.), Springer-Verlag *Lect. Notes in Biomath.* 73: 1-18.
- Mangel, M. 1987b. Oviposition site selection and clutch size in insects. *J. Math. Biol.* 25: 1-22.
- Mangel, M. and C.W. Clark. 1983. Uncertainty, search, and information in fisheries. *J. Cons. int. Explor. Mer* 41: 93-103.
- Mangel, M. and C.W. Clark. 1986. Towards a unified foraging theory. *Ecology* 67: 1127-1138.
- Marquiss, M. and I. Newton. 1981. A radio-tracking study of the ranging behaviour and dispersion of European sparrowhawks *Accipiter nisus*. *J. Anim. Ecol.* 51: 111-133.
- Marris, G., S. Hubbard, and J. Hughes. 1986. Use of patchy resources by *Nemeritis canescens* (Hymenoptera: Ichneumonidae). I. Optimal solutions. *J. Anim. Ecol.* 55: 631-640.

- Martz, H.F. and R.A. Waller. 1982. *Bayesian Reliability Analysis*. Wiley, New York.
- Maynard Smith, J. 1982. *Evolution and The Theory of Games*. Cambridge Univ. Press, Cambridge.
- McDonald, P.T. and D.O. McInnis. 1985. *Ceratitis capitata*: Effect of host fruit size on the number of eggs per clutch. *Ent. Expl. & Appl.* 37: 207-211.
- McFarland, D. (ed.). 1982. *Functional Ontogeny*. Pitman, London.
- McFarland, D. and A.I. Houston. 1981. *Quantitative Ethology: The State Space Approach*. Pitman, London.
- McFarland, W.N., J.C. Ogden, and J.N. Lythgoe. 1979. The influence of light on the twilight migrations of grunts. *Env. Biol. Fish.* 4: 9-22.
- McLaren, I.A. 1963. Effects of temperature on growth of zooplankton, and the adaptive value of vertical migration. *J. Fish. Res. Bd. Canada* 20: 685-727.
- McLaren, I.A. 1974. Demographic strategy of vertical migration by a marine copepod. *Amer. Nat.* 108: 91-102.
- McNamara, J.M. and A.I. Houston. 1982. Short term behavior and lifetime fitness. In D.J. McFarland (ed.), *Functional Ontogeny*. Pitman, London, pp. 60-87.
- McNamara, J.M. and A.I. Houston. 1986. The common currency for behavioural decisions. *Amer. Nat.* 127: 358-378.
- McNamara, J.M., R.H. Mace, and A.I. Houston. 1987. Optimal daily routines of singing and foraging in a bird singing to attract a mate. *Behav. Ecol. Sociobiol.* 20: 399-405.
- Mesterton-Gibbons, M. 1988. On the optimal compromise for a dispersing parasitoid. *J. Math. Biol.* (in press).
- Milinski, M. 1986. Constraints placed by predators on feeding behaviour. In T.J. Pitcher (ed.), *The Behaviour of Teleost Fishes*. Croom Helm, London, pp. 236-252.
- Milinski, M. and R. Heller. 1978. Influence of a predator on the optimal foraging behaviour of sticklebacks (*Gasterosteus aculeatus* L.). *Nature* 275: 642-644.
- Miller, R.J. and E.L. Brannon. 1981. The origin and development of life history patterns in Pacific salmonids. In E.L. Brannon and E.O. Salo (eds.), *Salmon and Trout Migratory Behavior Symposium*. School of Fisheries, Univ. of Wash., Seattle, WA, pp. 296-309.
- Mittelbach, G.G. 1981. Foraging efficiency and body size: a study of optimal diet and habitat use by bluegills. *Ecology* 62: 1370-1386.
- Moore, H.B. and E.G. Corwin. 1956. The effects of temperature, illumination and pressure on the vertical distribution of zooplankton. *Bull. Mar. Sci. Gulf Caribbean* 6: 273-287.
- Morrison, G. and W.J. Lewis. 1981. The allocation of searching time by *Trichogramma pretiosum* in host-containing patches. *Ent. Expl.*

- & Appl.* 30: 31–39.
- Murphy, G.I. 1968. Pattern in life history and the environment. *Amer. Nat.* 102: 391–403.
- Narver, D.W. 1970. Diel vertical movements and feeding of underyearling sockeye salmon and the limnetic zooplankton in Babine Lake, British Columbia. *J. Fish. Res. Board Can.* 27: 281–316.
- Newton, I. 1986. *The Sparrowhawk*. T & A D Poyser, Town Head House, Calton, Waterhouses, Staffordshire, England.
- Newton, I. and M. Marquiss. 1983. Dispersal of sparrowhawks between birthplace and breeding place. *J. Anim. Ecol.* 52: 463–477.
- Nur, N. 1984a. The consequences of brood size for breeding blue tits. I. Adult survival, weight change and the cost of reproduction. *J. Anim. Ecol.* 53: 479–496.
- Nur, N. 1984b. The consequences of brood size for breeding blue tits. II. Nestling weight, offspring survival and optimal brood size. *J. Anim. Ecol.* 53: 497–517.
- Nur, N. 1986. Is clutch size variation in the blue tit (*Parus caeruleus*) adaptive? An experimental study. *J. Anim. Ecol.* 55: 983–999.
- Oaten, A. 1977. Optimal foraging in patches: a case for stochasticity. *Theor. Pop. Biol.* 12: 263–285.
- O'Connor, R.J. 1978. Brood reduction in birds: selection for fratricide, infanticide, and suicide? *Anim. Behav.* 26: 79–96.
- Ohman, M.D., B.W. Frost, and E.B. Cohen. 1983. Reverse diel vertical migration: an escape from invertebrate predators. *Science* 220: 1404–1407.
- Oster, G.F. and E.O. Wilson. 1978. *Caste and Ecology in the Social Insects*. Princeton Univ. Press, Princeton, NJ.
- Owens, M. and D. Owens. 1984. *Cry of the Kalahari*. Houghton Mifflin, Boston, MA.
- Packer, C. 1986. The ecology of sociality in felids. In D.I. Rubenstein and R.W. Wrangham (eds.), *Ecological Aspects of Social Evolution*. Princeton Univ. Press, Princeton, NJ, pp. 429–451.
- Packer, C., L. Herbst, A.E. Pusey, J.D. Bygott, J.P. Hanby, S.J. Cairns and M. Borgerhoff-Mulder. 1987. Reproductive success of lions. In T.H. Clutton-Brock (ed.), *Reproductive Success*, Univ. of Chicago Press, Chicago, IL.
- Parker, G.A. 1984. Evolutionary stable strategies. In J.R. Krebs and N.B. Davies (eds.), *Behavioural Ecology*. Second edition. Blackwell, Oxford, pp. 30–61.
- Patterson, I.J. 1980. Territorial behaviour and the limitation of population density. *Ardea* 68: 53–62.
- Pielou, E.C. 1977. *Mathematical Ecology*. Wiley-Interscience, New York.
- Pitcher, T.J. 1986. Functions of shoaling behaviour in teleosts. In T.J. Pitcher (ed.), *The Behaviour of Teleost Fishes*. Croom Helm,

REFERENCES ■ 299

- London, pp. 294-337.
- Pitcher, T.J. and A.E. Magurran. 1983. Shoal size, patch profitability and information exchange in foraging goldfish. *Anim. Behav.* 31: 546-555.
- Puckett, K.J. and L.M. Dill. 1985. The energetics of feeding territoriality in juvenile coho salmon (*Oncorhynchus kisutch*). *Behaviour* 92: 97-111.
- Pulliam, H.R. and T. Caraco. 1984. Living in groups: is there an optimal group size? In J.R. Krebs and N.B. Davies (eds.), *Behavioural Ecology*. Second edition. Blackwell, Oxford, pp. 122-147.
- Pulliam, H.R. and G.C. Millikan. 1982. Social organization in the non-reproductive season. In D.S. Farner, J.R. King, and K.C. Parkes (eds.), *Avian Biology*. Vol. 6. Academic Press, New York, pp. 169-197.
- Pyke, G.H. 1984. Optimal foraging theory: a critical review. *Ann. Rev. Ecol. Syst.* 15: 523-75.
- Pyke, G.H., H.R. Pulliam, and E.L. Charnov. 1977. Optimal foraging: a selective review of theory and tests. *Quart. Rev. Biology* 52: 137-154.
- Rausher, M. 1979. Egg recognition: its advantage to a butterfly. *Anim. Behav.* 27: 1034-1040.
- Real, L. (ed.). 1983. *Pollination Biology*. Academic Press, New York.
- Real, L. and T. Caraco. 1986. Risk and foraging in stochastic environments. *Ann. Rev. Ecol. Syst.* 17: 371-390.
- Robertson, R.J. and G.C. Biermann. 1979. Parental investment strategies determined by expected benefits. *Z. Tierpsychol.* 50: 124-128.
- Roitberg, B.D. and R.J. Prokopy. 1983. Host deprivation influence on response of *Rhagoletis pomonella* to its oviposition deterring pheromone. *Physiol. Ent.* 8: 69-72.
- Root, R.B. and P.M. Kareiva. 1984. The search for resources by cabbage butterflies (*Pieris rapae*): Ecological consequences and adaptive significance of Markovian movements in a patchy environment. *Ecology* 65: 147-165.
- Rubenstein, D.I. 1982. Risk, uncertainty and evolutionary strategies. In King's College Sociobiology Group (eds.), *Current Problems in Sociobiology*. Cambridge Univ. Press, Cambridge, pp. 91-111.
- Schaffer, W.M. 1983. The application of optimal control theory to the general life history problem. *Amer. Nat.* 121: 418-431.
- Schaller, G.B. 1972. *The Serengeti Lion*. Univ. of Chicago Press, Chicago, IL.
- Schmidt-Nielsen, K. 1984. *Scaling. Why is Animal Size So Important?* Cambridge Univ. Press, New York.
- Schoemaker, P.J.H. 1982. The expected utility model: its variants, purposes, evidence and limitations. *J. Econ. Lit.* 20: 529-563.
- Schoener, T.W. 1971. Theory of feeding strategies. *Ann. Rev. Ecol.*

- Syst.* 2: 369-404.
- Sibly, R.M. 1983. Optimal group size is unstable. *Anim. Behav.* 31: 947-948.
- Skinner, S.W. 1985. Clutch size as an optimal foraging problem for insects. *Behav. Ecol. Sociobiol.* 17: 231-238.
- Slagsvold, T. 1984. Clutch size variation of birds in relation to nest predation: on the cost of reproduction. *J. Anim. Ecol.* 53: 945-953.
- Slobodchikoff, C.N. 1984. Resources and the evolution of social behavior. In P.W. Price, C.N. Slobodchikoff, and W.S. Gaud (eds.), *A New Ecology*. Wiley-Interscience, New York, pp. 227-251.
- Solomon, D.J. 1981. Migration and dispersion of juvenile brown and sea trout. In E.L. Brannon and E.O. Salo (eds.), *Salmon and Trout Migratory Behavior Symposium*. School of Fisheries, Univ. of Wash., Seattle, WA, pp. 136-145.
- Southern, H.N. 1970. The natural control of a population of Tawny owls (*Strix aluco*). *J. Zool., Lond.* 162: 197-285.
- Stephens, D.W. 1981. The logic of risk-sensitive foraging preferences. *Anim. Behav.* 29: 628-629.
- Stephens, D.W. 1987. On economically tracking a variable environment. *Theor. Pop. Biol.* 32: 15-25.
- Stephens, D.W. and E.L. Charnov. 1982. Optimal foraging: some simple stochastic models. *Behav. Ecol. Sociobiol.* 10: 251-263.
- Stephens, D.W. and J.R. Krebs. 1986. *Foraging Theory*. Princeton Univ. Press, Princeton, NJ.
- Stephens, D.W., J.F. Lynch, A.E. Sorensen, and C. Gordon. 1986. Preference and profitability: theory and experiment. *Amer. Nat.* 127: 533-553.
- Stich, H.B. and W. Lampert. 1981. Predator evasion as an explanation of diurnal vertical migration by zooplankton. *Nature* 293: 396-398.
- Templeton, A.R. and L.R. Lawlor. 1981. The fallacy of the averages in ecological optimization theory. *Amer. Nat.* 117: 390-393.
- Tuljapurkar, S.D. 1982. Population dynamics in variable environments. III. Evolutionary dynamics of *r*-selection. *Theor. Pop. Biol.* 21: 141-165.
- Turelli, M., J.H. Gillespie, and T.W. Schoener. 1982. The fallacy of the fallacy of the averages in ecological optimization theory. *Amer. Nat.* 119: 879-884.
- van Alphen, J.J.M. 1980. Aspects of the foraging behaviour of *Tetrastichus asparagi* Crawford and *Tetrastichus spec.* (Eulophidae), gregarious egg parasitoids of the asparagus beetles *Crioceris asparagi* L. and *C. duodecimpunctata* L. (Chrysomelidae). I. Host-species selection, host-stage selection and host discrimination. *Nether. J. Zool.* 30: 307-325.
- van Alphen, J.J.M. and H.W. Nell. 1982. Superparasitism and host discrimination by *Asobara tabida nees* (Braconidae: alysiinea) a

- larval parasitoid of drosophilidae. *Nether. J. Zool.* 32: 232-260.
- van Lenteren, J.C., K. Bakker, and J.J.M. van Alphen. 1978. How to analyse host discrimination. *Ecol. Ent.* 3: 71-75.
- Vinyard, G.L. and W.J. O'Brien. 1976. Effects of light and turbidity on the reactive distance of bluegill (*Lepomis macrochirus*). *J. Fish. Res. Board Can.* 33: 2845-2849.
- Vlymen, W.J. 1970. Energy expenditure of swimming copepods. *Limn. Oceanogr.* 15: 348-356.
- von Neumann, J. and O. Morgenstern. 1947. *Theory of Games and Economic Behavior*. Second edition. Princeton Univ. Press, Princeton, NJ.
- Waage, J.K. and J.L. Lane. 1984. The reproductive strategy of a parasitic wasp. II. Sex allocation and local mate competition in *Trichogramma evanescens*. *J. Anim. Ecol.* 53: 417-426.
- Walters, C.J. 1986. *Adaptive Management of Renewable Resources*. Macmillan, New York.
- Weis, A.E., P.W. Price and M. Lynch. 1983. Selective pressures on clutch size in the gall maker *Asteromyia carbonifera*. *Ecology* 64: 688-695.
- Werner, E.E. 1977. Species packing and niche complementarity in three sunfishes. *Amer. Nat.* 111: 553-578.
- Werner, E.E. and J.F. Gilliam. 1984. The ontogenetic niche and species interactions in size-structured populations. *Ann. Rev. Ecol. Syst.* 15: 393-425.
- Werner, E.E. and G.G. Mittelbach. 1981. Optimal foraging: field tests of diet choice and habitat switching. *Amer. Zool.* 21: 813-829.
- Werner, E.E., G.G. Mittelbach, D.J. Hall, and J.F. Gilliam. 1983a. Experimental tests of optimal habitat use in fish: the role of relative habitat profitability. *Ecology* 64: 1525-1539.
- Werner, E.E., J.F. Gilliam, D.J. Hall, and G.G. Mittelbach. 1983b. An experimental test of the effects of predation risk on habitat use in fish. *Ecology* 64: 1540-1548.
- Whitham, T.G. 1980. The theory of habitat selection: examined and extended using *Pemphigus* aphids. *Amer. Nat.* 115: 449-466.
- Winkler, D.W. 1985. Factors determining a clutch size reduction in California gulls (*Larus californicus*): a multi-hypothesis approach. *Evolution* 39: 667-677.
- Wise, D.H. 1975. Food limitation of the spider *Linyphia marginata*: experimental field studies. *Ecology* 56: 637-646.
- Wise, D.H. 1979. Effects of an experimental increase in prey abundance upon the reproductive rates of two orb-weaving spider species (Araneae: Araneidae). *Oecologia* 41: 289-300.
- Wise, D.H. 1983. Competitive mechanisms in a food-limited species: relative importance of interference and exploitative interactions among labyrinth spiders (Araneae: Araneidae). *Oecologia* 58: 1-9.

- Wurtsbaugh, W. and H. Li. 1985. Diel migrations of a zooplanktivorous fish (*Menidia beryllina*) in relation to the distribution of its prey in a large eutrophic lake. *Limn. Oceanogr.* 30: 565-576.
- Wynne-Edwards, V.C. 1962. *Animal Dispersion in Relation to Social Behaviour*. Oliver and Boyd, London.
- Zahavi, A. 1986. Reliability in signalling motivation. *Behav. Brain Sciences* 9: 741-742.
- Zaret, T.M. 1980. *Predation and Freshwater Communities*. Yale Univ. Press, New Haven, CT.
- Zaret, T.M. and J.S. Suffern. 1976. Vertical migration in zooplankton as a predator avoidance mechanism. *Limn. Oceanogr.* 21: 804-813.