

REFERENCES

- Abenavoli, L. (2010). Brain hypoperfusion and neurological symptoms in celiac disease. *Movement Disorders, 25*(6), 792–93.
- Achenbach, T. M. (1978). The child behavior profile: I. boys aged 6–11. *Journal of Consulting and Clinical Psychology, 46*(3), 478–88.
- Adams, J. B., Johansen, L. J., Powell, L. D., Quig, D., & Rubin, R. A. (2011). Gastrointestinal flora and gastrointestinal status in children with autism—comparisons to typical children and correlation with autism severity. *BMC Gastroenterology, 11*(22).
- Addolorato, G., Capristo, E., Ghittoni, G., Valeri, C., Masciana, R., Ancona, C., & Gasbarrini, G. (2001). Anxiety but not depression decreases in coeliac patients after one-year gluten-free diet: A longitudinal study. *Scandinavian Journal of Gastroenterology, 36*(5), 502–6.
- Addolorato, G., Leggio, L., D'Angelo, C., Mirijello, A., Ferrulli, A., Cardone, S., . . . Gasbarrini, G. (2008). Affective and psychiatric disorders in celiac disease. *Digestive Diseases, 26*(2), 140–48.
- Ader, R., Felten, D., & Cohen, N. C. (2000). *Psycho-neuro-immunology* (3rd ed.). New York: Academic Press.
- Adesman, A. R., Altshuler, L. A., Lipkin, P. H., & Walco, G. A. (1990). Otitis media in children with learning disabilities and in children with attention deficit disorder with hyperactivity. *Pediatrics, 85*(3, Pt. 2), 442–46.
- Adrien, J. L., Perrot, A., Sauvage, D., Leddet, E., Larmande, C., Hameury, L., & Barthélémy, C. (1992). Early symptoms in autism from family home movies: Evaluation and comparison between 1st and 2nd year of life using I.B.S.E. scale. *Acta Paedopsychiatrica, 55*(2), 71–75.
- Agrawal, R., & Gomez-Pinilla, F. (2012). “Metabolic syndrome” in the brain: Deficiency in omega-3 fatty acid exacerbates dysfunctions in insulin receptor signaling and cognition. *Journal of Physiology, 590*(10), 2484–99.
- Akhondzadeh, S., Mohammadi, M. R., & Khademi, M. (2004). Zinc sulfate as an adjunct to methylphenidate for the treatment of attention deficit hyperactivity disorder in children: A double blind and randomized trial. *BMC Psychiatry, 4*(9).
- Alfano, C. A., Ginsburg, G. S., & Kingery, J. N. (2007). Sleep-related problems among children and adolescents with anxiety disorders. *Journal of the American Academy of Child and Adolescent Psychiatry, 46*(2), 224–32.
- American Psychiatric Association. (2010). DSM-5: Options being considered for ADHD. Retrieved from dsm5.org/Proposed%20Revision%20Attachments/APA%20Options%20for%20ADHD.pdf

- Ames, B. N. (2004). Supplements and tuning up metabolism. *Journal of Nutrition*, *134*(11), 3164–68.
- Ames, B. N. (2005). Increasing longevity by tuning up metabolism. *EMBO Reports*, *6*, S20–S24.
- Anda, R. F., Felitti, V. J., Bremner, J. D., Walker, J. D., Whitfield, C., Perry, B. D., . . . Giles, W. H. (2006). The enduring effects of abuse and related adverse experiences in childhood: A convergence of evidence from neurobiology and epidemiology. *European Archives of Psychiatry and Clinical Neuroscience*, *256*(3), 174–86.
- Anderson, A. R., & Henry, C. S. (1994). Family system characteristics and parental behaviors as predictors of adolescent substance use. *Adolescence*, *29*(114), 405–20.
- Anderson, C. A., Sakamoto, A., Gentile, D. A., Ihori, N., Shibuya, A., Yukawa, S., . . . Kobayashi, K. (2008). Longitudinal effects of violent video games on aggression in Japan and the United States. *Pediatrics*, *122*(5), e1067–72.
- Anghelescu, I. G., Kohnen, R., Szegedi, A., Klement, S., & Kieser, M. (2006). Comparison of hypericum extract WS 5570 and paroxetine in ongoing treatment after recovery from an episode of moderate to severe depression: Results from a randomized multicenter study. *Pharmacopsychiatry*, *39*(6), 213–9.
- Angold, A., Erkanli, A., Egger, H. L., & Costello, E. J. (2000). Stimulant treatment for children: A community perspective. *Journal of the American Academy of Child and Adolescent Psychiatry*, *38*(8), 975–84.
- Anthony, E. J. (1987). *The invulnerable child*. New York: Guilford.
- APA Commission on Psychotherapies. (1982). Psychotherapy research: Methodological and efficacy issues. Presented in Washington, DC, by the American Psychiatric Association at the annual meeting of the American Psychiatric Association.
- Armstrong, D. J., Meenagh, G. K., Bickle, I., Lee, A. S., Curran, E. S., & Finch, M. B. (2007). Vitamin D deficiency is associated with anxiety and depression in fibromyalgia. *Clinical Rheumatology*, *26*(4), 551–54.
- Arndt, T. L., Stodgell, C. J., & Rodier, P. M. (2005). The teratology of autism. *International Journal of Developmental Neuroscience*, *23*(2–3), 189–99.
- Arns, M., Drinkenburg, W., & Leon Kenemans, J. (2012). The effects of QEEG-informed neurofeedback in ADHD: An open-label pilot study. *Applied Psychophysiology and Biofeedback*, *37*(3), 171–80.
- Ashman, S. B., Dawson, G., & Panagiotides, H. (2008). Trajectories of maternal depression over 7 years: Relations with child psychophysiology and behavior and role of contextual risks. *Development and Psychopathology*, *20*(1), 55–77.
- Astin, J. A. (1998). Why patients use alternative medicine: Results of a national study. *Journal of the American Medical Association*, *279*(19), 1548–53.
- Autism Research Institute. (2009). Parent ratings of behavioral effects of biomedical interventions. Retrieved from autism.com/pdf/providers/ParentRatings2009.pdf

- Awad, R., Levac, D., Cybulska, P., Merali, Z., Trudeau, V. L., & Arnason, J. T. (2007). Effects of traditionally used anxiolytic botanicals on enzymes of the gamma-aminobutyric acid (GABA) system. *Canadian Journal of Physiology and Pharmacology*, *85*(9), 933–42.
- Baio, J. (2012). Prevalence of autism spectrum disorders—autism and developmental disabilities monitoring network, 14 sites, United States. *Morbidity and Mortality Weekly Report*, *61*(SS03), 1–19.
- Barbarese, W., Katusic, S., Colligan, R., Weaver, A., Pankratz, V., Mrazek, D., & Jacobsen, S. (2004). How common is attention-deficit/hyperactivity disorder? Towards resolution of the controversy: Results from a population-based study. *Acta Paediatrica*, *93*(445), 55–59.
- Barbarese, W. J., Katusic, S. K., Colligan, R. C., Pankratz, V. S., Weaver, A. L., Weber, K. J., Mrazek, D. A., & Jacobsen, S. J. (2002). How common is attention-deficit/hyperactivity disorder? Incidence in a population-based birth cohort in Rochester, Minn. *Archives of Pediatrics and Adolescent Medicine*, *156*(3), 217–24.
- Barker, D. J. (1998). In utero programming of chronic disease. *Clinical Science*, *95*(2), 115–28.
- Barlow, J., & Coren, E. (2004). Parent-training programmes for improving maternal psychosocial health. *Cochrane Database of Systematic Reviews*, *1*, CD002020.
- Barlow, J., & Stewart-Brown, S. (2000). Behavior problems and group-based parent education programs. *Journal of Developmental and Behavioral Pediatrics*, *21*(5), 356–70.
- Bateman, B., Warner, J. O., Hutchinson, E., Dean, T., Rowlandson, P., Gant, C., . . . Stevenson, J. (2004). The effects of a double blind, placebo controlled, artificial food colourings and benzoate preservative challenge on hyperactivity in a general population sample of preschool children. *Archives of Disease in Childhood*, *89*(6), 506–11.
- Baxter, L. R., Jr., Schwartz, J. M., Bergman, K. S., Szuba, M. P., Guze, B. H., Mazzotta, J. C., Alazraki, A., . . . Munford, P. (1992). Caudate glucose metabolic rate changes with both drug and behavior therapy for obsessive-compulsive disorder. *Archives of General Psychiatry*, *49*(9), 681–89.
- Beaudet, A. L. (2007). Autism: Highly heritable but not inherited. *Natural Medicine*, *13*(5), 534–36.
- Beecher, H. K. (1955). The powerful placebo. *Journal of the American Medical Association*, *159*(17), 1602–1606 .
- Beider, S., Mahrer, N. E., & Gold, J. I. (2007). Pediatric massage therapy: An overview for clinicians. *Pediatric Clinics of North America*, *54*(6), 1025–41; xii–xiii.
- Beider, S., & Moyer, C. A. (2007). Randomized controlled trials of pediatric massage: A review. *Evidence-Based Complementary and Alternative Medicine*, *4*(1), 23–34.
- Bell, C. C., & McBride, D. F. (2010). Affect regulation and prevention of risky behaviors. *Journal of the American Medical Association*, *304*(5), 565–66.
- Bellinger, D. C. (2012). Comparing the population neurodevelopmental burdens

- associated with children's exposures to environmental chemicals and other risk factors. *Neurotoxicology*, 33(4), 641–43.
- Belmaker, R. H., & Agam, G. (2008). Major depressive disorder. *New England Journal of Medicine*, 358(1), 55–68.
- Benedetti, F., Colombo, C., Barbini, B., Campori, E., & Smeraldi, E. (2001). Morning sunlight reduces length of hospitalization in bipolar depression. *Journal of Affective Disorders*, 62(3), 221–23.
- Bercik, P., Denou, E., Collins, J., Jackson, W., Lu, J., Jury, J., . . . Collins, S. M. (2011). The intestinal microbiota affect central levels of brain-derived neurotropic factor and behavior in mice. *Gastroenterology*, 141(2), 599–609.e3.
- Berk, M., Copolov, D. L., Dean, O., Lu, K., Jeavons, S., Schapkaitz, I., . . . Bush, A. I. (2008). N-acetyl cysteine for depressive symptoms in bipolar disorder: A double-blind randomized placebo-controlled trial. *Biological Psychiatry*, 64(6), 468–75.
- Berman, S. M., Kuczenski, R., McCracken, J. T., & London, E. D. (2009). Potential adverse effects of amphetamine treatment on brain and behavior: A review. *Molecular Psychiatry*, 14(2), 123–42.
- Bernstein, G. A., Victor, A. M., Pipal, A. J., & Williams, K. A. (2010). Comparison of clinical characteristics of pediatric autoimmune neuropsychiatric disorders associated with streptococcal infections and childhood obsessive-compulsive disorder. *Journal of Child and Adolescent Psychopharmacology*, 20(4), 333–40.
- Beversdorf, D. (2005, November). Stress interferes with problem-solving; beta blockers may help. Presentation to the Society for Neuroscience, Washington, DC.
- Biederman, J. (2005, October). Informal commentary at the annual meeting of American Academy of Child and Adolescent Psychiatry, San Francisco, CA.
- Billstedt, E., Gillberg, I. C., & Gillberg, C. (2005). Autism after adolescence: Population-based 13- to 22-year follow-up study of 120 individuals with autism diagnosed in childhood. *Journal of Autism and Developmental Disorders*, 35(3), 351–60.
- Birdee, G. S., Phillips, R. S., Davis, R. B., & Gardiner, P. (2010). Factors associated with pediatric use of complementary and alternative medicine. *Pediatrics*, 125(2), 249–56.
- Birk, S. (2012, December 1). Violent video games alter brain activity. *Clinical Psychiatry News*. Retrieved from <http://www.clinicalpsychiatrynews.com/news/adult-psychiatry/single-article/violent-video-games-alter-brain-activity/7529d40ba4.html>
- Black, M. M., Quigg, A. M., Hurley, K. M., & Pepper, M. R. (2011). Iron deficiency and iron-deficiency anemia in the first two years of life: Strategies to prevent loss of developmental potential. *Nutritional Review*, 69(Suppl 1), S64–S70.
- Blader, J. C., & Carlson, G. A. (2007). Increased rates of bipolar disorder diagnoses among U.S. child, adolescent, and adult inpatients, 1996–2004. *Biological Psychiatry*, 62(2), 107–14.

- Blair, S. N., Kohl, H. W., Paffenbarger, R. S., Jr., Clark, D. G., Cooper, K. H., & Gibbons, L. W. (1989). Physical fitness and all-cause mortality: A prospective study of healthy men and women. *Journal of the American Medical Association*, *262*(17), 2395–401.
- Bloch, M. H., & Qawasmi, A. (2011). Omega-3 fatty acid supplementation for the treatment of children with attention-deficit/hyperactivity disorder symptomatology: Systematic review and meta-analysis. *Journal of the American Academy of Child and Adolescent Psychiatry*, *50*(10), 991–1000.
- Bohnert, A. M., Crnic, K. A., & Lim, K. G. (2003). Emotional competence and aggressive behavior in school-age children. *Journal of Abnormal Child Psychology*, *31*(1), 79–91.
- Born, J., Rasch, B., & Gais, S. (2006). Sleep to Remember. *Neuroscientist*, *12*(5), 410–24.
- Bosquet Enlow, M., Kitts, R. L., Blood, E., Bizarro, A., Hofmeister, M., & Wright, R. J. (2011). Maternal posttraumatic stress symptoms and infant emotional reactivity and emotion regulation. *Infant Behavior and Development*, *34*(4), 487–503.
- Bottaro, G., Cataldo, F., Rotolo, N., Spina, M., & Corazza, G. R. (1999). The clinical pattern of subclinical/silent celiac disease: An analysis on 1026 consecutive cases. *American Journal of Gastroenterology*, *94*(3), 691–96.
- Bouchard, M. F., Bellinger, D. C., Wright, R. O., & Weisskopf, M. G. (2010). Attention-deficit/hyperactivity disorder and urinary metabolites of organophosphate pesticides. *Pediatrics*, *125*(6), e1270–77.
- Bowen, S., Witkiewitz, K., & Dillworth, T. M. (2006). Mindfulness meditation and substance use in an incarcerated population. *Psychology of Addictive Behaviors*, *20*(3), 343–47.
- Bowlby, J. (1988). *A secure base: Parent-child attachment and healthy human development*. New York: Basic Books.
- Brattstrom, A. (2009). Long-term effects of St. John's wort (*hypericum perforatum*) treatment: A 1-year safety study in mild to moderate depression. *Phyto-medicine*, *16*(4), 277–83.
- Bridge, J. A., Iyengar, S., Salary, C. B., Barbe, R. P., Birmaher, B., Pincus, H. A., . . . Brent, D. A. (2007). Clinical response and risk for reported suicidal ideation and suicide attempts in pediatric antidepressant treatment: A meta-analysis of randomized controlled trials. *Journal of the American Medical Association*, *297*(15), 1683–96.
- Briggs Myers, I. (1990). *Gifts differing: Understanding personality type*. Palo Alto, CA: Consulting Psychologists Press.
- Bronfenbrenner, U. (1977). Doing your own thing—our undoing. *Child Psychiatry and Human Development*, *8*(1), 3–10.
- Bronfenbrenner, U. (1979). *Ecology of human development*. Cambridge, MA: Harvard University Press.

- Brook, J. S., Zhang, C., Balka, E. B., & Brook, D. W. (2012). Pathways to children's externalizing behavior: A three-generation study. *Journal of Genetic Psychology, 173*(2), 175–97.
- Brooks, M. (2012, February 12). Death, cancer increased with hypnotics. *Medscape Medical News*. Retrieved from <http://www.medscape.com/viewarticle/759336?src>
- Brotman, M. A., Kassem, L., Reising, M. M., Guyer, A. E., Dickstein, D. P., Rich, B. A., . . . Leibenluft, E. (2007). Parental diagnoses in youth with narrow phenotype bipolar disorder or severe mood dysregulation. *American Journal of Psychiatry, 164*(8), 1238–41.
- Brown, R. P., & Gerbarg, P. L. (2001). Herbs and nutrients in the treatment of depression, anxiety, insomnia, migraine, and obesity. *Journal of Psychiatric Practice, 7*(2), 75–91.
- Brown, R. T., Slimmer, L. W., & Wynne, M. E. (1984). How much stimulant medication is appropriate for hyperactive school children? *Journal of School Health, 54*(3), 128–30.
- Buie, T., Campbell, D. B., Fuchs, G. J., 3rd, Furuta, G. T., Levy, J., Vandewater, J., . . . Winter, H. (2010). Evaluation, diagnosis, and treatment of gastrointestinal disorders in individuals with ASDs: A consensus report. *Pediatrics, 125*(Suppl.1), s1–s18.
- Bullock, M. L., Culliton, P. D., & Olander, R. T. (1989). Controlled trial of acupuncture for severe recidivist alcoholism. *Lancet, 1*(8652), 1435–9.
- Burcusa, S. L., Iacono, W. G., & McGue, M. (2003). Adolescent twins discordant for major depressive disorder: Shared familial liability to externalizing and other internalizing disorders. *Journal of Child Psychology and Psychiatry, and Allied Disciplines, 44*(7), 997–1005.
- Burstein, M., Ameli-Grillon, L., & Merikangas, K. R. (2011). Shyness versus social phobia in US youth. *Pediatrics, 128*(5), 917–25.
- Burt, S. A., Krueger, R. F., McGue, M., & Iacono, W. (2003). Parent-child conflict and the comorbidity among childhood externalizing disorders. *Archive of General Psychiatry, 60*(5), 505–13.
- Bushara, K. O. (2005). Neurologic presentation of celiac disease. *Gastroenterology, 128*(4, suppl. 1), s92–s97.
- Calestro, K. (1972). Psychotherapy, faith healing and suggestion. *International Journal of Psychiatry, 10*(2), 83–128.
- Camfield, D. A., Sarris, J., & Berk, M. (2011). Nutraceuticals in the treatment of obsessive compulsive disorder (OCD): A review of mechanistic and clinical evidence. *Progress in Neuro-Psychopharmacology and Biological Psychiatry, 35*(4), 887–95.
- Campbell, S. B., Shaw, D. S., & Gilliom, M. (2000). Early externalizing behavior problems: Toddlers and preschoolers at risk for later maladjustment. *Development and Psychopathology, 12*(3), 467–88.
- Campo, J. V., Bridge, J., Ehmann, M., Altman, S., Lucas, A., Birmaher, B., . . . Brent,

- D. A. (2004). Recurrent abdominal pain, anxiety, and depression in primary care. *Pediatrics*, *113*(4), 817–24.
- Canavera, K. E., Wilkins, K. C., Pincus, D. B., & Ehrenreich-May, J. T. (2009). Parent-child agreement in the assessment of obsessive-compulsive disorder. *Journal of Clinical Child and Adolescent Psychology*, *28*(6), 909–15.
- Cannon, W. (1963). *The wisdom of the body*. New York: Norton. (Original work published 1932)
- Capra, F. (1996). *The web of life: A new scientific understanding of living systems*. New York: Anchor.
- Carlson, G. A. (1999). Juvenile mania versus ADHD. *Journal of the American Academy of Child and Adolescent Psychiatry*, *38*(4), 353–54.
- Carlson, G. A., Potegal, M., Margulies, D., Gutkovich, Z., & Basile, J. (2009). Rages—what are they and who has them? *Journal of Child and Adolescent Psychopharmacology*, *19*(3), 281–88.
- Carnagey, N. L., Anderson, C. A., & Bushman, B. J. (2007). The effect of video game violence on physiological desensitization to real-life violence. *Journal of Experimental Social Psychology*, *43*(3), 489–496
- Carr, A. (2009). The effectiveness of family therapy and systemic interventions for child-focused problems. *Journal of Family Therapy*, *31*(1), 3–45.
- Carter, A. S., Wagmiller, R. J., Gray, S. A., McCarthy, K. J., Horwitz, S. M., & Briggs-Gowan, M. J. (2010). Prevalence of DSM-IV disorder in a representative, healthy birth cohort at school entry: Sociodemographic risks and social adaptation. *Journal of the American Academy of Child and Adolescent Psychiatry*, *49*(7), 686–98.
- “The case against antidepressants: A growing chorus of critics is challenging the widespread use of antidepressants. Why?” (2011, July 22). *The Week*. Retrieved from <http://theweek.com/article/index/217444/the-case-against-antidepressants>
- Castelli, D. M., Hillman, C. H., Buck, S. M., & Erwin, H. E. (2007). Physical fitness and academic achievement in third- and fifth-grade students. *Journal of Sport and Exercise Psychology*, *29*(2), 239–52.
- Centers for Disease Control. (2009). Prevalence of autism spectrum disorders—autism and developmental disabilities monitoring network, United States, 2006. *Morbidity and Mortality Weekly Report, Surveillance Summaries*, *58*(100), 1–20.
- Centers for Disease Control. (2011). *Morbidity and Mortality Weekly Report*, *60*(43), 1477–1512.
- Chai, G., Governale, L., McMahon, A. W., Trinidad, J. P., Staffa, J., & Murphy, D. (2012). Trends of outpatient prescription drug utilization in US children, 2002–2010. *Pediatrics*, *130*(1), 23–31.
- Chalon, S., Vancassel, S., Zimmer, L., Guilloteau, D., & Durand, G. (2001). Polyunsaturated fatty acids and cerebral function: Focus on monoaminergic neurotransmission. *Lipids*, *36*(9), 937–44.
- Chapman, D. P., Wheaton, A. G., Anda, R. F., Croft, J. B., Edwards, V. J., Liu, Y., . . .

- Perry, G. S. (2011). Adverse childhood experiences and sleep disturbances in adults. *Sleep Medicine, 12*(8), 773–79.
- Chavira, D. A., Garland, A. F., Daley, S., & Hough, R. (2008). The impact of medical comorbidity on mental health and functional health outcomes among children with anxiety disorders. *Journal of Developmental and Behavioral Pediatrics, 29*(5), 394–202.
- Chavira, D. A., Stein, M. B., Bailey, K., & Stein, M. T. (2004). Child anxiety in primary care: Prevalent but untreated. *Depression and Anxiety, 20*(4), 155–64.
- Chen, R., Jiao, Y., & Herskovits, E. H. (2011). Structural MRI in autism spectrum disorder. *Pediatric Research, 69*(5.2), 63R–8R.
- Cherland, E., & Fitzpatrick, R. (1999). Psychotic side effects of psychostimulants: A 5-year review. *Canadian Journal of Psychiatry, 44*(8), 811–13.
- Chess, S., & Thomas, A. (1977). Temperament and the parent-child interaction. *Pediatric Annals, 6*(9), 574–82.
- Chiesa, A., & Serretti, A. (2011). Mindfulness based cognitive therapy for psychiatric disorders: A systematic review and meta-analysis. *Psychiatry Research, 187*(3), 441–53.
- Chronis-Tuscano, A., O'Brien, K. A., Johnston, C., Jones, H. A., Clarke, T. L., Raggi, V. L., . . . Seymour, K. E. (2011). The relation between maternal ADHD symptoms and improvement in child behavior following brief behavioral parent training is mediated by change in negative parenting. *Journal of Abnormal Child Psychology, 39*(7), 1047–57.
- Cilleruelo Pascual, M. L., Roman Riechmann, E., Jimenez Jimenez, J., Rivero Martin, M. J., Barrio Torres, J., Castano Pascual, A., . . . Fernandez Rincon, A. (2002). Silent celiac disease: Exploring the iceberg in the school-aged population. *Anales Espanoles de Pediatria, 57*(4), 321–26.
- Cohen, S., Doyle, W. J., Skoner, D. P., Rabin, B. S., & Gwaltney, J. M., Jr. (1997). Social ties and susceptibility to the common cold. *Journal of the American Medical Association, 277*(24), 1940–44.
- Coles, R. (1990). *The spiritual life of children*. New York: Houghton Mifflin.
- Compton, S. N., Walkup, J. T., Albano, A. M., Piacentini, J. C., Birmaher, B., Sherrill, J. T., . . . March, J. S. (2010). Child/adolescent anxiety multimodal study (CAMS): Rationale, design, and methods. *Child and Adolescent Psychiatry and Mental Health, 1*, 1.
- Corsetti, G., Stacchiotti, A., Tedesco, L., D'Antona, G., Pasini, E., Dioguardi, F. S., . . . Rezzani, R. (2011). Essential amino acid supplementation decreases liver damage induced by chronic ethanol consumption in rats. *International Journal of Immunopathology and Pharmacology, 24*(3), 611–19.
- Cosgrove, L., & Bursztajn, H. J. (2010, March 6). Pharmaceutical philanthropic shell games: Has industry removed the transparent and replaced it with the opaque? *Psychiatric Times, 27*(3).
- Costello, E. J., Erkanli, A., & Angold, A. (2006). Is there an epidemic of child or

- adolescent depression? *Journal of Child Psychology and Psychiatry*, 47(12), 1263–71.
- Courbasson, C. M., de Sorkin, A. A., Dullerud, B., & Van Wyk, L. (2007). Acupuncture treatment for women with concurrent substance use and anxiety/depression: An effective alternative therapy? *Family and Community Health*, 30(2), 112–20.
- Craft, L. L., & Perna, F. M. (2004). The benefits of exercise for the clinically depressed. *Primary Care Companion to the Journal of Clinical Psychiatry*, 6(3), 104–11.
- Critchfield, J. W., van Hemert, S., Ash, M., Mulder, L., & Ashwood, P. (2011). The potential role of probiotics in the management of childhood autism spectrum disorder. *Gastroenterology Research and Practice*, 161358. doi:10.1155/2011/161358. [Epub ahead of print.]
- Croen, L. A., Grether, J. K., Yoshida, C. K., Odouli, R., & Hendrick, V. (2011). Anti-depressant use during pregnancy and childhood autism spectrum disorders. *Archives of General Psychiatry*, 68(11), 1104–12.
- Dalton, M. A., Adachi-Meija, A. M., & Longacre, M. R. (2006). Parental rules and monitoring of children's movie viewing associated with children's risk for smoking and drinking. *Pediatrics*, 118(5), 1932–42.
- Damasio, A. R. (1998). Emotion in the perspective of an integrated nervous system. *Brain Research Reviews*, 26, 83–86.
- Dang-Vu, T. T., Desseilles, M., Peigneux, P., & Maquet, P. (2006). A role for sleep in brain plasticity. *Pediatric Rehabilitation*, 9(2), 98–118.
- Dasinger, L. K., Shane, P. A., & Martinovich, Z. (2004). Assessing the effectiveness of community-based substance abuse treatment for adolescents. *Journal of Psychoactive Drugs*, 36(1), 27–33.
- Davé, S., Petersen, I., Sherr, L., & Nazareth, I. (2010). Incidence of maternal and paternal depression in primary care: A cohort study using a primary care database. *Archives of Pediatric and Adolescent Medicine*, 164, 1038–44.
- Dawson, G., Rogers, S., Munson, J., Smith, M., Winter, J., Greenon, J., . . . Varley, J. (2010). Randomized, controlled trial of an intervention for toddlers with autism: The early start Denver model. *Pediatrics*. Retrieved from <http://pediatrics.aappublications.org/content/125/1/e17.full>
- Deault, L. C. (2010). A systematic review of parenting in relation to the development of comorbidities and functional impairments in children with attention-deficit/hyperactivity disorder (ADHD). *Child Psychiatry and Human Development*, 41(2), 168–92.
- Del Angel-Meza, A. R., Davalos-Marin, A. J., Ontiveros-Martinez, L. L., Ortiz, G. G., Beas-Zarate, C., Chaparro-Huerta, V., . . . Bitzer-Quintero, O. K. (2011). Protective effects of tryptophan on neuro-inflammation in rats after administering lipopolysaccharide. *Biomedicine and Pharmacotherapy*, 65(3), 215–19.
- de Magistris, L., Familiari, V., Pascotto, A., Sapone, A., Frolli, A., Iardino, P., . . . Bravaccio, C. (2010). Alterations of the intestinal barrier in patients with autism

- spectrum disorders and in their first-degree relatives. *Journal of Pediatric Gastroenterology and Nutrition*, 51(4), 418–24.
- Denton, R. E., & Kampfe, C. M. (1994). The relationship between family variables and adolescent substance abuse: A literature review. *Adolescence*, 29(114), 475–95.
- DeStefano, F. (2007). Vaccines and autism: Evidence does not support a causal association. *Clinical Pharmacology and Therapeutics*, 82(6), 756–59.
- D'Eufemia, P., Celli, M., Finocchiaro, R., Pacifico, L., Viozzi, L., Zaccagnini, M., . . . Giardini, O. (1996). Abnormal intestinal permeability in children with autism. *Acta Paediatrica*, 85(9), 1076–79.
- Dew, R. E., Daniel, S. S., Armstrong, T. D., Goldston, D. B., Triplett, M. F., & Koenig, H. G. (2008). Religion/spirituality and adolescent psychiatric symptoms: A review. *Child Psychiatry and Human Development*, 39(4), 381–98.
- Dewald, P. (1976). Toward a general concept of the therapeutic process. *International Journal of Psychoanalytic Psychotherapy*, 5, 283–99.
- Dias, A. M., & van Deusen, A. (2011). A new neurofeedback protocol for depression. *Spanish Journal of Psychology*, 14(1), 374–84.
- Dietz, P. M., Williams, S. B., Callaghan, W. M., Bachman, D. J., Whitlock, E. P., & Hornbrook, M. C. (2007). Clinically identified maternal depression before, during, and after pregnancies ending in live births. *American Journal of Psychiatry*, 164(10), 1515–20.
- Diller, L. (1998). *Running on Ritalin*. New York: Bantam.
- Dodge, K. A., & Pettit, G. S. (2003). A biopsychosocial model of the development of chronic conduct problems in adolescence. *Developmental Psychology*, 39(2), 349–71.
- Doidge, N. (2007). *The brain that changes itself*. New York: Penguin.
- Dolinoy, D. C., Huang, D., & Jirtle, R. L. (2007). Maternal nutrient supplementation counteracts bisphenol a-induced DNA hypomethylation in early development. *Proceedings of the National Academy of Sciences*, 104(32), 13056–61.
- Dori, N., & Green, T. (2011). The metabolic syndrome and antipsychotics in children and adolescents [in Hebrew]. *Harefuah*, 150(10), 791–96.
- Doshi, J. A., Hodgkins, P., Kahle, J., Sikirica, V., Cangelosi, M. J., Setyawan, J., . . . Neumann, P. J. (2012). Economic impact of childhood and adult attention-deficit/hyperactivity disorder in the United States. *Journal of the American Academy of Child and Adolescent Psychiatry*, 51(10), 990–1002 e2.
- Dossey, L. (1993). *Healing words*. New York: HarperCollins.
- Duckworth, A. L., Peterson, C., Matthews, M. D., & Kelly, D. R. (2007). Grit: Perseverance and passion for long-term goals. *Personality Processes and Individual Differences*, 92(6), 1087.
- Dumont, I. P., & Olson, A. L. (2012). Primary care, depression, and anxiety: Exploring somatic and emotional predictors of mental health status in adolescents. *Journal of the American Board of Family Medicine*, 25(3), 291–99.
- Durbin, C. E., Klein, D. N., Hayden, E. P., Buckley, M. E., & Moerk, K. C. (2005).

- Temperamental emotionality in preschoolers and parental mood disorders. *Journal of Abnormal Psychology*, 114, 28–37.
- Eaves, L. C., & Ho, H. H. (2008). Young adult outcome of autism spectrum disorders. *Journal of Autism and Developmental Disorders*, 38(4), 739–47.
- Eaves, L. J., Prom, E. C., & Silberg, J. L. (2010). The mediating effect of parental neglect on adolescent and young adult anti-sociality: A longitudinal study of twins and their parents. *Behavioral Genetics*, 40(4), 425–37.
- Eby, G. A., & Eby, K. L. (2006). Rapid recovery from major depression using magnesium treatment. *Medical Hypotheses*, 67(2), 362–70.
- Ecker, J. R., Bickmore, W. A., Barroso, I., Pritchard, J. K., Gilad, Y., & Segal, E. (2012). Genomics: ENCODE explained. *Nature*, 489(7414), 52–55.
- Egger, H. L., Costello, E. J., Erkanli, A., & Angold, A. (1999). Somatic complaints and psychopathology in children and adolescents: Stomach aches, musculoskeletal pains, and headaches. *Journal of the American Academy of Child and Adolescent Psychiatry*, 28(7), 852–60.
- Egger, J., Carter, C. M., & Graham, P. J. (1985). Controlled trial of oligoantigenic treatment in the hyperkinetic syndrome. *Lancet*, 1(8428), 540–45.
- Ehman, J. W., Ott, B. B., Short, T. H., Ciampa, R. C., & Hansen-Flaschen, J. (1999). Do patients want physicians to inquire about their spiritual or religious beliefs if they become gravely ill? *Archives of Internal Medicine*, 159(15), 1803–6.
- Ekeland, E., Heian, F., Hagen, K. B., Abbott, J., & Nordheim, L. (2004). Exercise to improve self-esteem in children and young people. *Cochrane Database of Systematic Review*, 1, CD003683.
- Eldar, S., Apter, A., Lotan, D., Edgar, K. P., Naim, R., Fox, N. A., . . . Bar-Haim, Y. (2012). Attention bias modification treatment for pediatric anxiety disorders: A randomized controlled trial. *American Journal of Psychiatry*, 169(2), 213–20.
- Enoch, M. A. (2012). The influence of gene-environment interactions on the development of alcoholism and drug dependence. *Current Psychiatry Reports*, 14(2), 150–58.
- Epkins, C. C., & Heckler, D. R. (2011). Integrating etiological models of social anxiety and depression in youth: Evidence for a cumulative interpersonal risk model. *Clinical Child and Family Psychology Review*, 14(4), 329–76.
- Erenberg, G. (2005). The relationship between Tourette syndrome, attention deficit hyperactivity disorder, and stimulant medication: A critical review. *Seminars in Pediatric Neurology*, 12(4), 217–21.
- Eriksson, M., & Lindstrom, B. (2007). Antonovsky's sense of coherence scale and its relation with quality of life: A systematic review. *Journal of Epidemiology and Community Health*, 61(11), 938–44.
- Erkkila, J., Punkanen, M., Fachner, J., Ala-Ruona, E., Pontio, I., Tervaniemi, M., . . . Gold, C. (2011). Individual music therapy for depression: Randomised controlled trial. *British Journal of Psychiatry*, 199(2), 132–39.
- Esposito-Smythers, C., Birmaher, B., Valeri, S., Chiappetta, L., Hunt, J., Ryan, N., . . . Keller, M. (2006). Child comorbidity, maternal mood disorder, and percep-

- tions of family functioning among bipolar youth. *Journal of the American Academy of Child and Adolescent Psychiatry*, 45(8), 955–64.
- Evans, S. J., Prossin, A. R., Harrington, G. J., Kamali, M., Ellingrod, V. L., Burant, C. F., & McInnis, M. G. (2012). Fats and factors: Lipid profiles associate with personality factors and suicidal history in bipolar subjects. *PLoS One*, 7(1), e29297.
- Evans, S. W., Pelham, W. E., Smith, B. H., Bukstein, O., Gnagy, E. M., Greiner, A. R., . . . Baron-Myak, C. (2001). Dose-response effects of methylphenidate on ecologically valid measures of academic performance and classroom behavior in adolescents with ADHD. *Experimental and Clinical Psychopharmacology*, 9(2), 163–75.
- Fair, D. A., Bathula, D., Nikolas, M. A., & Nigg, J. T. (2012). Distinct neuropsychological subgroups in typically developing youth inform heterogeneity in children with ADHD. *Proceedings of the National Academy of Sciences*, 109(17), 6769–74.
- Fallone, G., Acebo, C., Seifer, R., & Carskadon, M. A. (2005). Experimental restriction of sleep opportunity in children: Effects on teacher ratings. *Sleep*, 28(12), 1561–67.
- Famularo, R., Kinscherff, R., & Fenton, T. (1991). Posttraumatic stress disorder among children clinically diagnosed as borderline personality disorder. *Journal of Nervous and Mental Disease*, 179(7), 428–31.
- Fassler, D. (1997). *Help me, I am sad*. New York: Penguin.
- Feeny, N. C., Danielson, C. K., Schwartz, L., Youngstrom, E. A., & Findling, R. L. (2006). Cognitive-behavioral therapy for bipolar disorders in adolescents: A pilot study. *Bipolar Disorder*, 8, 508–15.
- Felitti, V. J., Anda, R. F., Nordenberg, D., Williamson, D. F., Spitz, A. M., Edwards, V., . . . Marks, J. S. (1998). Relationship of childhood abuse and household dysfunction to many of the leading causes of death in adults. The adverse childhood experiences (ACE) study. *American Journal of Preventive Medicine*, 14(4), 245–58.
- Ferguson, J. H. (2000). National Institutes of Health Consensus Development Conference statement: Diagnosis and treatment of attention-deficit/hyperactivity disorder (ADHD). *Journal of the American Academy of Child and Adolescent Psychiatry*, 39(2), 182–93.
- Feucht, C., & Patel, D. R. (2011). Herbal medicines in pediatric neuropsychiatry. *Pediatric Clinics of North America*, 58(1), 33–54, x.
- Findling, R. L., McNamara, N. K., O'Riordan, M. A., Reed, M. D., Demeter, C. A., Branicky, L. A., & Blumer, J. L. (2003). An open-label pilot study of St. John's wort in juvenile depression. *Journal of the American Academy of Child and Adolescent Psychiatry*, 42(8), 908–14.
- Finegold, S. M. (2011). *Desulfovibrio* species are potentially important in regressive autism. *Medical Hypotheses*, 77(2), 270–74.
- Floch, M. H. (2011). Intestinal microecology in health and wellness. *Journal of Clinical Gastroenterology*, 45(Suppl.), S108–10.

- Fontanella, C. A., Bridge, J. A., Marcus, S. C., & Campo, J. V. (2011). Factors associated with antidepressant adherence for Medicaid-enrolled children and adolescents. *Annals of Pharmacotherapy*, 46(7–8), 898–908.
- Forbes, E. E., Christopher, M. J., Siegle, G. J., Ladouceur, C. D., Ryan, N. D., Carter, C. S., ... Dahl, R. E. (2006). Reward-related decision making in pediatric major depressive disorder: An fMRI study. *Journal of Child Psychology and Psychiatry*, 47(10), 1031–41.
- Fournier, J. C., DeRubeis, R. J., & Hollon, S. D. (2010). Antidepressant drug effects and depression severity: A patient-level meta-analysis. *Journal of the American Medical Association*, 303(1), 47–53.
- Fox, N. A., & Davidson, R. J. (1988). Patterns of brain electrical activity during facial signs of emotion in 10-month-old infants. *Developmental Psychology*, 24, 230–36.
- Foxcroft, D. R., & Tsertsvadze, A. (2011). Universal family-based prevention programs for alcohol misuse in young people. *Cochrane Database of Systematic Reviews*, 9, CD009308.
- Frances, A. (2009). A warning sign on the road to DSM-V: Beware of its unintended consequences. *Psychiatric Times*, 26(8).
- Frances, A. (2011, July 22). DSM-5 approves new fad diagnosis for child psychiatry: Antipsychotic use likely to rise. *Psychiatric Times*. Retrieved from <http://www.psychiatrictimes.com/display/article/10168/1912195>
- Frances, A. (2012a, May 2). Wonderful news: DSM 5 finally begins its belated and necessary retreat. *Psychology Today*. Retrieved from <http://www.psychologytoday.com/blog/dsm5-in-distress/201205/wonderful-news-dsm-5-finally-begins-its-belated-and-necessary-retreat>
- Frances, A. (2012b, December 2). DSM 5 is guide not Bible—ignore its ten worst changes: APA approval of DSM-5 is a sad day for psychiatry. *Psychology Today*. Retrieved from <http://www.psychologytoday.com/blog/dsm5-in-distress/201212/dsm-5-is-guide-not-bible-ignore-its-ten-worst-changes>
- Frank, E., Kupfer, D. J., Thase, M. E., Mallinger, A. G., Swartz, H. A., Fagiolini, A. M., ... Monk, T. (2005). Two-year outcomes for interpersonal and social rhythm therapy in individuals with Bipolar I disorder. *Archives of General Psychiatry*, 62(9), 996–1004.
- Frank, J. (1961). *Persuasion and healing: A comparative study of psychotherapy*. Baltimore, MD: Johns Hopkins University Press.
- Frank, J. (1971). Therapeutic factors in psychotherapy. *American Journal of Psychotherapy*, 25(3), 350–61.
- Frank, J. D., Hoehn-Saric, R., Imber, S. D., et al. (1978). *Effective ingredients of successful psychotherapy*. New York: Brunner/Mazel.
- Frankl, V. (1997). *Man's search for meaning*. New York: Pocket Books.
- Franklin, M. E., Sapyta, J., Freeman, J. B., Khanna, M., Compton, S., Almirall, D., ... March, J. S. (2011). Cognitive behavior therapy augmentation of pharmacotherapy in pediatric obsessive-compulsive disorder: The pediatric OCD treat-

- ment study II (POTS II) randomized controlled trial. *Journal of the American Medical Association*, 306(11), 1224–32.
- Frazier, E. A., Fristad, M., & Arnold, L. E. (2009). Multinutrient supplement as treatment: Literature review and case report of a 12-year-old boy with bipolar disorder. *Journal of Child and Adolescent Psychopharmacology*, 19, 453–60.
- Frazier, E. A., Fristad, M. A., & Arnold, L. E. (2012). Feasibility of a nutritional supplement as treatment for pediatric bipolar spectrum disorders. *Journal of Alternative and Complementary Medicine*, 18(7), 678–85.
- Freed, J., & Parsons, L. (1998). *Right-brained children in a left-brained world: Unlocking the potential of your ADHD child*. New York: Fireside.
- Fristad, M. A. (2006). Psychoeducational treatment for school-aged children with bipolar disorder. *Developmental Psychopathology*, 18(4), 1289–1306.
- Furlong, M., McGilloway, S., Bywater, T., Hutchings, J., Smith, S. M., & Donnelly, M. (2012). Behavioural and cognitive-behavioural group-based parenting programmes for early-onset conduct problems in children aged 3 to 12 years. *Cochrane Database of Systematic Reviews*, 2, CD008225.
- Fux, M., Benjamin, J., & Belmaker, R. H. (1999). Inositol versus placebo augmentation of serotonin reuptake inhibitors in the treatment of obsessive-compulsive disorder: A double-blind cross-over study. *International Journal of Neuropsychopharmacology*, 2(3), 193–95.
- Galiatsatos, P., Gologan, A., & Lamoureux, E. (2009). Autistic enterocolitis: Fact or fiction? *Canadian Journal of Gastroenterology*, 23(2), 95–98.
- Gallup, G., Jr. (2000). *The next American spirituality*. Colorado Springs, CO: Cook Communications.
- Ganz, M. L. (2007). The lifetime distribution of the incremental societal costs of autism. *Archives of Pediatric and Adolescent Medicine*, 161, 343–49.
- Gardner, H. (1993). *Multiple intelligences: The theory in practice*. New York: Basic Books.
- Garnier-Dykstra, L. M., Caldeira, K. M., Vincent, K. B., O'Grady, K. E., & Arria, A. M. (2012). Nonmedical use of prescription stimulants during college: Four-year trends in exposure opportunity, use, motives, and sources. *Journal of American College Health*, 60(3), 226–34.
- Gaskins, H. R., Croix, J. A., Nakamura, N., & Nava, G. M. (2008). Impact of the intestinal microbiota on the development of mucosal defense. *Clinical Infectious Diseases*, 46(Suppl 2), S80–S86.
- Gaylor, E. E. (2011, June 14). "Sleep efficacy and working memory" presented at the meeting of the Association for Sleep Societies, APSS, Minneapolis, MN.
- Gaylor, E. E., Burnham, M. M., Goodlin-Jones, B. L., & Anders, T. F. (2005). A longitudinal follow-up study of young children's sleep patterns using a developmental classification system. *Behavioral Sleep Medicine*, 3, 44–61.
- Geller, B., Craney, J. L., Bolhofner, K., Nickelsburg, M. J., Williams, M., & Zimmerman, B. (2002). Two-year prospective follow-up of children with a prepubertal

- and early adolescent bipolar disorder phenotype. *American Journal of Psychiatry*, 159(6), 927–33.
- Ghazavi, Z., Namnabati, M., Faghihinia, J., Mirbod, M., Ghalriz, P., Nekuie, A., & Fanian, N. (2010). Effects of massage therapy of asthmatic children on the anxiety level of mothers. *Iranian Journal of Nursing and Midwifery Research*, 15(3), 130–34.
- Giannini, A. J., Nakonecznie, A. M., Melemis, S. M., Ventresco, J., & Condon, M. (2000). Magnesium oxide augmentation of verapamil maintenance therapy in mania. *Psychiatry Research*, 93(1), 83–7.
- Giles, L. C., Davies, M. J., Whitrow, M. J., Warin, M. J., & Moore, V. (2011). Maternal depressive symptoms and child care during toddlerhood relate to child behavior at age 5 years. *Pediatrics*, 128(1), e78–e84.
- Ginsburg, G. S., Riddle, M. A., & Davies, M. (2006). Somatic symptoms in children and adolescents with anxiety disorders. *Journal of the American Academy of Child and Adolescent Psychiatry*, 45(10), 1179–87.
- Glasser, H. E., & Easley, J. (1998). *Transforming the difficult child: The nurtured heart approach*. Tucson, AZ: Center for the Difficult Child Publications.
- Goldenberg, H., & Goldenberg, I. (2008). *Family therapy: An overview*. Belmont, CA: Thomson.
- Golding, J., Steer, C., Emmett, P., Davis, J. M., & Hibbeln, J. R. (2009). High levels of depressive symptoms in pregnancy with low omega-3 fatty acid intake from fish. *Epidemiology*, 20(4), 598–603.
- Goldstein, B. I., & Birmaher, B. (2012). Prevalence, clinical presentation and differential diagnosis of pediatric bipolar disorder. *Israel Journal of Psychiatry and Related Sciences*, 49(1), 3–14.
- Goldstein, T. R., Axelson, D. A., Birmaher, B., & Brent, D. A. (2007). Dialectical behavior therapy for adolescents with bipolar disorder: A 1-year open trial. *Journal of the American Academy of Child Adolescent Psychiatry*, 46, 820–30.
- Gomez-Pinilla, F. (2011). Collaborative effects of diet and exercise on cognitive enhancement. *Nutrition and Health*, 20(3–4), 165–69.
- Goraya, J. S., Cruz, M., Valencia, I., Kaleyias, J., Khurana, D. S., Hardison, H. H., . . . Kothare, S. V. (2009). Sleep study abnormalities in children with attention deficit hyperactivity disorder. *Pediatric Neurology*, 40(1), 42–46.
- Gordon, J. S., Staples, J. K., Blyta, A., Bytyqi, M., & Wilson, A. T. (2008). Treatment of posttraumatic stress disorder in postwar Kosovar adolescents using mind-body skills groups: A randomized controlled trial. *Journal of Clinical Psychiatry*, 69(9), 1469–76.
- Gracious, B. L., Chirieac, M. C., Costescu, S., Finucane, T. L., Youngstrom, E. A., & Hibbeln, J. R. (2010). Randomized, placebo-controlled trial of flax oil in pediatric bipolar disorder. *Bipolar Disorders*, 12(2), 142–54.

- "Grade-schoolers grow into sleep loss." (2000, May 1). *Science News*, 157(21), 324.
- Grandin, L. D., Alloy, L. B., & Abramson, L. Y. (2006). The social Zeitgeber theory, circadian rhythms, and mood disorders: Review and evaluation. *Clinical Psychology Review*, 26(6), 679–94.
- Grant, L. P., Houghton, B., & Sachan, D. S. (2004). Nutrition education is positively associated with substance abuse treatment program outcomes. *Journal of the American Dietetic Association*, 104(4), 604–10.
- Greiner, C., Enss, E., & Haen, E. (2009). Drug-induced psychosis after intake of a modified-release formulation of methylphenidate. *Psychiatrische Praxis*, 36(2), 89–91.
- Grissom, J. B. (2005). Physical fitness and academic achievement. *Journal of Exercise Physiology*, 8(1), 11–25.
- Guzder, J., Bond, S., Rabiau, M., Zelkowitz, P., & Rohar, S. (2011). The relationship between alliance, attachment and outcome in a child multi-modal treatment population: Pilot study. *Journal of the Canadian Academy of Child and Adolescent Psychiatry*, 20(3), 196–202.
- Hagerman, R. J., & Falkenstein, A. R. (1987). An association between recurrent otitis media in infancy and later hyperactivity. *Clinical Pediatrics*, 26(5), 253–57.
- Haley, J. (1993). *Uncommon therapy*. New York: Norton.
- Hallmayer, J., Cleveland, S., Torres, A., Phillips, J., Cohen, B., Torigoe, T., Miller, J., . . . Risch, N. (2011). Genetic heritability and shared environmental factors among twin pairs with autism. *Archives of General Psychiatry*, 68(11):1095–102.
- Hammen, C., & Brennan, P. A. (2003). Severity, chronicity, and timing of maternal depression and risk for adolescent offspring diagnoses in a community sample. *Archives of General Psychiatry*, 60(3), 253–58.
- Hammen, C., Shih, J., Altman, T., & Brennan, P. A. (2003). Interpersonal impairment and the prediction of depressive symptoms in adolescent children of depressed and nondepressed mothers. *Journal of American Academy of Child and Adolescent Psychiatry*, 42(5), 571–77.
- Hanson, E., Kalish, L. A., Bunce, E., Curtis, C., McDaniel, S., Ware, J., & Petry, J. (2007). Use of complementary and alternative medicine among children diagnosed with autism spectrum disorder. *Journal of Autism and Developmental Disorders*, 37(4), 628–36.
- Harnish, J. D., Dodge, K. A., & Valente, E. (1995). Mother-child interaction quality as a partial mediator of the roles of maternal depressive symptomatology and socioeconomic status in the development of child behavior problems. Conduct Problems Prevention Research Group. *Child Development*, 66(3), 739–53.
- Harris, G. (2006, March 23). Panel advises disclosure of drugs' psychotic effects. *New York Times*.
- Harvey, E. A., Metcalfe, L. A., Herbert, S. D., & Fanton, J. H. (2011). The role of

- family experiences and ADHD in the early development of oppositional defiant disorder. *Journal of Consulting and Clinical Psychology*, 79(6), 784–95.
- Heiden, A., Frey, R., Presslich, O., Blasbichler, T., Smetana, R., & Kasper, S. (1999). Treatment of severe mania with intravenous magnesium sulphate as a supplementary therapy. *Psychiatry Research*, 89(3), 239–46.
- Heijtz, R. D., Wang, S., Anuar, F., Qian, Y., Bjorkholm, B., Samuelsson, A., . . . Pettersson, S. (2011). Normal gut microbiota modulates brain development and behavior. *Proceedings of the National Academy of Sciences*, 108(7), 3047–52.
- Herpertz, S. C., Mueller, B., Wenning, B., Qunaibi, M., Lichterfeld, C., & Herpertz-Dahlmann, B. (2003). Autonomic responses in boys with externalizing disorders. *Journal of Neural Transmission*, 110(10), 1181–95.
- Hetrick, S., Merry, S., McKenzie, J., Sindahl, P., & Proctor, M. (2007). Selective serotonin reuptake inhibitors (SSRIs) for depressive disorders in children and adolescents. *Cochrane Database Systematic Reviews*, 18(3), CD004851.
- Hill, J. (2002). Biological, psychological and social processes in the conduct disorders. *Journal of Child Psychology and Psychiatry*, 43(1), 133–64.
- Hinshaw, S. P., Owens, E. B., Wells, K. C., Kraemer, H. C., Abikoff, H. B., Arnold, L. E., . . . Wigal, T. (2000). Family processes and treatment outcome in the MTA: Negative/ineffective parenting practices in relation to multimodal treatment. *Journal of Abnormal Child Psychology*, 28(6), 555–68.
- Hofer, M. A. (1994). Hidden regulators in attachment, separation, and loss. *Mono-graphs of the Society for Research in Child Development*, 59(2–3), 192–207.
- Hogan, D. B. (1979). *The regulation of psychotherapists (Vol. 1)*. Cambridge, MA: Ballinger.
- Honos-Webb, L. (2010). *The gift of ADHD*. Oakland, CA: New Harbinger.
- Hossain, K. J., Kamal, M. M., Ahsan, M., & Islam, S. N. (2007). Serum antioxidant micromineral (Cu, Zn, Fe) status of drug dependent subjects: Influence of illicit drugs and lifestyle. *Substance Abuse, Treatment and Prevention Policy*, 2(1), 12.
- Howard, M. O., Perron, B. E., Sacco, P., Ilgen, M., Vaughn, M. G., Garland, E., & Freedentahl, S. (2010). Suicide ideation and attempts among inhalant users: Results from the national epidemiologic survey on alcohol and related conditions. *Suicide and Life-Threatening Behavior*, 40(3), 276–86.
- Howard, M. O., Perron, B. E., Vaughn, M. G., Bender, K. A., & Garland, E. (2010). Inhalant use, inhalant-use disorders, and antisocial behavior: Findings from the National Epidemiologic Survey on Alcohol and Related Conditions (NESARC). *Journal of Studies on Alcohol and Drugs*, 71(2), 201–9.
- Hoza, B. (2007). Peer functioning in children with ADHD. *Journal of Pediatric Psychology*, 32(2), 655–63.
- Hoza, B., Mrug, S., Gerdes, A. C., Hinshaw, S. P., Bukowski, W. M., Gold, J. A., Kraemer, H. C., . . . Arnold, L. E. (2005). What aspects of peer relationships are impaired in children with attention-deficit/hyperactivity disorder? *Journal of Consulting and Clinical Psychology*, 73(3), 411–23.

- Hsu, C. L., Lin, C. Y., Chen, C. L., Wang, C. M., & Wong, M. K. (2009). The effects of a gluten and casein-free diet in children with autism: A case report. *Chang Gung Medical Journal*, *32*(4), 459–65.
- Hubner, W. D., & Kirste, T. (2001). Experience with St John's wort (*hypericum perforatum*) in children under 12 years with symptoms of depression and psychovegetative disturbances. *Phytotherapy Research: PTR*, *15*(4), 367–70.
- Hughes, A. A., Lourea-Waddell, B., & Kendall, P. C. (2008). Somatic complaints in children with anxiety disorders and their unique prediction of poorer academic performance. *Child Psychiatry and Human Development*, *29*(2), 211–20.
- Hurst, E., Lofthouse, N., & Arnold, E. (2010). Non-ingestible alternative and complementary treatments for ADHD. In B. Hoza & S. Evans (Eds.), *Treating attention-deficit disorder*. Kingston, NJ: Civic Research Institute.
- Insel, B. J., Schaefer, C. A., McKeague, I. W., Susser, E. S., & Brown, A. S. (2008). Maternal iron deficiency and the risk of schizophrenia in offspring. *Archives of General Psychiatry*, *65*(10), 1136–44.
- Jacka, F. N., Kremer, P. J., Berk, M., de Silva-Sanigorki, A. M., Moodie, M., Leslie, E. R., . . . Swinburn, B. A. (2011). A prospective study of diet quality and mental health in adolescents. *PLoS*, *6*(9), e24805.
- Jacka, F. N., Mykletun, A., Berk, M., Bjelland, I., & Tell, G. S. (2011). The association between habitual diet quality and the common mental disorders in community-dwelling adults: The Hordaland health study. *Psychosomatic Medicine*, *73*(6), 483–90.
- Jacka, F. N., Overland, S., Stewart, R., Tell, G. S., Bjelland, I., & Mykletun, A. (2009). Association between magnesium intake and depression and anxiety in community-dwelling adults: The Hordaland health study. *Australian and New Zealand Journal of Psychiatry*, *43*(1), 45–52.
- Jacka, F. N., Pasco, J. A., Mykletun, A., Williams, L. J., Hodge, A. M., O'Reilly, S. L., . . . Berk, M. (2010). Association of Western and traditional diets with depression and anxiety in women. *American Journal of Psychiatry*, *167*(3), 305–11.
- Jacka, F. N., Pasco, J. A., Mykletun, A., Williams, L. J., Nicholson, G. C., Kotowicz, M. A., & Berk, M. J. (2011). Diet quality in bipolar disorder in a population-based sample of women. *Affective Disorders*, *129*(1–3), 332–37.
- James, A., Soler, A., & Weatherall, R. (2005). Cognitive behavioural therapy for anxiety disorders in children and adolescents. *Cochrane Database of Systematic Reviews*, *4*, CD004690.
- Janssen, P. A., Demorest, L. C., & Whynot, E. M. (2005). Acupuncture for substance abuse treatment in the downtown eastside of Vancouver. *Journal of Urban Health*, *82*(2), 285–95.
- Jensen, P. S., Arnold, L. E., Swanson, J. M., Vitiello, B., Abikoff, H. B., Greenhill, L. L., . . . Hur, K. (2007). 3-year follow-up of the NIMH MTA study. *Journal of the American Academy of Child and Adolescent Psychiatry*, *46*(8), 989–1002.
- Jensen, P. S., Kettle, L., Roper, M. T., Sloan, M. T., Dulcan, M. K., Hoven, C., . . . Payne, J. D. (1999). Are stimulants overprescribed? Treatment of ADHD in four

- U.S. communities. *Journal of the American Academy of Child and Adolescent Psychiatry*, 38(7), 797–804.
- Jones, N. A., Field, T., & Almeida, A. (2009). Right frontal EEG asymmetry and behavioral inhibition in infants of depressed mothers. *Infant Behavior and Development*, 32, 298–304.
- Jones, V., & Prior, M. (1985). Motor imitation abilities and neurological signs in autistic children. *Journal of Autism and Developmental Disorders*, 15(1), 37–46.
- Jorde, R., Sneve, M., Figenschau, Y., Svartberg, J., & Waterloo, K. (2008). Effects of Vitamin D supplementation on symptoms of depression in overweight and obese subjects: Randomized double blind trial. *Journal of Internal Medicine*, 264(6), 599–609.
- Joseph, J. (2003). *The gene illusion: Genetic research in psychiatry and psychology under the microscope*. Herefordshire: PCCS Books.
- Jung, C. (1933). *Modern man in search of a soul*. New York: Harcourt.
- Jung, C. (1939). *The integration of the personality*. New York: Farrar and Rinehart.
- Jung, C. (1971). *Psychological types*. Princeton, NJ: Princeton University Press. (Original work published 1921)
- Kaati, G., Bygren, L. O., Pembrey, M., & Sjostrom, M. (2007). Transgenerational response to nutrition, early life circumstances and longevity. *European Journal of Human Genetics*, 15(7), 784–90.
- Kahn, E. & Cohen, L. H. (1934). Organic drivenness: A brain stem syndrome and an experience with case reports. *New England Journal of Medicine*, 210, 748–756.
- Kaplan, B. J., Crawford, S. G., Field, C. J., & Simpson, J. S. (2007). Vitamins, minerals, and mood. *Psychological Bulletin*, 133(5), 747–60.
- Kaplan, G. A., Wilson, T. W., Cohen, R. D., Kauhanen, J., Wu, M., & Salonen, J. T. (1994). Social functioning and overall mortality: Prospective evidence from the Kuopio Ischemic heart disease risk factor study. *Epidemiology*, 5(5), 495–500.
- Kaplan, H., & Sadock, B. (1985). *Comprehensive textbook of psychiatry*. Baltimore, MD: Williams and Wilkins.
- Karasu, T. B. (1977). Psychotherapies: An overview. *American Journal of Psychiatry*, 134(8), 851–63.
- Karasu, T. B. (1979). Toward unification of psychotherapies: A complementary model. *American Journal of Psychotherapy*, 33(4), 555–63.
- Karasu, T. B. (1982). *APA Commission on psychotherapies: Psychotherapy research, methodological, and efficacy issues*. Washington, DC: APA Press.
- Karasu, T. B. (1999). Spiritual psychotherapy. *American Journal of Psychotherapy*, 53(2), 145.
- Karlsson, H., Blomstrom, A., Wicks, S., Yang, S., Yolken, R. H., & Dalman, C. (2012). Maternal antibodies to dietary antigens and risk for nonaffective psychosis in offspring. *American Journal of Psychiatry*, 169(6), 625–32.

- Kasper, S., Volz, H. P., Moller, H. J., Dienel, A., & Kieser, M. (2008). Continuation and long-term maintenance treatment with hypericum extract WS 5570 after recovery from an acute episode of moderate depression—a double-blind, randomized, placebo-controlled long-term trial. *European Neuropsychopharmacology*, *18*(11), 803–13.
- Katz, M., Levine, A. A., Kol-Degani, H., & Kav-Venaki, L. (2010). A compound herbal preparation (CHP) in the treatment of children with ADHD: A randomized controlled trial. *Journal of Attention Disorders*, *14*(3), 281–91.
- Kaufman, S. (1995). *At home in the universe: The search for the laws of self-organization and complexity*. New York: Oxford University Press.
- Kendall, P. C., Safford, S., Flannery-Schroeder, E., & Webb, A. (2004). Child anxiety treatment: Outcomes in adolescence and impact on substance use and depression at 7.4-year follow-up. *Journal of Consulting and Clinical Psychology*, *72*(2), 276–87.
- Kessler, R. C., Aguilar-Gaxiola, S., Alonso, J., Chatterji, S., Lee, S., Ormel, J., . . . Wang, P. S. (2009). The global burden of mental disorders: An update from the WHO world mental health (WMH) surveys. *Epidemiologia e Psichiatria Sociale*, *18*(1), 23–33.
- Kessler, R. C., & Walters, E. E. (1998). Epidemiology of DSM-III-R major depression and minor depression among adolescents and young adults in the national Comorbidity Survey. *Depression and Anxiety*, *7*(1), 3–14.
- Khan, A., Faucett, J., Lichtenberg, P., Kirsch, I., & Brown, W. A. (2012). A systematic review of comparative efficacy of treatments and controls for depression. *PLoS One*, *7*(7), e41778.
- Kirsch, I. (2009). *The emperor's new drugs: Exploding the antidepressant myth*. New York: Basic Books.
- Kirsch, I., Deacon, B. J., Huedo-Medina, T. B., Scoboria, A., Moore, T. J., & Johnson, B. T. (2008). Initial severity and antidepressant benefits: A meta-analysis of data submitted to the Food and Drug Administration. *PLoS Medicine*, *5*(2), e45.
- Klingberg, T. (2010). Training and plasticity of working memory. *Trends in Cognitive Science*, *14*(7), 317–24.
- Klingberg, T., Fernell, E., Olesen, P. J., Johnson, M., Gustafsson, P., Dahlstrom, K., . . . Westerberg, H. (2005). Computerized training of working memory in children with ADHD—a randomized, controlled trial. *Journal of the American Academy of Child and Adolescent Psychiatry*, *44*(2), 177–86.
- Kobasa, S. C., Maddi, S. R., & Courington, S. (1981). Personality and constitution as mediators in the stress-illness relationship. *Journal of Health and Social Behavior*, *22*(4), 368–378.
- Kochupillai, V., Kumar, P., & Singh, D. (2005). Effect of rhythmic breathing (Sudarshan Kriya and Pranayam) on immune functions and tobacco addiction. *Annals of the New York Academy of Sciences*, *1056*, 242–52.
- Koenig, H. (2012). *Handbook of religion and health*. New York: Oxford University Press.

- Konichezky, A., & Gothelf, D. (2011). Somatoform disorders in children and adolescents. *Harefuah, 150*(2), 180–84, 203.
- Kopas, A. (2010). SSRI prescription rates for young people in Australia. S. Hetrick (Ed.), *Pharmaceutical Benefits Division, Department of Health and Ageing*. Canberra, Australia.
- Koran, L. M., Aboujaoude, E., & Gamel, N. N. (2009). Double-blind study of dextroamphetamine versus caffeine augmentation for treatment-resistant obsessive-compulsive disorder. *Journal of Clinical Psychiatry, 70*(11), 1530–35.
- Korte, S. M. (2001). Corticosteroids in relation to fear, anxiety and psychopathology. *Neuroscience and Biobehavioral Reviews, 25*(2), 117–42.
- Kovacs, M., & Lopez-Duran, N. L. (2010). Prodromal symptoms and atypical affectivity as predictors of major depression in juveniles: Implications for prevention. *Journal of Child Psychology and Psychiatry, 51*(4), 472–96.
- Kraemer, M., Uekermann, J., Wiltfang, J., & Kis, B. (2010). Methylphenidate-induced psychosis in adult attention-deficit/hyperactivity disorder: Report of 3 new cases and review of the literature. *Clinical Neuropharmacology, 33*(4), 204–6.
- Kripke, D. F., Langer, R. D., & Kline, L. E. (2012). Hypnotics' association with mortality or cancer: A matched cohort study. *BMJ Open, 2*:e000850.
- Kruisdijk, F. R., Hendriksen, I. J., Tak, E. C., Beekman, A. T., & Hopman-Rock, M. (2012). Effect of running therapy on depression (EFFORT-D). Design of randomised controlled trial in adult patients [ISRCTN 1894]. *BMC Public Health, 12*, 50.
- Kuo, F. E., & Taylor, A. F. (2004). A potential natural treatment for attention-deficit/hyperactivity disorder: Evidence from a national study. *American Journal of Public Health, 94*(9), 1580–86.
- Kupfer, D. J. (1998). Stressful life events and social rhythm disruption in the onset of manic and depressive bipolar episodes: A preliminary investigation. *Archives of General Psychiatry, 55*(8), 702–7.
- Lahey, B. B. (1990). Comparison of DSM-III and DSM-III-R diagnosis for prepubertal children. *Journal of the American Academy of Child and Adolescent Psychiatry, 29*(4), 620–26.
- Laible, D., Panfile, T., & Makariev, D. (2008). The quality and frequency of mother-toddler conflict: Links with attachment and temperament. *Child Development, 79*(2), 426–43.
- Laplante, D. P., Barr, R. G., Brunet, A., Galbaud du Fort, G., Meaney, M. L., Saucier, J. F., . . . King, S. (2004). Stress during pregnancy affects general intellectual and language functioning in human toddlers. *Pediatric Research, 56*(3), 400–10.
- Larson, J. M. (1992). *Seven weeks to sobriety*. New York: Random House.
- Lawlor, D. A., Ronalds, G., Clark, H., Smith, G. D., & Leon, D. A. (2005). Birth weight is inversely associated with incident coronary heart disease and stroke among individuals born in the 1950s: Findings from the Aberdeen children of the 1950s prospective cohort study. *Circulation, 112*(10), 1414–18.

- Lazarus, R. (1966). *Psychological stress and the coping process*. New York: McGraw-Hill.
- Lebowitz, E. R., Panza, K. E., Su, J., & Bloch, M. H. (2012). Family accommodation in obsessive-compulsive disorder. *Expert Review of Neurotherapeutics*, *12*(2), 229–38.
- Leboyer, M., Soreca, I., Scott, J., Frye, M., Henry, C., Tamouza, R., & Kupfer, D. J. (2012). Can bipolar disorder be viewed as a multi-system inflammatory disease? *Journal of Affective Disorders*, *141*(1), 1–10.
- Lee, E., Teschemaker, A. R., Johann-Liang, R., Bazemore, G., Yoon, M., Shim, K. S., . . . Wutoh, A. K. (2012). Off-label prescribing patterns of antidepressants in children and adolescents. *Pharmacoepidemiology and Drug Safety*, *21*(2), 137–44.
- Lerner, R. M. (1986). *Concepts and theories of human development* (2nd ed.). New York: Random House.
- Leslie, D. L., & Rosenheck, R. (2012). Off-label use of antipsychotic medications in Medicaid. *American Journal of Managed Care*, *18*(3), e109–17.
- Leveille, S. G., Guralnik, J. M., Ferrucci, L., & Langlois, J. A. (1999). Aging successfully until death in old age: Opportunities for increasing active life expectancy. *American Journal of Epidemiology*, *149*(7), 654–64.
- Levine, M. (2006). *The price of privilege: How parental pressure and material advantage are creating a generation of disconnected and unhappy kids*. New York: HarperCollins.
- Linde, K., Berner, M. M., & Kriston, L. (2008). St John's wort for major depression. *Cochrane Database of Systematic Reviews*, (4), CD000448.
- Lionetti, E., Francavilla, R., Maiuri, L., Ruggieri, M., Spina, M., Pavone, P., . . . Pavone, L. (2009). Headache in pediatric patients with celiac disease and its prevalence as a diagnostic clue. *Journal of Pediatric Gastroenterology and Nutrition*, *49*(2), 202–7.
- Liu, Z., Li, N., & Neu, J. (2005). Tight junctions, leaky intestines, and pediatric diseases. *Acta Paediatrica*, *94*(4), 386–93.
- Llinás, R. (2001). *I of the vortex: From neurons to self*. Boston: MIT Press.
- Loe, I. M., Balestrino, M. D., Phelps, R. A., Kurs-Lasky, M., Chaves-Gnecco, D., Paradise, J. L., & Feldman, H. M. (2008). Early histories of school-aged children with attention-deficit/hyperactivity disorder. *Child Development*, *79*(6), 1853–68.
- Lofthouse, N., Arnold, L. E., Hersch, S., Hurt, E., & Debeus, R. (2012). A review of neurofeedback treatment for pediatric ADHD. *Journal of Attention Issues*, *16*(5), 351–72.
- Lopez-Duran, N. L., Kovacs, M., & George, C. J. (2009). Hypothalamic-pituitary-adrenal axis dysregulation in depressed children and adolescents: A meta-analysis. *Psychoneuroendocrinology*, *34*(9), 1272–83.
- Lord, S., & Marsch, L. (2011). Emerging trends and innovations in the identifica-

- tion and management of drug use among adolescents and young adults. *Adolescent Medicine: State of the Art Reviews*, 22(3), 649–69, xiv.
- Lu, C., Toepel, K., Irish, R., Fenske, R. A., Barr, D. B., & Bravo, R. (2006). Organic diets significantly lower children's dietary exposure to organophosphorus pesticides. *Environmental Health Perspectives*, 114(2), 260–3.
- Lutz, A., Slagter, H. A., Rawlings, N. B., Francis, A. D., Greischar, L. L., & Davidson, R. J. (2009). Mental training enhances attentional stability: Neural and behavioral evidence. *Journal of Neuroscience*, 29(42), 13418–27.
- Luxton, D. D., Greenburg, D., Ryan, J., Niven, A., Wheeler, G., & Mysliwiec, V. (2011). Prevalence and impact of short sleep duration in redeployed OIF soldiers. *Sleep*, 34(9), 1189–95.
- Mabe, P. A., & Josephson, A. M. (2004). Child and adolescent psychopathology: Spiritual and religious perspectives. *Child and Adolescent Psychiatric Clinics of North America*, 13(1), 111–25, vii–viii.
- Mahoney, D. (2011). Sleep debt takes toll on health, relationships: Insufficient shut-eye linked to ADHD symptoms, genetic risk of obesity, and marital discontent. *Clinical Psychiatry News*, 40(1).
- Main, M., & Goldwyn, R. (1994). *Adult attachment rating and classification system, manual in draft: Version 6.0*. [Unpublished manuscript.] University of California at Berkeley.
- Malina, R. M. (1996). Tracking of physical activity and physical fitness across the lifespan. *Research Quarterly for Exercise and Sport*, 67(3 Suppl), S48–S57.
- Malkoff-Schwartz, S., Frank, E., Anderson, B., Sherrill, J. T., Siegel, L., Patterson, D., & Murck, H. (2002). Magnesium and affective disorders. *Nutritional Neuroscience*, 5(6), 375–89.
- Mancebo, M. C., Garcia, A. M., Pinto, A., Freeman, J. B., Przeworski, A., Stout, R., . . . Rasmussen, S. A. (2008). Juvenile-onset OCD: Clinical features in children, adolescents and adults. *Acta Psychiatrica Scandinavica*, 118(2), 149–59.
- March, J., Silva, S., Petrycki, S., Curry, J., Wells, K., Fairbank, J., . . . Severe, J. (2004). Fluoxetine, cognitive-behavioral therapy, and their combination for adolescents with depression: Treatment for adolescents with depression study (TADS) randomized controlled trial. *Journal of the American Medical Association*, 292(7), 807–20.
- March, J. S., Silva, S., Petrycki, S., Curry, J., Wells, K., Fairbank, J., . . . Severe, J. (2007). The treatment for adolescents with depression study (TADS): Long-term effectiveness and safety outcomes. *Archives of General Psychiatry*, 64(10), 1132–43.
- Marco, E. M., Adriani, W., Ruocco, L. A., Canese, R., Sadile, A. G., & Laviola, G. (2011). Neurobehavioral adaptations to methylphenidate: The issue of early adolescent exposure. *Neuroscience and Biobehavioral Reviews*, 35(8), 1722–39.
- Margolin, A., Kleber, H. D., & Avants, S. K. (2002). Acupuncture for the treatment

- of cocaine addiction: A randomized controlled trial. *Journal of the American Medical Association*, 287(1), 55–63.
- Marshall, R. D., Olfson, M., Hellman, F., Blanco, C., Guardino, M., & Struening, E. L. (2001). Comorbidity, impairment, and suicidality in subthreshold PTSD. *American Journal of Psychiatry* 158(9), 1467–73.
- Martin, Andres, & Volkmar, Fred R. (Eds.). (2007). *Lewis's child and adolescent psychiatry: A comprehensive textbook* (4th ed.). New York: Lippincott Williams & Wilkins.
- Martinez, W., Carter, J. S., & Legato, L. J. (2011). Social competence in children with chronic illness: A meta-analytic review. *Journal of Pediatric Psychology*, 36(8), 878–90.
- Maslow, A. (1993). *The farther reaches of human nature*. New York: Penguin/Arkana.
- Massat, I., & Victoor, L. (2008). Early bipolar disorder and ADHD: Differences and similarities in pre-pubertal and early adolescence. *Clinical Approaches to Bipolar Disorder*, 6, 20–28.
- Mataix-Cols, D., Nakatani, E., Micali, N., & Heyman, I. (2008). Structure of obsessive-compulsive symptoms in pediatric OCD. *Journal of the American Academy of Child and Adolescent Psychiatry*, 47(7), 773–78.
- May, R. (1958). *Man's search for himself*. New York: Norton.
- Mayberg, H. S., Silva, J. A., Brannan, S. K., Tekell, J. L., Mahurin, R. K., McGinnis, S., . . . & Jerabek, P. A. (2002). The functional neuroanatomy of the placebo effect. *American Journal of Psychiatry*, 159(5), 728–37.
- McCabe, S. E., West, B. T., Teter, C. J., Cranford, J. A., Ross-Durow, P. L., & Boyd, C. J. (2012). Adolescent nonmedical users of prescription opioids: Brief screening and substance use disorders. *Addictive Behaviors*, 37(5), 651–56.
- McCann, D., Barrett, A., Cooper, A., Crumpler, D., Dalen, L., Grimshaw, K., . . . Stevenson, J. (2007). Food additives and hyperactive behaviour in 3-year-old and 8/9-year-old children in the community: A randomised, double-blinded, placebo-controlled trial. *Lancet*, 370(9598), 1560–67.
- McCarty, D. (2007, May 5). Substance abuse treatment benefits and costs. Substance Abuse Policy Research Program. Retrieved from <http://www.rwjf.org/en/research-publications/find-rwjf-research/2007/05/substance-abuse-treatment-benefits-and-costs.html>
- McCrory, E., De Brito, S. A., & Viding, E. (2011). The impact of childhood maltreatment: A review of neurobiological and genetic factors. *Frontiers in Psychiatry/Frontiers Research Foundation*, 2, 48.
- McCrory, E., De Brito, S. A., & Viding, E. (2012). The link between child abuse and psychopathology: A review of neurobiological and genetic research. *Journal of the Royal Society of Medicine*, 105(4), 151–56.
- McDonagh, M. S., Christensen, V., Peterson, K., & Thakurta, S. (2007). Drug class review on pharmacologic treatments for ADHD. Portland, OR: Oregon Health

- and Science University. Retrieved from http://www.rx.wa.gov/documents/adhd_final_report_update3_1009.pdf
- McGowan, P. O., Sasaki, A., D'Alessio, A. C., Dymov, S., Labonte, B., Szyf, M., . . . Meaney, M. J. (2009). Epigenetic regulation of the glucocorticoid receptor in human brain associates with childhood abuse. *Nature Neuroscience*, *12*(3), 342–48.
- McHenry, L. (2006). Ethical issues in psychopharmacology. *Journal of Medical Ethics*, *32*(7), 405–10.
- McNamara, R. K., Nandagopal, J. J., Strakowski, S. M., DelBello, M. P. (2010). Preventative strategies for early-onset bipolar disorder: Towards a clinical staging model. *CNS Drugs*, *24*(12), 983–96.
- McNeill, C. (2012, July 7). CMS survey finds suicidal thoughts, bullying, binge drinking on the rise. *Charlotte Observer*. Retrieved from charlotteobserver.com/2012/07/05/3368849/cms-survey-finds-suicidal-thoughts.html
- McPheeters, M. L., Warren, Z., Sathe, N., Bruzek, J. L., Krishnaswami, S., Jerome, R. N., & Veenstra-Vanderweele, J. (2011). A systematic review of medical treatments for children with autism spectrum disorders. *Pediatrics*, *127*(5), e1312–21.
- Mead, G. E., Morley, W., Campbell, P., Greig, C. A., McMurdo, M., & Lawlor, D. A. (2009). Exercise for depression. *Cochrane Database of Systematic Reviews*, *3*, CD004366.
- Mehl-Madrona, L., Leung, B., Kennedy, C., Paul, S., & Kaplan, B. J. (2010). Micro-nutrients versus standard medication management in autism: A naturalistic case-control study. *Journal of Child and Adolescent Psychopharmacology*, *20*(2), 95–103.
- Meier, M. H., Caspi, A., Ambler, A., Harrington, H., Houts, R., Keefe, R. S., . . . Moffitt, T. E. (2012). Persistent cannabis users show neuropsychological decline from childhood to midlife. *Proceedings of the National Academy of Sciences*, *109*(40), 32657–64.
- Merikangas, K. R., He, J. P., Burstein, M., Swanson, S. A., Avenevoli, S., Cui, L., . . . Swendsen, J. (2010). Lifetime prevalence of mental disorders in U.S. adolescents: Results from the national comorbidity survey replication—adolescent supplement (NCS-A). *Journal of the American Academy of Child and Adolescent Psychiatry*, *49*(10), 980–89.
- Meyer, T. D., Kofmann-Böhm, S., & Schlottke, P. F. (2004). Do child psychiatrists in Germany diagnose bipolar disorders in children and adolescents? Results from a survey. *Bipolar Disorders*, *6*(5), 426–31.
- Micheva, K. D., Busse, B., Weiler, N. C., O'Rourke, N., & Smith, S. J. (2010). Single synapse analysis of a diverse synapse population: Proteomic imaging methods and markers. *Neuron*, *68*(4), 639–53.
- Mignot, E. (2012). Message from the director. Stanford Center for Sleep Sciences and Medicine. Retrieved from <http://sleep.stanford.edu/>
- Miklowitz, D. J., George, E. L., Axelson, D. A., Kim, E. Y., Birmaher, B., Schneck,

- C., . . . Brent, D. A. (2004). Family-focused treatment for adolescents with bipolar disorder. *Journal of Affective Disorders*, *82*(suppl), S113–28.
- Miller, P. (2012, January). A thing or two about twins. *National Geographic*. Retrieved from <http://ngm.nationalgeographic.com/2012/01/twins/miller-text>
- Miller, W., & Thoresen, C. E. (2003). Spirituality, religion and health. *American Psychologist*, *58*(1), 24–35.
- Milne, D. B. (2000). *Lab assessment of trace elements and minerals*. Totowa, NJ: Humana Press.
- Miodownik, C., Maayan, R., Ratner, Y., Lerner, V., Pintov, L., Mar, M., . . . Ritsner, M. S. (2011). Serum levels of brain-derived neurotrophic factor and cortisol to sulfate of dehydroepiandrosterone molar ratio associated with clinical response to L-theanine as augmentation of antipsychotic therapy in schizophrenia and schizoaffective disorder patients. *Clinical Neuropharmacology*, *34*(4), 155–60.
- Miranda, J. K., de la Osa, N., Granero, R., & Ezpeleta, L. (2011). Maternal experiences of childhood abuse and intimate partner violence: Psychopathology and functional impairment in clinical children and adolescents. *Child Abuse and Neglect*, *35*(9), 700–11.
- Mischel, W., Ayduk, O., Berman, M. G., Casey, B. J., Gotlib, I. H., Jonides, J., . . . Shoda, Y. (2011). “Willpower” over the life span: Decomposing self-regulation. *Social Cognitive and Affective Neuroscience*, *6*(2), 252–56.
- Mischel, W., Ebbesen, E. B., & Zeiss, A. R. (1972). Cognitive and attentional mechanisms in delay of gratification. *Journal of Personality and Social Psychology*, *21*(2), 204–18.
- Mojtabai, R., & Olfson, M. (2011). Proportion of antidepressants prescribed without a psychiatric diagnosis is growing. *Health Affairs*, *30*(8), 1434–42.
- Molina, B. S., Hinshaw, S. P., Swanson, J. M., Arnold, L. E., Vitiello, B., Jensen, P. S . . . Houck, P. R. (2009). The MTA at 8 years: Prospective follow-up of children treated for combined-type ADHD in a multisite study. *Journal of the American Academy of Child and Adolescent Psychiatry*, *48*(5), 484–500.
- Moll, G. H., Hause, S., Ruther, E., Rothenberger, A., & Huether, G. (2001). Early methylphenidate administration to young rats causes a persistent reduction in the density of striatal dopamine transporters. *Journal of Child and Adolescent Psychopharmacology*, *11*(1), 15–24.
- Monteggia, L. M., Barrot, M., Powell, C. M., Berton, O., Galanis, V., Gemelli, T., . . . Nestler, E. J. (2004). Essential role of brain-derived neurotrophic factor in adult hippocampal function. *Proceedings of the National Academy of Sciences*, *101*(29), 10827–32.
- Montes, G., & Halterman, J. S. (2008). Association of childhood autism spectrum disorders and loss of family income. *Pediatrics*, *121*(4), e821–26.
- Moreno, C., Laje, G., Blanco, C., Jiang, H., Schmidt, A. B., & Olfson, M. (2007). National trends in the outpatient diagnosis and treatment of bipolar disorder in youth. *Archives of General Psychiatry*, *64*, 1032–39.

- Moretti, G., Pasquini, M., Mandarelli, G., Tarsitani, L., & Biondi, M. (2008). What every psychiatrist should know about PANDAS: A review. *Clinical Practice and Epidemiology in Mental Health*, 4, 13.
- Morrissey, M. J., Duntley, S. P., Anch, A. M., & Nonneman, R. (2004). Active sleep and its role in the prevention of apoptosis in the developing brain. *Medical Hypotheses*, 62(6), 876–79.
- M'Rabet, L., Vos, A. P., Boehm, G., & Garssen, J. (2008). Breast-feeding and its role in early development of the immune system in infants: Consequences for health later in life. *Journal of Nutrition*, 138(9), 1782S–90S.
- MTA Cooperative Group. (1999). The multimodal treatment study of children with ADHD (MTA). *Archives of General Psychiatry*, 56(12), 1073–86.
- Muller, S. F., & Klement, S. (2006). A combination of valerian and lemon balm is effective in the treatment of restlessness and dyssomnia in children. *Phytomedicine*, 13(6), 383–87.
- Murck, H. (2002). Magnesium and affective disorders. *Nutritional Neuroscience*, 5(6), 375–89.
- Murphy, P. K., & Wagner, C. L. (2008). Vitamin D and mood disorders among women: An integrative review. *Journal of Midwifery and Women's Health*, 53(5), 440–46.
- National Institute on Drug Abuse. (2011). Monitoring the future survey, Overview of Findings 2011. Retrieved from <http://www.drugabuse.gov/related-topics/trends-statistics/monitoring-future/overview-findings-2011>
- National Sleep Foundation. (2004). Survey Data. Retrieved from sleepfoundation.org/sites/default/files/FINAL%20SOF%202004.pdf
- Nazrul Islam, S. K., Jahangir Hossain, K., & Ahsan, M. (2001). Serum Vitamin E, C and a status of the drug addicts undergoing detoxification: Influence of drug habit, sexual practice and lifestyle factors. *European Journal of Clinical Nutrition*, 55(11), 1022–27.
- Neki, J. S. (1973). Guru-Chela Relationship: The possibility of a therapeutic paradigm. *American Journal of Orthopsychiatry*, 43(5), 755–66.
- Nestadt, G., Lan, T., Samuels, J., Riddle, M., Bienvenu, O. J., 3rd, Liang, K. Y., . . . Shugart, Y. Y. (2000). Complex segregation analysis provides compelling evidence for a major gene underlying obsessive-compulsive disorder and for heterogeneity by sex. *American Journal of Human Genetics*, 67(6), 1611–16.
- Niederhofer, H., & Pittschieler, K. (2006). A preliminary investigation of ADHD symptoms in persons with celiac disease. *Attention Disorders*, 10(2), 200–4.
- Nierenberg, A. A., Ostacher, M. J., Calabrese, J. R., Ketter, T. A., Marangell, L. B., Miklowitz, D. J., . . . Sachs, G. S. (2006). Treatment-resistant bipolar depression: A STEP-BD equipose randomized effectiveness trial of antidepressant augmentation with Lamotrigine, Inositol, or Risperidone. *American Journal of Psychiatry*, 163(2), 210–16.
- Nierenberg, A. A., Kansky, C., Brennan, B. P., Shelton, R. C., Perlis, R., & Iosifescu, D. V. (2013, January). Mitochondrial modulators for bipolar disorder: A patho-

- physiologically informed paradigm for new drug development. *Australian and New Zealand Journal of Psychiatry*, 47(1), 26–42.
- Nugent, N. R., Tyrka, A. R., Carpenter, L. L., & Price, L. H. (2011). Gene-environment interactions: Early life stress and risk for depressive and anxiety disorders. *Psychopharmacology*, 214(1), 175–96.
- Ogata, S. N., Silk, K. R., Goodrich, S., Lohr, N. E., Westen, D., & Hill, E. M. (1990). Childhood sexual and physical abuse in adult patients with borderline personality disorder. *American Journal of Psychiatry*, 147(8), 1008–13.
- Okun, M. A., August, K. J., Rook, K. S., & Newsom, J. T. (2010). Does volunteering moderate the relation between functional limitations and mortality? *Social Science and Medicine*, 71(9), 1662–68.
- Olino, T. M., Lopez-Duran, N. L., Kovacs, M., George, C. J., Gentzler, A. L., & Shaw, D. S. (2009). Developmental trajectories of positive and negative affect in children at high and low familial risk for depression. *Journal of Child Psychology and Psychiatry*, 52(7), 792–99.
- Olson, S. L., Bates, J. E., Sandy, J. M., & Lanthier, R. (2000). Early developmental precursors of externalizing behavior in middle childhood and adolescence. *Journal of Abnormal Child Psychology*, 28(2), 199–233.
- Ornish, D. (1998). *Love and survival*. New York: Harper Collins.
- Ortega, F. B., Ruiz, J. R., Castillo, M. J., & Sjostrom, M. (2007). Physical fitness in childhood and adolescence: A powerful marker of health. *International Journal of Obesity*, 32(1), 1–11.
- Osler, W. (1902, September 17). Address to the Canadian Medical Association, Montreal. *Montreal Medical Journal*, XXXI, 132.
- Ospina, M. B., Krebs Seida, J., Clark, B., Karkhaneh, M., Hartling, L., Tjosvold, L., . . . Smith, V. (2008). Behavioural and developmental interventions for autism spectrum disorder: A clinical systematic review. *PLoS One*, 3(11), e3755.
- Page, A. N., Swannell, S., Martin, G., Hollingworth, S., Hickie, I. B., & Hall, W. D. (2009). Sociodemographic correlates of antidepressant utilization in Australia. *Medical Journal of Australia*, 190(9), 479–83.
- Palatnik, A., Frolov, K., Fux, M., & Benjamin, J. (2001). Double-blind, controlled, crossover trial of inositol versus fluvoxamine for the treatment of panic disorder. *Journal of Clinical Psychopharmacology*, 21(3), 335–39.
- Parfitt, G., Pavey, T., & Rowlands, A. V. (2009). Children's physical activity and psychological health: The relevance of intensity. *Acta Paediatrica*, 98(6), 1037–43.
- Pargament, K. (1997). *The psychology of religion and coping: Theory, research, practice*. New York: Guilford.
- Parker-Pope, T. (2012, April 22). Well, it ain't me. *New York Times Magazine*.
- Parlak Gurol, A., Polat, S., & Akcay, M. N. (2010). Itching, pain, and anxiety levels are reduced with massage therapy in burned adolescents. *Journal of Burn Care and Research*, 13(3), 420–32.
- Parloff, M. B., Waskow, I. E., & Wolfe, B. E. (1978). Research on therapist variables in relation to process and outcome. In S. L. Garfield and A. E. Bergin (Eds.),

- Handbook of psychotherapy and behavior change: An empirical analysis* (2nd ed.). New York: Wiley.
- Parracho, H. M., Bingham, M. O., Gibson, G. R., & McCartney, A. L. (2005). Differences between the gut microflora of children with autistic spectrum disorders and that of healthy children. *Journal of Medical Microbiology*, *54*(pt.10), 987–91.
- Parry, P., & Allison, S. (2008). Paediatric bipolar disorder. *Australasian Psychiatry: Bulletin of Royal Australian and New Zealand College of Psychiatrists*, *16*(4), 293.
- Parry, P., Furbe, G., & Allison, S. (2009). The pediatric bipolar hypothesis: The view from Australia and New Zealand. *Child and Adolescent Mental Health* *14*(3), 140–47.
- Pasco, J. A., Nicholson, G. C., Williams, L. J., Jacka, F. N., Henry, M. J., Kotowicz, M. A., . . . Berk, M. (2010). Association of high-sensitivity C-reactive protein with de Novo major depression. *British Journal of Psychiatry*, *197*(5), 372–77.
- Paul, G. L. (1967). Strategy of outcome research in psychotherapy. *Journal of Consulting Psychology*, *31*(2), 109–19.
- Paulson, J. F., & Bazemore, S. D. (2010). Prenatal and postpartum depression in fathers and its association with maternal depression: A meta-analysis. *Journal of the American Medical Association*, *303*, 1961–69.
- Pavuluri, M. N., Birmaher, B., & Naylor, M. W. (2005). Pediatric bipolar disorder: A review of the past 10 years. *Journal of the American Academy of Child and Adolescent Psychiatry*, *44*(9), 846–71.
- Pediatric OCD Treatment Study (POTS) Team. (2004). Cognitive-behavior therapy, sertraline, and their combination for children and adolescents with obsessive-compulsive disorder: The pediatric OCD treatment study (POTS) randomized controlled trial. *Journal of the American Medical Association*, *292*(16), 1969–76.
- Peeke, S., Halliday, R., Callaway, E., Prael, R., & Reus, V. (1984). Effects of two doses of methylphenidate on verbal information processing in hyperactive children. *Journal of Clinical Psychopharmacology*, *4*(2), 82–88.
- Pelham, W. (2008, August). Beyond the MTA: Multimodal treatment of ADHD. Presentation at the meeting of the American Psychological Association in Boston, MA. Retrieved from http://ccf.buffalo.edu/pdf/Pelham_APA2008.pdf
- Pelsser, L. M., Frankena, K., Toorman, J., Savelkoul, H. F., Dubois, A. E., Pereira, R. R., . . . Buitelaar, J. K. (2011). Effects of a restricted elimination diet on the behaviour of children with attention-deficit hyperactivity disorder (INCA Study): A randomised controlled trial. *Lancet*, *377*(9764), 494–503.
- Pennesi, C. M., & Klein, L. C. (2012). Effectiveness of the gluten-free, casein-free diet for children diagnosed with autism spectrum disorder: Based on parental report. *Nutritional Neuroscience*, *15*(2), 85–91.
- Perlis, R. H., Miyahara, S., Marangell, L. B., Wisniewski, S. R., Ostacher, M., DelBello, M. P., . . . Nierenberg, A. A. (2004). Long-term implications of early onset

- in bipolar disorder: Data from the first 1000 participants in the systematic treatment enhancement program for bipolar disorder (STEP-BD). *Biological Psychiatry*, 55(9), 875–81.
- Perlmutter, S. J., Leitman, S. F., Garvey, M. A., Hamburger, S., Feldman, E., Leonard, H. L., & Swedo, S. E. (1999). Therapeutic plasma exchange and intravenous immunoglobulin for obsessive-compulsive disorder and tic disorders in childhood. *Lancet*, 354(9185), 1153–58.
- Perry, B. (2006). Applying principles of neurodevelopment to clinical work and maltreated and traumatized children: The neurosequential model of therapeutics. In N. B. Webb (Ed.), *Working with traumatized youth in child welfare* (pp. 27–52). New York: Guilford.
- Perry, B. D., & Pollard, R. (1998). Homeostasis, stress, trauma, and adaptation: A neurodevelopmental view of childhood trauma. *Child and Adolescent Psychiatric Clinics of North America*, 7(1), 33–51, viii.
- Peterson, C., & Seligman, M. (2004). *Character strength and virtues*. New York: Oxford University Press.
- Pettigrew, J. D., & Miller, S. M. (1998). A “sticky” interhemispheric switch in bipolar disorder? *Proceedings of the Royal Society of Biological Sciences*, 265(1411), 2141–48.
- Pezet, A. W. (1967). *Body, mind and sugar*. New York: Holt, Rinehart and Winston.
- Pfefferbaum, B., Seale, T. W., McDonald, N. B., Brandt, E. N., Jr., Rainwater, S. M., Maynard, B. T., . . . & Miller, P. D. (2000). Posttraumatic stress two years after the Oklahoma City bombing in youths geographically distant from the explosion. *Psychiatry*, 63(4), 358–70.
- Pittler, M. H., & Ernst, E. (2002). Kava extract for treating anxiety. *Cochrane Database of Systematic Reviews*, 2, CD003383.
- Popper, C. W. (2001). Do vitamins or minerals (apart from lithium) have mood-stabilizing effects? *Journal of Clinical Psychiatry*, 62(12), 933–35.
- Porges, S. W. (1997). Emotion: An evolutionary by-product of the neural regulation of the autonomic nervous system. *Annals of the New York Academy of Sciences*, 15(807), 62–77.
- Prince, R. (1972). Fundamental differences of psychoanalysis and faith healing. *Journal of American Psychoanalytic Association*, 27(Suppl.), 41–69.
- PRNewswire. (2008, August 5). Raising happy kids: Survey highlights the importance of teaching children good social skills. Retrieved from <http://multivu.prnewswire.com/mnr/hasbro/31656/>
- Prohaska, J. R. (1987). Functions of trace elements in brain metabolism. *Physiological Review*, 67(3), 858–901.
- Pryor, J. H., DeAngelo, L., Palucki Blake, L., Hurtado, S., & Tran, S. (2011). *The American freshman: National Norms Fall 2011*. Los Angeles: Higher Education Research Institute, UCLA.
- Pynnönen, P., Isometsä, E., Aronen, E., Verkasalo, M. A., Savilahti, E., & Aalberg,

- V. A. (2004). Mental disorders in adolescents with celiac disease. *Psychosomatics*, 45(4), 325–35.
- Pynnönen, P. A., Isometsä, E. T., Verkasalo, M. A., Kähkönen, S. A., Sipilä, I., Savilahti, E., & Aalberg, V. A. (2005). Gluten-free diet may alleviate depressive and behavioural symptoms in adolescents with celiac disease: A prospective follow-up case-series study. *BMC Psychiatry*, 5(14).
- Rabkin, J. G., McElhiney, M. C., Rabkin, R., McGrath, P. J., & Ferrando, S. J. (2006). Placebo-controlled trial of dehydroepiandrosterone (DHEA) for treatment of nonmajor depression in patients with HIV/AIDS. *American Journal of Psychiatry*, 163(1), 59–66.
- Radley, D. C., Finkelstein, S. N., & Stafford, R. S. (2006). Off-label prescribing among office-based physicians. *Archives of Internal Medicine*, 166(9), 1021–26.
- Ramchand, R., Griffin, B. A., Harris, K. M., McCaffrey, D. F., & Morral, A. R. (2008). A prospective investigation of suicide ideation, attempts, and use of mental health service among adolescents in substance abuse treatment. *Psychology of Addictive Behaviors*, 22(4), 524–32.
- Ramsawh, H. J., Chavira, D. A., & Stein, M. B. (2010). Burden of anxiety disorders in pediatric medical settings: Prevalence, phenomenology, and a research agenda. *Archives of Pediatrics and Adolescent Medicine*, 164(10), 965–72.
- Rappoport, M. D., Quinn, S. O., DuPaul, G. J., Quinn, E. P., & Kelly, K. L. (1989). Attention deficit disorder with hyperactivity and methylphenidate: The effects of dose and mastery level on children's learning performance. *Journal of Abnormal Child Psychology*, 17(6), 669–89.
- Resnick, M. D., Bearman, P. S., Blum, R. W., Bauman, K. E., Harris, K. M., Jones, J., . . . Udry, J. R. (1997). Protecting adolescents from harm: Findings from the National Longitudinal Study on Adolescent Health. *Journal of the American Medical Association*, 278(10), 823–32.
- Rethorst, C. D., Wipfli, B. M., & Landers, D. M. (2009). The antidepressive effects of exercise: A meta-analysis of randomized trials. *Sports Medicine*, 39(6), 491–511.
- Rettew, D. C., Lynch, A. D., Achenbach, T. M., Dumenci, L., & Ivanova, M. Y. (2009). Meta-analyses of agreement between diagnoses made from clinical evaluations and standardized diagnostic interviews. *International Journal of Methods in Psychiatric Research*, 18(3), 169–84.
- Reynolds, P., Boyd, P. T., Blacklow, R. S., Jackson, J. S., Greenberg, R. S., Austin, D. F., . . . Edwards, B. K. (1994). The relationship between social ties and survival among black and white breast cancer patients. National Cancer Institute Black/White Cancer Survival Study Group. *Cancer Epidemiology, Biomarkers and Prevention*, 3(3), 253–59.
- Rice, F., Harold, G., & Thapar, A. (2002). The genetic aetiology of childhood depression: A review. *Journal of Child Psychology and Psychiatry*, 43(1), 65–79.
- Rich, B. A., Brotman, M. A., Dickstein, D. P., Mitchell, D. G., Blair, R. J., & Leiben-

- luft, E. (2010). Deficits in attention to emotional stimuli distinguish youth with severe mood dysregulation from youth with bipolar disorder. *Journal of Abnormal Child Psychology*, *38*(5), 695–706.
- Rich, B. A., Carver, F. W., Holroyd, T., Rosen, H. R., Mendoza, J. K., Cornwell, B. R., . . . Leibenluft, E. (2011). Different neural pathways to negative affect in youth with pediatric bipolar disorder and severe mood dysregulation. *Journal of Psychiatric Research*, *45*(10), 1283–94.
- Rich, B. A., Schmajuk, M., Perez-Edgar, K. E., Fox, N. A., Pine, D. S., & Leibenluft, E. (2007). Different psychophysiological and behavioral responses elicited by frustration in pediatric bipolar disorder and severe mood dysregulation. *American Journal of Psychiatry*, *164*(2), 309–17.
- Riggs, P. (2008). Non-medical use and abuse of commonly prescribed medications. *Current Medical Research and Opinion*, *24*(3), 869–77.
- Rogers, S. J., & Vismara, L. A. (2008). Evidence-based comprehensive treatments for early autism. *Journal of Clinical Child and Adolescent Psychology*, *37*(1), 8–38.
- Roseboom, T. J., Painter, R. C., van Abeelen, A. F., Veenendaal, M. V., & de Rooij, S. R. (2011). Hungry in the womb: What are the consequences? Lessons from the Dutch Famine. *Maturitas*, *70*(2), 141–45.
- Rosenhan, D. L. (1973). On being sane in insane places. *Science*, *179*(70), 250–58.
- Rossignol, D. A. (2009). Novel and emerging treatments for autism spectrum disorders: A systematic review. *Annals of Clinical Psychiatry*, *21*(4), 213–36.
- Rossignol, D. A., & Frye, R. E. (2012). A review of research trends in physiological abnormalities in autism spectrum disorders: Immune dysregulation, inflammation, oxidative stress, mitochondrial dysfunction and environmental toxicant exposures. *Molecular Psychiatry*, *17*(4), 398–401.
- Rothbaum, F., & Weisz, J. R. (1994). Parental caregiving and child externalizing behavior in nonclinical samples: A meta-analysis. *Psychological Bulletin*, *116*(1), 55–74.
- Roy-Byrne, P. P., Davidson, K. W., Kessler, R. C., Asmundson, G. J., Goodwin, R. D., Kubzansky, L., . . . Stein, M. B. (2008). Anxiety disorders and comorbid medical illness. *General Hospital Psychiatry*, *30*(3), 208–25.
- Rucklidge, J. J., Gately, D., & Kaplan, B. J. (2010). Database analysis of children and adolescents with bipolar disorder consuming a micronutrient formula. *BMC Psychiatry*, *10*, 74.
- Ruff, M., Schiffmann, E., Terranova, V., & Pert, C.B. (1985). Neuropeptides are chemoattractants for human tumor cells and monocytes: A possible mechanism for metastasis. *Clinical Immunology Immunopathology*, *37*(3), 387–96.
- Rush, J. (2006). STAR*D: What have we learned? *American Journal of Psychiatry*, *164*(2), 201–4.
- Russek, L. G., & Schwartz, G. E. (1997). Perceptions of parental caring predict health status in midlife: A 35-year follow-up of the Harvard Mastery of Stress Study. *Psychosomatic Medicine*, *59*(2), 144–49.

- Russek, L. G., Schwartz, G. E., Bell, I. R., & Baldwin, C. M. (1998). Positive perceptions of parental caring are associated with reduced psychiatric and somatic symptoms. *Psychosomatic Medicine*, *60*(5), 654–57.
- Ruttle, P. L., Shirtcliff, E. A., Serbin, L. A., Fisher, D. B., Stack, D. M., & Schwartzman, A. E. (2011). Disentangling psychobiological mechanisms underlying internalizing and externalizing behaviors in youth: Longitudinal and concurrent associations with cortisol. *Hormones and Behavior*, *59*(1), 123–32.
- Sacks, O. (1995). *An anthropologist on Mars*. New York: Vintage Books.
- Sanchez-Villegas, A., Delgado-Rodriguez, M., Alonso, A., Schlatter, J., Lahortiga, F., Serra Majem, L., & Martinez-Gonzalez, M. A. (2009). Association of the Mediterranean dietary pattern with the incidence of depression: The Seguimiento Universidad de Navarra/University of Navarra follow-up (SUN) Cohort. *Archives of General Psychiatry*, *66*(10), 1090–98.
- Sandler, R. H., Finegold, S. M., Bolte, E. R., Buchanan, C. P., Maxwell, A. P., Vaisanen, M. L., . . . Wexler, H. M. (2000). Short-term benefit from oral Vancomycin treatment of regressive-onset autism. *Journal of Child Neurology*, *15*(7), 429–35.
- Sargent, J., Gibson, J., & Heatherton, T. (2009). Comparing the effects of entertainment media and tobacco marketing on youth smoking. *Tobacco Control*, *18*(1), 47–53.
- Sarris, J., Camfield, D., & Berk, M. (2012). Complementary medicine, self-help, and lifestyle interventions for obsessive compulsive disorder (OCD) and the OCD spectrum: A systematic review. *Journal of Affective Disorders*, *138*(3), 213–21.
- Sarris, J., LaPorte, E., & Schweitzer, I. (2011). Kava: A comprehensive review of efficacy, safety, and psychopharmacology. *Australian and New Zealand Journal of Psychiatry*, *45*(1), 27–35.
- Schatz, D. B., & Rostain, A. L. (2006). ADHD with comorbid anxiety: A review of the current literature. *Journal of Attentional Disorders*, *10*(2), 141–49.
- Schildkraut, J. J., Gordon, E. K., & Durell, J. (1965). Catecholamine metabolism in affective disorders. I. Normetanephrine and VMA excretion in depressed patients treated with Imipramine. *Journal of Psychiatric Research*, *3*(4), 213–28.
- Schmidt, H. D., & Duman R. S. (2010). Peripheral BDNF produces antidepressant-like effects in cellular and behavioral models. *Neuropsychopharmacology*, *35*(12), 2378–91.
- Schore, A. (1994). *Affect regulation and the origin of the self*. Oxford: Psychology Press.
- Schultz, S. T. (2010). Does Thimerosal or other mercury exposure increase the risk for autism? A review of current literature. *Acta Neurobiologiae Experimentalis*, *70*(2), 187–95.
- Schwarz, A. (2012, June 9). Risky rise of the good-grade pill. *New York Times*. Retrieved from <http://www.nytimes.com/2012/06/10/education/seeking-academic-edge-teenagers-abuse-stimulants.html?pagewanted=all>

- Scott, W. C., Kaiser, D., Othmer, S., & Sideroff, S. I. (2005). Effects of an EEG biofeedback protocol on a mixed substance abusing population. *American Journal of Drug and Alcohol Abuse, 31*(3), 455–69.
- Scull, T. M., Kupersmidt, J. B., Parker, A. E., Elmore, K. C., & Benson, J. W. (2010). Adolescents' media-related cognitions and substance use in the context of parental and peer influences. *Journal of Youth and Adolescence, 39*(9), 981–98.
- Seligman, M. (2007). *The optimistic child*. New York: Mariner Books.
- Selye, H. (1956). *The stress of life*. New York: McGraw-Hill.
- Shaffer, H. J., LaSalvia, T. A., & Stein, J. P. (1997). Comparing Hatha yoga with dynamic group psychotherapy for enhancing methadone maintenance treatment: A randomized clinical trial. *Alternative Therapies in Health and Medicine, 3*(4), 57–66.
- Shannon, S. (2007). *Please don't label my child: Break the doctor-diagnosis-drug cycle and discover safe, effective choices for your child's emotional health*. New York: Rodale.
- Shannon, S., Weil, A., & Kaplan, B. J. (2011). Medical decision making in integrative medicine: Safety, efficacy, and patient preference. *Alternative and Complementary Therapies, 17*(2), 84–91.
- Shapiro, A. K., & Morris, L. A. (1978). The placebo effect in medical and psychological therapies. In S. L. Garfield and A. E. Bergin (Eds.), *Handbook of psychotherapy and behavior change: An empirical analysis* (2nd ed.). New York: Wiley.
- Shattock, P. (2010). The ScanBrit Randomised, controlled, single-blind study of a gluten- and casein-free dietary intervention for children with autism spectrum disorders. *Nutritional Neuroscience, 13*(2), 87–100.
- Shaver, P. R., & Mikulincer, M. (2002). Attachment and related psychodynamics. *Attachment and Human Development, 4*(20), 133–61.
- Shaw, D. S., Owens, E. B., Giovannelli, J., & Winslow, E. B. (2001). Infant and toddler pathways leading to early externalizing disorders. *Journal of the American Academy of Child and Adolescent Psychiatry, 40*(1), 36–43.
- Shaw, P., Eckstrand, K., & Sharp, W. (2007). Attention-deficit/hyperactivity disorder is characterized by a delay in cortical maturation. *Proceedings of the National Academy Sciences, 104*(49), 19649–54.
- Siegel, D. J. (1999). *The developing mind: How relationships and the brain interact to shape who we are*. New York: Guilford.
- Siegel, D. J., & Hartzell, M. (2003). *Parenting from the inside out*. New York: Tarcher.
- Silver, R. B., Measelle, J. R., Armstrong, J. M., & Essex, M. J. (2010). The impact of parents, child care providers, teachers, and peers on early externalizing trajectories. *Journal of School Psychology, 48*(6), 555–83.
- Simeon, J., Nixon, M. K., Milin, R., Jovanovic, R., & Walker, S. (2005). Open-label pilot study of St. John's wort in adolescent depression. *Journal of Child and Adolescent Psychopharmacology, 15*(2), 293–301.

- Singh, M. K., DelBello, M. P., Kowatch, R. A., & Strakowski, S. M. (2008). Co-occurrence of bipolar and attention-deficit hyperactivity disorders in children. *Bipolar Disorder, 8*(7), 710–20.
- Sinn, N., Milte, C., & Howe, P. R. (2010). Oiling the brain: A review of randomized controlled trials of omega-3 fatty acids in psychopathology across the lifespan. *Nutrients, 2*(2), 128–70.
- Slagter, H. A., Lutz, A., Greischar, L. L., Francis, A. D., Nieuwenhuis, S., Davis, J. M., & Davidson, R. J. (2007). Mental training affects distribution of limited brain resources. *PLoS Biology, 5*(6), 138.
- Slopen, N., Kubzansky, L. D., McLaughlin, K. A., & Koenen, K. C. (2012, June 21). Childhood adversity and inflammatory processes in youth: A prospective study. *Psychoneuroendocrinology* [Epub ahead of print.]
- Smith, G., Jongeling, B., Hartmann, P., Russell, C., & Landau, L. (2010). Raine ADHD study: Long-term outcomes associated with stimulant medication in the treatment of ADHD in children. Government of Western Australia, Department of Health. Retrieved from http://www.health.wa.gov.au/publications/documents/MICADHD_Raine_ADHD_Study_report_022010.pdf
- Smith, J. E., Lawrence, A. D., Diukova, A., Wise, R. G., & Rogers, P. J. (2011). Storm in a coffee cup: Caffeine modifies brain activation to social signals of threat. *Social Cognitive and Affective Neuroscience 7*(7), 831–840. [Epub ahead of print.]
- Smith, M. D., Glass, G. V., & Miller, T. I. (1980). *The benefits of psychotherapy*. Baltimore, MD: Johns Hopkins University Press.
- Snyder, H. N. (2000). Sexual assault of young children as reported to law enforcement: Victim, incident, and offender characteristics. National Center for Juvenile Justice, U.S. Department of Justice. Retrieved from <http://www.bjs.ojp.usdoj.gov/content/pub/pdf/saycrle.pdf>
- Sorensen, H. J., Nielsen, P. R., Pedersen, C. B., & Mortensen, P. B. (2011). Association between prepartum maternal iron deficiency and offspring risk of schizophrenia: Population-based cohort study with linkage of Danish national registers. *Schizophrenia Bulletin, 37*(5), 982–87.
- Spady, D. W., Schopflicher, D. P., Svenson, L. W., & Thompson, A. H. (2005). Medical and psychiatric comorbidity and health care use among children 6 to 17 years old. *Archives of Pediatrics and Adolescent Medicine, 159*(3), 231–37.
- Spasov, A. A., Iezhitsa, I. N., Kharitonova, M. V., & Kravchenko, M. S. (2008). Depression-like and anxiety-related behaviour of rats fed with magnesium-deficient diet. *Zh Vyssh Nerv Deiat Im I P Pavlova, 58*(4), 476–85.
- Spence, S. H., Donovan, C. L., March, S., Gamble, A., Anderson, R. E., Prosser, S., & Kenardy, J. (2011). A randomized controlled trial of online versus clinic-based cbt for adolescent anxiety. *Journal of Consulting and Clinical Psychology, 79*(5), 629–42.
- Spencer, T., Biederman, J., & Wilens, T. (1999). Attention-deficit/hyperactivity disorder and comorbidity. *Pediatric Clinics of North America, 46*(5), 915–27.

- Spencer, T. J., Faraone, S. V., Biederman, J., Lerner, M., Cooper, K. M., & Zimmerman, B. (2006). Does prolonged therapy with a long-acting stimulant suppress growth in children with ADHD? *Journal of the American Academy of Child and Adolescent Psychiatry*, 45(5), 527–37.
- Splete, H. (2011). Low vitamin D levels tied to psychotic symptoms in teens. *Clinical Psychiatry News*, 40(4), 20.
- Sroufe, L. A. (1996). *Emotional development*. New York: Cambridge University Press.
- Sroufe, L. A. (2005a). Attachment and development: A prospective, longitudinal study from birth to adulthood. *Attachment and Human Development*, 7(4), 349–67.
- Sroufe, L. A. (2005b). *The development of the person: The Minnesota study of risk and adaptation*. New York: Guilford.
- Steenari, M. R., Vuontela, V., Paavonen, E. J., Carlson, S., Fjallberg, M., & Aronen, E. (2003). Working memory and sleep in 6- to 13-year-old schoolchildren. *Journal of the American Academy of Child and Adolescent Psychiatry*, 42(1), 85–92.
- Stefanatos, G. A. (2008). Regression in autistic spectrum disorders. *Neuropsychology Review*, 18(4), 305–19.
- Stefansson, H., Ophoff, R. A., Steinberg, S., Andreassen, O. A., Cichon, S., Rujescu, D., ... Collier, D. A. (2009). Common variants conferring risk of schizophrenia. *Nature*, 260(7256), 744–47.
- Stewart, J. C., Rand, K. L., Muldoon, M. F., & Kamarck, T. W. (2009). A prospective evaluation of the directionality of the depression-inflammation relationship. *Brain, Behavior, and Immunity*, 23(7), 936–44.
- Stoll, A. L., Locke, C. A., Marangell, L. B., & Severus, W. E. (1999). Omega-3 fatty acids and bipolar disorder: A review. *Prostaglandins, Leukotrienes, and Essential Fatty Acids*, 60(5–6), 329–37.
- Stoolmiller, M., Patterson, G. R., & Snyder, J. (1997). Parental discipline and child antisocial behavior: A contingency-based theory and some methodological refinements. *Psychological Inquiry*, 8(3), 223–29.
- Storch, E. A., Bjorgvinsson, T., Riemann, B., Lewin, A. B., Morales, M. J., & Murphy, T. K. (2010). Factors associated with poor response in cognitive-behavioral therapy for pediatric obsessive-compulsive disorder. *Bulletin of the Menninger Clinic*, 74(2), 167–85.
- Storch, E. A., Larson, M. J., Muroff, J., Caporino, N., Geller, D., Reid, J. M., ... Murphy, T. K. (2010). Predictors of functional impairment in pediatric obsessive-compulsive disorder. *Journal of Anxiety Disorders*, 24(2), 275–83.
- Storch, E. A., Lewin, A. B., Larson, M. J., Geffken, G. R., Murphy, T. K., & Geller, D. A. (2012). Depression in youth with obsessive-compulsive disorder: Clinical phenomenology and correlates. *Psychiatry Research*, 196(1), 83–89.
- Strupp, H. (1970). Specific versus nonspecific factors in psychotherapy and the problem of control. *Archives of General Psychiatry*, 23(5), 393–401.

- Strupp, H. (1974). On the basic ingredients of psychotherapy. *Psychotherapy and Psychosomatics*, 24(4-6), 249-60.
- Strupp, H. (1975). Psychoanalysis, "focal psychotherapy," and the nature of the therapeutic influence. *Archives of General Psychiatry*, 32(1), 127-35.
- Strupp, H. H. (1977). A reformulation of the dynamics of the therapist's contribution. In A. S. Gurman and A. M. Razin (Eds.), *Effective psychotherapy: A handbook of research*. New York: Pergamon.
- Strupp, H. H., & Hadley, S. W. (1979). Specific vs. nonspecific factors in psychotherapy. *Archives of General Psychiatry*, 36(10), 1125-36.
- Styron, W. (1992). *Darkness visible: A memoir of madness*. New York: Vintage.
- Substance Abuse and Mental Health Services Administration. (2006). Results from the 2006 National Survey on Drug Use and Health: National Findings. Department of Health and Human Services: Substance Abuse and Mental Health Services Administration, Office of Applied Studies. Retrieved from <http://oas.samhsa.gov/nsduh/2k6nsduh/2k6results.pdf>
- Substance Abuse and Mental Health Services Administration. (2008). Results from the 2008 National Survey on Drug Use and Health: National Findings. Department of Health and Human Services: Substance Abuse and Mental Health Services Administration, Office of Applied Studies. Retrieved from <http://oas.samhsa.gov/nsduh/2k6nsduh/2k6results.pdf>
- Sung, V., Hiscock, H., Sciberras, E., & Efron, D. (2008). Sleep problems in children with attention-deficit/hyperactivity disorder: Prevalence and the effect on the child and family. *Archive of Pediatric and Adolescent Medicine*, 168, 336-42.
- Surles, L. K., May, H. J., & Garry, J. P. (2002). Adderall-induced psychosis in an adolescent. *Journal of the American Board of Family Practice*, 15(6), 498-500.
- Swartz, H. A., Shear, M. K., Wren, F. J., Greeno, C. G., Sales, E., Sullivan, B. K., & Ludewig, D. P. (2005). Depression and anxiety among mothers who bring their children to a pediatric mental health clinic. *Psychiatric Services*, 56(9), 1077-83.
- Swedo, S. E. (1994). Sydenham's chorea: A model for childhood autoimmune neuropsychiatric disorders. *Journal of the American Medical Association*, 272(22), 1788-91.
- Swedo, S. E., & Grant, P. J. (2005). Annotation: PANDAS: a model for human autoimmune disease. *Journal of Child Psychology and Psychiatry, and Allied Disciplines*, 46(3), 227-34.
- Swedo, S. E., Leonard, H. L., Garvey, M., Mittleman, B., Allen, A. J., Perlmutter, S., . . . Dubbert, B. K. (1998). Pediatric autoimmune neuropsychiatric disorders associated with streptococcal infections: Clinical description of the first 50 cases. *American Journal of Psychiatry*, 155(2), 264-71.
- Swiek, M. (2005). The role of copper and magnesium in affective disorders. *Psychiatria Polska*, 239(5), 911-20.

- Szaz, T. (1984). *The myth of mental illness*. New York: HarperCollins.
- Tanner-Smith, E. E., Wilson, S. J., & Lipsey, M. W. (2012). The comparative effectiveness of outpatient treatment for adolescent substance abuse: A meta-analysis. *Journal of Substance Abuse Treatment*, doi: 10.1016/j.jsat.2012.05.006
- Tasali, E., Leproult, R., Ehrmann, D. A., & Van Cauter, E. (2008). Slow-wave sleep and the risk of type 2 diabetes in humans. *Proceedings of the National Academy of Sciences of the United States of America*, 105(3), 1044–9.
- Taylor, A. H., Ussher, M. H., & Faulkner, G. (2007). The acute effects of exercise on cigarette cravings, withdrawal symptoms, affect and smoking behaviour: A systematic review. *Addiction*, 102(4), 534–43.
- Taylor, M. J., Wilder, H., Bhagwagar, Z., & Geddes, J. (2004). Inositol for depressive disorders. *Cochrane Database of Systematic Reviews*, 2, CD004049.
- Teicher, M. H., Glod, C. A., Surrey, J., & Swett, C., Jr. (1993). Early childhood abuse and limbic system ratings in adult psychiatric outpatients. *Journal of Neuropsychiatry and Clinical Neurosciences*, 5(3), 301–6.
- Teschke, R., Sarris, J., & Lebot, V. (2012). Contaminant hepatotoxins as culprits for kava hepatotoxicity—fact or fiction? *Phytotherapy Research*. doi: 10.1002/ptr.4729 [Epub ahead of print.]
- Thibodeau, R., Jorgensen, R. S., & Kim, S. (2006). Depression, anxiety, and resting frontal EEG asymmetry: A meta-analytic review. *Journal of Abnormal Psychology*, 115, 715–29.
- Tillman, R., Geller, B., Bolhofner, K., Craney, J. L., Williams, M., & Zimmerman, B. (2003). Life events in a prepubertal and early adolescent bipolar disorder phenotype compared to attention-deficit hyperactive and normal controls. *Journal of the American Academy of Child and Adolescent Psychiatry*, 13(3), 1486–93.
- Tomkinson, G. R., & Olds, T. S. (2007). Secular changes in aerobic fitness test performance of Australasian children and adolescents. *Medicine and Sports Science*, 50, 168–82.
- Torrey, E. F. (1992). Are we overestimating the genetic contribution to schizophrenia? *Schizophrenia Bulletin*, 18(2), 159–70.
- Tough, P. (2001, Sept. 14). What if the secret to success is failure? *New York Times Magazine*.
- Travis, J. (2000). Human genome work reaches milestone. *Science News*, 158(1), 4.
- Tsang, H. W., Chan, E. P., & Cheung, W. M. (2008). Effects of mindful and non-mindful exercises on people with depression: A systematic review. *British Journal of Clinical Psychology*, 47(Pt 3), 303–22.
- Tsapakis, E. M., Soldani, F., Tondo, L., & Baldessarini, R. J. (2008). Efficacy of antidepressants in juvenile depression: Meta-analysis. *British Journal of Psychiatry*, 193(1), 10–17.
- Tseng, W. S., & McDermott, J. F. (1975). Psychotherapy, historical roots, universal elements, and cultural variations. *American Journal of Psychiatry*, 132(4), 378–84.

- Turner, E. H., Matthews, A. M., Linardatos, E., Tell, R. A., & Rosenthal, R. (2008). Selective publication of antidepressant trials and its influence on apparent efficacy. *New England Journal of Medicine*, *358*(3), 252–60.
- Twenge, J. M., Zhang, L., & Im, C. (2004). It's beyond my control: A cross-temporal meta-analysis of increasing externality in locus of control, 1960–2002. *Personality and Social Psychology Review*, *8*(3), 308–19.
- Vaknin, A., Eliakim, R., Ackerman, Z., & Steiner, I. (2004). Neurological abnormalities associated with celiac disease. *Journal of Neurology*, *251*(11), 1393–97.
- Van der Oord, S., Prins, P. J., Oosterlaan, J., & Emmelkamp, P. M. (2008). Efficacy of methylphenidate, psychosocial treatments and their combination in school-aged children with ADHD: A meta-analysis. *Clinical Psychology Review*, *28*(5), 783–800.
- Van der Watt, G., Laugharne, J., & Janca, A. (2008). Complementary and alternative medicine in the treatment of anxiety and depression. *Current Opinion in Psychiatry*, *21*(1), 37–42.
- Van Ljendoorn, M. (1995). Adult attachment representations. *Psychological Bulletin*, *117*(3), 387–403.
- Van Praag, H. M. (2004). Can stress cause depression? *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, *28*(5), 891–907.
- Vasilev, C. A., Crowell, S. E., Beauchaine, T. P., Mead, H. K., & Gatzke-Kopp, L. M. (2009). Correspondence between physiological and self-report measures of emotion dysregulation: A longitudinal investigation of youth with and without psychopathology. *Journal of Child Psychology and Psychiatry*, *50*, 1357–64.
- Versino, M., Franciotta, D., Colnaghi, S., Biagi, F., Zardini, E., Corazza, G. R., . . . Cosi, V. (2009). Cerebellar signs in celiac disease. *Neurology*, *72*(23), 2046–48.
- Vidair, H. B., Reyes, J. A., Shen, S., Parrilla-Escobar, M. A., Heleniak, C. M., Hollin, I. L., . . . Rynn, M. A. (2011). Screening parents during child evaluations: Exploring parent and child psychopathology in the same clinic. *Journal of the American Academy of Child and Adolescent Psychiatry*, *50*(5), 441–50.
- Vilensky, J. A., Damasio, A. R., & Maurer, R. G. (1981). Gait disturbances in patients with autistic behavior: A preliminary study. *Archives of Neurology*, *38*(10), 646–49.
- Vitiello, B., Silva, S. G., Rohde, P., Kratochvil, C. J., Kennard, B. D., Reinecke, M. A. . . . March, J. S. (2009). Suicidal events in the treatment for adolescents with depression study (TADS). *Journal of Clinical Psychiatry*, *70*(5), 741–7.
- von Bonsdorff, M. B., & Rantanen, T. (2011). Benefits of formal voluntary work among older people: A review. *Aging Clinical and Experimental Research*, *23*(3), 162–69.
- Wagstaff, A. J., Ormrod, D., & Spencer, C. M. (2001). Tianeptine: A review of its use in depressive disorders. *CNS Drugs*, *15*(3), 231–59.
- Waldron, H. B., & Turner, C. W. (2008). Evidence-based psychosocial treatments for adolescent substance abuse. *Journal of Clinical Child and Adolescent Psychology*, *37*(1), 238–61.

- Walsh, B. T., Seidman, S. N., Sysko, R., & Gould, M. (2002). Placebo response in studies of major depression: Variable, substantial, and growing. *Journal of the American Medical Association, 287*(14), 1840–47.
- Waschbusch, D. A., Pelham, W. E., Jr., Waxmonsky, J., & Johnston, C. (2009). Are there placebo effects in the medication treatment of children with attention-deficit hyperactivity disorder? *Journal of Developmental and Behavioral Pediatrics, 30*(2), 158–68.
- Wasilewska, J., Jarocka-Cyrta, E., & Kaczmarek, M. (2009). Gastrointestinal abnormalities in children with autism. *Polski Merkurusz Lekarski: Organ Polskiego Towarzystwa Lekarskiego, 27*(157), 40–43.
- Waterland, R. A., & Jirtle, R. L. (2003). Transposable elements: Targets for early nutritional effects on epigenetic gene regulation. *Molecular and Cellular Biology, 23*(15), 5293–300.
- Waters, A. M., Schilpzand, E., Bell, C., Walker, L. S., & Baber, K. (2012). Functional gastrointestinal symptoms in children with anxiety disorders. *Journal of Abnormal Child Psychology, 41*(1), 151–163. [Epub ahead of print].
- Waters, E., Merrick, S., Treboux, D., Crowell, J., & Albersheim, L. (2000). Attachment security in infancy and early adulthood: A twenty-year longitudinal study. *Child Development, 71*(3), 684–89.
- Weber, M., & Baumann, J. U. (1988). Muscle contractures of football players—relationship with knee complaints and the effect of stretching exercises. *Schweizerische Zeitschrift für Sportmedizin, 36*(4), 175–78.
- Weil, A. (1983). *Health and healing*. Boston: Houghton Mifflin.
- Weil, A. (1995). *Spontaneous healing*. New York: Alfred Knopf.
- Weil, A. (2004). *Health and healing: The philosophy of integrative medicine and optimal health*. New York: Mariner.
- Weinstock, J., Barry, D., & Petry, N. M. (2008). Exercise-related activities are associated with positive outcome in contingency management treatment for substance use disorders. *Addictive Behaviors, 33*(8), 1072–5.
- Weissman, M. M., John, K., & Merikangas, K. R. (1986). Depressed parents and their children: General health, social, and psychiatric problems. *American Journal of Diseases of Children, 140*(8), 801–5.
- Weissman, M. M., Pilowsky, D. J., Wickramaratne, P. J., Talati, A., Wisniewski, S. R., Fava, M., . . . Rush, A. J. (2006). Remissions in maternal depression and child psychopathology: A STAR*D-child report. *Journal of the American Medical Association, 295*(12), 1389–98.
- Welch, L. (2012, May). The ADHD CEO: Karmaloop's Greg Selkoe. *Inc. Magazine, 122*.
- Werner, E. E. (1992). The children of Kauai: Resiliency and recovery in adolescence and adulthood. *Journal of Adolescent Health, 13*(4), 262–68.
- West, A. E., Henry, D. B., & Pavuluri, M. N. (2007). Maintenance model of integrated psychosocial treatment in pediatric bipolar disorder: A pilot feasibility study. *Journal of the American Academy of Child and Adolescent Psychiatry, 46*(2), 205–12.

- West, S. A., McElroy, S. L., Strakowski, S. M., Keck, P. E., Jr., & McConville, B. J. (1995). Attention deficit hyperactivity disorder in adolescent mania. *American Journal of Psychiatry*, *152*(2), 271–73.
- Whitaker, R. (2002). *Mad in America: Bad science, bad medicine, and the enduring mistreatment of the mentally ill*. New York: Perseus.
- Whiteley, P., Haracopos, D., Knivsberg, A. M., Reichelt, K. L., Parlar, S., Jacobsen, J., . . . Shattock, P. (2010). The ScanBrit randomised, controlled, single-blind study of a gluten- and casein-free dietary intervention for children with autism spectrum disorders. *Nutritional Neuroscience*, *13*(2), 87–100.
- Wilens, T. E., Biederman, J., Brown, S., Tanguay, S., Monuteaux, M. C., Blake, C., & Spencer, T. J. (2002). Psychiatric comorbidity and functioning in clinically referred preschool children and school-age youths with ADHD. *Journal of Child and Adolescent Psychiatry*, *41*(3), 262–68.
- Wilkinson, P. O., & Goodyer, I. M. (2011). Childhood adversity and allostatic overload of the hypothalamic-pituitary-adrenal axis: A vulnerability model for depressive disorders. *Developmental Psychopathology*, *23*(4), 1017–37.
- Willcutt, E. G. (2012). The prevalence of DSM-IV attention-deficit/hyperactivity disorder: A meta-analytic review. *Neurotherapeutics*, *9*(3), 490–99.
- Willcutt, E. G., & Pennington, B. F. (2000). Comorbidity of reading disability and attention-deficit/hyperactivity disorder: Differences by gender and subtype. *Journal of Learning Disabilities*, *33*(2), 179–91.
- Williams, J. K., Smith, D. C., An, H., & Hall, J. A. (2008). Clinical outcomes of traumatized youth in adolescent substance abuse treatment: A longitudinal multisite study. *Journal of Psychoactive Drugs*, *40*(1), 77–84.
- Williams, J. M., Barnhofer, T., Crane, C., Duggan, D. S., Shah, D., Brennan, K., . . . Russell, I. T. (2012). Pre-adult onset and patterns of suicidality in patients with a history of recurrent depression. *Journal of Affective Disorders*, *138*(1–2), 173–79.
- Williamson, D. E., Birmaher, B., Frank, E., Anderson, B. P., Matty, M. K., & Kupfer, D. J. (1998). Nature of life events and difficulties in depressed adolescents. *Journal of the American Academy of Child and Adolescent Psychiatry*, *37*(10), 1049–57.
- Williamson, D. E., Birmaher, B., Ryan, N. D., Shiffrin, T. P., Lusk, J. A., Protopapa, J., . . . Brent, D. A. (2003). The stressful life events schedule for children and adolescents: Development and validation. *Psychiatric Research*, *119*(3), 225–41.
- Wilson, A. C., Lengua, L. J., Meltzoff, A. N., & Smith, K. A. (2010). Parenting and temperament prior to September 11, 2001, and parenting specific to 9/11 as predictors of children's posttraumatic stress symptoms following 9/11. *Journal of Clinical Child and Adolescent Psychology*, *39*(4), 445–59.
- Wilson, C. R., Sherritt, L., Gates, E., & Knight, J. R. (2004). Are clinical impressions of adolescent substance use accurate? *Pediatrics*, *114*(5), e536–40.
- Winnicott, D. W. (1965). *Maturational processes and the facilitating environment: Studies in the theory of emotional development*. New York: International Press.

- Wirz-Justice, A., Graw, P., Roosli, H., Glauser, G., & Fleischhauer, J. (1999). An open trial of light therapy in hospitalised major depression. *Journal of Affective Disorders, 52*(1-3), 291-92.
- Wong, H. H., & Smith, R. G. (2006). Patterns of complementary and alternative medical therapy use in children diagnosed with autism spectrum disorders. *Journal of Autism and Developmental Disorders, 36*(7), 901-9.
- Wozniak, J., Biederman, J., Kiely, K., Ablon, J. S., Faraone, S. V., Mundy, E., & Mennin, D. (1995). Mania-like symptoms suggestive of childhood-onset bipolar disorder in clinically referred children. *Journal of the American Academy of Child and Adolescent Psychiatry, 34*(7), 867-76.
- Wozniak, J., Biederman, J., Mick, E., Waxmonsky, J., Hantsoo, L., Best, C. . . . Laposata, M. (2007). Omega-3 fatty acid monotherapy for pediatric bipolar disorder: A prospective open-label trial. *European Neuropsychopharmacology, 17*(6-7), 440-47.
- Wray, N. R., Pergadia, M. L., Blackwood, D. H., Penninx, B. W., Gordon, S. D., Nyholt, D. R., . . . Sullivan, P. F. (2012). Genome-wide association study of major depressive disorder: New results, meta-analysis, and lessons learned. *Molecular Psychiatry, 17*(1), 36-48.
- Wu, J., Yeung, A. S., Schnyer, R., Wang, Y., & Mischoulon, D. (2012). Acupuncture for depression: A review of clinical applications. *Canadian Journal of Psychiatry, 57*(7), 397-405.
- Wu, L. T., Woody, G. E., Yang, C., Pan, J. J., & Blazer, D. G. (2011). Racial/Ethnic variations in substance-related disorders among adolescents in the United States. *Archives of General Psychiatry, 68*(11), 1176-85.
- Zelnik, N., Pacht, A., Obeid, R., & Lerner, A. (2004). Range of neurologic disorders in patients with celiac disease. *Pediatrics, 113*(6), 1672-76.
- Zeman, J., Cassano, M., Perry-Parrish, C., & Stegall, S. (2006). Emotion regulation in children and adolescents. *Journal of Developmental and Behavioral Pediatrics, 27*, 155-68.
- Zimmerman, M., Mattia, J. I., & Posternak, M. A. (2002). Are subjects in pharmacological treatment trials of depression representative of patients in routine clinical practice? *American Journal of Psychiatry, 159*(3), 469-73.
- Zoladz, J. A., & Pilc, A. (2010). The effect of physical activity on the brain derived neurotrophic factor: From animal to human studies. *Journal of Physiology and Pharmacology, 61*(5), 533-41.
- Zuvekas, S. H., & Vitiello, B. (2012). Stimulant medication use in children: A 12-year perspective. *American Journal of Psychiatry, 169*(2), 160-66.
- Zwi, M., Jones, H., Thorgaard, C., York, A., & Dennis, J. A. (2011). Parent training interventions for attention deficit hyperactivity disorder (ADHD) in children aged 5 to 18 years. *Cochrane Database of Systematic Reviews, 12*, CD003018.