

# References

- Arai Y, Tammisalo E, Iwai K, Hashimoto K, Shinoda K. Development of a compact computed tomographic apparatus for dental use. *Dentomaxillofac Radiol* 1999;28(4):245–248
- Barr JH, Grøn P. Palate contour as a limiting factor in intraoral x-ray technique. *Oral Surg Oral Med Oral Pathol* 1959;12(4):459–472
- Buchmann F. Die Prinzipien des Dental-Tomographen. *Röntgenstrahlen* 1974;31:24–29
- Cawson RA, Odell EW. Essentials of Oral Pathology and Oral Medicine. 7th ed. Edinburgh: Churchill Livingston; 2002
- Chomenko AG. Atlas for Maxillofacial Pantomographic Interpretation. Chicago: Quintessenz; 1985
- Cieszyński A. Beiträge zur Technik bei Zahnaufnahmen mittels Röntgenstrahlen: Neue Filmhalter. *Correspondenz-Blatt* 1907;36:289–305
- Cieszyński A. Die Röntgenuntersuchung der Zähne und der Kiefer. Leipzig: JA Barth; 1913
- Delbalso AM, ed. Maxillofacial Imaging. Philadelphia: Saunders; 1990
- Döhring W, Prokop M, Bergh B, et al. Prinzip und Anwendung der digitalen Lumineszenzradiographie. *Röntgenstrahlen* 1986;56:16–23
- Dürker J. Röntgendiagnostik mit der Panoramachichtaufnahme. 2nd ed. Heidelberg: Hüthig; 2000
- Dürker J. Praxisleitfaden Zahnärztliche Radiologie. Munich: Urban & Fischer; 2006
- Duhamel J. Les procédés de radiographie en coupe non rigoureuse: Une forme nouvelle de phototomographie. *Sc Ind Photogr* 1954;25(2):353–355
- Eckerman K, Endo A. ICRP Publication 107. Nuclear decay data for dosimetric calculations. *Ann ICRP* 2008;38(3):7–96
- Eversole LR. Clinical Outline of Oral Pathology. 2nd ed. Philadelphia: Lea & Febiger; 1984
- Ewen K, ed. Moderne Bildgebung: Physik, Gerätetechnik, Bildbearbeitung und -kommunikation, Strahlenschutz, Qualitätskontrolle. Stuttgart: Thieme; 1998
- Farman AG, Farman TT. RVG-ui: a sensor to rival direct-exposure intra-oral x-ray film. *Int J Comput Dent* 1999;2(3):183–196
- Farman TT, Farman AG. Evaluation of a new F speed dental X-ray film. The effect of processing solutions and a comparison with D and E speed films. *Dentomaxillofac Radiol* 2000;29(1):41–45
- Farman AG, Farman TT. A status report on digital imaging for dentistry. *Oral Radiol* 2004;20:9–14
- Farman AG, Scarfe WC. Development of imaging selection criteria and procedures should precede cephalometric assessment with cone-beam computed tomography. *Am J Orthod Dentofacial Orthop* 2006;130(2):257–265
- Feldkamp LA, Davis LC, Kress JW. Practical cone-beam algorithm. *J Opt Soc Am A Opt Image Sci Vis* 1984;1:612–619
- Fitzgerald GM. Dental roentgenography: an investigation in adumbration, or the factors that control geometric unsharpness. *J Am Dent Assoc* 1947;34(1):1–20
- Friedrich RE, Fuhrmann A, Scheuer HA, Zustin J. Small peripheral developing odontoma of the maxilla in a 3-year-old patient depicted on cone-beam tomograms. *In Vivo* 2010;24(6):895–898
- Friedrich RE, Scheuer HA, Fuhrmann A, Zustin J, Assaf AT. Radiographic findings of odontogenic myxomas on conventional radiographs. *Anticancer Res* 2012;32(5):2173–2177
- Friedrich RE, Scheuer HA, Fuhrmann A, Hagel C, Zustin J. Osteochondroma of the mandibular condyle. Report of a case with 5-year follow-up. *Anticancer Res* 2012;32(10):4553–4556
- Fuhrmann A, Albers HK. Die Anwendung der Paralleltechnik für Messaufnahmen in der Endodontie. *Quintessenz* 1986;37(9):1565–1568
- Fuhrmann A. Probleme und Fortschritte der Nativdiagnostik im dento-maxillo-fazialen Bereich. In: Schwenzer N, Pfeifer G, eds. *Fortschritte der Kiefer- und Gesichts-Chirurgie*. Vol 32. Stuttgart: Thieme; 1987:11–14
- Fuhrmann A, Rother U. Improved cross-sectional images with rotational panoramic radiography. Abstract presented at: 5th European Congress on Dental and Maxillofacial Radiology; November 8–11, 1995; Cologne, Germany
- Fuhrmann A, Schulze D, Rother U, Vesper M. Digital transversal slice imaging in dental-maxillofacial radiology: from pantomography to digital volume tomography. *Int J Comput Dent* 2003;6(2):129–140
- Fuhrmann A. Der Stellenwert der transversalen Panoramachichtaufnahme im Vergleich zur digitalen Volumetomographie. *Quintessenz 2009*;60:741–745
- Garretson JL. A new system of dental radiography. *Dental Cosmos* 1919; 61:862–865
- Grauer P. Über den Wert der axialen Unterkieferaufnahme. *Fortschr Röntgenstr* 1928;37:503–505
- Gundlach KKH, Fuhrmann A, Beckmann-Van der Ven G. The double-headed mandibular condyle. *Oral Surg Oral Med Oral Pathol* 1987;64(2):249–253
- Hallikainen D, Gröndahl HG, Kanerva H, Tammisalo E. Optimized Sequential Dentomaxillofacial Radiography. The Scanora Concept. Helsinki: Yliopistopaino; 1992
- Hallikainen D. History of panoramic radiography. *Acta Radiol* 1996;37(3 Pt 2):441–445
- Hassan B, van der Stelt P, Sanderink G. Accuracy of three-dimensional measurements obtained from cone beam computed tomography surface-rendered images for cephalometric analysis: influence of patient scanning position. *Eur J Orthod* 2009;31(2):129–134
- Heckmann K. Die Röntgenperspektive und ihre Umwandlung durch eine neue Aufnahmetechnik. *Fortschr Röntgenstr* 1939;60:144–157
- Heckmann K. Die Entwicklung der Schlitzaufnahmen. *Röntgen-BI* 1984;37:29–39
- Heilmann HP. Der Röntgenbefund: Stiefkind der Radiologie. *Fortschr Röntgenstr* 1981;135:220–224
- Hielscher W. Parallel plate technic in enoral tooth radiography [in German]. *Dtsch Zahnaerzl Z* 1955;10(8):601–616
- Holzknecht G. Projektionsrichtung, Projektionsdistanz. Eine allgemeine röntgenologische Bemerkung. *Fortschr Röntgenstr* 1931;44:400–406
- Hounsfield GN. Computerized transverse axial scanning (tomography). 1. Description of system. *Br J Radiol* 1973;46(552):1016–1022
- ICRP-International Commission on Radiological Protection. The 2007 Recommendations of the International Commission on Radiological Protection. ICRP publication 103. *Ann ICRP* 2007;37(2–4):1–332
- Jung T, eds. Panorama Röntgenographie. Symposium, Hannover, 29.–30. Oktober 1982. Heidelberg: Hüthig; 1984
- Kalender WA. Computertomographie. Munich: Publicis MCD; 2000
- Katzberg RW, Westesson PL, eds. Diagnosis of the Temporomandibular Joint. Philadelphia: Saunders; 1993
- Kells CE. Roentgen rays. *Dental Cosmos* 1899;16:1014–1029
- Langland OE, Sippy FH. A study of radiographic longitudinal distortion of anterior teeth using the paralleling technique. *Oral Surg Oral Med Oral Pathol* 1966;22(6):737–749
- Langland OE, Sippy FH, Langlais RP. Textbook of Dental Radiology. 2nd ed. Springfield: Thomas; 1984
- Langlais RP, Langland OE, Nortje CJ. Diagnostic Imaging of the Jaws. Baltimore: Williams & Wilkins; 1995
- Langland OE, Langlais RP, Preece JW. Principles of Dental Imaging. Baltimore: Lippincott Williams & Wilkins; 2002
- Langland OE, Langlais RP, McDavid WD, Delbalso AM. Panoramic Radiology. 2nd ed. Philadelphia: Lea & Febiger; 1989
- Langland OE, Langlais RP, Morris CR. Principles and Practice of Panoramic Radiology: Including Intraoral Radiographic Interpretation. Philadelphia: Saunders; 1982
- Laubenberger T, Laubenberger J. Technik der medizinischen Radiologie. 7th ed. Cologne: Deutscher Ärzte-Verlag; 1999
- Ludlow JB, Abreu M Jr. Performance of film, desktop monitor and laptop displays in caries detection. *Dentomaxillofac Radiol* 1999;28(1):26–30
- Ludlow JB, Ivanovic M. Comparative dosimetry of dental CBCT devices and 64-slice CT for oral and maxillofacial radiology. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2008;106(1):106–114
- Ludlow JB, Davies-Ludlow LE, White SC. Patient risk related to common dental radiographic examinations: the impact of 2007 International

- Commission on Radiological Protection recommendations regarding dose calculation. *J Am Dent Assoc* 2008;139(9):1237–1243
- Manson-Hing LR.** Fundamentals of Dental Radiography. Philadelphia: Lea & Febiger; 1979
- Mason RA, Bourne S.** A Guide to Dental Radiography. 4th ed. Oxford: Oxford University Press; 1998
- McDavid WD, Langlais RP, Welander U, Morris CR.** Real, double, and ghost images in rotational panoramic radiography. *Dentomaxillofac Radiol* 1983;12(2):122–128
- McGowan DA, Baxter PW, James J.** The Maxillary Sinus and Its Dental Implications. Oxford: Butterworth-Heinemann; 1993
- Molander B, Ahlgren M, Gröndahl HG, Hollender L.** Agreement between panoramic and intra-oral radiography in the assessment of marginal bone height. *Dentomaxillofac Radiol* 1991;20(3):155–160
- Mourshed F, McKinney AL.** A comparison of paralleling and bisecting radiographic techniques as experienced by dental students. *Oral Surg Oral Med Oral Pathol* 1972;33(2):284–296
- Mouyen F, Benz C, Sonnabend E, Lodter JP.** Presentation and physical evaluation of RadioVisioGraphy. *Oral Surg Oral Med Oral Pathol* 1989;68(2):238–242
- Mozzo P, Procacci C, Tacconi A, Martini PT, Andreis IA.** A new volumetric CT machine for dental imaging based on the cone-beam technique: preliminary results. *Eur Radiol* 1998;8(9):1558–1564
- Nelsen RJ, Kumpula JW.** Panographic radiography. *J Dent Res* 1952;31(2):158–165
- Numata H.** Considerations of the parabolic radiography of the dental arch. *J Shimazu Stud* 1933;10:13
- Paaero YV.** A new radiographic method in dentistry. *Suom Hammaslaak Toim* 1946;87:37–42
- Paaero YV.** A new tomographical method for radiographing curved outer surfaces. *Acta Radiol* 1949;32(2-3):177–184
- Paaero YV.** Pantomography in theory and use. *Acta Radiol* 1954;41(4):321–335
- Paaero YV.** Orthoradial jaw pantomography. *Ann Med Intern Fenn Suppl* 1959;48(Suppl 28):222–227
- Paaero YV.** Pantomography and orthopantomography. *Oral Surg Oral Med Oral Pathol* 1961;14:947–953
- Parma Č.** Der Canalis incisivus im Röntgenbild. *Z Stomatol* 1927;25:776–788
- Parrott LA, Ng SY.** A comparison between bitewing radiographs taken with rectangular and circular collimators in UK military dental practices: a retrospective study. *Dentomaxillofac Radiol* 2011;40(2):102–109
- Pasche O.** Ueber eine neue Blendenvorrichtung in der Röntgentechnik. *Dtsch Med Wochenschr* 1903;29(15):266–267
- Pasler FA, Visser H.** Pocket Atlas of Dental Radiology. Stuttgart: Thieme; 2007
- Pasler FA.** Zahnärztliche Radiologie. 5th ed. Stuttgart: Thieme; 2008
- Pasler FA, Visser H.** Zahnmedizinische Radiologie: Bildgebende Verfahren. 2nd ed. Stuttgart: Thieme; 2000. Farbatlanten der Zahnmedizin; vol 5
- Pindborg JJ, Hjörting-Hansen E.** Atlas of Diseases of the Jaws. Copenhagen: Munksgaard; 1974
- Praeger W.** Grundlagen der zahnärztlichen Röntgentechnik. *Dtsch Zahnärztl Wochenschr* 1938;37:865–869
- Ponce AZ, McDavid WD, Underhill TE, Morris CR.** Use of E-speed film with added filtration. *Oral Surg Oral Med Oral Pathol* 1986;61(3):297–299
- Raper HR.** Practical clinical preventive dentistry based upon periodic roentgen ray examinations. *J Am Dent Assoc* 1925;12:1084–1100
- Richards AG, Colquitt WN.** Reduction in dental X-ray exposures during the past 60 years. *J Am Dent Assoc* 1981;103(5):713–718
- Von Reckow JF.** Die Untersuchungstechnik in der Zahnroentgenologie. *Rontgenpraxis* 1937;9:668–683
- Rottke B.** Die Bedeutung der Röntgenschichtuntersuchung für die Zahn-, Mund- und Kieferheilkunde. *Dtsch Zahnärztekalender* 1971;30:101–115
- Rottke B, Fuhrmann A.** Fortschritte und Probleme in der Röntgendiagnostik des Kiefergelenks. In: Schwenzer N, Pfeifer G, eds. *Fortschritte der Kiefer- und Gesichts-Chirurgie*; vol 25. Stuttgart: Thieme; 1980:21–23
- Rushton VE, Horner K.** The use of panoramic radiology in dental practice. *J Dent* 1996;24(3):185–201
- Rushton VE, Rout J.** Panoramic Radiology. London: Quintessenz; 2006
- Sanderink GC, Huiskens R, van der Stelt PF, Welander US, Stheeman SE.** Image quality of direct digital intraoral x-ray sensors in assessing root canal length. The RadioVisioGraphy, Visualix/VIXA, Sens-A-Ray, and Flash Dent systems compared with Ektaspeed films. *Oral Surg Oral Med Oral Pathol* 1994;78(1):125–132
- Scarfe WC, Farman AG, Sukovic P.** Clinical applications of cone-beam computed tomography in dental practice. *J Can Dent Assoc* 2006;72(1):75–80
- Schröder HE.** Orale Strukturbiologie. 4th ed Stuttgart: Thieme; 1992
- Schulze D, Heiland M, Thurmann H, Adam G.** Radiation exposure during midfacial imaging using 4- and 16-slice computed tomography, cone beam computed tomography systems and conventional radiography. *Dentomaxillofac Radiol* 2004;33(2):83–86
- Schulze R, Heil U, Gross D, et al.** Artefacts in CBCT: a review. *Dentomaxillofac Radiol* 2011;40(5):265–273
- Schulze RK, Berndt D, d'Hoedt B.** On cone-beam computed tomography artifacts induced by titanium implants. *Clin Oral Implants Res* 2010;21(1):100–107
- Sitzmann F, ed.** Radiologieatlas der Zahn-, Mund- und Kiefererkrankungen. 2nd ed. Munich: Urban & Fischer; 2003
- Sonnabend E, Benz C.** Das Röntgenbild in der zahnärztlichen Praxis. 3rd ed. Heidelberg: Hüthig; 1998
- Stender HS, Stieve FE, eds.** Bildqualität in der Röntgendiagnostik. Cologne: Deutscher Ärzte-Verlag; 1990
- Stephens RG, Barr JH.** Anatomic limitations in intraoral roentgenography of the upper molar region. *Oral Surg Oral Med Oral Pathol* 1955;8(12):1272–1277
- Stieve F.** Bevorzugte Darstellung einzelner Körperschichten. In: Diethelm L, Olsson O, Strand F, Vieten H, Zuppinger A, eds. Allgemeine röntgendiagnostische Methodik. Handbuch der medizinischen Radiologie, vol 3. Berlin: Springer; 1967:716–1041
- Tyndall DA, Brooks SL.** Selection criteria for dental implant site imaging: a position paper of the American Academy of Oral and Maxillofacial radiology. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2000;89(5):630–637
- Updegrafe WJ.** The paralleling extension-cone technique in intraoral dental radiography. *Oral Surg Oral Med Oral Pathol* 1951;4(10):1250–1261
- Updegrafe WJ.** Simplifying and improving intraoral dental roentgenography. *Oral Surg Oral Med Oral Pathol* 1959;12(6):704–716
- Updegrafe WJ.** Higher fidelity in intraoral roentgenography. *J Am Dent Assoc* 1961;62:1–8
- van Aken J.** Limitations in clinical diagnosis of dental caries of approximal surfaces. *Adv Fluorine Res* 1966;4:89–92
- van Aken J.** Optimum conditions for intraoral roentgenograms. *Oral Surg* 1969;27:475–481
- van Aken J, Verhoeven JW.** Factors influencing the design of aiming devices for intraoral radiography and their practical application. *Oral Surg Oral Med Oral Pathol* 1979;47(4):378–388
- van Straaten FJ, van Aken J.** The optimum circular field size for dental radiography with intraoral films. *Oral Surg Oral Med Oral Pathol* 1982;54(3):347–359
- Visser H, Hermann KP, Bredemeier S, Köhler B.** Dose measurements comparing conventional and digital panoramic radiography [in German]. *Mund Kiefer Gesichtschir* 2000;4(4):213–216
- Waggener DT.** The right-angle technique using the extension cone. *Dent Clin North Am* 1960;11:783–788
- Wall BF, Kendall GM.** Collective doses and risks from dental radiology in Great Britain. *Br J Radiol* 1983;56(668):511–516
- Wenzel A, Møystad A.** Work flow with digital intraoral radiography: a systematic review. *Acta Odontol Scand* 2010;68(2):106–114
- Whaites E.** Essentials of Dental Radiography and Radiology. 4th ed. Philadelphia: Elsevier; 2007
- White SC.** Assessment of radiation risk from dental radiography. *Dentomaxillofac Radiol* 1992;21(3):118–126
- White SC, Pharoah MJ.** Oral Radiology. 5th ed. St. Louis: Mosby; 2004
- Zabel H.** Kurzlehrbuch Physik. Stuttgart: Thieme; 2011
- Zulauf AF.** Panoramic X-Ray apparatus. US patent 1408. March 7, 1922