

References

- Ahtee M, Unonius L, Nurmela M, Suortti P (1984) A Voigtian as profile shape function in Rietveld refinement. *J Appl Cryst* 17:352–357
- Ahtee M, Nurmela M, Suortti P, Järvinen M (1989) Correction for preferred orientation in Rietveld refinement. *J Appl Cryst* 22:261–268
- Akima H (1970) *J Assc For Comp Math* 17:589
- Albinati A, Willis BTM (1982) The Rietveld method in neutron and X-ray powder diffraction. *J Appl Cryst* 15:361–374
- Alexander LE, Klug HP (1948) Basic aspects of X-ray absorption in quantitative diffraction analysis of powder mixtures. *Anal Chem* 20:886–889
- Altomare A, Carrozzini B, Giacovazzo C, Guagliardi A, Moliterni AGG, Rizzi R (1996a) Solving crystal structures from powder data. I. The role of prior information in the Two-Stage method. *J Appl Cryst* 29:667–673
- Altomare A, Foadi J, Giacovazzo C, Guagliardi A, Moliterni AGG (1996b) Solving crystal structures from powder data. II. Pseudotranslational symmetry and powder-pattern decomposition. *J Appl Cryst* 29:674–681
- Appleman DE, Evans HT Jr (1973) US Geological Survey Computer Contribution 20. US National Technical Information Service Document PB2-16188
- Atfield JP, Sleight AW, Cheetham AK (1986) Structure determination of α -CrPO₄ from powder synchrotron X-ray data. *Nature* 322:620–622
- Bacon GE (1975) Neutron diffraction. Oxford University Press, Oxford, p 152
- Barlow W (1883) Probable nature of the internal symmetry of crystals. *Nature* 29:186–188, 205–207
- Barlow W (1897) A mechanical cause of homogeneity of structure and symmetry. *Proceedings of the Royal Dublin Society*
- Berg JE, Werner PE (1977) On the use of Guinier-Hägg film data for structure analysis. *Z Kristallogr* 145:310–320
- Bernard P, Louer M, Louer DJ (1991a) Crystal structure determination of $\text{Zr}(\text{OH})_2(\text{NO}_3)_2 \cdot 4.7 \text{H}_2\text{O}$ from X-Ray powder diffraction data. *Solid State Chemistry* 94:27–35
- Bernard P, Louer M, Louer D (1991b) Solving the crystal structure of $\text{Cd}_5(\text{OH})_8(\text{NO}_3)_2 \cdot 2 \text{H}_2\text{O}$ from powder diffraction data. A comparison with single crystal data. *Powder Diffr* 6:10–15
- Boultif A, Louer D (1991) Indexing of powder diffraction patterns for low-symmetry lattices by the successive dichotomy method. *J Appl Cryst* 24:987–993
- Bragg WL (1913) The structure of some crystals as indicated by their diffraction of X-rays. *P Roy Soc Lond A* 89:248–277
- Bragg WH, Bragg WL (1913) The structure of the diamond. *P Roy Soc Lond A* 89:277–291
- Bragg WH, Bragg WL (1933) The crystalline state. G. Bell and Sons, London
- Brindley GW (1945) *Philos Mag* 36:347–369
- Burla C, Camalli M, Cascarano G, Giacovazzo C, Polidori G, Spagna R, Viterbo D (1989) SIR88 – a direct-methods program for automatic solution of crystal structures. *J Appl Cryst* 22:389–393
- Cagliotti G, Paoletti A, Ricci FP (1958) Choice of collimators for a crystal spectrometer for neutron diffraction. *Nucl Instrum Methods* 3:223–228
- Carrozzini B, Giacovazzo C, Guagliardi A, Rizzi R, Burla MC, Polidori G (1997) Solving crystal structures from powder data. III. The use of the probability distributions for estimating the $|F|$'s. *J Appl Cryst* 30:92–97
- Cascarano G, Favia L, Giacovazzo C (1992) SIRPOW.91 – A direct methods package optimized for powder data. *J Appl Cryst* 25:310–317
- Cernik RJ, Murray PK, Pattison P, Fitch AN (1990) A two-circle powder diffractometer for synchrotron radiation with a closed loop encoder feedback system. *J Appl Cryst* 23:292–296

- Cernik RJ, Cheetham AK, Prout CK, Watkin DJ, Wilkinson AP, Willis BTM (1991) The structure of cimetidine ($C_{10}H_{16}N_6S$) solved from synchrotron-radiation X-ray powder diffraction data. *J Appl Cryst* 24:222–226
- Cheary R, Coelho A (1992) A fundamental parameters approach to X-ray line-profile fitting. *J Appl Cryst* 25:109–121
- Cheetham AK, Taylor JC (1977) Profile analysis of powder neutron diffraction data: Its scope, limitations, and applications in solid state chemistry. *J Solid State Chem* 21:253–275
- Clearfield A, McCusker LB, Rudolf PR (1984) Crystal structure from powder data. 1. Crystal structure of $ZrKH(PO_4)_2$. *Inorg Chem* 23:4679–4582
- Coelho AA (2000) Whole-profile structure solution from powder diffraction data using simulated annealing. *J Appl Cryst* 33:899–908
- Coelho AA (2003) Indexing of powder diffraction patterns by iterative use of singular value decomposition. *J Appl Cryst* 36:86–95
- Cooper MJ (1983) The validity of the Rietveld method. *Z Kristallogr* 164:157–158
- Cooper MJ, Sakata M, Rouse KD (1980) The determination of structural parameters and their standard deviations from powder diffraction patterns. Proceedings of Symposium on Accuracy in Powder Diffraction held at NBS, Gaithersburg, MD (NBS Special Publication 567:167–187)
- Cooper MJ, Rouse KD, Sakata M (1981) An alternative to the Rietveld profile refinement method. *Z Kristallogr* 157:101–117
- Coppens P (1971) Experimental electron densities and chemical bonding. *Angew Chem Int Edit* 208:32–40
- Cox DE, Hastings JB, Thomlinson W, Prewitt CT (1983) Application of synchrotron radiation to high resolution powder diffraction and Rietveld refinement. *Nucl Instrum Methods* 208:573–578
- Cromer DT, Liberman D (1970) Relativistic calculation of anomalous scattering factors for X-rays. *J Chem Phys* 53:1891–1898
- Cromer DT, Liberman D (1981) Anomalous dispersion calculations near to and on the long-wavelength side of an absorption edge. *Acta Cryst A* 37:267–268
- Debye P, Scherrer P (1916a) *Kgl. Ges. d. Wiss., Göttingen*, Dec 1915
- Debye P, Scherrer P (1916b) Interferenzen an regellos orientierten Teilchen im Röntgenlicht. *Phys Z* 17:277–283
- Dollase WA (1986) Correction of intensities for preferred orientation in powder diffractometry: Application of the March model. *J Appl Cryst* 19:267–272
- Engler O, Palacios J, Schäfer W, Jansen E, Lücke K, Will G (1993) Comparison between texture results obtained by X-ray and neutron measurements. *Texture Microstruct* 21:195–206
- Estermann MA, Lynne B, McCusker LB, Baerlocher C (1992) *Ab initio* structure determination from severely overlapping powder diffraction data. *J Appl Cryst* 25:539–543
- Ewald PP (1962) Fifty years of X-ray diffraction. International Union of Crystallography, Utrecht, Netherlands, pp 31–73
- Ferrari M, Lutterotti P, Mathies P, Polonioli P, Wenk HR (1996) *Mat Sci Forum* 228–231:83
- Geller S (1967) Crystal chemistry of garnets. *Z Kristallogr* 125:1–47
- Giacovazzo C (1980) Direct methods in crystallography. Academic Press, London
- Giacovazzo C (ed) (1992) Fundamentals of crystallography. International Union of Crystallography, Oxford University Press
- Giacovazzo C (1996) Direct methods and powder data: State of the art and perspectives. *Acta Cryst A* 52:331–339
- Hanawalt JD, Rinn HW, Frevel LK (1938) Chemical analysis by X-ray diffraction – classification and use of X-ray diffraction patterns. *Ind Eng Chem Anal Ed* 10:457–512
- Hamilton WC (1964a) Program No. 313 (POWLS). ACA Computer Program Listing, November 1961
- Hamilton WC (1964b) Statistics in physical science. Ronald Press, New York
- Hart M, Cernik RJ, Parrish W, Toraya H (1990) Lattice parameter determination for powders using synchrotron radiation. *J Appl Cryst* 23:286–291
- Hastings JB, Thomlinson W, Cox DE (1984) Synchrotron X-ray powder diffraction. *J Appl Cryst* 17:85–95
- Haywood BC, Shirley R (1977) The structure of tetraiodoethylene at 4 K. *Acta Cryst B* 33:1765–1773
- Hauptmann H, Karle J (1956) Structure invariants and semiinvariants for non-centrosymmetric space groups. *Acta Cryst* 9:45–55
- Hill JR (1984) X-ray powder diffraction profile refinement of synthetic hercynite. *Am Mineral* 69:937–942
- Hill JR (1991) Expanded use of the Rietveld method in studies of phase abundance in multiphase mixtures. *Powder Diffr* 6:74–77
- Hill JR, Fischer RX (1990) Profile agreement indices in Rietveld and pattern-fitting analysis. *J Appl Cryst* 23:462–468

- Hill JR, Howard CJ (1987) Quantitative phase analysis from neutron powder diffraction data using the Rietveld method. *J Appl Cryst* 20:467-474
- Hill JR, Madsen IC (1991) Rietveld analysis using para-focusing and Debye-Scherrer geometry data collected with a Bragg-Brentano diffractometer. *Z Kristallogr* 196:73-92
- Höffner C, Will G (1991) PC-profile analysis of peak clusters in angle and energy dispersive powder diffraction. *Mater Sci Forum* 79-82: 91-98
- Höfler S, Schäfer W, Will G (1985) Texture measurements at the neutron diffractometer in Jülich. In: Bunge HJ (ed) *Experimental techniques of texture analysis*. DMG Informationsgesellschaft Verlag, pp 241-251
- Höfler S, Will G, Hamm H-M (1988) Neutron diffraction pole figure measurements on iron meteorites. *Earth Planet Sc Lett* 90:1-10
- Höfler S, Schäfer W, Will G (1989) Neutron diffraction pole figure measurements for the microstructure analysis of meteorites. *Physica B* 156/157:675-677
- Honkimäki V, Suortti P (1992) Whole pattern fitting in energy-dispersive powder diffraction. *J Appl Cryst* 25:97-104
- Howard CJ (1982) The approximation of asymmetric neutron powder diffraction peaks by sums of Gaussian. *J Appl Cryst* 15:615-620
- Huang TC, Parrish W (1975) Accurate and rapid reduction of experimental X-ray data. *Appl Phys Lett* 27:123-124
- Huang TC, Hart M, Parrish W, Masciocchi N (1987) Line-broadening analysis of synchrotron X-ray diffraction data. *J Appl Phys* 61:2813-2816
- Hüpen H, Will G, Höffner C, Elf F (1991) X-ray diffraction of CuS_2 under high pressure. *Mat Sci Forum* 79-82:697-702
- Hull AW (1917) *Phys Rev* 9:84
- Jansen E, Schäfer W, Will G (1985) Application of profile methods in texture measurements using position-sensitive detectors. In: Bunge HJ (ed) *Experimental techniques of texture analysis*. DMG Informationsgesellschaft Verlag, pp 229-240
- Jansen E, Schäfer W, Will G (1988) Profile fitting and the Two-Stage method in neutron powder diffraction for structure and texture analysis. *J Appl Cryst* 21:228-239
- Jansen E, Schäfer W, Will G (1989) International Workshop on the Rietveld Method. Netherland Energy Research Foundation, ECN, Petten, p 64 (see also Jansen et al. 1994a).
- Jansen E, Schäfer W, Will G (1994a) R-values of powder diffraction data using Rietveld refinement. *J Appl Cryst* 27:492-496
- Jansen E, Schäfer W, Will G (1994b) PC environment for commonly used programs in powder structure refinement. *Mat Sci Forum* 166-169:187-192
- Jansen J, Peschar R, Schenk H (1992) On the determination of accurate intensities from powder diffraction data. I. Whole-pattern fitting with a least-squares procedure. *J Appl Cryst* 25:231-236
- Järvinen M, Merisalo M, Pesonen A, Inkinen O (1970) Correction of integrated X-ray intensities for preferred orientation in cubic powders. *J Appl Cryst* 3:313-318
- Jorgensen JD, Rotella FJ (1982) High-resolution time-of-flight powder diffractometer at the ZING-P' pulsed neutron source. *J Appl Cryst* 15:27-34
- Karle J, Hauptmann H (1950) The phases and magnitudes of the structure factors. *Acta Cryst* 3:181-187
- Khattak CP, Cox DE (1977) Profile analysis of X-ray powder diffractometer data: Structural refinement of $\text{La}_{0.75}\text{Sr}_{0.25}\text{CrO}_3$. *J Appl Cryst* 10:405-411
- Kirfel A, Will G (1980) Bonding in $\text{S}_2\text{O}_6^{2-}$: Refinement and pictorial representation from an X-ray diffraction study of $\text{Na}_2\text{S}_2\text{O}_6 \cdot 2 \text{H}_2\text{O}$ and $\text{Na}_2\text{S}_2\text{O}_6 \cdot 2 \text{D}_2\text{O}$. *Acta Cryst B* 36:512-523
- Klug HP, Alexander LE (1974) *X-ray diffraction procedures for polycrystalline and amorphous materials*. J. Wiley, New York
- Kockelmann W (1995) Bestimmung kommensurabler und inkommensurabler Magnetstrukturen aus Neutronenpulverdiffraktometrie an Verbindungen der Selten-Erd (R) Systeme RXO_4 , RFe_3Al_7 und $\text{R}(\text{Co,Ni})\text{C}_2$. JÜL Report, JÜL-3025, Februar 1995, ISSN 0944-2952
- Kockelmann W, Schäfer W, Will G (1992a) Low temperature neutron diffraction investigation of the complex incommensurate magnetic ordering of TbAsO_4 . *J Phys Chem Solids* 53:913-921
- Kockelmann W, Schäfer W, Will G (1992b) The incommensurate magnetic structure of TbAsO_4 analyzed by profile fitting. *Physica B* 180/181:68-70
- Kockelmann W, Schäfer W, Will G, Fischer P, Gal J (1994) Neutron diffraction study of the ferrimagnetic structures of RFe_3Al_7 compounds with $\text{R} = \text{Tb, Dy, Ho, Er, Tm}$. *J Alloy Compd* 207/208:311-315
- Kockelmann W, Jansen E, Schäfer W, Will G (1995) IC-POWLS: A program for calculation and refinement of commensurate and incommensurate structures using powder diffraction. Report JÜL-3025, KFA Jülich, Germany
- Kurdjumow G, Sachs G (1930) Über den Mechanismus der Stahlhärtung. *Z Phys* 64:325-343

- Lager AG, Ross FK, Rotella FJ, Jorgensen JDT (1981) Neutron powder diffraction of forsterite, Mg_2SiO_4 : A comparison with single-crystal investigations. *J Appl Cryst* 14:137-139
- Larson AC, Von Dreele RB (1994) General structure analysis system (GSAS). Los Alamos National Laboratory Report LAUR 86.748
- Lauterjung J, Will G, Hinze E (1985) A fully automatic peak-search program for the evaluation of Gauss-shaped diffraction patterns. *Nucl Instrum Meth A* 239:281-287
- Le Bail A, Duroy H, Fourquet JL (1988) *Ab-initio* determination of LiSbWO_4 by X-ray powder diffraction. *Mat Res Bull* 23:447-452
- Le Page Y, Donnay G (1976) Refinement of the crystal structure of low-quartz. *Acta Cryst B* 32:2456-2459
- Lehmann MS, Christensen AN, Fjellvag H, Feidenhans LR, Nielsen M (1987) Structure determination by use of pattern decomposition and the Rietveld method on synchrotron X-ray and neutron powder data; the structure of $\text{Al}_2\text{Y}_4\text{O}_9$ and I_2O_4 . *J Appl Cryst* 20:123-139
- Levien I, Prewitt C, Weidner DJ (1980) Structure and elastic properties of quartz at pressure. *Am Mineral* 65:920-930
- Levy JH, Taylor JC, Wilson PW (1975a) The structure of fluorides. IX. The orthorhombic form of molybdenum hexafluoride. *Acta Cryst B* 31:398-401
- Levy JH, Taylor JC, Wilson PW (1975b) The structure of uranium(III) triiodide by neutron diffraction. *Acta Cryst B* 30:880-882
- Loopstra BO, Boldrini P (1966) Neutron diffraction investigation of WO_3 . *Acta Cryst* 21:158-162
- Loopstra BO, Rietveld HM (1969) The structure of some alkaline-earth metal uranates. *Acta Cryst B* 25:787-791
- Louer D, Louer MJ (1972) Methode d'essais et erreurs pour l'indexation automatique des diagrammes de poudre. *J Appl Cryst* 5:271-275
- Louer D, Louer MJ (1987) Crystal structure of $\text{Nd}(\text{OH})_2\text{NO}_3 \cdot \text{H}_2\text{O}$ completely solved and refined from X-ray powder diffraction. *J Solid State Chem* 68:292-299
- Louer D, Vargas R (1982) Indexation automatique des diagrammes de poudre par dichotomies successives. *J Appl Cryst* 15:542-545
- Louer D, Louer M, Touboul MJ (1992) Crystal structure determination of lithium diborate hydrate, $\text{LiB}_2\text{O}_3(\text{OH}) \cdot \text{H}_2\text{O}$ from X-ray powder diffraction data collected with a curved position-sensitive detector. *Acta Cryst* 25:617-623
- Lutterotti L, Scardi P (1990) Simultaneous structure and size-strain refinement by the Rietveld method. *J Appl Cryst* 23:246-252
- Lutterotti L, Matthies S, Wenk HR, Schulz AS, Richardson JW Jr (1997) Combined texture and structure analysis of deformed limestone from time-of-flight neutron diffraction spectra. *J Appl Phys* 81:594-600
- Madsen IC, Hill RJ (1991) QPDA - A user-friendly, interactive program for quantitative phase and crystal size/strain analysis of powder diffraction data. *Powder Diffr* 5:105-199
- Madsen IC, Scarlett N, Cranswick LMD, Lwin T (2001) Outcomes of the International Union of Crystallography Commission on Powder Diffraction Round Robin on quantitative phase analysis: samples 1a to 1h. *J Appl Cryst* 34:409-426
- Main P, Lessinger L, Woolfson MM, Germain G, Declercq J-P (1977) MULTAN77. A system of computer programs for the automatic solution of crystal structures from X-ray diffraction data. University of York, England and Louvain, Belgium
- Main P, Fiske SJ, Hull SE, Lessinger L, Germain G, Declercq JP, Woolfson MM (1980) MULTAN80: A system of computer programs for the automatic solution of crystal structures from X-ray diffraction data. University of York and Louvain
- Malmros G, Thomas JO (1977) Least-squares structure refinement based on profile analysis of powder film intensity data measured on an automatic microdensitometer. *J Appl Cryst* 10:7-11
- Malmros G, Werner PE (1973) Automatic densitometer measurements of powder diffraction photographs. *Acta Chem Scand* 27:493-502
- March A (1932) Mathematische Theorie der Regelung nach der Korngestalt bei affiner Deformation. *Z Kristallogr* 81:285-297
- McCusker LB (1988) The *ab initio* structure determination of sigma-2 (a new clathrasil phase) from synchrotron powder diffraction data. *J Appl Cryst* 21:205-310
- McCusker LB, Von Dreele RB, Cox DE, Louer D, Scardi P (1999) Rietveld refinement guidelines. *J Appl Cryst* 32:36-50
- Merz P, Jansen E, Schäfer W, Will G (1990) PROFAN-PC: A PC-program for powder peak profile analysis. *J Appl Cryst* 23:444-445
- Nishiyama Z (1934) X-ray investigation of the mechanism of the transformation from face-centered cubic lattice to body-centered cubic. *Sci Rep Tohoku Imp Univ Tokio* 23:637-664
- Nover G, Will G (1981) Structure refinement of seven natural olivine crystals and the influence of the oxygen partial pressure on the cation distribution. *Z Kristallogr* 190:277-285

- Parrish W (1960) Results of the IUCr precision lattice parameter project. *Acta Cryst* 13:838–850
- Parrish W (1965) X-ray analysis papers. Centrex Publishing Comp., Eindhoven
- Parrish W, Huang TC (1980) Accuracy of the profile fitting method for X-ray polycrystalline diffractometry. Proceedings of the Symposium on Accuracy in Powder Diffraction. Nat. Bur. of Stand., Washington D.C. (Special Publication 567:95–119)
- Parrish W, Huang TC (1983) Accuracy and precision of intensities in X-ray polycrystalline diffraction. *Adv X Ray Anal* 26:35–44
- Parrish W, Huang TC, Ayers GL (1976) Profile fitting: A powerful method of computer X-ray instrumentation and analysis. *Trans Am Cryst Assoc* 12:55
- Parrish W, Hart M, Huang TC, Bellotto M (1987) Lattice parameter determination using synchrotron powder data. *Adv X Ray Anal* 30:373–382
- Paterson MS (1950) *Proc Phys Soc London Sect A* 63:477–482
- Pawley GS (1980) EDINP, the Edinburgh powder refinement program. *J Appl Cryst* 13:630–633
- Pawley GS (1981) Unit cell refinement from powder diffraction scans. *J Appl Cryst* 14:357–361
- Peplinski B, Kleberg R, Bergmann J, Wenzel J (2004) Quantitative phase analysis using the Rietveld method – Estimates of possible problems based on two interlaboratory comparisons. *Mater Sci Forum* 443–444:45–50
- Phillips JC, Hodgson KO (1980) The uses of anomalous scattering effects to phase diffraction patterns from macromolecules. *Acta Cryst A* 36:856–864
- Plevert J, Louer M, Louer D (1989) The *ab initio* structure determination of $\text{Cd}_3(\text{OH})_5(\text{NO}_3)$ from X-ray powder diffraction data. *J Appl Cryst* 22:470–475
- Press W, Flannery B, Teukolsky S, Vetterling W (1988) Numerical revues in C. Cambridge Library
- Prince E (1985) Structure in statistics in crystallography. Academic Press, pp 95–103
- Rietveld HM (1966) The crystal structures of some alkaline earth metal uranates of the type M_3UO_6 . *Acta Cryst* 20:508–513
- Rietveld HM (1967) Line profiles of neutron powder-diffraction peaks for structure refinement. *Acta Cryst* 22:151–152
- Rietveld HM (1969) A profile refinement method for nuclear and magnetic structures. *J Appl Cryst* 2:65–71
- Rius J, Plana F, Palanques A (1987) Standardless X-ray diffraction method for quantitative analysis of multiphase mixtures. *J Appl Cryst* 20:457–460
- Rodriguez-Carvajal J (2001) Recent developments of the program FULLPROF. International Union of Crystallography, Newsletter No. 26, 26 December 2001
- Sakata M, Cooper MJ (1979) An analysis of the Rietveld profile refinement method. *J Appl Cryst* 12:554–536
- Savitzky A, Golay MJE (1964) Smoothing and differentiation of data by simplified least squares procedures. *Anal Chem* 36:1627–1639
- Scarlett NVY, Madsen IC, Cranswick LMD, Lewin T, Groleau E, Stephenson G, Aylmore M, Agron-Olshina N (2002) Outcomes of the International Union of Crystallography Commission on Powder Diffraction Round Robin on quantitative phase analysis: samples 2, 3, 4, synthetic bauxite, natural granodiorite and pharmaceuticals, *J Appl Cryst* 35:383–400
- Schäfer W, Will G, Müller-Vogt G (1979) Refinement of the crystal structure of terbium arsenate TbAsO_4 at 77 K and 5 K by profile analysis from neutron diffraction powder data. *Acta Cryst B* 35:588–592
- Schäfer W, Höfler S, Will G (1988) Applications of neutron diffraction pole figure measurements on polycrystalline and monocrystalline metallic samples. Examples from the four-circle neutron diffractometer in Jülich. *Texture Microstruct* 8/9:457–466
- Schäfer W, Merz P, Jansen E, Will G (1991) Neutron diffraction texture analysis of multiphase and low-symmetry materials using the position-sensitive detector JULIOS and peak deconvolution methods. *Texture Microstruct* 14–18:65–71
- Schäfer W, Jansen E, Merz P, Will G, Wenk HR (1992a) Neutron diffraction texture investigation on deformed quartzites. *Physica B* 180/181:1035–1038
- Schäfer W, Jansen E, Skowronek R, Will G, Knight KS, Finney JL (1992b) Time-of-flight powder diffraction test experiments at a pulsed neutron beam using the position-sensitive detector JULIOS. *Nucl Instrum Meth A* 317:202–212
- Schäfer W, Jansen E, Will G (1993) Angle dispersive time-of-flight diffraction in a pulsed beam: An efficient technology to exploit the thermal-neutron spectrum – design of a JULIOS diffractometer and experimental tests. *J Appl Cryst* 26:660–669
- Schäfer W, Jansen E, Will G, Kotsanidis PA, Yakinthos JK, Tietze-Jaensch H (1994) Crystallographic and magnetic structure of TbPtGa . *J Alloy Compd* 206:225–229
- Schäfer W, Jansen E, Skowronek R, Will G, Kockelmann W, Schmidt W, Tietze-Jaensch H (1995) Setup and use of the Rotax instrument at ISIS as an angle-dispersive neutron powder and texture diffractometer. *Nucl Instrum Methods A* 364:179–185

- Scott HG (1983) The estimation of standard deviations in powder diffraction Rietveld refinements. *J Appl Cryst* 16:159–163
- Sheldrick GM (1976) Program for crystal structure determination. University of Cambridge, England
- Shull CG, Smart JS (1949) Detection of antiferromagnetism by neutron diffraction. *Phys Rev* 76:1256–1257
- Shull CG, Strausser WA, Wollan EO (1951) Neutron diffraction by paramagnetic and antiferromagnetic substances. *Phys Rev* 83:333–345
- Smith GS, Alexander LE (1963) Refinement of the atomic parameters of α -quartz. *Acta Cryst* 16:462–471
- Smith DK, Gortner SJ (1991) Powder diffraction program information. 1990 program list. *Appl Cryst* 24:369–402
- Sonnefeld EJ, Visser JW (1975) Automatic collection of powder data from photographs. *J Appl Cryst* 8:1–7
- Steenstrup S (1981) A simple procedure for fitting a background to a certain class of measured spectra. *J Appl Cryst* 14:226–229
- Stewart JM, Hall SR (1988) XTAL user's manual. Computer Science Center, University of Maryland (Technical Report TR1364.2); also in: *Crystallographic computing*. Oxford University Press, pp 325–353
- Stout GH, Jensen LH (1970) X-ray structure determination. The Macmillan Company, London
- Suortti P, Jennings LD (1977) Accuracy of structure factors from X-ray powder intensity measurements. *Acta Cryst A* 33:1012–1027 (Commission on Crystallographic Apparatus, International Union of Crystallography)
- Suortti P, Ahtee M, Unonius L (1979) Voigt function fit of X-ray and neutron powder diffraction profiles. *J Appl Cryst* 12:365–369
- Taylor JC (1987) A comparison of profile decomposition and Rietveld methods for structural refinement with powder diffraction data. *Z Kristallogr* 181:151–160
- Taylor JC (1991) Computer programs for standardless quantitative analysis of minerals using the full powder diffraction profile. *Powder Diffr* 6:2–9
- Taylor JC, Matulis CE (1991) Absorption contrast effects in the quantitative XRD phase analysis of powders by full multiphase profile refinement. *J Appl Cryst* 24:14–17
- Taylor JC, Pescover SR (1988) Quantitative analysis of phases in zeolite bearing rocks from full X-ray diffraction profiles. *Austr J Phys* 41:323–335
- Taylor JC, Wilson PW (1974a) The structure of β -tungsten hexachloride by powder neutron and X-ray diffraction. *Acta Cryst B* 30:1216–1220
- Taylor JC, Wilson PW (1974b) Neutron and X-ray powder diffraction studies of the structure of uranium hexachloride. *Acta Cryst B* 30:1481–1484
- Taylor JC, Wilson PW (1974c) The structure of uranium tetrabromide by X-ray and neutron diffraction. *Acta Cryst B* 30:2664–2667
- Taylor JC, Miller SA, Bibby DM (1986) A study of decomposition methods for refinement of H^+ -ZSM5 zeolite with powder diffraction data. *Z Kristallogr* 176:183–192
- Taupin D (1973) Automatic peak determination in X-ray powder patterns. *J Appl Cryst* 6:266–273
- Templeton DH, Templeton LK, Phillips JC, Hodgson KO (1980) Anomalous scattering of X-rays by cesium and cobalt measured with synchrotron radiation. *Acta Cryst A* 36:436–442
- Templeton LK, Templeton DH, Phizackerley RP, Hodgson KO (1982) L₃-edge anomalous scattering by gadolinium and samarium measured at high resolution with synchrotron radiation. *Acta Cryst A* 38:74–78
- Toraya H (1986) Whole powder pattern fitting without reference to a structural model: Application to X-ray powder diffraction data. *J Appl Cryst* 19:440–447
- Toraya H (1988) The deconvolution of overlapping reflections by the procedure of direct fitting. *J Appl Cryst* 21:192–196
- Toraya H (1989) Whole-pattern decomposition method. *The Rigaku Journal* 6:28–34
- Toraya H, Yoshimura M, Somiya SA (1983) A computer program for the deconvolution of X-ray diffraction profiles with the composite of Pearson VII functions. *J Appl Cryst* 16:653–657
- Valvoda V, Chladek M, Cerney R (1996) Joint texture refinement. *J Appl Cryst* 29:48–52
- Vand V, Niggli A (1961) The use of a Monte Carlo method in X-ray structure analysis. In: *Computing methods and the phase problem in X-ray crystal analysis*. Pergamon Press, Oxford, pp. 266–272
- Visser JW (1969) A fully automatic program for finding the unit cell from powder data. *J Appl Cryst* 2:89–95
- Von Dreele RB (1995) Abstract. European Powder Diffraction Conference EPDIC IV, Chester, England
- Von Dreele RB (1997) Quantitative texture analysis by Rietveld refinement. *J Appl Cryst* 30:517–525
- Von Dreele RB, Cheetham AK (1974) *Proc Roy Soc A* 338:311–326
- Von Dreele RB, Jorgensen JD, Windsor CG (1982) Rietveld refinement with spallation neutron powder diffraction data. *J Appl Cryst* 15:581–589
- Warren BE, Averbach BL (1950) The effect of cold-work distortion on X-ray patterns. *J Appl Phys* 21:595–599

- Warren BE, Averbach BL (1952) The separation of stacking fault broadening in cold-work metals. *J Appl Phys* 23:1059
- Wassermann G (1935) Über den Mechanismus der α - γ -Umwandlung des Eisens. *Mitt K Wilh-Inst f Eisenforschung* 17:149–155
- Weiss Z, Krajicek J, Smrcok L, Fiala J (1983) A computer X-ray quantitative phase analysis. *J Appl Cryst* 16:493–497
- Wenk HR, Grigull S (2003) Synchrotron texture analysis with area detectors. *J Appl Cryst* 36:1040–1049
- Wenk HR, Kern H, Schäfer W, Will G (1984) Comparison of neutron and X-ray diffraction in texture analysis of deformed carbonate rocks. *J Struct Geol* 6:687–692
- Wenk HR, Matthies S, Hemley RJ, Mao HK, Shu J (2000) The plastic deformation of iron at pressures of the Earth's inner core. *Nature* 405:1044–1047
- Werner P-E (1964) Trial-and-error computer methods for the indexing of unknown powder patterns. *Z Kristallogr* 120:375–387
- Werner P-E (1976) On the determination of unit cell dimensions from inaccurate powder diffraction data. *J Appl Cryst* 9:216–219
- Werner P-E, Salome S, Malmros G, Thomas JO (1979) Quantitative analysis of multicomponent powders by full-profile refinement of Guinier-Hägg X-ray film data. *J Appl Cryst* 12:107–109
- Werner P-E, Erikson, Westdahl (1985) TREOR, a semi-exhaustive trial-and error powder indexing program for all symmetries. *J Appl Cryst* 18: 367–370
- Wiles DB (1982a) Program for Rietveld analysis of X-ray and neutron powder diffraction patterns: DBW3.2. Georgia Institut of Technology, Atlanta, USA
- Wiles H (1982b) The deconvolution of overlapping reflections by the procedure of direct fitting. *J Appl Cryst* 15:430–438
- Wiles DB, Young RA (1981) A new computer program for Rietveld analysis of X-ray powder diffraction patterns. *J Appl Cryst* 14:149–151
- Will G (1968) Lokale Verteilung der magnetischen Momentdichte in Kristallen aus Neutronenbeugungsuntersuchungen. *Z Angew Phys* 24:260–269
- Will G (1969a) Kristallstrukturanalyse und Neutronenbeugung. I: Neutronenbeugung an Atomkernen. *Angew Chem* 81:984–995
- Will G (1969b) Kristallstrukturanalyse und Neutronenbeugung. II: Neutronenbeugung und magnetische Strukturen. *Angew Chem* 81:984–995
- Will G (1969c) Magnetsche Strukturuntersuchungen und Formfaktormessungen an Seltenen Erden mit Neutronenbeugung. *Z Angew Phys* 26:67–76
- Will G (1971) Neutronenbeugung und Spinstrukturen Seltener Erden und intermetallischer 3d-4f-Verbindungen. *Z Angew Phys* 32:1–8
- Will G (1972) Thermal neutron scattering by magnetic interaction. *Ann Phys* 7:371–405
- Will G (1979) POWLS: A powder least-squares program. *J Appl Cryst* 12:483–485
- Will G (1988) Crystal structure analysis and refinement using integrated intensities from accurate profile fits. *Austr J Phys* 41:283–296
- Will G (1989) Crystal structure analysis from powder diffraction data. *Z Kristallogr* 188:169–186
- Will G, Berndt H (2001) Kinetics of the pressure induced first-order phase transformation of RbJ. *High Pressure Res* 21:215–225
- Will G, Höffner C (1992) HFIT, a Program for interactive analysis of powder diffraction data. *Adv X Ray Anal* 35:571–572
- Will G, Lauterjung J (1987) The kinetics of the pressure induced olivine-spinel phase transition. In: Manghnani MH, Syono Y (eds) *High pressure research in mineral physics*. American Geophysical Union Washington, D.C., pp 177–186
- Will G, Frazer BC, Cox DE (1965) The crystal structure of MnSO_4 . *Acta Cryst* 19:854–857
- Will G, Nuding W, Hinze E (1980a) X-ray energy dispersive diffractometry using profile analysis for high pressure experiments. In: *High pressure technology*. Pergamon Press, New York (Proceedings of the 7th International AIRAPT Conference, Le Creusot, France, vol 1, pp 201–203)
- Will G, Jansen E, Schäfer W (1980b) POWLS60: A program for refinement of powder diffraction data. Report JÜL-1646, KFA Jülich, Germany
- Will G, Parrish W, Huang TC (1983a) Crystal structure refinement by profile fitting and least squares analysis of powder diffractometer data. *J Appl Cryst* 16:611–622
- Will G, Jansen E, Schäfer W (1983b) POWLS80: A program for calculation and refinement of powder diffraction data. Report JÜL-1867, KFA Jülich, Germany
- Will G, Lauterjung J, Schmitz H, Hinze E (1984) The bulk moduli of 3d-transition element pyrites measured with synchrotron radiation in a new belt type apparatus. *Mat Res Soc Symp Proc* 22:49–52
- Will G, Höfler S, Schäfer W (1986a) Application of neutron diffraction in texture analysis. *Physica* 136B:473–476

- Will G, Höfler S, Schäfer W (1986b) Texture analysis by neutron diffraction. *Mat Sci Forum* 27/28:457-464
- Will G, Masciocchi N, Hart M, Parrish W (1987a) Ytterbium LIII-edge anomalous scattering measured with synchrotron radiation powder diffraction. *Acta Cryst A* 43:677-683
- Will G, Masciocchi N, Parrish W, Hart M (1987b) Refinement of simple crystal structures from synchrotron radiation powder diffraction data. *J Appl Cryst* 20:394-401
- Will G, Bellotto M, Parrish W, Hart M (1988a) Crystal structure of quartz and magnesium germanate by profile analysis of synchrotron radiation high resolution powder data. *J Appl Cryst* 21:182-191
- Will G, Höfler S, Schäfer W (1988b) Texture analysis by neutron diffraction. *Mat Sci Forum* 27/28:457-464
- Will G, Schäfer W, Merz P (1989) Texture analysis by neutron diffraction using a linear position sensitive detector. *Texture Microstruct* 10:375-387
- Will G, Jansen E, Schäfer W (1990a) Structure refinements in chemistry and physics. A comparative study using the Rietveld and the Two-Step method. *Adv X Ray Anal* 33:261-268
- Will G, Masciocchi N, Parrish W, Lutz HD (1990b) Crystal structure analysis and refinement of CrMnInS_4 from powder diffraction data using synchrotron radiation. *Z Kristallogr* 190:277-285
- Will G, Merz P, Schäfer W, Dahms M (1990c) Application of position sensitive detectors for neutron diffraction texture analysis of hematite ore. *Adv X Ray Anal* 33:277-283
- Will G, Jansen E, Schäfer W (1992a) Texture analysis of bulk samples by neutron diffraction using a position sensitive detector. *Adv X Ray Anal* 35:285-291
- Will G, Huang TC, Sequeda F (1992b) Determination of crystal structure and cation distribution in thin films. *Adv in X Ray Anal* 35:151-157
- Will G, Schäfer W, Jansen E (1994) JULIOS: A position-sensitive neutron detector and its application to white beam time-of-flight diffraction. *Adv X Ray Anal* 37:375-384
- Wilson AJC (1963) Mathematical theory of X-ray powder diffractometry. Philips Technical Library, Eindhoven
- Wilson AJC (1976) Statistical bias in least-squares refinement. *Acta Cryst A* 32:994-996
- Wilson AJC (1980) Accuracy in methods of lattice-parameter measurements. *Nat Bur Stand Spec Pub* 567:325
- Worlton TG, Jorgensen JD, Beyerlein RA, Decker DL (1976) Multicomponent profile refinement of time-of-flight neutron diffraction data. *Nuclear Instrum Methods* 137:331-337
- Young RA, Wiles DB (1982) Profile shape functions in Rietveld refinements. *J Appl Cryst* 15:430-438
- Young RA, Mackie PE, Von Dreele RB (1977) Application of the pattern fitting structure-refinement method of X-ray powder diffractometer patterns. *J Appl Cryst* 10:262-269
- Young RA, Prince E, Sparks RA (1982) Suggested guidelines for the publication of Rietveld analyses and pattern decomposition studies. *J Appl Cryst* 15:357-359
- Zachariasen WH (1949) Crystal chemical studies of the 5f-series elements. XI. The crystal structure of $\alpha\text{-UF}_5$ and $\beta\text{-UF}_5$. *Acta Cryst* 2:296-298