

Literatura

- [1] Aigner, D. J. (1974): MSE dominance of least squares with errors of observation. *Journal of Econometrics* 2, 365–372.
- [2] Akaike, H. (1974): A new look at the statistical model identification. *IEEE Transactions on Automatic Control* 19, 716 - 723.
- [3] Akaike, H. (1981): Likelihood of a model and information criteria. *Journal of Econometrics* 16, 3 - 14.
- [4] Amemiya, T. (1973): Regression analysis when the variance of the dependent variable is proportional to the square of its expectation. *Journal of American Statistical Association* 68, 928–934.
- [5] Amemiya, T. (1977): A note on a heteroscedastic model. *Journal of Econometrics* 6, 365-370. and “Corrigenda”. *Journal of Econometrics* 8, 275.
- [6] Amemiya, T. (1981): Qualitative response model: A survey. *Journal of Economic Literature* 19, 1483 - 1536.
- [7] Amemiya, T., Powell, J. (1980): A comparison of the logit model and normal discriminant analysis when independent variables are binary. *Technical Report No. 320, Institute for Mathematical Studies in the Social Sciences, Encina Hall, Stanford University, Stanford, California.*
- [8] Anděl, J. (1978): *Matematická statistika*. Praha, Bratislava: SNTL & ALFA.
- [9] Anděl, J. (1993): *Statistické metody*, MATFYZPRESS, Praha, 1993.
- [10] Anderson, T. W. (1948): On the theory of testing serial correlation. *Skandinavisk Aktuarietidskrift* 31, 88-116.
- [11] Bartlett, M. S. (1937): Properties of sufficiency and statistical tests. *Proceedings of the Royal Society, Series A* 160, 268 - 282.
- [12] Bates, J. M., Granger, C. W. J. (1969): The combination of forecasts. *Operational Research Quarterly*, 20, 451-468.
- [13] Battese, G. E., Bonyhady, B. P. (1981): Estimation of household expenditure functions: An application of a class of heteroscedastic regression models. *The Economic Record* 57, 80–85.
- [14] Belsley, D. A., Kuh, E., Welsch, R. E. (1980): *Regression Diagnostics: Identifying Influential Data and Sources of Collinearity*. New York: J. Wiley & Sons.
- [15] Bera, A. K., Jarque, C. M. (1981): An efficient large-sample test for normality of observations and regression residuals. *Australian National University Working Papers in Econometrics No. 40, Cambera.*

- [16] Berndt, E. (1990): *The Practice of Econometrics*. Reading, Mass., Addison-Wesley, 1990.
- [17] Boscovisch, R. J. (1757): De litteraria expeditione per pontificiam ditionem, et synopsis amplioris operis, ac habentur plura eius ex exemplaria etiam sensorum impressa. *Boloniensi Scientiarum et Artium Instituto Atque Academia Commentarii* 4, 353-396.
- [18] Bowden, R. J., Turkington, D. A. (1984): *Instrumental Variables*. Cambridge: Cambridge University Press.
- [19] Bradley, E. L. (1973): Equivalence of maximum likelihood and weighted least squares estimates in the exponential family. *Journal of American Statistical Association* 768, 199 - 200.
- [20] Breiman, L., Friedman, J. H., Olshen, R. A., Stone, C. J. (1984): *Classification and Regression Trees*. Belmont, California: Wadsworth International Group.
- [21] Breusch, T. S., Pagan, A. R. (1979): A simple test for heteroscedasticity and random coefficient variation. *Econometrica* 47, 1287 - 1294.
- [22] Charnes, A., Frome, E. L., Yu, P. L. (1976): The equivalence of generalized least squares and maximum likelihood estimates in the exponential family. *Journal of American Statistical Association* 71, 169 - 171.
- [23] Chatterjee, S., Hadi, A. S. (1988): *Sensitivity Analysis in Linear Regression*. New York: J. Wiley & Sons.
- [24] Chatterjee, S., Price, B. (1977): *Regression Analysis by Example*. New York: J. Wiley & Sons.
- [25] Chow, G. C. (1960): Tests of equality between sets of coefficients in two linear regressions. *Econometrica* 28, 591 - 605.
- [26] Clemen, R. T. (1986): Linear constraints and efficiency of combined forecasts. *Journal of Forecasting* 6, 31 - 38.
- [27] Cochrane, D., Orcutt, G. H. (1949): Application of least squares regression to relationships containing autocorrelated error terms. *Journal of the American Statistical Association*, 44, 32 - 61.
- [28] Cook, R. D., Weisberg, S. (1983): Diagnostics of heteroscedasticity in regression. *Biometrika* 70, 1 - 10.
- [29] D'Agostino, R. B., Belanger, A., D'Agostino, R. B. Jr. (1990): A suggestion for using powerful and informative tests of normality. *American Statisticians* 44, 316 - 321.
- [30] Dhrymes, P. J. (1978): *Introductory Econometrics*. Springer-Verlag, New York.
- [31] Draper, N. R., Smith, H. (1981): *Applied Regression Analysis*. New York: J. Wiley & Sons, 2nd edition (1st edition 1966).

- [32] Durbin, J., Watson, G. S. (1952): Testing for serial correlation in least squares regression. *I. Biometrika* 37, 409-428.
- [33] Eicker, F. (1967): Limit theorems for regression with unequal and dependent errors. In *Proceedings of the Fifth Berkeley Symposium on Mathematical Statistics and Probability*, L. Le Cam, J. Neyman, eds., Berkeley: University of California Press.
- [34] Farrar, D. E., Glauber, R. R. (1967): Multicollinearity in regression analysis: The problem revisited. *Review of Economics and Statistics* 49, 92-107.
- [35] Fisher, R. A. (1922): On the mathematical foundations of theoretical statistics. *Philos. Trans. Roy. Soc. London Ser. A* 222, pp. 309-368.
- [36] Friedman, M. (1957): *A Theory of the Consumption Function*. Princeton: Princeton University Press.
- [37] Friedman, R. (1982): Multicollinearity and ridge regression. *Allgemeines Statistisches Archiv* 66, 120 - 128.
- [38] Froehlich, B. R. (1973): Some estimators for a random coefficient regression model. *Journal of the American Statistical Association* 68, 329-334.
- [39] Frome, E. L., Kutner, M. H., Beauchamp, J. J. (1973): Regression analysis of Poisson-distributed data. *Journal of American Statistical Association* 68, 935 - 940.
- [40] Galilei, G. (1632): *Dialogo dei masimi sistemi*.
- [41] Galton F. (1886): Regression towards mediocrity in hereditary stature. *Journal of the Anthropological Institute* 15, 246-263.
- [42] Gauss F. C. (1809): *Theoria motus corporum celestium*. Hamburg: Perthes et Besser.
- [43] Glivenko, V. I. (1933): Sulla determinazione empirica delle leggi di probabilità. *Giorn. Inst. Ital. Attuari* 4, 92.
- [44] Goldberger, A. S. (1972): Structural equation methods in the social sciences. *Econometrica* 40, 979 - 1001.
- [45] Goldfeld, S. M., Quand, R. E. (1965): Some tests for homoscedasticity. *Journal of American Statistical Association* 60, 539 - 547.
- [46] Goldfeld, S. M., Quand, R. E. (1972): *Nonlinear Methods in Econometrics*. North-Holland, Amsterdam.
- [47] Granger, C. W. J. (1969): Investigating causal relations by econometric models and cross-spectral methods. *Econometrica* 37, 424 - 438.
- [48] Greene, W.H. (1993): *Econometric Analysis*, New York. Macmillan Press.

- [49] Griffiths, W. E., Anderson, J. R. (1982): Using time-series and cross-section data to estimate a production function with positive and negative marginal risks. *Journal of American Statistical Association* 77, 529–536.
- [50] Gunst, R. F. (1983): Regression analysis with multicollinear predictor variables: The problem revisited. *Review of Economic Statistics* 49, 92 - 107.
- [51] Hampel, F.R., Ronchetti, E.M., Rousseeuw, P.J., Stahel, W.A. (1986): *Robust Statistics – The Approach Based on Influence Functions*. New York: J.Wiley & Sons.
- [52] Hand, D.J., Daly, F., Lunn, A.D., McConway, K.J., Ostrowski, E. (1994): *Handbook of Small Data Sets*. London: Chapman & Hall.
- [53] Harvey, A. C. (1974): Estimation of parameters in a heteroscedastic regression model. *European Meeting of the Econometric Society*, Grenoble, France.
- [54] Hausman, J. (1978): Specification test in econometrics. *Econometrica*, 46, 1978, 1251 - 1271.
- [55] Hensher, D., Johnson, L. (1981): *Applied Discrete-Choice Modelling*. New York: Halsted.
- [56] Hettmansperger, T. P., Sheather, S. J. (1992): A Cautionary Note on the Method of Least Median Squares. *The American Statistician* 46, 79–83.
- [57] Hewitt, E., Stromberg, K. (1965): *Real and Abstract Analysis*. Berlin: Springer - Verlag.
- [58] Hildreth, C., Houck, J. P. (1968): Some estimators for a linear model with random coefficients. *Journal of the American Statistical Association* 63, 584 - 595.
- [59] Hoerl, A. E., Kennard, R. W. (1970): Ridge regression: Biased estimation for nonorthogonal problems. *Technometrics* 12, 55 - 68.
- [60] Hoerl, A. E., Kennard, R. W. (1970): Ridge regression: Application to nonorthogonal problems. *Technometrics* 12, 69 - 82.
- [61] Huang, H. C., Bolch, B. W. (1974): On the testing of regression disturbances for normality. *Journal of American Statistical Association* 69, 330 - 335.
- [62] Humphreys, R. M. (1978): Studies of luminous stars in nearby galaxies. I. Supergiants and O stars in the milky way. *Astrophysical Journalal Supplement Series* 38, 309–350.
- [63] Judge, G. G., Griffiths, W. E., Hill, R. C., Lütkepohl, H., Lee, T. Ch (1982): *Introduction to the Theory and Practice of Econometrics*. New York: J.Wiley & Sons.
- [64] Judge, G. G., Griffiths, W. E., Hill, R. C., Lütkepohl, H., Lee, T. Ch (1985): *The Theory and Practice of Econometrics*. New York: J.Wiley & Sons (second edition).
- [65] Just, R. E., Pope, R. D. (1978): Stochastic specification on production function and Economic implications. *Journal of Econometrics* 7, 67–86.

- [66] Kendall, M. G., Stuart, A. (1973): *The Advanced Theory of Statistics*. Vol. 2. Inference and Relationship. New York: Hafner.
- [67] Kiefer, N. M., Salmon, M. (1983): Testing normality in econometric models. *Economics Letters* 11, 123 - 128.
- [68] Kmenta, J. (1986): *Elements of Econometrics*. New York: Macmillan Publishing Company.
- [69] Kuhn, T. S. (1965): *Structure of Scientific Revolution*. Chicago: University of Chicago Press, Phoenix Broks 159.
- [70] Kullback, S. (1959): *Information Theory and Statistics*. New York: J. Wiley & Sons.
- [71] Kumar, T. K. (1975): Multicollinearity in regression analysis. *Review of Econometrics and Statistics*, 57, 365 - 366.
- [72] Laplace, P. S. (1793): Sur quelques points du systeme du mode. *Memoires de l'Academie Royale des Sciences de Paris*, 1-87.
- [73] Leamer, E: (1983): Model choice and specification analysis. In *Handbook of Econometrics*, Vol. I, 285 - 331. Z. Griliches and M. Intriligator, eds. Amsterdam, North Holand.
- [74] Legendre, A. M. (1805): *Nouvelles méthodes pour la détermination des orbites des comètes*. Paris: Courcier.
- [75] Liviatan, N. (1963): Consistent estimator of distributed lags. *International Economic Review*, 4, 44 - 52.
- [76] Locke, C., Spurrier, J. S. (1977): The use of U-statistics for testing normality against alternative with both tails heavy or both tails light. *Biometrika* 64, 638 - 640.
- [77] Lopuhaä, H. P. (1989): Estimation of location and covariance with high breakdown point. *Ph D Thesis. Technical University of Delft*.
- [78] Mallows, C. L. (1973): Some comments on C_p . *Technometrics* 15, 661 - 676.
- [79] Marquart, D. W. (1970): Genaralized inverses, ridge regression, biased linear estimation and nonlinear estimation. *Technometrics* 12, 591 - 612.
- [80] Marquart, D. W., Snee, R. D. (1975): Ridge regression in practice. *American Statistician* 29, 3 - 20.
- [81] Mason, R. L., Gunst, R. F., Hess, J. L. (1989): *Statistical Design and Analysis of Experiments*, New York: J.Wiley & Sons.
- [82] Mason, R. L., Gunst, R. F., Webster, J. T. (1975): Regression analysis and problems of multicollinearity. *Communication in Statistics* 4, 277 - 292.
- [83] McCallum, B. T. (1972): Relative asymptotic bias from errors of observation and measurement. *Econometrica* 40, 757-758.

- [84] McFadden, D. (1976): Quantal choice analysis : A survey. *Annals of Economic and Social Measurement* 5, 363 - 390.
- [85] Montgomery, D. C., Askin, R. G. (1981): Problems of nonnormality and multicollinearity for forecasting methods based on the least squares. *AIEE Transactions* 13, 102 - 115.
- [86] Montgomery, D. C., Peck, E. A. (1982): *Introduction to Linear Regression Analysis*. New York: J.Wiley & Sons.
- [87] Mulholland, H. P. (1977): On the null distribution of $\sqrt{b_1}$ for samples of size at most 25 with tables. *Biometrika* 64, 401 - 409.
- [88] von Neumann, J. (1941): Distribution of the ratio of the mean-square successive difference to the variance. *Annals of Mathematical Statistics* 12, 367 - 395.
- [89] Nicholls, D. F., Pagan, A. R. (1983): Heteroscedasticity in models with lagged dependent variables. *Econometrica* 51, 1233-1242.
- [90] Pearson, E. S., D'Agostino, R. B., Bowman, K. O. (1977): Tests for departure from normality: Comparison of powers. *Biometrika* 64, 231 - 246.
- [91] Pearson, E. S., Hartley, H. O. (1956, 1972): *Biometrika Tables for Statisticians I., II*. Cambridge University Press.
- [92] Pitman, E. J. G. (1937): The 'closest' estimates of statistical parameters. *Proc. Camb. Phil. Soc.* 33, 212-222.
- [93] Prais, S. J., Houthakker, H. S. (1955): *The Analysis of Family Budgets*. New York: Cambridge University Press.
- [94] Prais, S. J., Winsten, C. B. (1954): Trend estimators and serial correlation. *Cowles Commission Discussion Paper No 383, Chicago*.
- [95] Press, S., Wilson, S. (1978): Choosing between logistic regression and discriminant analysis. *Journal of the American Statistical Association* 23, 699 - 705.
- [96] Prigogine, I., Stengers, I. (1977): La Nouvelle Alliance. *SCIENTIA*, 1977, issues 5-12.
- [97] Prigogine, I., Stengers, I. (1984): *Out of Chaos*. London: William Heinemann Ltd.
- [98] Raj, B., Srivastava, V., Upadhyaya, S. (1980): The efficiency of estimating a random coefficient model. *Journal of Econometrics* 12, 285-299.
- [99] Rao, R. C. (1978): *Lineární metody statistické indukce a jejich aplikace*. Praha: Academia.
- [100] Rao, R. C., Zhao, LC. (1992): On the consistency of M -estimate in linear model obtained through an estimating equation. *Statistics & Probability Letters* 14, 79 - 84.
- [101] Rousseeuw, P.J., Leroy, A.M. (1987): *Robust Regression and Outlier Detection*. New York: J.Wiley & Sons.

- [102] Rubio, A., Aguilar, L., Víšek, J. Á. (1992): Testing for difference between models. *Computational Statistics* 8, 57 - 70.
- [103] Ruppert, D., Carroll, R. J. (1980): Trimmed least squares estimation in linear model. *J. Americal Statist. Ass.*, 75 (372), pp. 828-838.
- [104] Saniga, E. M., Miles, J. A. (1979): Power of some standard goodness-of-fit tests of normality against asymmetric stable alternatives. *Journal of the American Statistical Ass.* 74, 861 - 865.
- [105] Scheffe, H. (1959): *The Analysis of Variance*. New York: J.Wiley & Sons.
- [106] Schwarz, G. (1978): Estimating the dimension of model. *The Annals of Statistics*, 6, 461 - 464.
- [107] Shapiro, S. S., Wilk, M. B. (1965): An analysis of variance test for normality(complete samples). *Biometrika* 52, 591 - 611.
- [108] Šidák, Z. (1967): Rectangular confidence regions for the means of multivariate normal distributions. *J. Amer. Statist. Assoc.* 62, pp. 626-633.
- [109] Štepán, J. (1987): *Teorie pravděpodobnosti*. Praha: Academia.
- [110] Szroeter, J. (1978): A class of parametric tests of heteroscedasticity in linear econometric models. *Econometrica* 46, 1311 - 1328.
- [111] Theil, H. (1965): The analysis of disturbance in regression analysis. *J. Amer. Statist. Assoc.* 60, 1067 - 1079.
- [112] Theil, H. (1971): *Principles of Econometrics*. New York: J.Wiley & Sons.
- [113] Vandaele, W. (1978): Participation in illegitimate activities: Erlich revisted. In *Deterrence and incapacitation*, Blumstein,A., Cohen, J., Nagin, D., eds. Washington. D. C.: National Academy of Sciences, 270 - 335.
- [114] Víšek, J. Á (1996 a): Sensitivity analysis of M -estimates. *Annals of the Institute of Statistical Mathematics* 48(1996), 469-495.
- [115] Víšek, J. Á (1996 b): On the coefficient o determination: Simple but . . . *Bulletin 5/1996 of the Czech Econometric Society*, 117 - 124.
- [116] Víšek, J. Á (1996 c): On high breakdown point estimation. *Preprint. Computational Statistics (1996)* 11:137-146, Berlin.
- [117] Víšek, J. Á (1997 a): Data subsample influence in M -estimation of the non-linear regression model. *Preprint*.
- [118] Víšek, J. Á (19967 b): Robust constrained combination of forecasts. Working paper presented on *The Econometric Society European Meeting, Bogazi University, Istanbul* 25 - 29 August, 1996.

- [119] Víšek, J. Á (1997 c): Combining the forecasts by their decomposition. *Proceedings of the Mathematical Methods in Economics*, Ostrava, September 9 - 11, 1997, pp. 188 - 193.
- [120] Víšek, J. Á (1997 d): On the diversity of estimates. Submitted to *Computational Statistics and Data Analysis*.
- [121] Víšek, J. Á (1997 e): Contamination level and sensitivity of robust tests. *Handbook of Statistics, volume 15, 633 - 642*, eds. G. S. Maddala & C. R. Rao.
- [122] White, H. (1980): A heteroskedasticity-consistent covariance matrix estimator and a direct test for heteroscedasticity. *Econometrica* 48, 817 - 838.
- [123] White, H., MacDonald, G. M. (1980): Some large-sample tests for non-normality in the linear regression model. *Journal of the American Statistical Association* 75, 16 - 28.
- [124] Wickens, M. R. (1972): A note on the use of proxy variables. *Econometrica* 40, 759-761.
- [125] Willan, A. R., Watts, D. G. (1978): Meaningful multicollinearity measures. *Technometrics* 20, 407 - 411.
- [126] Working, E. J. (1927): What do statistical demand curves show. *Quarterly Journal of Economics* 39, 503 - 545.
- [127] Zellner, A., Lee, T. H. (1965): Joint Estimation of relationships involving discrete random variables. *Econometrica* 33, 382 - 394.
- [128] Zvára, K. (1989): *Regresní analýza* (Regression Analysis – in Czech). Praha: Academia.