

Literatura

- ABBATE E., BARTOLOTTI V., PASSERINI P. (1970): Olistostromes and olistoliths. — *Sedimentary Geology*, 4, 521–557, Amsterdam.
- ADAMS A. E., RHODES M. L. (1960): Dolomitization by seepage refluxion. — *Bull. Am. Assoc. Petrol. Geol.*, 44, 1912–1920, Tulsa.
- AGASSIZ L. (1840): *Etudes sur les glaciers*. — Petipierre, Neuchâtel, 346 str.
- AGER D. V. (1973): *The nature of the stratigraphic record*, — McMillan, New York, 114 str.
- AIGNER T. (1982): Calcareous tempestites: storm-dominated stratification in Upper Muschelkalk Limestones (Middle Trias, SW Germany). — Einsele G., Seilacher A. (edit.), *Cyclic and event stratification*, 180–188, Springer, Berlin–Heidelberg–New York.
- AL-HASHIMI W. S., HEMINGWAY J. E. (1973): Recent dedolomitization and the origin of the rusty crusts of Northumberland. — *Jour. Sediment. Petrology*, 43, 82–91, Tulsa.
- ALEVA G. J. J. (1982): Suggestions for a systematic structural and textural description of lateritic rocks. — IGCP Project 129, Newsletter IV, 22–32, Amsterdam.
- ALI A. D., TURNER P. (1982): Authigenic K-feldspar in the Bromsgrave sandstone formation (Triassic) of Central Britain. — *Jour. Sediment. Petrology*, 52, 187–197, Tulsa.
- ALLEN J. R. L. (1963): The classification of cross-stratified units with notes on their origin. — *Sedimentology*, 2, 93–114, Amsterdam.
- (1964): Studies in fluvial sedimentation: six cyclothems from the Lower Old Red Sandstone, Anglo-Welsh Basin. — *Sedimentology*, 3, 163–198, Amsterdam.
- (1968): Current ripples: Their relation to patterns of water and sediment motion. — North Holland, Amsterdam, 433 str.
- (1970): Studies in fluvial sedimentation: A comparison of fining-upward cyclothems with special reference to coarse member composition and interpretation. — *Jour. Sediment. Petrology*, 40, 298–323, Tulsa.
- (1970): The plan shape of current ripples in relation to flow conditions. — *Sedimentology*, 24, 53–62, London.
- (1979): A model for the interpretation of wave-ripple marks using their wave length, textural composition and shape. — *Jour. Geol. Soc. London*, 136, 673–682, London.
- (1982): *Sedimentary structures: Their character and physical basis*. — Vol. I, 594 str., vol. II, 664 str., Elsevier, Amsterdam.
- ALLEN P. A. (1981): Sediments and processes on a small stream-flow dominated, Devonian alluvial fan, Shetland Islands. — *Sediment. Geol.*, 29, 31–66, Amsterdam.
- ALMON W. R. (1978): Sandstone diagenesis: Application to exploration and exploitation. — *Clastic diagenesis — its relation to hydrocarbon reservoir quality and hydrocarbon entrapment*, AAPG, 82–136, Boulder.
- AMBROŽ V. (1947): Spráše pahorkatin. — *Sbor. St. geol. úst. Čs. republ.*, 14, 225–280, Praha.

- ANATOLJEVA A. I. (1980): Problemy izučenija kontinentalnych krasnocvetnykh otloženij. — Trudy Inst. geol. geof. Akad. nauk SSSR, sibir. otd., Novosibirsk, 467 str.
- ANDEL T. J. VAN, POSTMA H. (1954): Recent sediments of the Gulf of Paria. — Verhandel. Koninkl. Nederl. Akad. Wetenschap., Natuurk., Erste Reeks, Deel 20, 5, Amsterdam, 244 str.
- AOYAGI K., KAZAMA T. (1980): Transformational changes of clay minerals, zeolites, and silica minerals during diagenesis. — *Sedimentology*, 27, 179–188, Amsterdam.
- APRIL R. H. (1981): Clay petrology of the Upper Triassic/Lower Jurassic terrestrial strata of the Newark supergroup, Connecticut Valley, U.S.A. — *Sediment. Geology*, 29, 283–307, Amsterdam.
- ARAKEL A. V. (1982): Genesis of calcrete in Quaternary soil profiles, Hutt and Leeman Lagoons, Western Australia. — *Jour. Sediment. Petrology*, 52, 109–125, Tulsa.
- ASSERETO R., FOLK R. L. (1980): Diagenetic fabric of aragonite, calcite and dolomite in an ancient peritidal-spelean environment: Triassic Calcare Rosso, Lombardia, Italy. — *Jour. Sediment. Petrology*, 50, 371–394, Tulsa.
- AUDLEY-CHARLES M. G. (1974): Cretaceous deep-sea manganese nodules on Timor: Implications for tectonics and olistostrome development. — *Nature*, 240, 137–139, London.
- AWARMIK S. M. (1982): The Pre-phanerozoic fossil record. — Holland H. D., Schidlowski M. (edit.), *Mineral deposits and the evolution of the biosphere*, 67–82, Springer, Berlin–Heidelberg–New York.
- AZMON E. (1981): Use of clay fabric to distinguish turbidites from hemipelagic siltstone. — *Sedimentology*, 28, 133–135, London.
- (1982): Ventispheres: granule-pebble spheres of eolian origin in Lower Cretaceous and recent rocks of Israel. — *Sediment. Geol.*, 33, 57–71, Amsterdam.
- BAGNOLD R. A. (1941): The physics of blown sand and desert dunes. — Methuen, London, 265 str.
- BAKER V. R., PENTEADO-ORELLANA M. M. (1978): Fluvial sedimentation conditioned by Quaternary climatic change in Central Texas. — *Jour. Sediment. Petrology*, 48, 434–451, Tulsa.
- BALTUCK M. (1982): Provenance and distribution of Tethyan pelagic and hemipelagic siliceous sediments, Pindos Mountains, Greece. — *Sediment. Geol.*, 31, 63–88, Amsterdam.
- BANERJI I. (1982): Laterites. — *Episodes*, 3, 16–20, Ottawa.
- BANGHEN D. J., WALSH P. T. (1980): Paleokarst phenomena in the Carboniferous limestone of Anglesey, North Wales. — *Trans. Brit. Cave Res. Assoc.*, 7, 18–30, Leeds.
- BARNES P. W., REIMNITZ E., FOX D. (1982): Ice rafting of fine-grained sediment, a sorting and transport mechanism, Beaufort Sea, Alaska. — *Jour. Sediment. Petrol.*, 52, 493–502, Tulsa.
- BARRETT T. J. (1982): Stratigraphy and sedimentology of Jurassic bedded chert overlying ophiolites in the North Apennines, Italy. — *Sedimentology*, 29, 353–373, London.
- BARRELL J. (1917): Rhythms and the measurement of geologic time. — *Bull. Geol. Soc. Am.*, 28, 745–904, Baltimore.
- BASAN P. B. (edit., 1978): Trace fossil concept. — *SEPM Short course*, No 5, Oklahoma City, 181 str.
- BASS N. W. (1934): Origin of Bartlesville shoestring sands, Greenwood and Butler Counties, Kansas. — *Bull. Am. Assoc. Petrol. Geol.*, 18, 1313–1345, Tulsa.
- BASU A. (1976): Petrology of Holocene fluvial sand derived from plutonic source rocks: Implications to paleoclimatic interpretation. — *Jour. Sediment. Petrology*, 46, 694–709, Tulsa.
- BATHURST R. G. C. (1958): Diagenetic fabrics in some British Dinantian limestones. — *Liverpool and Manchester Geol. Jour.*, 2, 11–36, Liverpool.
- (1959): Diagenesis in Mississippian calcilutites and pseudobreccias. — *Jour. Sediment. Petrology*, 29, 365–376, Tulsa.
- (1971): Carbonate sediments and their diagenesis. — Elsevier, Amsterdam, 620 str.
- (1976): Carbonate sediments and their diagenesis, 2. vyd., Elsevier, Amsterdam, 658 str.
- (1979): Diagenesis in carbonate sediments: a review. — *Geol. Rundschau*, 68, 848–855, Stuttgart.

- (1980): Stromatactis — origin related to submarine-cemented crusts in Paleozoic mud mounds. — *Geology*, 8, 131–134, Boulder.
- BATURIN G. N. (1974): Novyje dannye o četvėrtičnyh fosforitach jugozapadnogo afrikanskogo šelfa. — *Okeanologija*, 14, 856–860, Moskva.
- BEN-MENACHEM A. (1976): Dating of historical earthquakes by mud profiling of lake bottom. — *Nature*, 262, 200–202, London.
- BERGER W. H. (1974): Deep sea sedimentation. — Burk C. A., Drake C. L. (edit.), *The geology of continental margins*, 213–241, Springer, New York.
- (1982): Deep-sea stratigraphy: Cenozoic climatic steps and the search for chemo-climatic feedback. — Einsele G., Seilacher A. (edit.), *Cyclic and event stratification*, 121–157, Springer, Berlin–Heidelberg–New York.
- BERGER W. H., WINTERER E. L. (1974): Plate stratigraphy and the fluctuating carbonate line. — Hsü K. J., Jenkyns H. O. (edit.), *Pelagic sediments on land and under the sea*. Int. Assoc. Sedim., Spec. publ. 1, 11–48, Tulsa.
- BERNARD J. H. a kol. (1982): Mineralogie Československa. — Academia, Praha.
- BERNER R. A. (1969): Migration of iron and sulphur within anaerobic sediments during early diagenesis. — *Amer. Jour. Science*, 267, 19–42, New Haven.
- (1981): A new geochemical classification of sedimentary environments, *Jour. Sediment. Petrol.*, 51, 359–365, Tulsa.
- BERTRAND M. (1897): Structure des Alpes francaises et récurrences de certains facies sédimentaires. — VI. Int. geol. Congr., 161–177, Zürich.
- BHATTACHARYYA D. P., KAKIMOTO P. K. (1982): Origin of ferriferous ooids: An SEM study of ironstone ooids and bauxite pisoids. — *Jour. Sediment. Petrol.*, 52, 849–857, Tulsa.
- BIGARELLA J. J. (1972): Eolian environments. — Rigby J. K., Hamblin W. K. (edit.), *Recognition of ancient sedimentary environments*. SEPM Spec. publ. 16, 12–62, Tulsa.
- BIRCH G. F. (1979): Phosphorite pellets and rock from the western continental margin and adjacent coastal terrace of South Africa, — *Marine Geol.*, 33, 91–116, Amsterdam.
- BISSELL H. J., CHILINGAR G. V. (1967): Classification of sedimentary carbonate rocks. — *Development in sedimentology*, 9A, 87–168, Elsevier, Amsterdam.
- BLATT H., CHRISTIE J. M. (1963): Undulatory extinction in quartz of igneous and metamorphic rocks and its significance in provenance studies of sedimentary rocks. — *Jour. Sediment. Petrol.*, 22, 17–24, Tulsa.
- BLATT H., MIDDLETON G., MURRAY R. (1980): *Origin of sedimentary rocks*, 2. vyd., Prentice-Hall New York, 782 str.
- BOKMAN J. (1953): Lithology and petrology of the Stanley and Jackfork formations, — *Jour. Geology*, 61, 152–170, Chicago.
- BONATTI E. (1975): Metallogenesis at oceanic spreading centres. — Donath F., Stehli F. G., Wetherill G. W. (edit.), *Annual reviews of Earth and Planetary Sciences*, 3, 401–431, Palo Alto, California.
- BORAK B., FRIEDMAN G. M. (1981): Textures of sandstones and carbonate rocks in the world deepest wells (in excess of 30 000 ft or 9,1 km): Anadarko Basin, Oklahoma. — *Sediment. Geol.*, 29, 133–151, Amsterdam.
- BORCH VON DER C. C., LOCK D. (1979): Geological significance of Coorong dolomites. — *Sedimentology*, 26, 813–824, London.
- BORCHERT H. (1980): On the genesis of manganese ore deposits. — Varentsov I. M., Grassely Gy. (edit.), *Geology and geochemistry of manganese*, vol. 2, 45–60, Akadémiai Kiadó, Budapest.
- BORNHOLD B. P., PILKEY O. H. (1971): Bioclastic turbidite sedimentation in Columbus Basin, Bahamas. — *Bull. geol. Soc. Am.*, 82, 1341–1354, Baltimore.
- BOSWELL P. G. H. (1916): The application of petrological and quantitative methods to stratigraphy. — *Geol. Mag.*, 53, 105–111, 163–169, London.

- BOTVINKINA L. N. a kol. (1956): Atlas litologičeskich tipov ughlenosnykh otloženij sredněgo karbona Doněckogo bassejna. — Moskva, 378 str.
- BOUČEK B. (1932): Zbytky graptolitů jako ukazatelé fosilních vodních proudů. — Věda přírodní, 13, 297–301, Praha.
- (1965): Stopy činnosti živých organismů — bioglyfy. Špinar Z. V. (edit.), Systematická paleontologie bezobratlých, 1001–1020, Academia, Praha.
- BOULTON G. S. (1978): Boulder shapes and grain size distribution of debris as indicators of transport paths through a glacier and till genesis. — Sedimentology, 25, 773–799, London.
- BOUMA A. H. (1962): Sedimentology of some flysch deposits: A graphic approach to facies interpretation. — Elsevier, Amsterdam, 168 str.
- BOURGEOIS J. (1980): A transgressive shelf sequence exhibiting hummocky stratification: The Cape Sebastian sandstone (Upper Cretaceous), Southwestern Oregon. — Jour. Sediment. Petrol., 50, 681–702, Tulsa.
- BOUŠKA V. (1977): Geochemie uhlí. — Academia, Praha, 207 str.
- a kol. (1980): Geochemie. — Academia, Praha, 555 str.
- BRADSHAW M. (1977): Earth, the living planet. — Hodder and Stoughton, London, 426 str.
- BRAMLETTE M. N. (1961): Pelagic sediments. — Sears M. (edit.), Oceanography, 345–366, Public. Am. Assoc. Advances of Science, 67, Washington.
- BRENCHLEY P. J., NEWALL G., STANISTREET I. O. (1979): A storm surge origin for sandstone beds in an epicontinental platform sequence, Ordovician, Norway. — Sediment. Geol., 22, 185–217, Amsterdam.
- BREYER J. A., BART H. A. (1978): The composition of fluvial sands in a temperate semiarid region. — Jour. Sediment. Petrol., 48, 1311–1320, Tulsa.
- BRICKER O. P. (edit. 1971): Carbonate cements. — John Hopkins Univ. Studies in Geology, 19, Baltimore, 376 str.
- BRIDGES P. H. (1976): Lower Silurian transgressive barrier islands, southwest Wales. — Sedimentology, 23, 347–362, London.
- BROOKFIELD M. E. (1977): The origin of bounding surfaces in ancient aeolian sandstones. — Sedimentology, 24, 303–332, London.
- BROQUET P. (1978): Olistostrome, olistolite. — Fairbridge R. W., Bourgeois J. (edit.), Encyclopedia of sedimentology, 563–567, Dowden, Hutchinson and Ross, Stroudsburg.
- BURCHETTE T. R. (1981): European Devonian reefs: A review of current concepts and models. — SEPM Spec. publ. 30, 85–142, Tulsa.
- BURKE K. (1977): Aulacogens and continental breakup. — Ann. Rev. Earth Planet. Sci., 5, 371–396, Amsterdam.
- BUŠINSKIĠ G. I. (1966): Genezis morskich fosforitov. — Litol. i poleznyje iskop., 3, 292–384, Moskva.
- CALVERT S. E. (1966): Accumulation of diatomaceous silica in the sediments of the Gulf of California. — Bull. Geol. Soc. Am., 77, 569–596, Baltimore.
- CARTER L., CARTER R. M., GRIGGS G. B. (1982): Sedimentation in the Conway Trough, a deep nearshore marine basin at the junction of the Alpine transform and Hikurangi subduction plate boundary, New Zealand. — Sedimentology, 29, 475–497, London.
- CAYEUX L. (1916): Introduction à l'étude pétrographique des roches sédimentaires. — Paris, 524 str.
- CIMBÁLNÍKOVÁ A. (1971): Chemical variability and structural heterogeneity of glauconites — Amer. Mineral., 56, 1385–1392.
- CLARK G. R. (1979): Raindrop impressions as low velocity impact structures. — Geol. Soc. Amer., Abstr. with Program, 11, 402, Baltimore.
- CLARK G. R., LUTZ R. A. (1980): Pyritization in the shells of living bivalves. — Geology, 8, 268–271, Boulder.
- CLIFTON H. E. (1976): Wave-formed sedimentary structures: A conceptual model. — SEMP Spec. publ. 24, 126–148, Tulsa.

- COLEMAN J. M., WRIGHT L. D. (1975): Modern river deltas: variability of processes and sand bodies. — Morgan J. P. (edit.), *Deltaic sedimentation modern and ancient*, 185–197, SEPM, Spec. publ. 15, Tulsa.
- COOK H. E., ENOS P. (edit. 1977): Deep-water carbonate environment. — SEPM Spec. publ. 25, 336 str., Tulsa.
- COOPER M. R. (1977): Eustacy during the Cretaceous: Its implications and importance. — *Palaeogeogr., Palaeoclimat., Palaeoecol.*, 22, 1–60, Amsterdam.
- CRONAN D. S. (1976): Basal metalliferous sediments from the eastern Pacific. — *Bull. Geol. Soc. Am.*, 87, 928–943, Baltimore.
- CROOK K. A. W. (1974): Lithogenesis and geotectonics: The significance of compositional variations in flysh arenites (graywackes). — Dott R. H., Shaver R. D. (edit.), *Modern and ancient geosynclinal sedimentation*, 304–310, SEPM Spec. publ. 19, Tulsa.
- CROWELL J. C. (1955): Directional-current structures from the Pre-alpine flysch, Switzerland. — *Bull. geol. Soc. Amer.*, 66, 1351–1384, Baltimore.
- CRRUST (1982): Geothermal regimes of the Costa Rica Rift, East Pacific, investigated by drilling, DSDP-IPOD Legs 68, 69 and 70. — *Bull. geol. Soc. Amer.*, 93, 862–875, Baltimore.
- CULLIS C. G. (1904): The mineralogical changes observed in the cores of the Funafuti boring. — *The Atoll of Funafuti*, Sect. XIV, 392–420, Royal Soc. London.
- CUMMINS W. A. (1962): The greywacke problem. — *Liverpool and Manchester geol. Journal*, 3, 51–72, Liverpool.
- CURTIS C. D., LIPSHIE S. R., OERTEL G., PEARSON J. (1980): Clay orientation in some Upper Carboniferous mudrocks, its relationship to quartz content and some inferences about fissility, porosity and compactional history. — *Sedimentology*, 27, 333–339, Amsterdam.
- CUVILLIER J. (1952): La notion de “microfacies” et ses applications. — VIII. Congr. Metano e Petrologie, Sect. 1, 1–7.
- CZYSCINSKI K. S., BYRNES J. B., PEDLOW G. W. (1978): In situ red bed development by the oxidation of authigenic pyrite in a coastal depositional environment. — *Palaeogeogr., Palaeoclimat., Paleoecol.*, 24, 239–246, Amsterdam.
- ČEPEK L. (1934): O vzniku jílových závalků v písčitých sedimentech. — *Věda přírodní*, 15, 185–188, Praha.
- ČEPEK P. (1980): Litologie ostravského souvrství ostravsko-karvinské pánve. — *Čas. mineral. geol.*, 26, 241–248, Praha.
- DAPPLES E. C. (1967): Diagenesis of sandstones. — Larsen G., Chilingar G. C. (edit.), *Diagenesis in sediments*, 91–125, Elsevier, Amsterdam.
- DAVIDSON R. G. D., ARNOTT G. D., GREENWOOD B. (1976): Facies relationships on a barred coast, Kouchibouguac Bay, New Brunswick, Canada. — Davis R. A., Ethington R. L. (edit.), *Beach and nearshore sedimentation*, 149–168, SEPM Spec. publ. 24, Tulsa.
- DAVIS R. A. (1978): Coastal sedimentary environments. — Springer, New York–Heidelberg–Berlin, 420 str.
- DEELMAN J. C. (1979): “Protodolomite” reexamined. — *N. Jahrb. Mineral., Mh.*, 337–356, Stuttgart.
- DEMEK J., QUITT E., RAUŠER J. (1976): Úvod do obecné fyzické geografie. — Academia, Praha, 424 str.
- DE VRIES KLEIN G. (1975): Tidal sedimentation: some remaining problems. — Ginsburg R. N. (edit.), *Tidal sedimentation*, 407–410, Springer, Berlin–Heidelberg–New York.
- DICKINSON W. R. (1970): Interpreting detrital modes of graywackes and arkoses. — *Jour. sediment. Petrol.*, 40, 695–707, Tulsa.
- (1974): Plate tectonics and sedimentation. — Dickinson W. R. (edit.), *Tectonics and sedimentation*, 1–27, SEPM Spec. publ. 22, Tulsa.
- DICKINSON W. R., SUCZEK CH. A. (1979): Plate tectonics and sandstone composition. — *Bull. Amer. Assoc. petrol. Geol.*, 63, 2164–2182, Tulsa.

- DIJK VAN D. E., HOBDAV D. K., TANKARD A. J. (1978): Permo-Triassic lacustrine deposits in the Eastern Karoo Basin, Natal, South Africa. — Matter A., Tucker M. E. (edit.), *Modern and ancient lake sediments*, 225–239, Int. Assoc. Sedim., Spec. publ. 2, Blackwell, Oxford.
- DIMROTH E. (1976): Aspects of sedimentary petrology of cherty iron formation. — Wolf K. H. (edit.), *Handbook of strata-bound and stratiform ore deposits*, vol. 7, 203–254, Elsevier, Amsterdam.
- DIONNE J. C., SHILTS W. W. (1974): A Pleistocene clastic dike, Upper Chaudiere Valley, Quebec. — *Canad. Jour. Earth Sci.*, 11, 1594–1605.
- DONALDSON J. A., RICKETTS B. D. (1979): Beachrock in Proterozoic dolostone on the Belcher Island, Northwest Territories, Canada. — *Jour. sediment. Petrol.*, 49, 1287–1294, Tulsa.
- DONNOT M., GUIGES J., LUTZAC J., MAGNIEU A., PAERFENOFF A., PICOT P. (1973): Un nouveau type de gisement d'euporium en nodule dans les schistes Paléozoïques de Bretagne. — *Mineral. Deposita*, 8, 7–18, Heidelberg.
- DORÉ F. (1975): Excursion XII. Origine glaciaire de "Poudingue de Granville" ? — Larssonneur F., Doré F. (edit.), *Voyage d'études no 1. Normandie*, 118–124, 9th Int. Congr. Sedim. Nice.
- DOTT R. H., BOURGEOIS J. (1982): Hummocky stratification: Significance of its variable bedding sequences. — *Bull. geol. Soc. Amer.*, 93, 654–680, Baltimore.
- DUDEK A., FEDIUK F., PALIVCOVÁ M. (1962): *Petrografické tabulky*. — Naklad. Čs. akad. věd, Praha, 124 str.
- DUNHAM R. J. (1962): Classification of carbonate rocks according to a depositional texture. — *Amer. Assoc. Petrol. Geol., Mem.* 1, 108–121, Tulsa.
- DUPONT E. (1882): Les îles coralliennes de Roly et de Philippeville. — *Bull. Mus. Roy. Hist. Nat.*, 1, 89–160, Bruxell s.
- DZULYNSKI S., KSIAZKIEWICZ M., KUENEN P. H. (1959): Turbidites in flysch of the Polish Carpathian Mountains. — *Bull. geol. Soc. Amer.*, 70, 1089–1118, Baltimore.
- DZULYNSKI S., RADOMSKI A. (1955): Origin of groove casts in the light of turbidity current hypothesis. — *Acta geol. Polon.*, 5, 47–56, Kraków.
- DZULYNSKI S., WALTON E. K. (1965): Sedimentary features of flysch and graywackes. — Elsevier, Amsterdam, 274 str.
- EINSELE G. (1982): General remarks about the nature, occurrence, and recognition of cyclic sequences (periodites). — Einsele G., Seilacher A. (edit.), *Cyclic and event stratification*, 4–7, Springer, Berlin–Heidelberg–New York.
- EINSELE G., SEILACHER A. (edit. 1982): *Cyclic and event stratification*. — Springer, Berlin–Heidelberg–New York, 536 str.
- ELIÁŠ M. (1981): Facies and paleogeography of the Jurassic of the Bohemian Massif. — *Sbor. geol. věd, Geol.*, 35, 75–144, Praha.
- ELTER P. (1972): La zona ofiolitifera del Bracco nel quadro dell Appennino settentrionale. — *Guida alle escursioni*, 66 Centr. Soc. geol. Ital., Pisa, 63 str.
- EMBRY J., KLOVAN J. (1971): Limestone classification. — *Bull. Amer. Assoc. Petrol. Geol.*, 64, 2224–2238, Tulsa.
- EMERY K. O. (1980): Continental margins — classification and petroleum prospects. — *Bull. Amer. Assoc. Petrol. Geol.*, 64, 297–315, Tulsa.
- EMERY K. O., UCHUPI E. (1972): Western North Atlantic Ocean. — *Amer. Assoc. petrol. Geol., Mem.* 17, 1–532, Tulsa.
- Encyklopedický slovník geologických věd (Svoboda J. edit., 1983), díl 1 a 2, Academia, Praha.
- ENOS P. (1969): Anatomy of a flysch. — *Jour. sedim. Petrol.*, 39, 680–723, Tulsa.
- (1978): Dolomite, dolomitization. — Fairbridge R. W., Bourgeois J. (edit.), *Encyclopedia of sedimentology*, 114–119, Dowden, Hutchinson and Ross, Stroudsburg.
- ESLINGER E., SELLARS B. (1981): Evidence for the formation of illite from smectite during burial metamorphism in the Belt Supergroup, Clark Fork, Idaho. — *Jour. sediment. Petrol.*, 51, 203–216, Tulsa.

- EUGSTER H. P. (1967): Hydrous sodium silicate from Lake Magadi, Kenya: Precursors of bedded cherts. — *Science*, 157, 1177–1180, Washington.
- EUGSTER H. P., SURDAM R. C. (1973): Depositional environment of the Green River Formation in Wyoming: a preliminary report. — *Bull. geol. Soc. Amer.*, 84, 115–120, Baltimore.
- FABRICIUS F. H. (1977): Origin of marine ooids and grapestones. — *Contrib. to Sedimentology*, 7, Stuttgart, 113 str.
- FAIRBRIDGE R. W. (1957): The dolomite question. — LeBlanc R. I., Breeding J. G. (edit.), *Regional aspects of carbonate deposition*, 125–178, SEPM Spec. publ. 5, Tulsa.
- (1967): Phases of diagenesis and authigenesis. — Larsen G., Chilingar G. V. (edit.), *Diagenesis of sediments*, 19–89, Elsevier, Amsterdam.
- (1978a): Breccias, sedimentary. — Fairbridge R. W., Bourgeois J. (edit.), *Encyclopedia of sedimentology*, 72–75, Dowden, Hutchinson and Ross, Stroudsburg.
- (1978b): Delta sedimentation. — Fairbridge R. W., Bourgeois J. (edit.), *Encyclopedia of sedimentology*, 148–154, Dowden, Hutchinson and Ross, Stroudsburg.
- FAIRBRIDGE R. W., BOURGEOIS J. (edit. 1978): *Encyclopedia of sedimentology*. — Dowden, Hutchinson and Ross, Stroudsburg, 1114 str.
- FIALA F. (1948): Algonkické slepence ve středních Čechách. — *Sbor. St. geol. úst. Čs. republ.*, 15, 399–612, Praha.
- (1975): Několik poznámek o výskytu fosforitů v českém proterozoiku. — *Korelace proter. a paleoz. stratiform lož.*, III, 5–8, Praha.
- FIALA F., SVOBODA J. (1956): Problém subkambria a subkambrického zalednění v Železných horách. — *Sbor. Ústř. úst. geol.*, 22, odd. geol., 257–309, Praha.
- FIELD M. E. (1980): Sand bodies on coastal plain shelves: Holocene record of the U.S. Atlantic inner shelf off Maryland. — *Jour. sediment. Petrol.*, 50, 505–528, Tulsa.
- FIGUEIREDO A. G., SANDERS J. E., SWIFT D. J. P. (1982): Storm-graded layers on inner continental shelves: examples from southern Brazil and the Atlantic coast of the central United States. — *Sediment. Geol.*, 31, 171–190, Amsterdam.
- FISHER R. V. (1966): Rock composed of volcanic fragments and their classification. — *Earth Sci. Rev.*, 1, 287–298, Amsterdam.
- (1977): Erosion by volcanic base-surge density currents: U-shaped channels. — *Bull. geol. Soc. Amer.*, 88, 1287–1297, Baltimore.
- FISCHER A. G. (1964): The Lofer cyclothems of the Alpine Triassic. — *Kansas geol. Surv. Bull.* 169, 107–149, Lawrence.
- (1975): Tidal deposits, Dachstein limestone of the North Alpine Triassic. — Ginsburg R. N. (edit.), *Tidal sediments*, 35–47, Springer, Berlin–Heidelberg–New York.
- FISCHER A. G., GARRISON R. E. (1967): Carbonate lithification on the sea floor. — *Jour. Geol.*, 75, 488–496, Chicago.
- , JUDSON S. (edit. 1975): *Petroleum and global tectonics*. — Princeton Univ. Press, Princeton, 322 str.
- FLINT R. F. (1971): *Glacial and Quaternary geology*. — John Wiley, New York, 892 str.
- FLINT R. F., SKINNER B. J. (1977): *Physical geology*. — John Wiley, New York, 594 str.
- FLORES G. (1955): Discussion. — Beneo E. (edit.), *Results of the studies on petroleum exploration in Sicily. IV. World Petrol. Congr., Sect. I(A)2*, 27–50, Roma.
- (1956): Lettera al presidente della società geologica Italiana. — *Boll. Soc. geol. Ital.*, 75, 220–222, Roma.
- FLÜGEL E. (1982): *Microfacies analysis of limestones*. — Springer, Berlin–Heidelberg–New York, 633 str.
- FOCKE J. W., GEBELEIN C. D. (1978): Marine lithification of reef rock and rhodolites at a fore-reef slope locality (–50 m) off Bermuda. — *Geol. en Mijnbouw*, 57, 163–171, Amsterdam.

- FOLK R. L. (1959): Practical petrographic classification of limestones. — Bull. Amer. Assoc. petrol. Geol., 43, 1–38, Tulsa.
- (1962): Spectral subdivision of limestone types. — Amer. Assoc. petrol. Geol., Mem. 1, 62–84, Tulsa.
- (1965): Some aspects of recrystallization in ancient limestones. — SEPM Spec. Pap. 13, 14–48, Tulsa.
- (1968a): Petrology of sedimentary rocks. — Hemphill's, Austin, 168 str.
- (1968b): Bimodal supermature sandstones: Product of the desert floor. — Int. geol. Congr., 23. sess, 8, 9–32, Prague.
- (1973): Carbonate petrography in the Post-Sorbian age. — Ginsburg R. N. (edit.), *Evolving concepts in sedimentology*, 118–158, John Hopkins Univ. Press, Baltimore.
- (1974): The natural history of crystalline calcium carbonate: effect of magnesium content and salinity. — Jour. sediment. Petrol., 44, 40–53, Tulsa.
- (1975): Glacial deposits identified by chattermark trails in detrital garnets. — *Geology*, 3, 473–475, Boulder.
- (1976): Reddening of desert sand: Simpson desert sand grains, Northern Territory, Australia. — Jour. sediment. Petrol., 46, 604–615, Tulsa.
- (1978): Angularity and silica coatings of Simpson desert sand grains, Northern Territory, Australia. — Jour. sediment. Petrol., 48, 611–624, Tulsa.
- FOLK R. L., ASSERETO A. (1974): Giant aragonite rays and baroque white dolomite in tepee-fillings, Triassic of Lombardy, Italy (Abstract). — Amer. Assoc. petrol. Geol., Abstr. with Program, Ann. Meeting, 34–35, San Antonio.
- FOLK R. L., LAND L. S. (1975): Mg/Ca ratio and salinity: Two controls over crystallization of dolomite. — Bull. Amer. Assoc. petrol. Geol., 59, 60–68, Tulsa.
- FOLK R. L., MCBRIDE E. F. (1976): The Caballos novaculite revisited. P. 1: Origin of novaculite members. — Jour. sediment. Petrol., 46, 659–669, Tulsa.
- FOLK R. L., WEAVER C. E. (1952): A study of the texture and composition of chert. — Amer. Jour. Sci., 250, 498–510, New Haven.
- FRANCIS P. (1976): *Volcanoes*. — Penguin Books, London, 368 str.
- FRANK J. R. (1981): Dedolomitization in the Taum Sauk Limestone (Upper Cambrian), Southeast Missouri. — Jour. sediment. Petrol., 51, 7–18, Tulsa.
- FRANKE W., PAUL J. (1980): Pelagic redbeds in the Devonian of Germany — deposition and diagenesis. — *Sediment. Geol.*, 25, 231–256, Amsterdam.
- FRASER G. S., COBB J. C. (1982): Late Wisconsinian proglacial sedimentation along the West Chicago Moraine in Northeastern Illinois. — Jour. sediment. Petrol., 52, 473–491, Tulsa.
- FREY R. W. (1975): *The study of trace fossils*. — Springer, New York, 562 str.
- FREY R. W., BASAN P. B. (1978): Coastal salt marshes. — Davis E. A. (edit.), *Coastal sedimentary environments*, 101–169, Springer, New York–Heidelberg–Berlin.
- FRIEDMAN G. M. (1965): Terminology of crystallization textures and fabrics in sedimentary rocks. — Jour. sediment. Petrol., 35, 634–655, Tulsa.
- FRIEDMAN G. M., SANDERS J. E. (1974): Positive-relief bedforms on modern tidal flat that resemble molds of flutes and grooves: implications for geopetal criteria and for origin and classification of bedforms. — Jour. sediment. Petrol., 44, 181–189, Tulsa.
- , — (1978): *Principles of sedimentology*. — John Wiley, New York–Chichester–Brisbane–Toronto, 792 str.
- FRUTH I., SCHERREIKS R. (1982): Hauptdolomit (Norian) — stratigraphy, paleogeography and diagenesis. — *Sediment. Geol.*, 32, 195–211, Amsterdam.
- FÜCHTBAUER H. (1967): Influence of different types of diagenesis on sandstone porosity. 7th World Petrol. Congr., Mexico, Panel Discussion 3, 2, 353–369.

- (edit. 1969): Lithification of carbonate sediments. — Special Issue of Sedimentology, 12, 1–160, Amsterdam.
- (1979): Die Sandsteindiagenese im Spiegel der neueren Literatur. — Geol. Rundschau, 68, 1125–1151, Stuttgart.
- (1980): Breccias — Seminar. IAS, 1st European Reg. Meeting, Bochum.
- FÜCHTBEUR H., MÜLLER G. (1970): Sedimente und Sedimentgesteine, 2. Teil. — Nägele u. Obermiller, Stuttgart, 726 str.
- GABRIEL M. (1970): Diatomové horniny střední části Českého Středoohoří. — Věst. Ústř. úst. geol. 45, 27–37, Praha.
- GARBER R. A., FRIEDMAN G. M., NISSENBAUM A. (1981): Concentric aragonitic ooids from the Dead Sea. — Jour. sediment. Petrol., 51, 455–458, Tulsa.
- GARRELS R. M., MACKENZIE F. T. (1971): Evolution of sedimentary rocks. — Norton, New York, 397 str.
- GARRETT D. E. (1970): The geochemistry of potash deposits. III. Sympos. on salt, vol. 1, 211–222, Cleveland.
- GARRISON R. E. KENNEDY W. J. (1977): Origin of solution seams and flaser structure in Upper Cretaceous chalks of southern England. — Sediment. Geol., 19, 107–137, Amsterdam.
- GERTHOFFEROVÁ H., MIŠÍK M. (1971): Electron microscope study of some limestones and dolomites of the Carpathian Mountains. — Acta Geol. Geograph. Univ. Commenianse, Geol., 21, 163–186, Bratislava.
- GHIBAUDO G. (1980): Deep-sea fan deposits in the Macigno formation (Middle-Upper Oligocene) of the Gordana Valley, Northern Apennines, Italy. — Jour. sediment. Petrol., 50, 723–742, Tulsa.
- GIBBS R. J. (1977): Clay mineral segregation in the marine environment. — Jour. sediment. Petrol., 47, 237–243, Tulsa.
- GINSBURG R. N. (edit. 1975): Tidal deposits. — Springer, New York–Heidelberg–Berlin, 428 str.
- GLENNIE K. W. (1970): Desert sedimentary environments. — Developments in sedimentology, 14, Elsevier, Amsterdam, 222 str.
- (1972): Permian Rotliegendes of Northwest Europe interpreted in light of modern desert sedimentation studies. — Bull. Amer. Assoc. petrol. Geol., 56, 1048–1071, Tulsa.
- GOLDBERG R. (1982): Paleosols of the Lower Jurassic Mishko and Ardon formations (laterite derivative facies), Naktesh Ramon, Israel. — Sedimentology, 29, 669–690, London.
- GOLDHABER M. B., KAPLAN I. R. (1974): The sulfur cycle. — Goldberg E. D. (edit.), The sea, vol. 5, 569–655, Wiley, London.
- GOLDSMITH V., GUTMAN A., HENNINGER H. (1976): Coastal-dune geomorphology and classification. — Bull. Amer. Assoc. petrol. Geol., 72, 845, Tulsa.
- GOUDIE A. S. (1973): Duricrust in tropical and subtropical landscape. — Clarendon Press, Oxford, 343 str.
- GOUDIE A. S., COOKE R. U., DOORNKAMP J. C. (1979): The formation of silt from quartz dune sand by salt weathering process in deserts. — Jour. arid Environ., 2, 105–122, Phoenix.
- GRABAU A. W. (1913): Principles of stratigraphy. — Seiler, New York, 1185 str.
- GRADUSOV B. P., ČIŽIKOVA N. P. (1976): Glinistyje mineraly lessa. — Doklady AN SSSR, 229, 1433–1435, Moskva.
- GRAF D. L., LAMAR J. E. (1950): Petrology of Fredonia oolite in southern Illinois. — Bull. Amer. Assoc. petrol. Geol., 34, 2318–2336, Tulsa.
- GRAF D. L., GOLDSMITH K. R. (1956): Some hydrothermal synthese of dolomite and protodolomite. — Jour. Geol., 64, 173–186, Chicago.
- GREENLY E. (1919): The geology of Anglesey. — Geol. Surv. Great Britain, Mem. 2, London, 980 str.

- GRESSLY A. (1838): Observations géologiques sur le Jura Soleurois. — Noveaux Mem. Soc. Helv. Sci. Natur., 2, Basel, 349 str.
- GRUNAU H. R. (1965): Radiolarian cherts and associated rocks in space and time. — Eclog. geol. Helv., 58, 157–208, Basel.
- GUSTAVSON T. C. (1978): Bed forms and stratification types of modern gravel meander lobes, Neuces River, Texas. — Sedimentology, 25, 401–426, London.
- HAM W. E. (edit. 1972): Classification of carbonate rocks. — Amer. Assoc. petrol. Geol., Mem. 1, Tulsa, 279 str.
- HAMPTON M. A. (1972): The role of subaqueous debris flow in generating turbidity currents. — Jour. sediment. Petrol., 42, 775–793, Tulsa.
- HANCOCK J. M. (1975): The petrology of the chalk. — Proc. geol. Assoc., 86, 499–535, London.
- HANDFORD C. R. (1981): Coastal sabkha and salt pan deposition of the Lower Clear Fork Formation (Permian), Texas. — Jour. sediment. Petrol., 51, 761–778, Tulsa.
- HARLAND W. B. (1965): Critical evidence for a great infra-Cambrian glaciation. — Geol. Rundschau, 54, 45–61, Stuttgart.
- HARMS J. C. (1969): Hydraulic significance of some sand ripples. — Bull. geol. Soc. Amer., 80, 363–396, Baltimore.
- (1980): The Nubia sandstone, southwest Egypt — a first cycle fluvial orthoquartzitic sandstone. — Paper presented at the SEPM Res. Conf. on modern shelf and ancient cratonic sedimentation, Wisconsin.
- HARMS J. C., SOUTHARD J. B., SPEARING D. R., WALKER R. G. (1975): Depositional environments as interpreted from primary sedimentary structures and stratification sequences. — SEPM Short Course 2, Tulsa, 161 str.
- HAVLENA V. (1956): Cyklická sedimentace v žacléřských vrstvách. — Rozpr. Čs. Akad. Věd, Ř. mat. přír. věd, 66, 5, 1–57, Praha.
- (1964): Geologie uhelných ložisek, díl 2. Naklad. Čs. akad. věd, Praha, 437 str.
- (1978): Říční a deltové sedimenty v produktivním karbonu OKR a prostředí jejich vzniku. — Sbor. III. uhel. geol. konf. Přír. fak., 34–47, Praha.
- HAVLENA V., HURNÍK S., PEŠEK J. (1979): Návrh českého názvosloví pro říční, deltové a proluviální sedimenty a jejich morfologické formy. — Sbor. čs. geogr. společ., 84, 72–84, Praha.
- HAWLEY N. (1981): Flume experiments on the origin of flaser bedding. — Sedimentology, 28, 699–712, London.
- HAY R. L. (1972): Zeolites and zeolitic reactions in sedimentary rocks. — Geol. Soc. Amer. Spec. Pap. 85, Baltimore, 122 str.
- HEALD M. T., HOLLINGSWORTH T. J., SMITH R. M. (1979): Alteration of sandstone as revealed by spheroidal weathering. — Jour. sediment. Petrol., 49, 903–909, Tulsa.
- HECKEL P. H. (1972): Recognition of ancient shallow-marine environments. — Rigby J. K., Hamblin W. K. (edit.), Recognition of ancient sedimentary environments, 226–288, SEPM Spec. publ. 16, Tulsa.
- (1974): Carbonate buildups in the geological record: a review. — Laporte L. F. (edit.), Reefs in time and space, SEPM Spec. publ. 18, 90–154, Tulsa.
- HEIN J. R., SCHOLL D. W., BARREN J. A., JONES M. G., MILLER J. (1978): Diagenesis of Late Cenozoic diatomaceous deposits and formation of the bottom simulating reflector in the southern Bering Sea. — Sedimentology, 25, 155–181, London.
- HESSE R., CHOUGH S. K. (1980): The Northvest Atlantic Mid-ocean channel of the Labrador Sea: II. Deposition of parallel laminated levee muds from the viscous sublayer of low density turbidity currents. — Sedimentology, 27, 697–711, London.
- HEWITT D. F. (1917): The origin of bentonite. — Washington Acad. Sci. Jour., 7, 196–198, Washington.

- HIRAYAMA J., NAKAJIMA N. (1977): Analytical study of turbidites, Otadai Formation, Boso Peninsula, Japan. — *Sedimentology*, 24, 747–780, London.
- HESSE R. (1965): Herkunft und Transport der Sedimente im bayerischen Flyschtrug. — *Zeit. d. Deutsch. geol. Gess.*, 116, 147–170, Berlin.
- HOKR Z. (v tisku): Geologické a sedimentologické poměry severočeských hnědouhelných pánví. — Malkovský M. (edit.), Severočeské hnědouhelné pánve. Ústř. úst. geol., Praha.
- HOLUB V. (1979): České permokarbonské pánve. — Lützner H. (edit.), *Regime der Epoche der Molassenbildung. Problemstellung IX*, Arbeitsgruppe 33, Berlin.
- HOLUB V., SKOČEK V., TÁSLER R. (1975): Paleogeography of the Late Paleozoic in the Bohemian Massif. — *Palaeogeogr., Palaeoclimat., Palaeoecol.*, 18, 313–332, Amsterdam.
- , —, — (1977): Paleogeographical analysis of the Permocarboniferous in the Bohemian Massif. — Holub V. M., Wagner R. H. (edit.), *Symposium on Carboniferous stratigraphy*, 341–358, Geol. Survey, Prague.
- HOLUB V., TÁSLER R. (1978): Filling of the Late Palaeozoic continental basin in the Bohemian Massif as a record of their palaeogeographical development. — *Geol. Rundschau*, 67, 91–109, Stuttgart.
- HONNOREZ J., KIRST P. (1976): Submarine basaltic volcanism: morphometric parameters for discriminating hyaloclastics from hyalotuffs. — *Bull. volcanol.*, 39, 3, Napoli.
- HORIE S. (1978): Lacustrine sedimentation. — Fairbridge R. W., Bourgeois J. (edit.), *Encyclopedia of sedimentology*, 374–381, Dowden, Hutchinson and Ross, Stroudsburg.
- HORODYSKI R. J. (1982): Impression of algal mats from the Middle Proterozoic Belt Supergroup, northwestern Montana, U.S.A. — *Sedimentology*, 29, 285–289, London.
- HOROWITZ A., CRONAN D. S. (1976): The geochemistry of basal sediments from the North Atlantic Ocean. — *Marine Geol.*, 20, 205–228, Amsterdam.
- HOWARD J. D. (1972): Trace fossils as criteria for recognizing shorelines in the stratigraphic record. — Rigby J. K., Hamblin W. K. (edit.), *Recognition of ancient sedimentary environments*, 215–225, SEPM Spec. publ. 16, Tulsa.
- HOWARD J. D., FREY R. W. (1975): Regional animal-sediment characteristics of Georgia estuaries. — *Senckenbergiana Maritima*, 7, 33–104, Frankfurt a. M.
- HOWARTH R. W. (1979): Pyrite: Its rapid formation in a salt marsh and its importance in ecosystem metabolism. — *Science*, 203, 49–51, Washington.
- HOWER J., ELSINGER E. V., HOWER M. E., PERRY E. A. (1976): Mechanism of burial metamorphism of argillaceous sediment. 1. Mineralogical and chemical evidence. — *Bull. geol. Soc. Amer.*, 87, 725–737, Baltimore.
- HRADECKÝ P. (1982): Klasifikace, litologie a sedimentologie pyroklastických hornin. — *Práce k aspirantskému minimu*, Ústř. úst. geol., Praha, 83 str.
- HSÜ K. J. (1968): Principles of mélanges and their bearing on the Franciscan-Knoxville paradox. — *Bull. geol. Soc. Amer.*, 79, 1063–1074, Baltimore.
- (1983): Actualistic catastrophism. — *Sedimentology*, 30, 3–9, London.
- HSÜ K. J., KELTS K. (1978): Late Neogene chemical sedimentation in the Black Sea. — Matter A., Tucker M. E. (edit.), *Modern and ancient lake sediments*, 129–145, Int. Assoc. Sedim., Spec. Publ. 2, Blackwell, Oxford.
- HSÜ K. J., MONTADERT L., BERNOULDI D., CITA M. B., ERICKSON A., GARRISON R. E., KIDO R. B., MÉLIERÉS X., MÜLLER C., WRIGHT R. (1977): History of the Mediterranean salinity crisis. — *Nature*, 267, 399–401, London.
- HUANG T. C., WATKINS N. D., WILSON L. (1979): Deep-sea tephra from the Azores during the past 300 000 years: eruptive cloud height and ash volume estimates: Summary. — *Bull. geol. Soc. Amer.*, 90, 131–133, Baltimore.
- HUANG W. H., KELLER W. D. (1972): Organic acids as agents of chemical weathering of silicate minerals. — *Nature*, 239, 149–151, London.

- HUBERT J. F., REED A. A. (1978): Red bed diagenesis in the East Berlin Formation, Newark Group, Connecticut Valley. — *Jour. sediment. Petrol.*, 48, 175–184, Tulsa.
- HUNTER R. E., CLIFTON H. E. (1982): Cyclic deposits and hummocky cross-stratification of probable storm origin in Upper Cretaceous rocks of the Cape Sebastian Area, Southwestern Oregon. — *Jour. sediment. Petrol.*, 52, 127–143, Tulsa.
- HURNÍK-LUFT S. (1959): Prvé zjištění cyklické sedimentace v terciérních limnických pánvích ČSR. — *Věst. Ústř. úst. geol.*, 34, 269–278, Praha.
- CHÁB J., JAKEŠ P., KUKAL Z., TOMEK Č. (1983): Tektonika litosférických desek. — *Knih. Ústř. úst. geol.*, 60, 334 str., Praha.
- CHÁB J., PELC Z. (1973): Proterozoické droby severozápadní části Barrandienu. — *Sbor. geol. věd, Geol.*, 25, 7–84, Praha.
- CHAKRABARTI S. K. (1976): High-wave conditions observed over the North Atlantic in September 1961. — *Jour. Geophys. Res.*, 81, 4991–4994, Washington.
- CHANNEL J. T., FREEMAN R., HELLER F., LOWRIE V. (1982): Timing of diagenetic haematite growth in red pelagic limestones from Gubbio (Italy). — *Earth Planet. Sci. Let.*, 58, 189–201, Amsterdam.
- CHAUDRI R. S., KHAN H. M. M. (1981): Textural parameters of desert sediments — Thar Desert (India). — *Sediment. Geol.*, 28, 43–62, Amsterdam.
- CHVOROVA I. V. (1980): Vulkanoklastičeskije nakoplenija v osadočnom čechle okeanov. — *Litol. i polytnyje iskop.*, 1, 3–25, Moskva.
- IJIMA A., TADA R. (1981): Silica diagenesis of Neogene diatomaceous and volcanoclastic sediments in northern Japan. — *Sedimentology*, 28, 185–200, London.
- ILLING L. V., WELLS A. J., TAYLOR C. M. (1965): Penecontemporaneous dolomite in the Persian Gulf. — *Pray L. C., Murray R. C. (edit.), Dolomitization and limestone diagenesis, a symposium*, 89–111, SEPM Spec. publ. 13, Tulsa.
- JACKA A. D. (1974): Differential cementation of a Pleistocene carbonate fanglomerate, Guadalupe Mountains. — *Jour. sediment. Petrol.*, 44, 85–92, Tulsa.
- JAMES H. L. (1966): Chemistry of iron-rich sedimentary rocks. — *US geol. Surv. Prof. Pap.* 440-W, 1–61, Washington.
- JAMES H. L., SIMS P. K. (1973): Precambrian iron formations of the world. — *Econom. Geol.*, 68, 913–1179, Lancaster.
- JAMES W. C., MACK G. H., SUTTNER L. J. (1981): Relative alteration of microcline and sodic plagioclase in semi-arid and humid climates. — *Jour. sediment. Petrol.*, 151–164, Tulsa.
- JANSA L. (1960): Litologie ostravského produktivního karbonu. — *MS Archív Ústř. úst. geol.*, Praha.
- (1965): Vulkanická činnost v karbonu hornoslezské kamenouhelné pánve. — *Sbor. geol. věd, Geol.*, 7, 59–106, Praha.
- (1981): Mesozoic carbonate platforms and banks of the Eastern North American margin. — *Marine Geol.*, 44, 97–117, Amsterdam.
- JANSA L., TOMŠÍK J. (1961): Použití metody faciálně cyklické analýzy v ostravsko-karvinském karbonu. — *Prac. metody geol. služby*, sv. 1, 1–68, Ústř. úst. geol., Praha.
- JEROFĚJOV V. S., ČECHOVSKIJ J. G. (1982): Paragenetičeskije asociacii kontinentalnych otloženij. — *Tr. Akad. Nauk*, vyp. 363, 1–211, Moskva.
- JETEL J. (1971): Hydrologie a hydrochemie české křídové pánve. — *MS archív Ústř. úst. geol.*, Praha.
- JOHNSON D. W. (1939): The origin of submarine canyons. — *Jour. Geomorphology*, 1, 230–243, Chicago.
- JONES D. L., KNAUTH L. P. (1979): Oxygen isotopic and petrographic evidence relevant to the origin of the Arkansas novaculite. — *Jour. sediment. Petrol.*, 49, 581–598, Tulsa.
- JONES J. B., SEGNETZ E. R. (1971): The nature of opal: I. Nomenclature and constituent phases. — *Jour. geol. Soc. Australia*, 18, 57–68.

- JOPLING A. V. WALKER R. G. (1968): Morphology and origin of rippled drift cross-lamination, with examples from the Pleistocene of Massachusetts. — *Jour. sediment. Petrol.*, 38, 971–984, Tulsa.
- KADLEC J., TOMŠÍK J., ORMANDY I. (1959): Brouskové horizonty ostravských vrstev v karbonu ostravsko-karvinského revíru. — *Sbor. Ústř. úst. geol., Odd. geol.*, 2. díl, 638–680, Praha.
- KAHLE C. F. (1974): Ooids from Great Salt Lake, Utah, as an analogue for the genesis and diagenesis in marine limestones. — *Jour. sediment. Petrol.*, 44, 30–39, Tulsa.
- KARIG D. E., SHARMAN G. F. (1975): Subduction and accretion in trenches. — *Bull. geol. Soc. Amer.*, 86, 377–389, Baltimore.
- KAROLUSOVÁ-KOČIŠČÁKOVÁ E. (1958): Príspevek k problematike pyroklastik. — *Geol. Práce*, 49, 78–108, Bratislava.
- KARPOVA G. V., LOGVINENKO N. V., ORLOVA L. V., BELOCERKOVEC JU. U. (1981): Postdiagenetické změny v kamenouhelných otloženijach Bolšogo Donbasa. — *Litol. i poleznyje oskop.*, 6, 70–81, Moskva.
- KASTENS K. A., CITA M. B. (1981): Tsunami-induced sediment transport in the abyssal Mediterranean Sea. — *Bull. geol. Soc. Amer.*, 92, 845–857, Baltimore.
- KAZAKOV A. V. (1937): The phosphorite facies and the genesis of phosphorite. — *Int. geol. Congr.*, 17. sess., 95–113.
- KELLEY V. C. (1956): Thickness of strata. — *Jour. sediment. Petrol.*, 26, 289–300, Tulsa.
- KENDALL CH. G. C., SCHLAGER W. (1981): Carbonate and relative changes in sea level. — *Marine Geol.*, 44, 181–212, Amsterdam.
- KENNEDY W. J., GARRISON R. E. (1975): Morphology and genesis of nodular chalks and hardgrounds in the Upper Cretaceous of southern England. — *Sedimentology*, 22, 311–386, London.
- KETTNER R. (1915): O slepencích žiteckých, nejspodnějším horizontu českého kambria. — *Rozpr. II. Tř. Čs. Akad.*, 24, 34, 1–64, Praha.
- (1916): Příspěvek k petrografii vrstev krušnohorských ($d_1 \alpha$), část 1. a 2. — *Rozpr. II. Tř. Čs. Akad.*, 25, 16 a 34, 1–24 a 1–28, Praha.
- (1954–1957): Všeobecná geologie, I–IV (1. a 2. díl, 2. vyd). Naklad. Čs. akad. věd, Praha.
- KHVOROVA I. V. (1968): Geosynclinal siliceous rocks and some problems of their origin. — *23. Int. geol. Congr., Sect. 8*, 105–112, Prague.
- KINDLE E. M. (1924): Observations on ice-borne sediments by the Canadian and other Arctic expeditions. — *Amer. Jour. Sci.*, 7, 249–286, New Haven.
- KING R. H. (1973): Problem of evaporites and basinal limestones: discussion. — *Bull. Amer. Assoc. petrol. Geol.*, 57, 2457–2458, Tulsa.
- KIRLAND D. W., EVANS R. (edit.): Marine evaporites. — Dowden, Hutchinson and Ross, Stroudsburg, 426 str.
- KLAPPA C. F. (1980): Rhizoliths in terrestrial carbonates: classification, recognition, genesis and significance. — *Sedimentology*, 27, 613–629, London.
- KLEIN V. (1967): Litofaciální analýza a výzkum geneze sklářských písků v křídových pískovcových oblastech. — MS archiv Ústř. úst. geol., Praha.
- KNIGHT W. C. (1898): Bentonite: — *Engineering and Mining Jour.*, 66, 491.
- KODYMOVÁ A. (1960): Výzkum těžkých minerálů v českých řekách. — MS archiv Ústř. úst. geol., Praha, 104 str.
- KOCUREK G., FIELDER G. (1982): Adhesion structures. — *Jour. sediment. Petrol.*, 52, 1229–1241, Tulsa.
- KOLLERT A. (1978): Znaky říční sedimentace v kladensko-rakovnické pánvi. — *Sbor. III. uhel geol. konf. přírod. fak.*, 95–101, Praha.
- KONTA J. (1953): Hydrothormaler Analcim der kupferhaltigen Schichtenfolge des Perms aus dem Vorland des Riesengebirges (Horní Kalná) und seine Bedeutung für Herkunft des Kupfers. — *Geologie*, 2, 237–252, Berlin.

- (1955): Gipsschichten — pseudomorphosiert durch Quarz — in der Kupferhaltigen Schichtenfolge der nordböhmisches Perms. — *Geologie*, 4, 598—606, Berlin.
- KONTA J. (1957): Jílové minerály Československa. — Naklad. Čs. Akad. Věd, Praha, 319 str.
- (1968): Problem of the quantitative petrological classification in the rock series arkose-graywacke- quartz sandstone — clay shale. — *Contrib. Mineral. Petrol.*, 19, 125—132, Heidelberg.
- (1969): Quantitative analytical petrological classification of sedimentary rocks. — *Acta Univ. Carol. Geol.*, 3, 175—253, Praha.
- (1972): Kvantitativní systém reziduálních hornin, sedimentů a vulkanoklasických usazenin. — Univ. Karlova, Praha, 375 str.
- (1977): Moderní názory na geochemické procesy v pelitových sedimentech. — *Acta Univ. Carolina, Geol.*, 22, 51—70, Praha.
- (1983): Složení a vznik keramických a sklářských surovin. — Univ. Karlova, Praha, 383 str.
- KONZALOVÁ M., MAŠEK J. (1972): Tufit se zbytky zelených řas rodu *Pia* ve středočeském karbonu (Westfal C). — *Věst. Ústř. úst. geol.*, 51, 129—137, Praha.
- KOSSOVSKAJA A. G., ŠUTOV V. D. (1956): Zonalnosť izměněnija terrigennych porod pri epigeneze i načalnom metamorfizme v uslovijach geosynklinalnoj zony. — *Voprosy osadočnych obrazovanij*, 452—467, Lvov.
- KOUTEK J. (1926): Příspěvek k poznání rohovcových vápenců jurských na Stránské skále u Brna. — *Věst. St. geol. úst.*, 2, 172—182, Praha.
- (1933): Petrografie některých středomoravských paleozoických lyditů. — *Věst. St. geol. úst.*, 9, 91—92, Praha.
- KRÁLÍK J. (1980a): Pestré vrstvy v uhlonosných sedimentech. — *Sbor. věd. prací Vys. šk. báň. (Ostrava)*, Ř. horn-geol., 26, 1—18.
- (1980b): Epigenetická oxidace v pestrých vrstvách československé části hornoslezské černouhelné pánve. — *Sbor. věd. prací Vys. šk. báň. (Ostrava)*, Ř. horn-geol., 26, 107—123.
- KRÁLÍK J., MARTINEC P. (1978): Příspěvek k petrografii sedlových vrstev v dole Dukla (Karvinská dílčí pánev OKR). — *Sbor. III. uhel. geol. konf. přír. fak.*, 103—108, Praha.
- KRAŠENINNIKOV L. G. (1971): Učeniye o facijach. — Nauka, Moskva, 322 str.
- KREBS W. (1974): Devonian carbonate complexes of central Europe. — Laporte L. F. (edit.), *Reefs in time and space*, 155—208, SEPM Spec. publ. 18, Tulsa.
- KRÖNER A. (1977): Non-synchrony of Late Precambrian glaciations in Africa. — *Jour. Geol.*, 85, 289—300, Chicago.
- KRUMBEIN W. C., GARRELS R. M. (1952): Origin and classification of chemical sediments in terms of pH and oxidation-reduction potentials. *Jour. Geol.*, 60, 1—33, Chicago.
- KRUMBEIN W. C., SLOSS L. L., DAPPLES W. (1949): Sedimentary tectonics and sedimentary environments. — *Bull. Amer. Assoc. petrol. Geol.*, 33, 1859—19891, Tulsa.
- KRUMBEIN W. C., SLOSS L. L. (1963): Stratigraphy and sedimentation. — W. H. Freeman, San Francisco, 660 str.
- KRUMBEIN W. C., PETTIJOHN F. J. (1938): Manual of sedimentary petrography. — Appleton-Century-Crofts, New York, 549 str.
- KRYNINE P. D. (1948): The megascopic study and field classification of sedimentary rocks. — *Jour. Geol.*, 56, 130—165, Chicago.
- (1950): Petrology, stratigraphy, and the origin of the Triassic sedimentary rocks of Connecticut. — *Connect. Geol. Nat. Histo. Surv. Bull.* 73, 239 str.
- KRYSTEK I. (1971): Návrh klasifikace tufů a tufitů. — *Geol. práce, Zprávy*, 23, 207—215, Bratislava.
- KŘÍBEK B. (1975): The origin of framboidal pyrite as a surface effect of sulphur grains. — *Mineral. Deposita*, 10, 389—396, Heidelberg.
- KŘÍŽ J., ŠTĚPÁNEK P. (1979): False mud cracks in the Lower Silurian of Bohemia. — *Věst. Ústř. úst. geol.*, 54, 115—118, Praha.

- KSIAZKIEWICZ M. (1958): Submarine slumping in the Carpathian flysch. — Soc. géol. Pologne, Ann. 28, 123–150.
- KUBLER B. (1966): La cristallinité de l'illite et les zones tout a fait supérieures du métamorphisme. — Colloque sur les étages tectoniques, 105–122, Genève.
- KUENEN P. H. (1949): Slumping in the Carboniferous rocks of Pembrokeshire. — Quart. Jour. geol. Soc., 104, 365–385, London.
- (1953): Significant features of graded bedding. — Bull. Amer. Assoc. petrol. Geol., 37, 1044–1066, Tulsa.
- (1957): Sole markings of graded greywacke beds. — Jour. Geol., 65, 231–258, Chicago.
- (1960): Experimental abrasion, 4. Eolian action. — Jour. Geol., 68, 427–449, Chicago.
- KUENEN P. H., MIGLIORINI C. I. (1950): Turbidity currents as a cause of graded bedding. — Jour. Geol., 58, 91–127, Chicago.
- KÜHN R. (1979): Diagenese in Evaporiten. — Geol. Rundschau, 68, 1066–1075, Stuttgart.
- KÜHN-VELTEN H. (1955): Subaquatische Rutschungen in höheren Oberdevon des Sauerlandes. — Geol. Rundschau, 44, 3–25, Stuttgart.
- KÜHNEL R. (1961): Uhlíčitanové pískovce porubského pásma ostravských vrstev Hornoslezské kamenouhelné pánve. — Věst. Ústř. úst. geol., 49–56, Praha.
- KUKAL Z. (1957): O některých otázkách klasifikace psamitických sedimentů. — Věst. Ústř. úst. geol. 32, 309–316, Praha.
- (1958a): Petrografický výzkum letenských vrstev barrandienského ordoviku. — Sb. Ústř. úst. geol., 24, 1. díl, Geol., 1–111, Praha.
- (1958b): Watty a jejich význam pro výzkum recentních a fosilních sedimentů. — Čas. mineral. geol., 3, 73–96, Praha.
- (1958c): Klasifikace struktur sedimentárních vápenců a dolomitů. — Věst. Ústř. úst. geol., 33, 256–267, Praha.
- (1959a): Petrografický výzkum vrstev klabavských barrandienského ordoviku. — Sb. Ústř. úst. geol., 25, 1–81, Praha.
- (1959b): Petrografický výzkum barrandienských ordovických jílových hornin. — Acta Univ. Carol., Geol., 125–140, Praha.
- (1960): Genetické typy zvrstvení hornin barrandienského paleozoika. — Rozpr. Čs. akad. věd, Ř. mat. přír. věd, 70, 1–51, Praha.
- (1962a): Zaoblení zrn v ordovických sedimentech Barrandienu. — Věst. Ústř. úst. geol., 36, 295–300, Praha.
- (1962b): K otázce zrnitostního rozmezí prachových (siltových) sedimentů. — Věst. Ústř. úst. geol., 36, 241–249, Praha.
- (1963): Sedimentární textury barrandienského ordoviku. — Rozpr. Čs. akad. věd, Ř. mat. přír. věd, 73, 1–93, Praha.
- (1964a): Geologie recentních sedimentů. — Naklad. Čs. akad. věd, Praha, 444 str.
- (1964b): Litologie barrandienských karbonátových souvrství. — Sb. geol. věd, Geol., 6, 123–165, Praha.
- (1965): Geochemical development of Early Paleozoic sediments of Central Bohemia and its relation to the changes of sedimentary environment. — Geochemie v Československu, Sb. Prací 1. geochem. konf., 209–218, Ostrava.
- (1966): Zdroje klastického materiálu sedimentů příbramsko-jineckého kambria. — Sb. geol. věd, Geol., 10, 83–116, Praha.
- (1968): Origin, development and chemical classification of Early Paleozoic sandstones of Central Bohemia. — 23. Internat. geol. Congr., Sect. 8, 61–72, Prague.
- (1970): Geology of Recent sediments. — Academic Press, London–Paris–New York, 490 str.

- (1971a): Sedimentology of Cambrian deposits of the Barrandian area (Central Bohemia). – Sb. geol. věd, Geol., 20, 53–100, Praha.
 - (1972b): Open – space structures in the Devonian limestones of the Barrandian (Central Bohemia). – Čas. mineral. geol., 16, 345–362, Praha.
 - (1972): Terminologie sedimentárních vápenců. – Věst. Ústř. úst. geol., 47, 259–263, Praha.
 - (1975): On the origin of nodular limestones. – Čas. mineral. geol., 20, 359–368, Praha.
 - (1977): Sedimentologický výzkum devonu a kulmu západní části Nížkého Jeseníku. – Archiv Ústř. úst. geol., pob. Brno.
 - (1980a): The sedimentology of Devonian and Lower Carboniferous deposits in the western part of the Nížký Jeseník Mountains, Czechoslovakia. – Sb. geol. věd, Geol., 34, 131–207, Praha.
 - (1980b): Hydrotermální rudy oceánského dna. – Inf. Bull. Úst. ner. Surovin, 2, 62–109, Kutná Hora.
 - (1982a): Použití v současnosti a geologické minulosti. – Čas. miner. geol., 27, 429–439, Praha.
 - (1982b): Problémy oceánských manganových konkrecí. – Věst. Úst. geol., 57, 241–248, Praha.
 - (1982c): Small eolian bedforms in the desert. – Věst. Ústř. úst. geol., 57, 157–168, Praha.
 - (1983a): Rychlost geologických procesů. – Academia, Praha, 290 str.
 - (1983b): Sedimentární formace ve vztahu k typu zemské kůry. – Mineralia slovaca, 15, 79–91, Košice.
 - (1985): Vývoj sedimentů Českého masívu. – Knihovna Ústř. úst. geol., 61, Praha.
- KUKAL Z., AL-JASSIM A. A. (1980): Sedimentology of Pliocene molasse sediments of the Mesopotamian geosyncline, – Sediment. Geol., 4, 254–278, Amsterdam.
- KUMAR N. (1978): Barrier island facies. – Fairbridge R. W., Bourgeois J. (edit.), Encyclopedia of sedimentology, 72–75, Dowden, Hutchinson and Ross, Stroudsburg.
- Lajoie I., Chagnon A. (1973): Origin of red beds in a Cambrian flysch sequence, Canadian Appalachians, Quebec. – Sedimentology, 20, 91–103, London.
- Lambert A., Hsü K. J. (1979): Non-annual cycles of varve-like sedimentation in Wallensee, Switzerland. – Sedimentology, 26, 453–461, London.
- LANCASTER N. (1981): Grain size characteristics of Namib desert linear dunes. – Sedimentology, 28, 115–122, London.
- LAND L. S., BEHRENS E. W., FRISHMAN S. A. (1979): The ooids of Baffin Bay, Texas. – Jour. sediment. Petrol., 49, 1269–1278, Tulsa.
- LANE N. G. (1981): A nearshore sponge spicule mat from the Pennsylvanian of West-Central Indiana. – Jour. sediment. Petrol., 51, 197–202, Tulsa.
- LAPORTE L. F. (1968): Ancient environments. – Englewood Cliffs, Prantice-Hall, 116 str.
- LARSEN G., CHILINGAR G. V. (edit. 1967): Diagenesis of sediments. – Elsevier, Amsterdam, 551 str.
- LEES A. (1975): Possible influence of salinity and temperature on modern shelf carbonate sedimentation. – Marine Geol., 19, 159–168, Amsterdam.
- LEES A., BULLER A. T. (1972): Modern temperate-water and warm-water shelf sediments contrasted. – Marine Geol., 13, M67-M73, Amsterdam.
- LEIGHTON M. W., PENDEXTER C. (1962): Carbonate rock types. – Amer. Assoc. Petrol. Geol. Mem 1, 33–61, Tulsa.
- LINDSTRÖM M. (1979): Diagenesis of Lower Ordovician hardgrounds in Sweden. – Geologica, Paleontologica, 13, 9–30, Marburg.
- LINGEN G. J. VAN PACKHAM G. H. (1975): Relationships between diagenesis and physical properties of biogenic sediments of the Ontong–Java Plateau (sites 288 and 289, Deep Sea Drilling Project). – Init. Rep. DSDP, Andrews J. E. a kol. (edit.), vol. 40, 443–481, Govt. Printing Office, Washington.

- LISICYN A. P. (1972): Sedimentation in the world ocean. — SEPM Spec. publ. 17, 218 str.
- LISICYNA N. A., BUTUZOVA G. JU. (1981): K voprosu o genezise okeaničeskich glaukonitov. — Litol. i poleznyje iskop., 5, 91–97, Moskva.
- LISITZINA N. A., BUTUZOVA G. YU. (1982): Authigenic zeolites in the sedimentary mantle of the world ocean. — Sediment, Geol., 31, 33–41, Amsterdam.
- LOGVINENKO N. V. (1982): Origin of glauconite in the Recent bottom sediments of the ocean, — Sediment. Geol., 31, 43–48, Amsterdam.
- LOGVINENKO N. V., NÁUMENKO S. I. (1980): Sulfidy železa v sovremennyyh donnykh osadkach Kalifornskogo zaliva. — Litol. i poleznyje iskop., 3, 123–129, Moskva.
- LOMBARD A. (1959): Lithological sequences in marine series. — Geol. Mijnbouw, N. S. 21, 185–190, Amsterdam.
- LONGMAN M. W. (1980): Carbonate diagenetic textures from nearshore diagenetic environments. — Bull. Amer. Assoc. petrol. Geol., 64, 461–487, Tulsa.
- (1981): Carbonate diagenesis as a control on stratigraphic traps. — Educat. Course Note Ser. 21, Am. Assoc. petrol. Geol., Calgary, 159 str.
- LONSDALE P. F., NORMARK W. R., NEWMAN W. A. (1972): Sedimentation and erosion on Horizon Guyot. — Bull. geol. Soc. Amer., 83, 389–316, Baltimore.
- LOWE D. R. (1975): Water escape structures in coarse-grained sediments. — Sedimentology, 22, 157–204, London.
- (1976): Grain flow and grain flow deposits. — Jour. sediment. Petrol., 46, 188–199, Tulsa.
- (1982): Sediment gravity flows: II. Depositional models with special reference to the deposits of high-density turbidity currents. — Jour. sediment Petrol., 52, 279–297, Tulsa.
- LOWELL J. D. (1972): Spitzbergen Tertiary orogenic belt and the Spitzbergen fracture zone. — Bull. geol. Soc. Amer., 83, 3091–3102, Baltimore.
- LUNDEGARD P. D., SAMUELS N. D. (1980): Field classification of finegrained sedimentary rocks. — Jour. sediment. Petrol. 50, 781–786, Tulsa.
- MACK G. H. (1981): Composition of modern stream sand in a humid climate derived from a low-grade metamorphic and sedimentary foreland fold-thrust belt of North Georgia. — Jour. sediment. Petrol., 1247–1259, Tulsa.
- MADER D. (1981): Genesis of the Buntsandstein (Lower Triassic) in the Western Eifel (Germany). — Sediment. Geol., 29, 1–30, Amsterdam.
- (1982): Aeolian sands in continental red beds of the Middle Buntsandstein (Lower Triassic) at the western margin of the German Basin. — Sediment. Geol., 31, 191–230, Amsterdam.
- MAKSIMOVA S. V. (1978): Biogennyje silicity — pokazatel aktivizacii glubinnykh razlomov. — Bjul. Mosk. obšč. ispyt. priir., odt. geol., 53, 152–161, Moskva.
- MALEJEV E. F. (1971): Klasifikacija někotorych tipov vulkanogennoosadočnykh porod. — Litol. i poleznyje iskop., 5, 22–44, Moskva.
- MALDONADO A., STANLEY D. J. (1981): Clay mineral distribution patterns as influenced by depositional processes in the Southeastern Levantine Sea. — Sedimentology, 28, 21–32, Amsterdam.
- MALKOVSKÝ M. (1958): Petrografická charakteristika brousku v karbonu OKR. — Acta Univ. Carol., 4, 47–72, Praha.
- MALOUTA D. N., GORSLINE D. S., THORNTON S. E. (1981): Processes and rates of recent (Holocene) basin filling in an active transform margin: Santa Monica Basin, California continental borderland. — Jour. sediment. Petrol., 51, 1077–1095, Tulsa.
- MANTEN A. A. (1971): Silurian reefs of Gotland. — Developments in Sedimentology, 13, Elsevier, Amsterdam, 539 str.
- MARKOV A. L. (1954): Paleogeografija. — Moskva, 178 str.
- MARSCHALKO R. (1961): Sedimentological investigation of marginal lithofacies in flysch of central Carpathians. — Geol. Práce, 60, 197–230, Bratislava.

- (1965): Clastic dikes and their relations to synsedimentary movements (Flysch of Central Carpathians). — *Geol. práce, Zpr.* 36, 139–148, Bratislava.
- (1978): Clastic dikes. — Fairbridge R. W., Bourgeois J. (edit.), *Encyclopedia of sedimentology*, 148–151, Dowden, Hutchinson and Ross, Stroudsburg.
- MARTINSSON A. (1970): Toponymy of trace fossils. — Crimes T. P., Harper J. C. (edit.), *Trace fossils, Geol. Jour., Spec. Issue* 3, 323–330, London.
- MAŠEK J. (1962): Petrografický výzkum arkóz v Plzeňské kamenouhelné pánvi. — *Věst. Ústř. úst. geol.*, 37, 92–105, Praha.
- MAŠTERA L. (1975): Litologie hradeckých drob v Nížkém Jeseníku. — *Archív Ústř. úst. geol., Praha*.
- MATSUMOTO R., IJIMA A. (1981): Origin and diagenetic evolution of Ca–Mg–Fe carbonates in some coalfields of Japan. — *Sedimentology*, 28, 239–259, Amsterdam.
- MCCARTHER J. M. (1983): Offshore Peruvian phosphorite: A reappraisal of its age and genesis. — *Chemical Geol.*, 38, 93–105, Amsterdam.
- MCBRIDE E. F. (1962): Flysch and associated beds of the Martinsburg Formation (Ordovician), Central Appalachians. — *Jour. sediment. Petrol.*, 32, 39–91, Tulsa.
- MCBRIDE E. F., FOLK R. L. (1977): The Caballos novaculite revisited: Part II: Chert and shale members and synthesis. — *Jour. sediment. Petrol.*, 47, 1261–1286, Tulsa.
- , — (1979): Features and origin of Italian Jurassic radiolarites deposited on continental crust. — *Jour. sediment. Petrol.*, 49, 1–38, Tulsa.
- MCCAVE I. N. (1970): Deposition of fine-grained suspended sediments from tidal currents. — *Jour. geophys. Res.*, 75, 4151–4159.
- McKEE E. D., WEIR G. W. (1953): Terminology for stratification and cross-stratification in sedimentary rocks. — *Bull. geol. Soc. Amer.*, 64, 381–389, Baltimore.
- MCRAE S. G. (1972): Glauconite. — *Earth Science Rev.*, 8, 397–400, Amsterdam.
- MEISCHNER K. D. (1964): Allodapische Kalke, Turbidite in riffnahen Sedimentations-Becken. — Bouma A. H., Brouwer A. (edit.), *Turbidites*, 156–191, Elsevier, Amsterdam.
- MENARD H. W. (1967): Transitional types of crust under small ocean basins. — *Jour. geophys. Res.*, 72, 3061–3073.
- METZ R. (1981): Why not raindrop imprints ? — *Jour. sediment. Petrol.*, 51, 265–268, Tulsa.
- MIALL A. D. (1977): Fluvial sedimentology. — *Canad. Soc. petrol. Geol., Mem.* 5, 168 str.
- MIDDLETON G. V., HAMPTON M. A. (1973): Sediment gravity flows: Mechanics of flow and deposition. — *Turbidites and deep water sedimentation. SEPM Short Course, Pacific section*, 157 str.
- , — (1976): Subaqueous sediment transport and deposition of sediments by gravity flows. — Stanley D. J., Swift D. U. P. (edit.), *Marine sediment transport and environmental management*, 197–218, Wiley, New York.
- MICHAJLOV B. M., BRONĚJEV V. A., ODOKIN B. N., SELIVERSTOV JU. P., TENJAKOV V. A., JAKUŠEV B. M., BOGATYREV B. A. (1981): Lateritnyje pokrovy sovremennoj tropičeskoj zony Zemli. — *Litol. i poleznyje iskop.*, 4, 85–100, Moskva.
- MINTER W. E. L. (1970): Origin of mud polygons that are concave downward. — *Jour. sediment. Petrol.*, 40, 755–764, Tulsa.
- MIŠÍK M. (1966): Mikrofácie vápencov mezozoika a terciéru Západných Karpát. — Bratislava, 166 str.
- MONTY C. (1973): Precambrian background and Phanerozoic history of stromatolitic communities, an overview. — *Ann. Soc. géol. Belg.*, 96, 585–624, Bruxelles.
- MOORE T. C., PISIAS N. G., DUNN D. A. (1982): Carbonate time series of the Quaternary and Late Miocene sediments in the Pacific Ocean: A spectral comparison. — *Marine Geol.*, 46, 217–233, Amsterdam.
- MORAD S., ALDAHAN A. A. (1982): Authigenesis of titanium minerals in two proterozoic sedimentary rocks from southern and central Sweden. — *Jour. sediment. Petrol.*, 52, 1295–1305, Tulsa.

- MORLOT A. VON (1847): Ueber die Dolomit und seine Künstliche Darstellung aus Kalkstein. — Haidinger Nat. Abhandl., 1, 305 str.
- MORGAN J. P. (edit. 1970): Deltaic sedimentation: modern and ancient. — SEPM Spec. publ. 15, Tulsa, 312 str.
- MOSS A. J., GREEN P., HUTKA J. (1981): Static breakage of granitic detritus by ice and water in comparison with breakage by flowing water. — *Sedimentology*, 28, 261–272, London.
- MOUSSA M. T. (1974): Raindrop imprints? — *Jour. sediment. Petrol.*, 44, 1118–1121, Tulsa.
- MRŇA F. (1978): Ložiska lateritu a jejich vyhledávání. — *Knih. Ústř. Úst. geol.*, 57, 1–128, Praha.
- MÜLLER G., IRION G., FÖRSTNER U. (1972): Formation and diagenesis of inorganic Ca–Mg carbonates in the lacustrine environment. — *Naturwissenschaften*, 59, 158–164, Berlin.
- MÜLLER G., WAGNER F. (1978): Holocene carbonate evolution in Lake Balaton (Hungary): a response to climate and impact of man. — Matter A., Tucker M. E. (edit.), *Modern and ancient lake sediments*, Int. Assoc. Sedim., Spec. publ. 2, 57–81, Blackwell, Oxford.
- MÜLLER J., FABRICIUS F. (1974): Magnesian-calcite nodules in the Ionian deep sea: an actualistic model for the formation of some nodular limestones. — Hsü K. J., Jenkyns H. C. (edit.), *Pelagic sediments: On land and under the sea*, 249, 271, SEPM Spec. publ. 1, Tulsa.
- MULLINS H. T., NEUMANN A. C., WILBER R. J., BOARDMAN M. R. (1980): Carbonate sediment drifts in the northern Florida Straits of Florida. — *Bull. Amer. Assoc. petrol. Geol.*, 64, 1701–1717, Tulsa.
- MUTTI E. (1974): Examples of ancient deep-sea fan deposits from circum-Mediterranean geosynclines. — Dott R. H., Shaver R. H. (edit.), *Modern and ancient geosynclinal sedimentation*, 92–105, SEPM Spec. publ. 19, Tulsa.
- MUTTI E., RICCI-LUCCHI F. (1972): Le torbiditi dell'Apennino settentrionale: Introduzione all'analisi di facies. — *Mem. Soc. geol. Italia*, 11, 161–199, Roma.
- NAHON D., CAROZZI A., PARRON C. (1980): Lateritic weathering as a mechanism for the generation of ferruginous ooids. — *Jour. sediment. Petrol.*, 50, 1287–1298, Tulsa.
- NAHON D., TROMPETTE R. (1982): Origin of siltstones: glacial grinding versus weathering. — *Sedimentology*, 29, 25–35, Tulsa.
- NALIVKIN D. (1956): Učenie o facijach. — sv. 1 a 2, Moskva–Leningrad.
- NÁPRSTEK V. (1982): Termíny mélanž, olistostroma a brekcie. — *Věst. Ústř. úst. geol.*, 57, 117–122, Praha.
- NAYLOR M. A. (1980): The origin of inverse grading in muddy debris flow deposits — a review. — *Jour. sediment. Petrol.*, 50, 1111–1116, Tulsa.
- (1981): Debris flow (olistostromes) and slumping on a distal passive continental margin: the Palombini limestone — shale sequence of the northern Apennines. — *Sedimentology*, 28, 837–852, London.
- NEMEC W., POREBSKI S. J., STEEL R. J. (1980): Texture and structure of resedimented conglomerates: examples from Ksiaz Formation (Famennian-Tournaisian), southwestern Poland. — *Sedimentology*, 27, 519–538, London.
- NERUČEV S. G., VASSOJEVIČ N. B., LOPATIN N. V. O. (1976): O škale katageneza v svjazi s něftěobrazovanijem. — *Gorjačije iskopajemyje*, Nauka, Moskva, 47–62.
- NEUŽIL J., KUŽVART M. (1968): Petrografie montmorillonitových jíln v jižních Čechách. — *Sb. geol. věd, Geol.*, 14, 47–69, Praha.
- NEWELL N. D. (1975): The evolution of reefs. — *Sci. American*, 75, 54–65, Washington.
- NICKEL E. (1973): Experimental dissolution of light and heavy minerals in comparison with weathering and intrastratal solution. — *Contrib. Sedimentology*, 1–68, Stuttgart.
- NILSEN T. H. (1980): Modern and ancient submarine fans: discussion of papers by R. G. Walker and W. R. Normark. — *Bull. Amer. Assoc. petrol. Geol.*, 64, 1094–1011, Tulsa.
- NORMARK W. R. (1980): Modern and ancient submarine fans: reply. — *Bull. Amer. Assoc. petrol. Geol.*, 64, 1108–1112, Tulsa.

- NUHFER E. B. (1981): Mudrock fabrics and their significance — discussion. — *Jour. sediment. Petrol.*, 51, 1027–1029, Tulsa.
- NOLLER A. T., McMANUS J. (1972): Modes of turbidite deposition deduced from grain-size analysis. — *Geol. Mag.*, 109, 491–500, London.
- O'BRIEN N. R. (1970): The fabric of shales: an electron-microscopic study. — *Sedimentology*, 15, 229–247, London.
- ODIN G. S., MATTER A. (1981): De glauconiarum origine. — *Sedimentology*, 28, 611–641, London.
- OLLIER C. D. (1971): Causes of spheroidal weathering. — *Earth Sci. Rev.*, 7, 127–141, Amsterdam.
- ORI G. G. (1982): Braided to meandering channel patterns in humid region alluvial fan deposits, River Reno, Po Plain (northern Italy). — *Sediment. Geol.*, 31, 231–248, Amsterdam.
- ORLOV A. (1942): Sedimenty uhelné sousloje v kladenské kamenouhelné pánvi. — *Zpr. Geol. úst. pro Čechy a Moravu*, 17, 221–253, Praha.
- (1946): Návrh systematiky a názvosloví sedimentárních hornin. — *Věst. Ústř. úst. geol.*, 20, 80–109, Praha.
- PACLTOVÁ B. (1974): K otázce stáří proterozoika Českého masívu a vzniku buližníků. — *Korel. proteroz. a paleoz. stratif. lož.*, II, 133–142, Praha.
- PACLTOVÁ B., POUBA Z. (1975): K otázce původu proterozoických stromatolitů v Barrandienu. — *Korel. proteroz. a paleoz. stratif. ložisek*, III, 25–58, Praha.
- PARK R. (1976): A note on the significance of lamination in stromatolites. — *Sedimentology*, 23, 379–393, London.
- PEDERSEN G. K. (1981): Anoxic events during sedimentation of a Palaeogene diatomite in Denmark. — *Sedimentology* 28, 487–504, London.
- PEŠEK J. (1978): Vliv fosilního toku na uhlotvorbu radnických vrstev v plzeňské pánvi. — *Sbor. III. uhel. geol. konf. přír. fak.*, 113–124, Praha.
- PETRÁNEK J. (1951): Mikroskopické složení bránických vápenců v pražském okolí. — *Rozpr. II. tř. Čs. akad. věd*, 60, 9, 1–29, Praha.
- (1958): Základní hmota, tmel, a mezerní hmota sedimentů. — *Čas. mineral. geol.*, 3, 470–472, Praha.
- (1959a): Vrstevnatost a zvrstvení usazených hornin. — *Čas. mineral. geol.*, 4, 204–206, Praha.
- (1959b): Klasifikace pískovců. — *Čas. mineral. geol.*, 4, 314–319, Praha.
- (1960): Die petrographische Erforschung der silurischen und devonischen Ablagerungen im Barrandium. Prager Arbeitstagung über die Stratigraphie des Silurs und des Devons (1958), 57–66, Praha.
- (1963): Usazené horniny, jejich složení, vznik a ložiska. — *Naklad. Čs. akad. věd*, Praha, 717 str.
- (1964): Ordovician — a major epoch in iron ore deposition. — 22. Inter. Geol. Congr., P. 15, Sect. 15, 51–57, New Delhi.
- (1976): Sedimentary iron ores of the Lahn-Dill type: a new concept of their origin. — *Věst. Ústř. úst. geol.*, 51, 203.207, Praha.
- (1978): Byly variské plutony Českého masívu tak rychle obnaženy, že se staly zdrojem materiálu karbonských arkóz? — *Čas. mineral. geol.*, 23, 381–387, Praha.
- PETRÁNEK J., ELIÁŠ M., KUKAL Z., SKOČEK V. (1961): Základní terminologie usazených hornin. — *Věst. Ústř. úst. geol.*, 36, 417–434, Praha.
- PETROV M. P. (1973): Pustyni zemnogo šara. — *Nauka*, Leningrad, 424 str.
- (1977): Deserts of the world. — *Wiley*, New York, 382 str.
- PETROVA V. V., VORONIN B. I., SEREBRENNIKOVA N. D. (1980): Osobennosti podvodnogo izměnenija osnovnogo stěkla v skvažině 160 rejsa "Glomar Challenger". — *Litol. i poleznyje iskop.*, 2, 133–142, Moskva.
- PETTJOHN F. J. (1949): Sedimentary rocks. — *Herper and Row*, New York, 526 str.

- (1975): Sedimentary rocks, 3. vyd. — Harper and Row, 628 str.
- PETTIJOHN F. J., POTTER P. E. (1964): Atlas and glossary of primary sedimentary structures. — Springer, New York, 370 str.
- PETTIJOHN F. J., POTTER P. E., SIEVER R. (1972): Sand and sandstone. — Springer, New York, 618 str.
- PICARD M. D., HIGH L. R. (1972): Criteria for recognizing lacustrine rocks. — Rigby J. K., Hamblin W. K. (edit.), Recognition of ancient sedimentary environments, 108—145, SEPM Spec. publ. 16, Tulsa.
- PINGITORE N. E., SHOTWELL J. D. (1977): Sandstone classification: A view from factor space. — N. Jhrb. Geol. Pal., Mh, 177—183, Stuttgart.
- PIPER D. J. W. (1975): A reconnaissance of the sedimentology of Lower Silurian mudstones, English Lake District, — Sedimentology, 22, 623—630, London.
- PISCIOOTTO K. A. (1981): Diagenetic trends in the siliceous facies of the Monterey shale in the Santa Maria region, California. — Sedimentology, 28, 547—571, London.
- PITTMAN E. D. (1970): Plagioclase feldspar as an indicator of provenance in sedimentary rocks. Jour. sediment. Petrol., 40, 591—598, Tulsa.
- PLAYFORD P. E., COCKBAIN A. E., DRUCE E. C., WRAY J. L. (1969): Algal stromatolites: Deepwater forms in the Devonian of Western Australia. — Science, 165, 1008—1010, Washington.
- PLUMLEY W. J. (1948): Black Hills terrace gravels: a study in sediment transport. — Jour. Geol., 56, 526—577, Chicago.
- PLUMMER P. S., GOSTIN V. A. (1981): Shrinkage cracks: desiccation or syneresis? — Jour. sediment. Petrol., 51, 1147—1156, Tulsa.
- POSTMA D. (1983): Water escape structures in the context of a depositional model of a mass flow dominated conglomeratic fan-delta (Abrija Formation, Pliocene Almeria Basin, SE Spain). — Sedimentology, 30, 91—103, London.
- POTTER P. E. (1978): Petrology and chemistry of modern big river sands. — Jour. Geol., 86, 423—449, Chicago.
- POTTER P. E., MAYNARD J. B., PRYOR W. A. (1980): Sedimentology of shale. Study guide and reference source. — Springer, Heidelberg—New York, 306 str.
- POTTER P. E., PETTIJOHN F. J. (1963): Paleocurrent and basin analysis. — Springer, Berlin—Göttingen—Heidelberg, 296 str.
- POTY E. (1980): Evolution and drowning of paleokarst in Frasnian carbonates at Visé, Belgium. — Beded. Rijks Geol. Dienst, 32, 53—55.
- POUBA Z. (1973): Křemité horniny, stromatolity a železné rudy v českém prekambriu. — Korel. proteroz. a paleoz. statif. ložisek, I, 36—41, Praha.
- PRÁT S. (1929): Studie o biolitogenezi. — Čs. akad. věd, Praha, 187 str.
- PRATT B. R. (1981): Limestone response to stress: Pressure solution and dolomitization — discussion and example of compaction in carbonate sediments. — Jour. sediment. Petrol., 51, 323—334, Tulsa.
- (1982): Stromatolitic framework of carbonate mud-mounds. — Jour. sediment. Petrol., 52, 1203—1227, Tulsa.
- PROUZA V., SKOČEK V., TÁSLER R. (1977): Evaporites in the Lower Permian of the Krkonoše-piedmont basin. — Věst. Ústř. úst. geol., 52, 367—369, Praha.
- PROZOROVICH G. E. (1970): Determination of time of oil and gas accumulation by epigenesis studies. — Sedimentology, 15, 41—52, Amsterdam.
- PURSER B. C. (1980): Sédimentation et diagenèse des carbonates néritiques récents. — Technip, Paris, 366 str.
- PUSTOVALOV L. V. (1954): Sovremennoje sostojanije voprosa ob osadkonakopleniji. — 19. Int. Congr. géol., sect. 13, Fasc. 13, 171—192, Alger.
- PYE K. (1981): Negatively skewed aeolian sands from a humid tropical coastal dunefield, Northern Australia. — Sediment. Geol., 31, 249—266, Amsterdam.

- RADWANSKI A., BIRKENMAJER K. (1977): Oolitic/pisolitic dolostone from the Late Precambrian of south Spitzbergen: their sedimentary environment and diagenesis. — *Acta geol. Polonica*, 27, 1–39.
- RAMPINE M. R., SANDERS J. E. (1980): Holocene transgression in south-central Long Island, New York. — *Jour. sediment. Petrol.*, 50, 1063–1080, Tulsa.
- RAMSAY A. T. (1974): The distribution of calcium carbonate in deep sea sediments. — *SEPM Spec. publ.* 20, 53–76, Tulsa.
- RAO C. P. (1981): Criteria for recognition of cold-water carbonate sedimentation: Barriedale limestone (Lower Permian), Tasmania, Australia. — *Jour. sediment. Petrol.*, 51, 491–506, Tulsa.
- READING H. G. (edit. 1978): *Sedimentary environments and facies*. — Blackwell, Oxford–London–Edinburgh–Melbourne, 557 str.
- REECKMAN S. A., GILL E. D. (1981): Rates of vadose diagenesis in Quaternary dune and shallow marine calcarenites, Warrnambool, Victoria, Australia. — *Sediment. Geol.*, 30, 157–172, Amsterdam.
- REINECK H. E. (1975): German North Sea tidal flats. — Ginsburg R. N. (edit.), *Tidal deposits*, 5–14, Springer, New York–Heidelberg.
- REINECK H. E., SINGH I. B. (1973): *Depositional sedimentary environments*. — Springer, New York–Heidelberg–Berlin, 439 str.
- , — (1980): *Depositional sedimentary environments*, 2. vyd. — Springer, Berlin–Heidelberg–New York, 549 str.
- REINECK H. E., SINGH I. B., WUNDERLICH F. (1971): Einteilung der Rippeln und anderen Sandkörper. — *Senckenbergiana marina*, 3, 93–101, Frankfurt a. M.
- REINECK H. E., WUNDERLICH F. (1968): Classification and origin of flaser and lenticular bedding. — *Sedimentology*, 11, 99–104, Amsterdam.
- REINSON G. E., ROSEN P. S. (1982): Preservation of ice-formed features in a subarctic sandy beach sequences: geologic implications. — *Jour. sediment. Petrol.*, 43, 723–727, Tulsa.
- RICKETTS B. D. (1980): Experimental investigation of carbonate precipitation in hydrated silica gels. — *Jour. sediment. Petrol.*, 50, 963–970, Tulsa.
- RIDING R. (1979): Origin and diagenesis of lacustrine algal bioherms at the margin of the Ries crater, Upper Miocene, southern Germany. — *Sedimentology*, 26, 645–680, London.
- RICCI-LUCCHI F. (1975): Sediment dispersal in turbidite basins: examples from the Miocene of northern Apennines. — 9th Int. Congr. Sedimentol., Th 5, 347–352, Nice.
- RICCI-LUCCHI F., VALMORI E. (1980): Basin-wide turbidites in a Miocene, over-supplied deep-sea plain a geometrical analysis. — *Sedimentology*, 27, 241–270, London.
- RIEKE H. H., CHILINGARIAN G. V. (1974): *Compaction of argillaceous sediments*. — Elsevier, Amsterdam, 424 str.
- RICHTER-BERNBURG G. V. (1955): Über salinare Sedimentation. — *Zeit. d. Deutsch. geol. Gess.*, 105, 593–645, Berlin.
- (1979): Eodiagenetische Vorgänge bei der Bildung von Salinargesteine. — *Geol. Rundschau*, 68, 1055–1065, Stuttgart.
- RIO M. (1982): Les accidents siliceux dans le Cretacé du basin Vocontien (sud-est de la France). — *Doc. des Sciences de la Terre*, Univ. Claude Bernard, 84, 1–179, Lyon.
- RÖHLICH P. (1964): Podmořské skluzky a bahnotoky v nejmladším středočeském algonkiu. — *Sb. geol. věd*, *Geol.*, 6, 89–121, Praha.
- RONOV A. B. (1968): Probable changes in the composition of sea water during the course of geologic time. — *Sedimentology*, 10, 25–34, Amsterdam.
- ROST R. (1956): Těžké minerály. — *Naklad. Čs. akad. věd*, Praha, 238 str.
- ROY S. (1980): Genesis of sedimentary manganese formations. — Varentsov I. M., Grassely Gy (edit.), *Geology and geochemistry of manganese deposits*, vol. 2, 13–44, Akadémiai Kiadó, Budapest.

- RUBIN D. M., FRIEDMAN G. M. (1981): Origin of chert grains and a halite-silcrete bed in the Cambrian and Ordovician Whitehall Formation of the Eastern New York State. — *Jour. sediment. Petrol.*, 51, 69–72, Tulsa.
- RUBIN D. M., HUNTER R. E. (1982): Bedform climbing in theory and nature. — *Sedimentology*, 29, 121–139, London.
- RUDDIMAN W. F., HEEZEN B. C. (1967): Differential solution of planktonic foraminifera. — *Deep-sea Res.*, 14, 801–808, London.
- RUCHIN L. B. (1953): *Osnovy litologii*. — Gostoptechizdat, Leningrad–Moskva, 671, str.
- RUPKE N. A. (1975): Deposition of fine-grained sediments in the abyssal environment of the Algero-Balearic Basin, Western Mediterranean Sea. — *Sedimentology*, 22, 95–109, London.
- RUST B. R. (1981): Sedimentation in an arid-zone anastomosing fluvial system: Copper's Creek, Central Australia. — *Jour. sediment. Petrol.*, 51, 745–755, Tulsa.
- RYER T. A., LANGER A. W. (1980): Thickness change involved in the peat-to-coal transformation for a bituminous coal of Cretaceous age in Central Utah. — *Jour. sediment. Petrol.*, 50, 987–992, Tulsa.
- SANDBERG P. A. (1975): New interpretations of Great Salt Lake ooids and nonskeletal carbonate mineralogy. — *Sedimentology*, 22, 497–537, London.
- SANDER B. (1936): Beiträge zur Kenntnis der Anlagerungsgefüge (Rhythmische Kalke und Dolomite aus Trias). — *Mineral. Petrol. Mitt.*, 48, 27–209, Wien.
- SARKAR S. (1981): Ripple marks in intertidal Lower Bhander sandstone (Late Proterozoic), Central India — a morphological analysis. — *Sediment. Geol.*, 29, 241–282, Amsterdam.
- SEGONZAC DUNOYER G. (1970): The transformation of clay minerals during diagenesis and low grade metamorphism — a review. — *Sedimentology*, 15, 281–346, Amsterdam.
- (1979): Diagenesis of clay minerals. — *Sedimentology*, 28, 332–365, London.
- SEILACHER A. (1964): Sedimentological classification and nomenclature of trace fossils. — *Sedimentology*, 3, 253–256, Amsterdam.
- (1967): Bathymetry of trace fossils. — *Marine Geol.*, 5, 413–428, Amsterdam.
- (1982): Distinctive features of sandy tempestites. — Einsele G., Seilacher A. (edit.), *Cyclic and event stratification*, 333–349, Springer, Berlin–Heidelberg–New York.
- SEKYRA J. (1960): Působení mrazu na půdu. — *Geotechnica*, 27, 1–164, Praha.
- SELLEY R. C. (1970): Ancient sedimentary environments. — Harper and Row, Ithaca, 327 str.
- (1976): An introduction to sedimentology. — Academic Press, London–New York–San Francisco, 408 str.
- SELLWOOD B. W. (1975): Lower Jurassic tidal flat deposits, Bornholm, Denmark. — Ginsburg R. N. (edit.), *Tidal deposits*, 93–101, Springer, Berlin.
- SEMIENIUK V. (1981): Sedimentology and the stratigraphic sequence of a tropical tidal flat, Northwestern Australia. — *Sediment. Geol.*, 29, 195–221, Amsterdam.
- SHANMUGAN G., WALKER K. R. (1978): Tectonic significance of distal turbidites in the Middle Ordovician Blockouse and Lower Sevier Formations in East Tennessee. — *Amer. Jour. Sci.*, 278, 551–578, New Haven.
- SHARP R. P. (1963): Wind ripples. — *Jour. Geol.*, 71, 617–636, Chicago.
- SHAW A. B. (1964): Time in stratigraphy. — McGraw Hill, New York, 353 str.
- SHEARMAN D. J. (1970): Recent halite rock, Baja California. — *Trans. Mexico Inst. Miner. Met.*, B 79, 155–162.
- SHEPARD F. P. (1963): Submarine geology, 2. vyd. — Harper and Row, New York, 557 str.
- SHERIDAN R. E., GRADSTEIN F. M. (1981): Early history of the Atlantic Ocean and gas hydrates in the Blake outer ridge. — *Res. of the Deep Sea Drilling Project. — Episodes*, 2, 16–22, Ottawa.
- SHERIDAN R. E., ENOS P. (1979): Stratigraphic evolution of the Blake Plateau after a decade of scientific drilling. — *Amer. Geophys. Conf., Ewing Conf.*, 3, 109–122.
- SHEU D. D., BURKART B. (1982): Inferred paleosalinity and phosphate content of carbonate rocks

- from a cyclic evaporite-carbonate rock sequence. — *Jour. sediment. Petrol.*, 52, 897–903 Tulsa.
- SHINN E. A. (1968): Practical significance of birdseye structures in carbonate rocks. — *Jour. sediment. Petrol.*, 38, 215–223, Tulsa.
- (1969): Submarine lithification of Holocene carbonate in the Persian Gulf. — *Sedimentology*, 12, 109–144, Amsterdam.
- SHROCK R. R. (1948): Sequence in layered rocks. McGraw-Hill, New York, 507 str.
- SCHERMERHORN L. J. G. (1966): Terminology of mixed coarse-fine sediments. — *Jour. sediment. Petrol.*, 36, 831–835, Tulsa.
- SCHLAGER W. (1981): The paradox of drowned reefs and carbonate platforms. — *Bull. geol. Soc. Amer.*, 92, 197–211, Baltimore.
- SCHLAGER W., GINSBURG N. N. (1981): Bahama carbonate platforms — the deep and the past. — *Marine Geol.*, 44, 1–24, Amsterdam.
- SCHLAGER W., JAMES N. P. (1978): Low-magnesian calcite limestones forming at the deep-sea floor, Tongue of the Ocean, Bahamas. — *Sedimentology*, 25, 675–702, London.
- SCHLANGER S. O., DOUGLAS R. G. (1974): The pelagic ooze-chalk-limestone transition and its implication for marine stratigraphy. — Hsü K. J., Jenkyns H. C. (edit.), *Pelagic sediments: on land and under sea*, 117–148, Inter. Assoc. Sedim., Spec. publ. 1, Tulsa.
- SCHLUGER P. R., ROBERTSON H. E. (1975): Mineralogy and chemistry of the Patapsco Formation, Maryland, related to the ground water geochemistry and flow system: contribution to the origin of red beds. — *Bull. geol. Soc. Amer.*, 86, 153–158, Baltimore.
- SCHMIDT V. (1978): Secondary reservoir porosity in the course of sandstone diagenesis. — *AAPG Clastic diagenesis*, School, Boulder.
- SCHOLL D. W., CHRISTENSEN M. N., HUENE R. VON, MARLOW M. S. (1970): Peru–Chile trench sediments and sea floor spreading. — *Bull. geol. Soc. Amer.*, 61, 1339–1360, Baltimore.
- SCHOLLE P. A. (1977): Chalk diagenesis and its relation to petroleum exploration: Oil from challs, a modern miracle? — *Bull. Amer. Assoc. petrol. Geol.*, 61, 982–1009, Tulsa.
- SCHOLLE P. A., SPEARING D. (1982): Sandstone depositional environments. — *Am. Assoc. petrol. Geol.*, Mem. 31, Tulsa, 410 str.
- SCHOVÁNKOVÁ D. (1977): Vulkanologické a petrologické problémy ignitorentů. — *Práce k aspirantskému minimu*, MS archív Ústř. úst. geol., Praha.
- SCHUMM S. A. (1963): The disparity between present rates of denudation and orogeny. — *US Geol. Surv. Prof. Pap.* 154 H, 1–13, Washington.
- SCHWAB F. L. (1975): Framework mineralogy and chemical composition of continental margin-type sandstone. — *Geology*, 3, 487–490, Boulder.
- SCHWARZ A. (1927): Wachstum, Absterben und Diagenese eines paläozoischen Korallenriffes. — *Senckenbergiana*, 9, 49–64, Frankfurt.
- SIESSER W. G. (1972): Limestone lithofacies from the South African continental margin. — *Sediment. Geol.*, 8, 82–112, Amsterdam.
- SIEVER R. (1979): Plate tectonic controls on diagenesis. — *Jour. Geology*, 87, 127–155, Chicago.
- SIMONETT D. S. (1967): Landslide distribution and earthquakes in the Bawani and Torricelli Mountains, New Guinea. A statistical approach. — Jennigs J. N., Mabbutt J. E. (edit.), *Landform studies in Australia and New Guinea*, 114–130, Cambridge Univ. Press, London.
- SKÁCEL J. (1966): Železnorudná ložiska moravskoslezského devonu. — *Rozpr. Čes. akad. věd., Tř. mat. příř. věd*, 11, 1–64, Praha.
- SKOČEK V. (1962): Karbonátové konkrece v uhlonosných sedimentech Ostravsko-karvinské pánve. — *Sb. Ústř. úst. geol.*, 28, *Geol.*, 309–339, Praha.
- (1963): Petrografické složení a geneze železných rud v oblasti Březiny. — *Rozpr. Čes. akad. věd, Ř. mat. příř. věd*, 73, 4, 1–108, Praha.
- (1964): Argilitizované tufogenní horniny manětínské pánve a otázka vzniku tzv. tonsteinů. — *Věst. Ústř. úst. geol.*, 39, 105–116, Praha.

- (1968): Svrchnokarbonské varvity ve středočeských kamenouhelných pánvích. — Věst. Ústř. úst. geol., 43, 113–122, Praha.
- (1969): Některé projevy silicifikace ve středočeském permokarbonu a jejich stratigrafický význam. — Věst. Ústř. Úst. geol., 44, 293–300, Praha.
- (1972): Petrografie mladšího paleozoika. Vyhledávací geologický průzkum na černé uhlí v oblasti Mělník–Benátky n. Jiz. — MS archiv Ústř. úst. geol., Praha.
- (1974): Climate and diastrophism, the principal factors controlling Late Paleozoic sedimentation in central Bohemia. — Čas. mineral. geol., 19, 27–45, Praha.
- SKOČEK V., VALEČKA J. (1983): Palaeogeography of the Late Cretaceous Quadersandstein of Central Europe. — Sedim. Geol., 34, 332–348, Amsterdam.
- SLÁNSKÝ E., VALÍN F. (1962): Über das Vorkommen von Tonmineralen des Mixed-layer-Typus in den Tonsteinen von Brandov (Erzgebirge). — Věst. Ústř. úst. geol., 37, 365–368, Praha.
- SLAVÍK F. (1904): O kamenečných a kyzových břidlicích západočeských. — Rozpr. II. tř. Čs. akad. věd, 13, 26, 1–50, Praha.
- (1922): O pisolitických rudách železných s příměsí bauxitovou v české křídě. — Rozpr. II. tř. Čs. akad. věd, 31, 3, 1–14, Praha.
- SLAVÍK J. (1967): Strukturní vrt KN-4 Hlušice: Petrografie svrchní křídý. — MS archiv Ústř. úst. geol., Praha.
- SLAVÍK J., SKOČEK V. (1964): Montmorillonitové jíly v permu kladensko-rakovnické pánve. — Věst. Ústř. úst. geol., 39, 141–142, Praha.
- SLATT R. M., EYLES N. (1981): Petrology of glacial sand: implications for the origin and mechanical durability of lithic fragments. — Sedimentology, 28, 171–183, London.
- SMALLEY I. J., KRINSLEY D. H. (1978): Loess deposits associated with deserts. — Catena, 5, 53–56.
- SORBY H. C. (1854): On the microscopical structure of the calcareous grit of the Yorkshire coast. — Quart. Jour. geol. Soc., 7, 1–6, London.
- (1857): On the physical geography of the Tertiary estuary of the Isle of Wight. — Edinburgh New Philos. Jour., 2, 275–298.
- (1877): The application of the microscope to geology. — Monthly Microscopical Jour., 17, 113–116, London.
- SPEARING D. R. (1974): Eolian sand deposits. Summary sheets of sedimentary deposits. — Geol. Soc. Amer., Chart 3, Boulder, 92 str.
- SPEARS D. A. (1976): The fissility of some carboniferous shales. — Sedimentology, 23, 721–725, London.
- SPEARS D. A., AMIN M. A. (1981): Geochemistry and mineralogy of marine and non-marine Namurian black shales from the Tonsley Borehole, Derbyshire. — Sedimentology, 28, 407–417, London.
- SPENCER E. M. (edit. 1974): Mesozoic-Cenozoic orogenic belts. Data for orogenic studies. — Geol. Soc. London, Scot. Acad. Press, Edinburgh, 809 str.
- STANLEY D. J., MALDONADO A. (1981): Depositional models for fine-grained sediment in the western Hellenic Trench, Eastern Mediterranean. — Sedimentology, 28, 273–290, London.
- STANLEY G. D. (1980): Triassic carbonate buildups of western North America: comparisons with the Alpine Triassic of Europe. — Riv. Ital. Paleont., 85, 877–894.
- STEIN C. L. (1982): Silica recrystallization in petrified wood. — Jour. sediment. Petrol., 52, 1277–1282, Tulsa.
- STEWART D. J. (1981): A meander belt sandstone of the Lower Cretaceous of southern England. — Sedimentology, 28, 1–20, London.
- STOW D. A. V. (1982): Toward an anatomy of fine-grained sediments. — Episodes, 2, 3–5, Ottawa.
- STOW D. A. V., LOWELL J. P. B. (1979): Contourites: their recognition in modern and ancient sediments. — Earth Sci. Rev., 14, 251–291, Amsterdam.

- STRACHOV N. M. (1953): Diagenéz osadkov i jeho značenie dlja osadočného rudoobrazovania. — *Izv. AN SSSR*, 5, 126–152, Moskva.
- (1951): Izvěstkogo-dolomitovyje facii v sovremennyh i drevnich vodojemach. — *Tr. Inst. geol. Nauk, ser. geol.*, 124, Moskva.
- (1960a): Typy klimatičeskoj zonalnosti v posleproterozojskoj istoriji Zemli i jich značenie dlja geologii. — *Izv. AN SSSR, ser. geol.*, 3, 3–25, Moskva.
- (1960b): Osnovy teorii litogeneza. — díl 1, 2. *Izd. AN SSSR*, Moskva, 425, 306 str.
- SUTTNER L. J., BASU A., MACK G. H. (1981): Climate and the origin of quartz arenites. — *Jour. sediment. Petrol.*, 51, 1235–1246, Tulsa.
- SVOBODA J., PRANTL F., KUKAL Z. (1957): Vysokoprocentní vápence Barrandienu. — *Geotechnica*, 23, Praha, 132 str.
- SWEETING M. M. (1972): Karst landforms. — *Macmillan*, London, 362 str.
- ŠANCER J. V. (1966): Očerki učenia o genetičeskich tipach kontinentalnych osadočnych obrazovanij. — *Tr. Inst. geol. AN SSSR*, vyp. 161, Moskva, 164 str.
- ŠANTRŮČEK P., TÁSLER R. (1957): Stratigraficko-litologický výzkum terciéru v západní části sokolovské hnědouhelné pánve. — *Věst. Úst. úst. geol.*, 22, 107–115, Praha.
- ŠRÁMEK J. (1974): Tvar a růst karbonátových konkrecí v silurských břidlicích, lom Kosov u Beřouna. — *Čas. mineral. geol.*, 19, 287–299, Praha.
- (1980): Relation between the shape and size of carbonate concretions in Silurian shales of Bohemia. *Věst. Ústř. úst. geol.*, 55, 11–17, Praha.
- ŠUJSKIJ JU. D., OGORODNIKOV V. I. (1981): Uslovija osadkonakoplenija i osnovnyje zakonomernosti formirovanija granulometričeskogo sostava terigennych osadkov Čukotskogo morja. — *Litol. i poleznyje iskop.*, 2, 11–35, Moskva.
- ŠUMENKO S. I., DEMENKO D. P. (1981): K voprosu o zeolitizacii pyroklastičeskogo materiala. — *Litol. i polezn. iskop.*, 2, 153–155, Moskva.
- ŠVECOV M. S. (1948): Petrografija osadočnych porod. — Moskva, 416 str.
- TAIRA A., SCHOLLE P. A. (1979): Origin of bimodal sands in some modern environments. — *Jour. sediment. Petrol.*, 49, 777–786, Tulsa.
- TANNER W. F. (1967): Ripple mark indices and their uses. — *Sedimentology*, 9, 89–104, Amsterdam.
- (1971): Numerical estimates of ancient waves, water depth and fetch. — *Sedimentology*, 16, 71–88, London.
- TÁSLER R., PROUZA V. (1979): Geologie české části vnitrosudetské pánve. — *Ústř. úst. geol.*, Praha, 323 str.
- TÁSLER R., SKOČEK V. (1964): Geologie a litologie maněťínské pánve. — *Sb. geol. věd, Geol.*, 6, 7–64, Praha.
- TAYLOR J. C. M., COLTER V. S. (1975): Zechstein of the English sector of the southern North Sea Basin. — Woodland A. W. (edit.), *Petroleum and the continental shelf of North-west Europe*, vol. 1, *Geology, Applied Science Publ.* London, 326 str.
- TEBBUTT G. E., CONLEY C. D., BOYD D. W. (1965): Lithogenesis of a distinctive carbonate rock-fabrics. — *Wyoming Geol. Survey, Contrib. to Geol.*, 4, 1–13.
- TEICHERT C. (1958): Cold- and deep-water coral banks. — *Bull. Amer. Assoc. petrol. Geol.*, 42, 1064–1082, Tulsa.
- THOMPSON A. M. (1975): Clastic coastal environments in Ordovician molasse, Central Appalachians. — Ginsburg R. N. (edit.), *Tidal deposits*, 135–144, Springer, New York.
- THORARINSSON S. (1954): The tephra-fall from Hekla on March 29th 1947. — *Reykjavik Soc. Sci. Icelandica*, 2, 68 str.
- TIMOFEJEVA Z. V. (1957): Nabljuděnija nad konkrecijami. — Strachov N. M. a kol. (edit.), *Metody izučenia osadočnych porod*, 1. díl, 132–138, Moskva.
- TOURTELOT H. A. (1979): Black shale — its deposition and diagenesis. — *Clays and clay miner.*, 27, 313–321, Bloomington.

- TRASK P. D. (edit. 1939): Recent marine sediments. — Am. Assoc. petrol. Geol., Tulsa 736 str.
- TRÜMPY R. (1982): Trias — introduction. — Geol. Vereinigung, Ann. Meeting, Abstracts, 28—29, Würzburg.
- TURNER P. (1982): Continental red beds. — Elsevier, Amsterdam, 562 str.
- TWENHOFEL W. H. (1926): Treatise on sedimentation. — Williams and Wilkins, Baltimore, 661 str.
- VACHTL J. (1950): Ložiska cenomanských jílovců v Čechách a na Moravě. — Geotechnica, 10 1—72, Praha.
- (1972): K otázce stáří a geneze tzv. oligocenních křemenců v okolí Mostu v severozápadních Čechách. — Sbor. Ústř. úst. geol., Geol., 19, 213—271, Praha.
- VAIL P. R., HARDENBOL J. (1979): Sea level changes during the Tertiary. — Oceanus, 22, 71—79.
- VALEČKA J. (1979): Paleogeografie a litofaciální vývoj severozápadní části české křídové pánve. — Sbor. geol. věd, Geol., 33, 47—80, Praha.
- (1984): Storm-surge deposits in the Bohemian Cretaceous Basin. — Geol. Rundschau, 61, 323—340, Stuttgart.
- VALÍN F. (1960): Litologie souvrství žaltmanských arkóz. — Sbor. Ústř. úst. geol., 27, Geol., 409—444, Praha.
- (1963): Petrografie některých proplástků (tzv. tonsteinů) kamenouhelných slojí ve stefanu vnitrosudetské deprese (Hronov, Radvanice). — Věst. Ústř. úst. geol., 38, 11—22, Praha.
- (1972): Nový doklad pro eolickou pouštní sedimentaci v permu (saxonu) v severovýchodních Čechách. — Věst. Ústř. úst. geol., 47, 141—146, Praha.
- VALLONI R., MAYNARD J. B. (1981): Detrital modes of recent deep-sea sands and their relation to tectonic setting: a first approximation. — Sedimentology, 28, 75—83, London.
- VAN HOUTEN F. B. (1974): Origin of red beds: A review. — Donath F. A. (edit.), Annual review of Earth and Planetary Sciences, 1, 39—62, Palo Alto.
- VARENTSOV I. M. (1964): Sedimentary manganese deposits. — Elsevier, Amsterdam, 168 str.
- VARENTSOV I. M., GRASSELY GY (1980): Geology and geochemistry of manganese, vol. III, Manganese on the bottom of recent basins. — Akadémiai Kiadó, Budapest, 357 str.
- VASILJEV V. P. (1980): Terigennyje legkije mineraly v sovremennyh osadkach někotorych morej i klimatičeskaja zonalnoš. — Litol. i poleznyje iskop., 1, 26—39, Moskva.
- (1981): Kvarc i polevyje špaty v sovremennyh osadkach morej i okeanov i klimatičeskaja zonalnoš. — Litol. i poleznyje iskop., 2, 26—45, Moskva.
- VÁŠÍČEK M. (1953): Frakcionovaná sedimentace a sedimentární ložiska. — Sbor. Ústř. úst. geol., 20, 417—468, Praha.
- VAVŘÍN I., HLADÍKOVÁ J., ŠMEJKAL V. (1975): Isotopic composition of sulphur in the sediments of the Lusatian region of the Bohemian Cretaceous Basin. — Věst. Ústř. úst. geol., 50, 131—139, Praha.
- VLODAVEC V. I. (1962): Procesy, pereždajuščije pyroklastičeskij material i jeho pervičnoje peremščenije. — Voprosy vulkanizma, IZd. AN SSSR, Moskva, 264 str.
- VOLKOV I. I., ŠTERNBERG L. E. (1981): Osnovnyje typy železnomargancevych rud v sovremennyh vodojemach. — Litol. i poleznyje iskop., 5, 4—25, Moskva.
- WALDKEN G. M. (1974): Paleokarstic surfaces in the Upper Viséan (Carboniferous) limestones of the Derbyshire Block, England. — Jour. sediment. Petrol., 44, 1232—1247, Tulsa.
- WALKER R. G. (1963): Distinctive types of ripple-drift cross-lamination. — Sedimentology, 2, 173—188, Amsterdam.
- (1967): Turbidite sedimentary structures and their relationship to proximal and distal depositional environments. — Jour. sediment. Petrol., 37, 25—43, Tulsa.
- (1973): Mopping up the turbidite mess. — Ginsburg R. N. (edit.), Evolving concepts in sedimentology, 1—37, John Hopkins Univ. Press, Baltimore.
- (1975): Conglomerates: sedimentary structures and facies models. — SEPM Short Course, 2, 133—161, Tulsa.

- (1980): Modern and ancient submarine fans: reply. — *Bull. Amer. Assoc. petrol. Geol.*, 64, 1101–1108, Tulsa.
- WALKER R. G., MUTTI E. (1973): Turbidite facies and facies associations. — Middleton G. V., Bouma A. H. (edit.), *Turbidites and deep-water sedimentation*, SEPM, Pacific Section, Short-Course lecture notes, 119–157, Los Angeles.
- WALKER T. R. (1967): Formation of red beds in modern and ancient deserts. — *Bull. geol. Soc. Amer.*, 85, 633–689, Baltimore.
- (1974): Formation of red beds in moist tropical climates: a hypothesis. — *Bull. geol. Soc. Amer.*, 85, 835–845, Baltimore.
- WALTER M. R. (1976): *Stromatolites*. — Elsevier, Amsterdam, 672 str.
- WALTHER J. (1894): *Einleitung in die Geologie als historische Wissenschaft*. — Gustav Fischer, Jena, 1055 str.
- WANLESS H. R., BAROFFIO J. R., GAMBLE J. C., HORNE J. C., ORLOPP J. D. R., ROCHA-CAMPOS A., SOUTER J. E., TRESCOTT P. C., VAIL R. S., WRIGHT C. R. (1970): Late Paleozoic deltas in the central and eastern United States — Morgan J. P., Shaver R. H. (edit.), *Deltaic sedimentation, modern and ancient*, 215–245, Spec. Publ. 15, Tulsa.
- WASHBURN A. L. (1979): *Geocryology, a survey of periglacial processes and environments*. — Edward Arnold Publ., London 406 str.
- WATTS N. L. (1980): Quaternary pedogenic calcretes from the Kalahari (southern Africa): mineralogy, genesis, and diagenesis. — *Sedimentology*, 27, 661–686, London.
- WEBER J. N. (1973): Deep-sea ahermatypic scleractinian corals: isotopic composition of the skeleton. — *Deep Sea Res.*, 20, 901–909, London.
- WELLS J. T., COLEMAN J. M. (1981): Periodic mudflat progradation, northeast coast of South America: A hypothesis. — *Jour. sediment. Petrol.*, 51, 1069–1075, Tulsa.
- WEST I. M., BRANDON A., SMITH M. (1968): A tidal flat evaporitic facies in the Viséan of Ireland. — *Jour. sediment. Petrol.*, 38, 1079–1093, Tulsa.
- WETZEL A. (1982): Cyclic and dyscyclic black shale formation. — Einsele G., Seilacher A. (edit.), *Cyclic and event stratification*, 432–455, Springer, Berlin–Heidelberg–New York.
- WHEELER W. H., TEXTORIS D. A. (1978): Triassic limestones and chert of playa origin in North Carolina. — *Jour. sediment. Petrol.*, 48, 765–776, Tulsa.
- WHETTEN J. T., HAWKINS J. W. (1972): Origin of graywacke matrix minerals: a reply. — *Sedimentology*, 19, 144–146, London.
- WHITE A. H., YOUNG B. C. (1980): Cambrian alkali playa-lacustrine sequence in the northeastern Officer Basin, South Australia. — *Jour. sediment. Petrol.*, 50, 1279–1286, Tulsa.
- WILKINSON B. H., JANECKE S. U., BRETT C. E. (1982): Low-magnesian clacite marine cement in Middle Ordovician hardground from Kirkfield, Ontario. — *Jour. sediment. Petrol.*, 52, 47–57, Tulsa.
- WILLS L. J. (1970): The Triassic succession in the central Midlands in its regional setting. — *Quart. Jour. geol. Soc.*, 126, 225–283, London.
- WILSON J. L. (1975): *Carbonate facies in geologic history*. — Springer, New York, 471 str.
- WINKLER R. (1970): *Metamorphic rocks*. — Springer, Berlin–Heidelberg–New York, 298 str.
- WOLF K. H. (1961): An introduction to the classification to limestones. — *N. Jhrb. Geol. Pal., Abh.*, 317–349, Stuttgart.
- WOLF K. H., CHILINGAR G. V. (1976): Diagenesis of sandstone and compaction. Chilingar G. V., Wolf K. H. (edit.), *Compaction of coarse grained sediments*, II. vol, 69–444, Elsevier, Amsterdam.
- WOOD D. S. (1974): Ophiolites, mélanges, blueschists and ignimbrites: Early Cambrian subduction in Wales? — *SEPM Spec. publ* 19, 334–344, Tulsa.
- WRIGHT V. P. (1982): The recognition and interpretation of paleokarsts: two examples from the Lower Carboniferous of South Wales. — *Jour. sediment. Petrol.*, 52, 83–94, Tulsa.

- YAALON D. H. (edit. 1971): Paleopedology: origin, nature and dating of paleosols. — Internat. Soc. of Soil Sci., Israel Univ. Press, 350 str.
- (1978): Clayey sediments. — Fairbridge R. W., Borgeois J. (edit.), Encyclopedia of sedimentology, 148–151, Dowden, Hutchinson and Ross, Stroudsburg.
- YURKOVA R. M. (1970): Comparison of post-sedimentary alteration of oil, gas and water-bearing rocks. — Sedimentology, 15, 53–68, London.
- ZAHÁLKA B. (1935): Spongilitové horniny české křídý. — Spisy Přír. fak. Masarykovy Univ., 215, 217, 1–25, 1–22, Brno.
- ZAPLETAL J. (1971): Litostratigraficko-faciální vývoj kulmské sedimentace v centrální části Nízkého Jeseníku. — Acta Univ. Palackianae, Geogr., geol., 38, 143–194, Olomouc.
- ZIMMERLE W. (1979): Die Bedeutung der Diagenese für die Bildung und Ausbeutung von Erdöl- und Erdgaslagerstätten. — Geol. Rundschau, 68, 1184–1209, Stuttgart.
- ZIMMERTE W., ZINKERNAGEL U. (1982): Zur Petrographie und Diagenese ausgewählter Kernproben aus dem Mittel-Devon der Bohrung Schwarzbachtal 1, ein Beitrag zur petrographischen Untersuchung mit Hilfe von Kathodolumineszenz. — Senckenbergiana leth., 63, 115–139, Frankfurt a. M.
- ZINKERNAGEL U. (1978): Cathodoluminescence of quartz and its application to sandstone petrology. — Contrib. to Sedimentology, 8, 1–69, Stuttgart.
- ŽEBERA K. (1955): Ostravské suché delty. — Věst. Ústř. úst. geol., 30, 171–184, Praha.