

## RATURA

- Albrecht, J. (1995): Universelle GIS-Operationen. [nepublikovaná doktorandská dizertační práce] Vechta, 97 s.
- Alisov, B.P., Drozdov, O.A., Rubinštejn, E.S. (1952): Kurs klimatologii - čast' I. Leningrad.
- Andreoli, G. et al. (1993): Cartographical Analysis as a Tool for Decision-Making in Natural Resource Management: A Case Study in Tuscany (Italy). Janov, EGIS'93, str. 1520 - 1521.
- Antenucci, J.C. et al. (1991): GIS: A Guide to the Technology. Van Nostrand Reinhold.
- ArcDATA Praha (1994): Seznamte se s GIS. Praha, ArcDATA spol. s r.o.
- Aronoff, S. (1991): GIS: A Management Perspective. WDL Publications.
- Babický, T. (1994): K definici GIS. Geodetický a kartografický obzor, 40/82, č. 4, str. 196.
- Baker, R.J., Nelder, J.A. (1978): The GLIM System: Release 3 (Oxford: Numerical Algorithm Group).
- Bartlett, D. (1990): Spatial Data Structures and Coastal Information System. Proceedings First European Conference on Geographic Information Systems. Amsterdam, str. 30-39.
- Bill, R. Fritsch, D. (1991): Grundlagen der Geoinformationssysteme. Band 1 Hardware, Software und Daten, Wichmann Verlag, Karlsruhe, 414 s.
- Boers, H.P., Peters, S., Biesheuvel, A. (1990): Design of a groundwater quality monitoring network with GIS and remote sensing. Proceedings First European Conference on Geographic Information Systems. Amsterdam, str. 95 - 105.
- Bonfatti, F., Monari, P.D. (1995): Conceptual Modelling as a Means For Organizing Geological Information. Haag, First Joint European Conference and Exhibition on Geographical Information, str. 442 - 443.
- Bonham-Carter, G.F. (1996): Geographic Information Systems for Geoscientists - Modelling with GIS. Kidlington-New York-Tokyo, Pergamon, Computer methods in the geosciences, Vol. 13, 398 s.
- Boote, S., Darwall, G. (1992): GIS in environmental research. Mapping awareness & GIS in Europe, Vol. 6, No.1, str. 56 - 59.
- Bossard, E.G. (1991): Prospects for user-friendly GIS modelling. Brusel, Proceedings of EGIS.
- Bouillé, F. (1984): Architecture of Geographic Structured Expert Systems. Proceedings of International Symposium on Spatial Data Handling, Zurich, str. 520 - 543.
- Brignall, P. et al. (1991): GIS and the impact of climate change. Mapping awareness, Vol. 5, No. 6, str. 32 - 34.
- Bucher, F., Stephan, E.M., Vykovski, A. (1994): Integrated Analysis and Standardization in GIS. Proceedings EGIS94, Paris, str. 67 - 75.
- Burrough, P.A. (1990): Principles of Geographical Information Systems for Land Resources Assessment. Oxford Science Publications, Monographs on Soil and Resources Survey, No. 12, 187 s.
- Burrough, P.A. (1995): Costs and Benefits of Environmental Modelling with GIS. Proceeding of First JECEGI, Haag, str. 253 - 262.

- Calkins, H., Obermeyer, N. (1991): Taxonomy for Surveying the Use and Value of Geographical Information. International Journal of Geographic Information Systems, 5 (3), str. 341 - 352.
- Computer Applications Consultants (1996): GIS: Requirements and marketing opportunities in W.Europe. London, CAC, 225 s.
- Davidson, D.A., Papadopoulos, N., Theocharopoulos, S.P. (1990): Using a GIS as an aid to land resource assessment in Viotia, Greece. Proceedings First European Conference on Geographic Information Systems. Amsterdam, str. 236 - 244.
- Deuker, K.J. (1979): Land Resources Information Systems: A Review of Fifteen Years Experience. Geoprocessing, 1, str. 105 - 128.
- Deursen, P., Kwardijk, K.L. (1990): Spatial oriented models in digital databases. Geoprocessing, 1, str. 15 - 25.
- DiGis Ostrava (1994): Graphic Data System. Sborník příspěvků "GIS - nová informační technologie". Ostrava, VŠB Ostrava.
- Dikau, R. (1992): Geomorphic Landform Modelling Based on Hierarchy Theory. Proceeding of International Conference on Spatial Data Handling, Charleston, str. 230 - 239.
- Dueker, K., Kjerne, D. (1989): Multipurpose Cadastre: Terms and Definitions. In: Technical Papers ASPRS/ACSM Annual convention, Baltimore MD, str. 5.
- Dvořák, L. (1995): Využití GIS ARC/INFO při geomorfologickém výzkumu se zaměřením na morfostrukturální analýzu zvolené oblasti. Praha, Sborník ČGS 100, 1, str. 3-9.
- Fay, R.E., Goodman, L.A. (1975): The ECTA Program: Description for Users. Chicago, Department of Statistics, University of Chicago.
- FICCDC (Federal Interagency Coordinating Committee on Digital Cartography) Technology Working Group (1988): A Process for Evaluating Geographic Information Systems. Technical Report 1.U.S. Geological Survey Open-File Report, str. 88-105.
- Fischer, M., Nijkamp, P. (ed.) (1993): Geographic Information Systems, Spatial Modelling, and Policy Evaluation. Springer Verlag, Berlin, 280 s.
- Flewelling, D.M. et al. (1992): Constructing Geological Cross Section with a Chronology of Geologic Events. Proceeding of International Conference on Spatial Data Handling, Charleston, str. 544 - 553.
- Foster, G.R., Wischmeier, W.H. (1974): Evaluating irregular slopes for soil loss prediction. Washington, Trans. ASAE No. 17, str. 305 - 309.
- Gardziel, Z., Voženílek, V. (1995): Computer Interpolation of Pre-Quaternary Surface. Brno, The Moravian Geographical Reports, 2, 1, s.
- Gee, D.M., Anderson, M.G., Baird, L. (1990): Large-Scale Floodplain Modelling. Earth Surface Processes and Landforms, 15, str. 515 - 523.
- GeoData (1992): GIS Awareness: Training Project. Southampton, GeoData Institute, 15 s.
- Goodchild, M., Kemp, K. (ed.) (1990): Introduction to GIS. NCGIA Core Curriculum. National Center for Geographic Information and Analysis, University of California, Santa Barbara.
- Goodchild, M.F. (1988): The Issue of Accuracy in Global Databases. Oxford, Pergamon Press, 18 s.
- Govers, G., Desmet, P.J.J. (1995): A Procedure for the Calculation of the LS-factor for USLE-Type Models on Topographically Complex Landscape Units. Haag,

- First Joint European Conference and Exhibition on Geographical Information, str. 330 - 335.
- Haining, M.J. (1990): Spatial simulation in environmental sciences. Bristol, 321 s.
- Hoogendoorn, J.H., Boswinkel, J.A. (1990): GIS as a tool in dataprocessing in geohydrology. Proceedings First European Conference on Geographic Information Systems. Amsterdam, str. 463 - 472.
- Körner, S. (1960): The Philosophy of Mathematics. London. 45 s.
- Kaňok, J. (1995): Die Farbenuswahl bei der Bildung von Urheberoriginalen der Thematischen Karten in den Computer. In: Acta Facultatis Rerum Naturalium Universitas Ostraviensis, Geographica-Geologica, 149, č. 3, str. 21 - 31.
- Kaňok, J. (1997): Informační systémy o území - geografické informační systémy - geo-informatika. In: Acta Facultatis Rerum Naturalium Universitatis Ostraviensis, Geographica-Geologica, 167, č. 5, s. 97-122.
- Kemp, K.K. (1992): Spatial Models for Environmental Modelling with GIS. Proceedings on Spatial Data Handling, Charleston, str. 524 - 533.
- Kirkby, M.J. (1987): Computer Simulation in Physical Geography. New York, John Wiley & Sons, 277 s.
- Konečný, M. (1985): Úvod do geografických informačních systémů. Brno, Přírodovědecká fakulta UJEP, 107 s.
- Konečný, M. ed. (1994): Europe in Transition. Proceedings on International Conference GIS-BRNO 1994.
- Konečný, M., Rais, K., Toušek, V. (1984): Vybrané kapitoly využití výpočetní techniky v geografii (Počítače v geografii). Brno, UJEP, 157 s.
- Krcho, J. (1973): Morphometric Analysis of Relief on the Basic of Geometric Aspect of Field Theory. Bratislava, Acta Geographica Universitatis Comenianae, Geographico-Physica Nr.1., 428 s.
- Kubánek, S. (1994): Využití systému TOPOL pro sběr informací GIS a pomocí LMS. Brno, VA Brno.
- Langran, G. (1992): Time in Geographic Information Systems. London. Taylor & Francis, 189 s.
- Lemmens, M.J.P.M.: GIS (1991): The data problems. EGIS 91, Brusel, str. 626-637.
- Laurini, R., Derek, T. (1994): Fundamentals of Spatial Information Systems. Academic Press, The A.P.I.C. Series number 37.
- Luzi, L., Fabbri, A.G. (1995): Application of Favourability Modelling to Zoning of Landslide Hazard in the Fabriano Area, Central Italy. Proceeding of First JECEGI, Haag, str. 398 - 403.
- Maguire, D.J., Goodchild, M.F., Rhind, D.W. (1991): GIS - Principles and Applications. London, Logman.
- Mark, D.M. (1979): Phenomenon-based data structuring and DTM. Geo-Processing, vol.1, str. 27-36.
- Mark, D.M., Lawson, J.P. (1984): Linear Quadtree for Geographical Information Systems. Proceedings of the International Symposium on Spatial Data Handling, Zurich, str. 412-430.
- McDonnell, R., Kemp, K. (1995): International GIS Dictionary. Cambridge, Pearson Professional, 111 s.
- McLaren, R.A., Kennie, T.J.M. (1989): Visualisation of digital terrain models: techniques and applications. In: Raper, J. ed.: Three dimensional applications in GIS. London, str. 79 - 97.

- Miller, D.R. et al. (1995): The Integration of Environmental Variables and Models for Water Catchment Management. Haag, First Joint European Conference and Exhibition on Geographical Information, str. 386 - 391.
- Minihofner, O. (1991): Česko-anglický výkladový slovník výpočetní techniky. Praha, SNTL, 241 s.
- Moore, I. D., Nieber, J.L. (1989): Landscape Assessment of Soil Erosion and Nonpoint Source Pollution. Journal of Minnesota Academy of Science, Vol. 55, No. 1, str. 18-25.
- Morris, D.G., Flavin, R.W. (1990): A digital terrain model for hydrology. Proceedings Fourth International Symposium on Spatial Data Handling. Zurich, str. 250 - 262.
- Nosek, M. (1972): Metody v klimatologii. Praha, Academia, 434 s.
- Nyerges, T.L. (1992): Coupling GIS and Spatial Analytic Models. Proceedings on Spatial Data Handling, Charleston, str. 534 - 543.
- Panuska, J.C., Moore, I.D. (1988): AGNP terrain: Development and preliminary testing. ASAE Paper No. 88-2655, American Society of Agricultural Engineers, St. Joseph, , 30 s.
- Parsons, E. (1996): Geographic information on the Internet: an explorer's guide. GIS Europe, 5 (3), str. 28 - 31.
- Payne, A., Sudgen, D. (1990): Topography and ice sheet growth. Earth Surface Processes and Landforms, 15, str. 625 - 639.
- Pequet, D. (1984): A Conceptual Framework and Comparison of Spatial Data Model. Cartographics, vol. 21, str. 66 - 113.
- Pequet, D., Marble D.F. (1990): Introductory Reading in GIS. London, Taylor&Francis.
- Perrett, P., Saare, L. (1990): Estonian-Queensland cooperation: environmental GIS application. Proceedings First European Conference on Geographic Information Systems. Amsterdam, str. 851 - 860.
- Pokorný, J. (1981): Přehled databázových modelů. Sborník Datasem81, Praha, str. 7-28.
- Pokorný, J., Candeaux, R.D. (1986): Metodika budování GIS a jeho využívání na příkladu provincie Las Tumas. Zprávy GgÚ ČSAV Brno, 23, č. 4, str. 3 - 38.
- Rado, B.Q. et al. (1991): Raster-Vector integration: case study examples of urban, wetlands and regional studies. EGIS 91, Brusel, str. 914-920.
- Rajlich, P. (1980): Analýza orientovaných dat v geologii. Ústř. ústav geol., Praha, str. 178.
- Raper, J.F. ed. (1989): The Three-dimensional Applications in GIS. Londýn, Taylor & Francis.
- Raper, J.F. (1991): Geographical Information Systems. Progress in Physical Geography, 15, 4, str. 438 - 444.
- Raper, J.F. (1993): GIS Tutor 2. London, Longman.
- Raper, J.F., Voženílek, V. (1993): The Digital Chart of the World: controversial but invaluable. London, GIS EUROPE, 4, 4, str. 57-61.
- Rentsch, H., Welsch, W., Heipke, C., Miller, M.M. (1990): Digital terrain models as a tool for glacier studies. Journal of Glaciology, 36, str. 273 - 278.
- Riedlová, E. a kol. (1980): Úvod do studia geografie / Dějiny geografie. Praha, SPN, 159 s.

- Richter, R. (1986): Programové prostředky pro vytváření tematických map. Zprávy GgÚ ČSAV Brno, 23, č. 4, str. 49 - 58.
- Seidl, P. (1994): Geografický informační systém - Ohlas na systém RADNICE. Státní správa a samospráva, č. 14, str. 29.
- Schareck, P. (1995): GIS for Environmental Management in the Little Hungarian Plain (Kisalföld). Haag, First Joint European Conference and Exhibition on Geographical Information, str. 361 - 367.
- Schetselaar, E.M. (1995): Computerized Field Data Capture and GIS Analysis for Geological Data Integration. Haag, First Joint European Conference and Exhibition on Geographical Information, str. 436 - 441.
- Star, J., Estes, J. (1990a): Geographic Information Systems: an introduction. Prentice Hall, Englewood Cliffs, 303 s.
- Star, J., Estes, J. (1990b): GIS, An Introduction. Prentice Hall.
- Šúri, M., Hofierka, J. (1994): Soil Water Erosion Identification Using Satellite and DTM Data. Paříž, Proceedings of EGIS/MARI '94, str. 937 - 944.
- Townend, I.H. (1990): The application of GIS to coastal zone management. Proceedings First European Conference on Geographic Information Systems. Amsterdam, str. 1098 - 1107.
- Townshend, J.R.G. (1991): Environmental Databases and GIS. In: Maguire, D.J., Goodchild, M.F., Rhind, D.W. (eds.) (1991): Geographical Information Systems: Principles and Applications. London, Logman, str. 201 - 216.
- Tsichritis, D.C., Lochovsky, F.H. (1982): Data Models. Prentice-Hall, New York, str. 343.
- Tuček, J. (1996): Geografické informačné systémy. Zvolen, Technická univerzita, 186 s.
- Turk, A., (1992): GIS Cogency: cognitive ergonomics in geographic information systems. Melbourne [nepublikovaná dizertační práce], Department of Surveying and Land Information, University of Melbourne, 110 s.
- Unwin, D. (1981): Introductory Spatial Analysis. Methuen, London, 212 s.
- Van Beurden, A.U.C.J., Scholten, H.J. (1990): The environmental GIS of the Netherlands and its organisational implications. Proceedings First European Conference on Geographic Information Systems. Amsterdam, str. 59 - 67.
- Vaníček, V. (1959): Vodní eroze a odtokové poměry v povodí Trkmanky. Brno, Ředitelství výstavby, rozvoje a správy vodohospodářských děl, 64 s. + 14 příl.
- Vasilevskij, L.I., Medvedkov, J.V. (1976): Perspektivy matematiceskich metodov v geografii. Moskva, Voprosy geografii 100, str. 93 - 108.
- Voženílek, V. (1991): Digital Models in Geographical Research. Brussel, EGIS 91.
- Voženílek, V. (1993): Digitalizace a konverze dat. Praha, Sborník ČGS, 98, 4, str. 236 - 241.
- Voženílek, V. (1994a): Computer Models in Geography. Acta UPO, Fac. rer. nat. 118, Geographica-Geologica 33, str. 59-64.
- Voženílek, V. (1994b): Creating Tin-based Digital Terrain Models from Elevation of Topographic Maps. Acta UPO, Fac.rer.nat. 118, Geographica-Geologica 33, str. 65-82.
- Voženílek, V. (1994c): From Topographic Map to Terrain and Hydrological Digital Data: an ARC/INFO Approach. Acta UPO, Fac.rer.nat. 118, Geographica-Geologica 33, str. 83-92.

- Voženílek, V. (1994d): Data Format and Data Sources for Hydrological Modelling. Prague, Proceedings of RC IGU.
- Voženílek, V. (ed) (1995): Zpracování digitálních dat v GIS a digitální kartografii. Sborník příspěvků kartografického sympozia Olomouc 95, Olomouc, 131 s.
- Voženílek, V. (ed.) (1996): Digitální data v informačních systémech. Antrim, Vyškov, 134 s.
- Voženílek, V. (1996a): Capabilities of Network Structure in Modelling of River System. Brno, Proceedings of Brno-GIS 1996, str. III/54 -62.
- Voženílek, V. (1996b): Output Tools of GIS for Cartographical Purposes. Brno, Proceedings of Brno-GIS 1996, str.III/54 -62.
- Wang, S.Q., Unwin, D.J. (1992): Modelling landslide distribution on loess soils in China: an investigation. Int. Journal of GIS, Vol. 6, No. 5, str. 391 - 405.
- Weibel, R., Heller, M. (1992): A Framework for Digital Terrain Modeling. Proceeding of International Conference on Spatial Data Handling, Charleston, str. 219-229.
- Whitaker, M. (1992): Lancashire: a green audit. Mapping Awareness & GIS Europe, Vol. 6, No. 4, str. 67 - 71.
- Wiggins, J.C. et al. (1987): Computing aspects of a large geographic information system for the European Community. International Journal of Geographical Information System, Vol. 1, No. 1, str. 77 - 87.
- Zevenbergen, L.W., Thorne, C.R. (1989): Quantitative Analysis of Land Surface Topography. Earth Surface Processes and Landforms, 12, str. 47-56.