

REFERENCES

- Abbruzzese G. The medical management of spasticity. *Eur J Neurol* 2002; 9:1-9.
- Abrams TW, Kandel ER. Is contiguity detection in classical conditioning a system or a cellular property? Learning in Aplysia suggests a possible molecular site. *Trends Neurosci* 1988; 11:128-135.
- Abreu BC. The effect of environmental regulations on postural control after stroke. *Am J Occup Ther* 1995; 49:517-525.
- Ada L, Dean CM, Hall JM, Bampton J, Crompton S. A treadmill and overground walking program improves walking in persons residing the community after stroke: a placebo controlled randomized trial. *Arch Phys Med Rehabil* 2003; 84:1486-91.
- Adams JA. A closed-loop theory of motor learning. *J Motor Behav* 1971; 3:111-150.
- Adams LS, Greene LW, Topoozian E. Range of motion. In: Casanova JS, ed. Clinical assessment recommendations, 2nd ed. Chicago: American Society of Hand Therapists, 1992:55-70.
- Adolph KE. Learning to solve the problem of moving: Exploration, experience, and control. Paper presented at The Annual Conference in The Movement Sciences: Development of Skill in Infancy and Early Childhood, Teacher's College, Columbia University, New York, 1994.
- Agnew PJ, Dip OT, Maas F. Hand function related to age and sex. *Arch Phys Med Rehabil* 1982; 63:269-271.
- AGS. The Minnesota rate of manipulation tests, examiner's manual. Circle Pines, MN: Western Psychological Services, 1969.
- Aguayo AJ, Clarke DB, Jelsma TN, et al. Effects of neurotrophins on the survival and regrowth of injured retinal neurons. In: Growth factors as drugs for neurological and sensory disorders. John Wiley and Sons: Chichester, Ciba Foundation Symposium, 1996:135-148.
- Ahmed S, Mayo NE, Higgins J, Salbach NM, Finch L, Wood-Dauphinee SL. The Stroke Rehabilitation Assessment of Movement (Stream): a comparison with other measures used to evaluate the effects of stroke and rehabilitation. *Phys Ther* 2003; 83(7): 617-660.
- Alberts JL, Butler AJ, Wolf SL. The effects of constraint-induced therapy on precision grip: a preliminary study. *Neurorehabil Neural Repair* 2004; 18(4):250-258.
- Alexander GE, Crutcher MD. Functional architecture of basal ganglia circuits: neural substrates of parallel processing. *Trends Neurosci* 1990; 13:266-271.
- Alexander NB, Mollo JM, Giordani B, et al. Maintenance of balance, gait patterns and obstacle clearance in Alzheimer's disease. *Neurology* 1995; 45:908-914.
- Alexander NB, Schultz AB, Warwick DN. Rising from a chair: effect of age and functional ability on performance biomechanics. *J Gerontol* 1991; 46:M91-M98.
- Alexander RM. Optimization and gaits in the locomotion of vertebrates. *Physiol Rev* 1989; 69:1199-1227.
- Allison L. Balance disorders. In: Umphred DA, ed. *Neurological rehabilitation*. St. Louis: Mosby Year Book, 1995:802-837.
- Allum JHJ, Honegger F, Schicks H. The influence of a bilateral vestibular deficit on postural synergies. *J Vestib Res* 1994; 4:49-70.
- Allum JHJ, Pfaltz CR. Visual and vestibular contributions to pitch sway stabilization in the ankle muscles of normals and patients with bilateral peripheral vestibular deficits. *Exp Brain Res* 1985; 58:82-94.
- Almli RB, Finger S. Toward a definition of recovery of function. In: Le Vere TE, Almli RB, Stein DG, eds. *Brain injury and recovery: theoretical and controversial issues*. New York: Plenum, 1988:1-4.
- Alon G, Sunnerhagen KS, Geurts AC, Ohry A. A home-based self-administered stimulation program to improve selected hand functions in chronic stroke. *Neurorehabilitation* 2003; 18(3):215-225.
- Alzghoul MB, Gerrard D, Watkins BA, Hannon K. Ectopic expression of IGF-I and Shh by skeletal muscle inhibits disuse-mediated skeletal muscle atrophy and bone osteopenia in vivo. *FASEB J* 2004; 18: 221-223.
- Amaral D. The anatomical organization of the central nervous system. In: Kandel ER, Schwartz JH, Jessell TM, eds. *Principles of neural science*, 4th ed. New York: McGraw-Hill, 2000:317-336.
- American Physical Therapy Association. *Guide to physical therapy practice*, 2nd ed. *Phys Ther* 2001; 81(1):9-746.
- American Society of Hand Therapists. *Clinical assessment recommendations*, 2nd ed. Chicago: American Society of Hand Therapists, 1992.
- American Society of Orthopedic Surgeons. *Joint motion: method of measuring and recording*. Chicago: American Academy of Orthopedic Surgeons, 1965.
- Amiel-Tison C, Grenier A. *Evaluation neurologique du nouveau-né et du nourrisson (Neurological evaluation of the human infant)*. New York: Masson, 1980:81-102.
- Amundsen, LR, ed. *Muscle strength testing: Instrumented and non-instrumented systems*. New York, Churchill Livingstone, 1990:123-150.
- Amundson S. *Evaluation Tool of Children's Handwriting (ETCH)*. Morganville, NJ: ETCH Administration, 1995.
- Anacker SL, DiFabio RP. Influence of sensory inputs on standing balance in community dwelling elders with a recent history of falling. *Phys Ther* 1992; 72:575-584.
- Andersen RA. In: Mountcastle VB, Plum F, Geiger SR, eds. *Higher functions of the brain, part 2: The Nervous system*, vol. 5. *Handbook of physiology*, section 1. Bethesda, MD: American Physiological Association, 1987:483-518.
- Anderson JB, Sinkjaer T. Stretch reflex variations during gait. In: Pedotti A, Ferrarin M, Quintern J, Riener R, eds. *Neuroprosthetics*. Berlin: Springer, 1996:45-50.
- Anderson JL, Terzis G, Kryger A. Increase in the degree of coexpression of myosin heavy chain isoforms in skeletal muscle fibers of the very old. *Muscle Nerve* 1999; 22:449-454.
- Anderson SW, Antoine B, Damasio H, Tranel D, Damasio AR. Impairment of social and

- moral behavior related to early damage in human prefrontal cortex. *Nat Neurosci* 1999; 2(11):1032-1037.
- Andersson G, Magnusson M. Neck vibration causes short-latency electromyographic activation of lower leg muscles in postural reactions of the standing human. *Acta Otolaryngol* 2002; 122:284-288.
- Andrews AW. Hand-held dynamometry for measuring muscle strength. *J Hum Muscle Perform* 1991; 1:35-50.
- Andrews AW, Bohannon RW. Distribution of muscle strength impairments following stroke. *Clin Rehabil* 2000; 14:79-87.
- Andriacchi TP, Oagle JA, Galante JO. Walking speed as a basis for normal and abnormal gait measurements. *J Biomech* 1977; 10:261-268.
- Aniansson A, Grimby F, Gedberg A. Muscle function in old age. *Scan J Rehabil Med* 1978; 6 (Suppl):43-49.
- Aniansson A, Hedberg M, Henning G, et al. Muscle morphology, enzymatic activity and muscle strength in elderly men: a follow up study. *Muscle Nerve* 1986; 9: 585-591.
- Aniansson A, Ljungberg P, Rundgren A, et al. Effect of a training programme for pensioners on condition and muscular strength. *Arch Gerontol Geriatr* 1984; 3:229-241.
- Apel U. The Feldenkrais method: awareness through movement. *WHO Reg Publ Eur Ser* 1992; 44:324-327.
- Aras MD, Gokkaya NK, Comert D, Kaya A, Cakci A. Shoulder pain in hemiplegia: results from a national rehabilitation hospital in Turkey. *Am J Phys Med Rehabil* 2004; 83(9):713-719.
- Arce FI, Katz N, Sugarman H. The scaling of postural adjustments during bimanual load-lifting in traumatic brain-injured adults. *Hum Move Sci* 2004; 22:749-768.
- Arshavsky Yu I, Berkinblit MB, Fukson OI, et al. Recordings of neurones of the dorsal spinocerebellar tract during evoked locomotion. *Brain Res* 1972a; 43:272-275.
- Arshavsky Yu I, Berkinblit MB, Gelfand IM, et al. Activity of the neurones of the ventral spinocerebellar tract during locomotion. *Biophysics* 1972b; 17:926-935.
- Asai H, Fujiwara K, Tachino K. Limiting factor for moveable range of the center of foot pressure in backward direction. In: Taguchi K, Igarashi M, Mori S, eds. *Vestibular and neural front*. Amsterdam: Elsevier Science B.V., 1994:525-528.
- Asanuma H, Keller A. Neuronal mechanisms of motor learning in mammals. *NeuroReport* 1991; 2:217-224.
- Ashburn A, Stack E. Fallers and non-fallers with Parkinson's disease (PD): the influence of a dual task on standing balance. *Mov Disord* 2000; 15(Suppl 3):78. abstract.
- Ashburn A, Stack E, Pickering RM, Ward CD. A community dwelling sample of people with Parkinson's disease: characteristics of fallers and non-fallers. *Age Ageing* 2001; 30:47-52.
- Aslin RN. Development of smooth pursuit in human infants. In: Fisher DF, Monty RA, Senders JW, eds. *Eye movements: cognition and visual perception*. Hillsdale, NJ: Erlbaum, 1981.
- Assaiante C, Amblard B. An ontogenetic model for the sensorimotor organization of balance control in humans. *Hum Move Sci* 1995; 14:13-43.
- Assaiante C, Mallau S, Viel S, Jover M, Schmitz C. Development of postural control in healthy children: a functional approach. *Neural Plast* 2005; 12:109-118.
- Assaiante C, Woollacott M, Amblard B. Development of postural adjustment during gait initiation: kinematic and EMG analysis. *J Mot Behav* 2000; 32:211-226.
- Atkeson CG, Hollerbach JM. Kinematic features of unrestrained vertical arm movements. *J Neurosci* 1985; 5:2318-2330.
- Augurelle AS, Smith AM, Lejeune T, Thonnard JL. Importance of cutaneous feedback in maintaining a secure grip during manipulation of hand-held objects. *J Neurophysiol* 2003; 89:665-671.
- Ayres AJ. Sensory integration and praxis tests. Los Angeles: Western Psychological Services, 1989.
- Ayres AJ. Sensory integration and learning disorders. Los Angeles: Western Psychological Services, 1972.
- Baars BJ. How does a stream of consciousness that is relatively simple, serial, and limited in capacity emerge from a brain that is largely unconscious, complex, and massively parallel? In: Marsh E, ed. *Ciba Symposium on Experimental and Theoretical Foundations of Consciousness (#174)*. London: Wiley Interscience, 1993b.
- Babin-Ratte S, Sirigu A, Gilles M, Wing A. Impaired anticipatory finger grip-force adjustments in a case of cerebellar degeneration. *Exp Brain Res* 1999; 128:81-85.
- Bach-y-Rita P, Balliet R. Recovery from stroke. In: Duncan P, Badke MB, eds. *Stroke rehabilitation: the recovery of motor control*. Chicago: Year Book, 1987: 79-107.
- Badke MB, DiFabio RP. Balance deficits in patients with hemiplegia: considerations for assessment and treatment. In: Duncan P, ed. *Balance: proceedings of the APTA Forum*. Alexandria, VA: American Physical Therapy Association, 1990:73-78.
- Baer HR, Wolf SL. Modified Emory Functional Ambulation Profile: an outcome measure for the rehabilitation of poststroke gait dysfunction. *Stroke* 2001; 32:973-979.
- Bagestero LB, Sainburg RL. Handedness: dominant arm advantages in control of limb dynamics. *J Neurophysiol* 2002; 88:2408-2421.
- Bagestero LB, Sainburg RL. Nondominant arm advantages in load compensation during rapid elbow joint movements. *J Neurophysiol* 2003; 90:1503-1513.
- Bailey CH, Kandel ER. Synaptic growth and the persistence of long-term memory: a molecular perspective. In: Gazzaniga MS, ed. *The cognitive neurosciences*, 3rd ed. Cambridge, MA: MIT Press, 2004.
- Baker MP, Hudson JE, Wolf SL. A "feedback" cane to improve the hemiplegic patient's gait. *Phys Ther* 1979; 59:170-171.
- Balint R. Seelenhamung des "Schauens," optische Ataxie, raumliche Störung des Aufmerksamkeit. *Monatsh Psychiatr Neurol* 1909; 25:51-81.
- Ballard CG, Shaw F, Lowery K, McKeith I, Kenny R. The prevalence, assessment and associations of falls in dementia with Lewy bodies and Alzheimer's disease. *Dement Geriatr Cogn Disord* 1999; 10(2):97-103.
- Baloh RW. Dizziness, hearing loss and tinnitus: the essentials of neurotology. Philadelphia: FA Davis, 1984.
- Barnes MR, Crutchfield CA, Heriza CB. The neurophysiological basis of patient treatment. vol. II: Reflexes in motor development. Morgantown, WV: Stokesville, 1978.
- Basmajian JV, Deluca CJ. *Muscles alive: their functions revealed by electromyography*, 5th ed. Baltimore: Williams & Wilkins, 1985.
- Basmajian JV, Kukulka CG, Narayan MD, Takebe K. Biofeedback treatment of footdrop after stroke compared with standard rehabilitation technique: effects on voluntary control and strength. *Arch Phys Med Rehabil* 1975; 56:231-236.
- Bassile CC, Dean C, Boden-Albalia B, Sacco R. Obstacle training programme for individuals post stroke: feasibility study. *Clin Rehabil* 2003; 17:130-136.
- Bastian AJ, Martin TA, Keating JG, Thach WT. Cerebellar ataxia: abnormal control of interaction torques across multiple joints. *J Neurophysiol* 1996; 76:492-509.
- Bateni H, Heung E, Zettel J, McIlroy WE, Maki BE. Can use of walkers or canes impede lateral compensatory stepping movements? *Gait Posture* 2004a; 20:74-83.
- Bateni H, Maki BE. Assistive devices for balance and mobility: Benefits, demands, and adverse consequences. *Arch Phys Med Rehabil* 2005; 86:134-145.
- Bateni H, Zecevic A, McIlroy WE, Make BE. Resolving conflicts in task demands during balance recovery: does holding an object inhibit compensatory grasping? *Eve Brain Res* 2004b; 157:49-58.
- Bates D, Pruess K, Souney P, Platt R. Serious falls in hospitalized patients: correlates and resource utilization. *Am J Med* 1995; 99:137-43.
- Bayley N. *Bayley Scales of Infant Development*. San Antonio, TX: Psychological, 1969.
- Bean JF, Leveille SG, Kiely DK, Bandinelli S, Guralnik JM, Ferrucci L. A comparison of leg power and leg strength within the InCHIANTI study: which influences mobility more? *J Gerontol Med Sci* 2003; 58A:728-733.
- Bechtol CO. Grip test use of dynamometer with adjustable hand spacing. *JAMA* 1954; 36:820-824.

- Becker G, Naumann M, Scheubeck M, Hofmann E, Deimling M, Lindner A, Gahn G, Reiners C, Toyka KV, Reiners K. Comparison of transcranial sonography, magnetic resonance imaging, and single photon emission computed tomography findings in idiopathic spasmotic torticollis. *Mov Disord* 1997; 12(1):79-88.
- Beery KE. The Beery-Butenka Test of Visual-Motor Integration. 4th rev. Cleveland: Modern Curriculum Press, 1997.
- Beldarrain MG, Gafman J, deVelasco IR, Pascual-Leone A, Garcia-Monco JC. Prefrontal lesions impair the implicit and explicit learning of sequences on visualmotor tasks. *Exp Brain Res* 2002; 142:529-538.
- Belen'kii VY, Gurinkel VS, Paltsev YI. Elements of control of voluntary movements. *Biofizika* 1967; 12: 135-141.
- Bell-Krotoski J, Weinstein S, Weinstein C. Testing sensibility, including touch-pressure, two-point discrimination, point localization, and vibration. *J Hand Ther* 1993; 2:114-123.
- Benaim C, Perennou DA, Vily J, Rousseaux M, Pelissier JY. Validation of a standardized assessment of postural control in stroke patients: the Postural Assessment Scale for Stroke Patients (PASS). *Stroke* 1999; 30:1862-1868.
- Benbow M, Hanft B, Marsh D. Handwriting in the classroom: improving written communication. In: Royeen C., ed. Classroom applications for school-based practice from the American Occupational Therapy Association Self Study Series. Rockville, MD: American Occupational Therapy Press, 1992.
- Benbow M. Loops and other groups: a kinesthetic writing system, instructor's ed. Randolph, NJ: OT Ideas, 1991.
- Benda BJ, Riley PO, Krebs DE. Biomechanical relationship between center of gravity and center of pressure during standing. *IEEE Trans Rehab Eng* 1994; 2:3-10.
- Bennett KM, Castiello U. Reorganization of prehension components following perturbation of object size. *Psychol Aging* 1995; 10:204-214.
- Bentzel K. Evaluation of sensation. In: Trombly CA, ed. Occupational therapy for physical dysfunction, 4th ed. Baltimore: Williams & Wilkins, 1995.
- Berg K, Wood-Dauphinee S, Williams J, Gayton D. Measuring balance in the elderly: preliminary development of an instrument. *Physiother Canada* 1989; 41:304-308.
- Berg K, Wood-Dauphinee SL, Willimans JT. Measuring balance in the elderly: validation of an instrument. *Can J Public Health* 1992; 83:S9-S11.
- Berg K. Measuring balance in the elderly: validation of an instrument. Dissertation. Montreal: McGill University, 1993.
- Berger W, Altenmueller E, Dietz V. Normal and impaired development of children's gait. *Hum Neurobiol* 1984a; 3:163-170.
- Berger W, Horstmann GA, Dietz VL. Tension development and muscle activation in the leg during gait in spastic hemiparesis: the independence of muscle hypertonia and exaggerated stretch reflexes. *J Neurol Neurosurg Psychiatry* 1984c; 47: 1029-1033.
- Berger W, Quintern J, Dietz V. Stance and gait perturbations in children: developmental aspects of compensatory mechanisms. *Electroencephalogr Clin Neurophysiol* 1985; 61:385-395.
- Bergmann K. Incidence of atypical pencil grasps among nondysfunctional adults. *Am J Occup Ther* 1990; 44:736-740.
- Bergner M, Bobbitt RA, Carter WB, Gilson BS. The Sickness Impact Profile: development and final revision of a health status measure. *Med Care*. 1981 Aug; 19(8):787-805.
- Bernardi M, Macaluso A, Sproviero E, et al. Cost of walking and locomotor impairment. *J Electromyogr Kinesiol* 1999; 9:149-157.
- Bernspang B, Vitamin M, Eriksson S. Impairments of perception and motor functions: their influence on self care ability 4 to 6 years after a stroke. *Occup Ther J Res* 1989; 9:27-37.
- Bernstein N. The coordination and regulation of movement. London: Pergamon, 1967.
- Bertenthal B, von Hofsten C. Eye, head and trunk control: the foundation of manual development. *Neurosci Biobehav Rev* 1998; 22:515-520.
- Bertenthal BI, Rose JL, Bai DL. Perception-action coupling in the development of visual control of posture. *J Exp Psychol* 1997; 23:1631-1643.
- Berthier NE, Clifton RK, McCall DD, Robin DJ. Proximodistal structure of early reaching in human infants. *Exp Brain Res* 1999; 127:259-269.
- Berthier NE, Kenn R. Development of reaching in infancy. *Exp Brain Res* 2005; Dec. 9:1-12. [Epub ahead of print]
- Berthoz A, Pozzo T. Head and body coordination during locomotion and complex movements. In: Swinnen SP, Heuer H, Massion J, Casae P, eds. Interlimb coordination: neural, dynamical and cognitive constraints. San Diego: Academic, 1994:147-165.
- Bertram CP, Lemay M, Stelmach GE. The effect of Parkinson's disease on the control of multisegmental coordination. *Brain Cogn* 2005; 57:16-20.
- A Best Practices Guide for the Prevention of Falls among Seniors Living in the Community. Ottawa, ON: Division of Aging and Seniors, 2001.
- Biguer B, Prablanc C, Jeannerod M. The contribution of coordinated eye and head movements in hand pointing accuracy. *Exp Brain Res* 1984; 55:462-469.
- Bilodeau EA, Bilodeau IM, Schumsky DA. Some effects of introducing and withdrawing knowledge of results early and late in practice. *J Exp Psychol* 1959; 58:142-144.
- Binkofski F, Dohle C, Posse S, Stephan KM, Hefter H, Seitz RJ, Freund HJ. Human anterior intraparietal area subserves prehension. *Neurology* 1998; 50:1253-1259.
- Birren JE, Cunningham W. Research on the psychology of aging: principles, concepts and theory. In: Birren JE, Schaie KW, eds. Handbook of the psychology of aging, 2nd ed. New York: Van Nostrand Reinhold, 1985:3-34.
- Bishop B. Neurophysiology of motor responses evoked by vibratory stimulation. *Phys Ther* 1974; 54:1273-1282.
- Bishop B. Vibratory stimulation. Part III. Possible applications of vibration in treatment of motor dysfunctions. *Phys Ther* 1975; 55:139-143.
- Bishop M, Brunt D, Pathare N, Ko M, Marjamä Lyons J. Changes in distal muscle timing may contribute to slowness during sit to stand in Parkinson's disease. *Clin Biomech (Bristol, Avon)*. 2005; 20(1):112-117.
- Bjorklund A. Long distance axonal growth in the adult central nervous system. *J Neurol* 1994; 241:S33-S35.
- Black FO, Nashner LM. Postural control in four classes of vestibular abnormalities. In: Igarashi M, Black FO, eds. Vestibular and visual control of posture and locomotor equilibrium. Basel: Karger, 1985:271-281.
- Black FO, Nashner LM. Postural disturbance in patients with benign paroxysmal positional nystagmus. *Ann Otol Rhinol Laryngol* 1984a; 93(6 Pt 1):595-599.
- Black FO, Nashner LM. Vestibulo-spinal control differs in patients with reduced versus distorted vestibular function. *Acta Otolaryngol (Stockh) Suppl* 1984b; 406:110-114.
- Black FO, Shupert C, Horak FB, Nashner LM. Abnormal postural control associated with peripheral vestibular disorders. In: Pompeiano O, Allum J, eds. Vestibulospinal control of posture and movement. Progress in brain research, vol. 76. Amsterdam: Elsevier Science, 1988: 263-275.
- Black K, Zafonte R, Millis S, Desantis N, Harrison-Felix C, Wood D, Mann N. Sitting balance following brain injury: does sit predict outcome? *Brain Inj* 2000; 14:141-152.
- Black P, Markowitz RS, Cianci SN. Recovery of motor function after lesions in motor cortex of monkeys. *Ciba Found Symp* 1975; 34:65-83.
- Blanchard O, Cohen-Solal L, Tardieu C, Allain JC, Tabary C, Le Lous M. Tendon adaptation to different long term stresses and collagen reticulation in soleus muscle. *Connect Tissue Res* 1985; 13(3):261-267.
- Blank R, Heizer W, von Voss H. Development of externally guided grip force modulation in man. *Neurosci Lett* 2000; 286:187-190.
- Blanton S, Wolf AL. An application of upper-extremity constraint-induced movement therapy in a patient with subacute stroke. *Phys Ther* 1999; 79(9):847-853.
- Bleck EE. Locomotor prognosis in cerebral palsy. *Dev Med Child Neurol* 1975; 17:18-25.

- Bliem BR, Grimbergen YA, Cramer M, Willemse M, Zwinderen AH. Prospective assessment of falls in Parkinson's disease. *J Neurol* 2001; 248:950-958.
- Bliss TVP, Lomo T. Long-lasting potentiation of synaptic transmission in the dentate area of the anaesthetized rabbit following stimulation of the perforant path. *J Physiol (Lond)* 1973; 232:331-356.
- Bloem BR, Grimbergen YAM, Cramer M, et al. "Stops Walking When Talking" does not predict falls in Parkinson's disease. *Ann Neurol* 2000; 48:268.
- Bobath B. Abnormal postural reflex activity caused by brain lesions. London: Heinemann, 1965.
- Bobath B. Adult hemiplegia: evaluation and treatment. 3rd ed. London: Heinemann, 1990.
- Bobath B, Bobath K. Motor development in different types of cerebral palsy. London: Heinemann, 1975.
- Bobath K, Bobath B. The neurodevelopmental treatment. In: Scrutton D, ed. Management of the motor disorders of cerebral palsy. *Clinics in Developmental Medicine*, no. 90. London: Heinemann, 1984.
- Boehme R. Improving upper body control. Tucson: Therapy Skill Builders, 1988.
- Boenig DD. Evaluation of a clinical method of gait analysis. *Phys Ther* 1977; 7: 795-798.
- Bogataj U, Gros N, Malezic M, et al. Restoration of gait during two to three weeks of therapy with multichannel electrical stimulation. *Phys Ther* 1989; 69:319-327.
- Bohannon RW. Hand-held compared with isokinetic dynamometry for measurement of static knee extension torque (parallel reliability of dynamometers). *Clin Physiol Meas*. 1990; 11:217-222.
- Bohannon RW. Comfortable and maximum walking speed of adults aged 20-79 years: reference values and determinants. *Age Ageing* 1997; 26:15-19.
- Bohannon RW, Andrews AW. Correlation of knee extensor muscle torque and spasticity with gait speed in patients with stroke. *Arch Phys Med Rehabil* 1990; 71: 330-333.
- Bohannon RW, Andrews AW. Relationships between impairments in strength of limb muscle actions following stroke. *Percept Mot Skills* 1998; 87:1327-1330.
- Bohannon RW, Smith MB. Interrater reliability of a modified Ashworth scale of muscle spasticity. *Phys Ther* 1987; 67:206-207.
- Bohannon RW, Walsh S. Nature, reliability, and predictive value of muscle performance measures in patients with hemiparesis following stroke. *Arch Phys Med Rehabil* 1992; 73:721-725.
- Booth FW. Effect of limb immobilization on skeletal muscle. *J Appl Physiol* 1982; 52: 1113-1118.
- Borst MJ, Peterson CQ. Overcoming topographical orientation deficits in an elderly woman with right cerebrovascular accident. *Am J Occup Ther* 1993; 47:551-554.
- Boudreau MJ, Smith AM. Activity in rostral motor cortex in response to predictable force-pulse perturbations in a precision grip task. *J Neurophysiol* 2001; 86:1079-1085.
- Bouisset S, Zattara M. A sequence of postural movements precedes voluntary movement. *Neurosci Lett* 1981; 22:263-270.
- Bourne LE, Dominowski RL, Loftus EF. Cognitive processes. Englewood Cliffs, NJ: Prentice Hall, 1979.
- Bowen A, Wenman R, Mickelborough J, Foster J, Hill E, Tallis R. Dual-task effects of talking while walking on velocity and balance following a stroke. *Age Ageing* 2001; 30(4):319-323.
- Bower TGR, Broughton JM, Moore MK. The coordination of visual and tactual input in infants. *Percept Psychophys* 1970a; 8:51-53.
- Bower TGR, Broughton JM, Moore MK. Demonstration of intention in the reaching behavior of neonate humans. *Nature* 1970b; 228:679-681.
- Boyd LA, Winstein CJ. Cerebellar stroke impairs temporal but not spatial accuracy during implicit motor learning. *Neurorehab Neural Repair* 2004; 18(3):134-143.
- Boyd LA, Winstein CJ. Impact of explicit information on implicit motor sequence learning following middle cerebral artery stroke. *Phys Ther* 2003; 83:976-989.
- Boyd LA, Winstein CJ. Implicit motor sequence learning in humans following unilateral stroke: the impact of practice and explicit knowledge. *Neurosci Lett* 2001; 298:65-69.
- Boyd LA, Winstein CJ. Providing explicit information disrupts implicit motor learning after basal ganglia stroke. *Learn Mem* 2004; 11(4):388-396.
- Bradley NS, Bekoff A. Development of locomotion: animal models. In: Woollacott MH, Shumway-Cook A, eds. *Development of posture and gait across the lifespan*. Columbia: University of South Carolina, 1989:48-73.
- Bradley NS, Smith JL. Neuromuscular patterns of stereotypic hindlimb behaviors in the first two postnatal months. I. Stepping in normal kittens. *Dev Brain Res* 1988; 38:37-52.
- Brand PW. Management of sensory loss in the extremities. In: Omer E, Spinner M, eds. *Management of peripheral nerve problems*. Philadelphia: Saunders, 1980:862-872.
- Brandstater M, deBruin H, Gowland C, et al. Hemiplegic gait: analysis of temporal variables. *Arch Phys Med Rehabil* 1983; 64: 583-587.
- Brandt EN, Pope AM, eds. *Enabling America*. Washington, DC: National Academy, 1997.
- Brandt T, Daroff RB. The multisensory physiological and pathological vertigo syndromes. *Ann Neurol* 1979; 7:195-197.
- Brandt T, Wenzel D, Dichgans J. Die Entwicklung der visuellen Stabilisation des aufrechten Standes beim Kind: Ein Referenzfach in der Kinderneurologie (Visual stabilization of free stance in infants: a sign of maturity). *Arch Psychiat Nervenk* 1976; 223:1-13.
- Brashears A, Zafonte R, Corcoran M, Galvez-Jimenez N, Gracies J, Gordon MF, McAfee A, Ruffing K, Thompson B, Williams M, Lee C, Turkell C. Inter- and intrarater reliability of the Ashworth scale and the Disability Assessment Scale in patients with upper limb post stroke spasticity. *Arch Phys Med Rehabil* 2002; 83:1349-1354.
- Brauer S. *Mediolateral postural stability: changes with age and prediction of falls*. Doctoral dissertation, University of Queensland, June 1998.
- Brauer SG, Broome A, Stone C, Clewett S, Herzig P. Simplest tasks have greatest dual task interference with balance in brain injured adults. *Hum Move Sci* 2004; 23: 489-502.
- Brauer SG, Woollacott M, Shumway-Cook A. The influence of a concurrent cognitive task on the compensatory stepping response to a perturbation in balance-impaired and healthy elders. *Gait Posture* 2002; 15:83-93.
- Brauer SG, Woollacott M, Shumway-Cook A. The interacting effects of cognitive demand and recovery of postural stability in balance-impaired elderly. *J Gerontol Med Sci* 2001; 56:489-496.
- Braun JJ, Meyer PM, Meyer DR. Sparing of a brightness habit in rats following visual decortication. *J Comp Physiol Psychol* 1986; 61:79-82.
- Breniere Y, Bril B. Development of postural control of gravity forces in children during the first 5 years of walking. *Exp Brain Res* 1998; 121:255-262.
- Breniere Y, Do MC, Sanchez J. A biomechanical study of the gait initiation process. *J Biophys Med Nucl* 1981; 5:197-205.
- Breniere Y, Do MC. When and how does steady state gait movement induced from upright posture begin? *J Biomech* 1986; 19:1035-1040.
- Breslin DM, Exner CE. Construct validity of the In-Hand Manipulation Test: a discriminant analysis with children without disability and children with spastic diplegia. *Am J Occup Ther* 1999; 53(4): 381-386.
- Bril B, Breniere Y. Posture and independent locomotion in childhood: learning to walk or learning dynamic postural control? In: Savelsbergh GJP, ed. *The development of coordination in infancy*. Amsterdam: North-Holland, 1993; 337-358.
- Brochier T, Boudreau MJ, Pare M, Smith AM. The effects of muscimol inactivation of small regions of motor and somatosensory cortex on independent finger movements and force control in the precision grip. *Exp Brain Res* 1999; 128:31-40.
- Broeren J, Rydmark M, Sunnerhagen KS. Virtual reality and haptics as a training device for movement rehabilitation after stroke: a single-case study. *Arch Phys Med Rehabil* 2004; 85(8):1247-1250.
- Brogren E, Forssberg H, Hadders-Algra M. Influence of two different sitting positions

- on postural adjustments in children with spastic diplegia. *Dev Med Child Neurol* 2001; 43:534-546.
- Brogren E, Hadders-Algra M, Forssberg H. Postural control in sitting children with cerebral palsy. *Neurosci Biobehav Rev* 1998; 22:591-596.
- Brogren E, Hadders-Algra M, Forssberg H. Postural control in children with spastic diplegia: muscle activity during perturbations to sitting. *Dev Med Child Neurol* 1996; 38:379-388.
- Brooks VB. The neural basis of motor control. New York: Oxford University Press, 1986.
- Brown DM, Cullers CM, McMonigal LL et al. The use of neuromuscular electrical stimulation for facilitation of task-oriented exercise in the upper extremity to achieve functional improvement in an individual with chronic post-stroke hemiparesis: a case study. *Neurol Rep* 2000; 24:198-199.
- Brown JV, Sepehr MM, Ettlinger G, Skreczek W. The accuracy of aimed movements to visual targets during development: the role of visual information. *J Exp Child Psychol* 1986; 41:443-460.
- Brown LA, Shumway-Cook A, Woollacott MH. Attentional demands and postural recovery: the effects of aging. *J Gerontol* 1999; 54a:M165-M171.
- Brown LA, McKenzie NC, Doan JB. Age-dependent differences in the attentional demands of obstacle negotiation. *J Gerontol* 2005; 60A:924-927.
- Bruce MF. The relation of tactile thresholds to histology in the fingers of the elderly. *J Neurol Neurosurg Psychiatry* 1980; 43:730.
- Bruininks R, Woodcock R, Weatherman R, Hill B. Development and standardization of the scales of independent behavior. Allen, TX: DLM Teaching Resources, 1985.
- Bruininks RH. Bruininks-Oseretsky Test of Motor Proficiency. Circle Pines, MN: American Guidance Service, 1978.
- Bruininks RH, Bruininks BD. Bruininks-Oseretsky Test of Motor Proficiency, 2nd ed. Circle Pines, MN: American Guidance Service, 2005.
- Bruner JS, Koslowski B. Visually pre-adapted constituents of manipulatory action. *Perception* 1972; 1:3-14.
- Brunnstrom S. Motor testing procedures in hemiplegia: based on sequential recovery stages. *Phys Ther* 1966; 46:357-375.
- Brunnstrom S. Movement therapy in hemiplegia: a neurophysiological approach. New York: Harper & Row, 1970.
- Buchner DM, DeLateur BJ. The importance of skeletal muscle strength to physical function in older adults. *Ann Behav Med* 1991; 13:1-12.
- Buchner DM, Larson EB. Falls and fractures in patients with Alzheimer-type dementia. *JAMA* 1987; 257:1492-1495.
- Buchner DM, Larson EB, Wagner EH, Koepsell TD, DeLateur BJ. Evidence for a non-linear relationship between leg strength and gait speed. *Age Ageing* 1996; 25:386-391.
- Buchwald NA, Hull CD, Levine MS, Villablanca J. The basal ganglia and the regulation of response and cognitive sets. In: Brazier MAD, ed. Growth and development of the brain: nutritional, genetic, and environmental factors. New York: Raven Press, 1975:171-190.
- Bullinger A. Cognitive elaboration of sensorimotor behaviour. In: Butterworth G, ed. Infancy and epistemology: an evaluation of Piaget's theory. London: Harvester, 1981:173-199.
- Bullinger A, Jouen F. Sensibilité du champ de detection périphérique aux variations posturales chez le bébé. *Arch Psychol* 1983; 51:41-48.
- Burgess PR, Clark FJ. Characteristics of knee joint receptors in the cat. *J Physiol Lond* 1969; 203:317-325.
- Burridge JH, Wood DE, Hermens HJ, Voerman GE, Johnson GR, van Wijck F, Platz T, Gregoric M, Hitchcock R, Pandyan AD. Theoretical and methodological considerations in the measurement of spasticity. *Disabil Rehabil* 2005; 27:69-80.
- Burnett PA, Woollacott MH, Qualls C. Stance balance control with orthoses in a select group of children with and without spasticity. *Dev Med Child* 1999; 41:748-757.
- Busse ME, Pearson OR, Van Deursen R, Wiles CM. Quantified measurement of activity provides insight into motor function and recovery in neurological disease. *J Neurol Neurosurg Psychiatry* 2004; 75:884-888.
- Butefisch C, Khurana V, Kopylev I, Cohen LG. Enhancing encoding of a motor memory in the primary motor cortex by cortical stimulation. *J Neurophysiol* 2004; 91:2110-2116.
- Butland RJA, Pang J, Gross ER, Woodcock AA, Geddes DM. Two-, six-, and 12-minute walking tests in respiratory disease. *BMJ* 1982; 284:1607-1608.
- Butterworth G, Cicchetti D. Visual calibration of posture in normal and motor retarded Down's syndrome infants. *Perception* 1978; 7:513-525.
- Butterworth G, Hicks L. Visual proprioception and postural stability in infancy: a developmental study. *Perception* 1977; 6:255-262.
- Butterworth G, Pope M. Origine et fonction de la proprioception visuelle chez l'enfant. In: de Schonen S, ed. Le développement dans la première année. Paris: Presses Universitaires de France, 1983:107-128.
- Byl NN, McKenzie A. Treatment effectiveness for patients with a history of repetitive hand use and focal hand dystonia: a planned, prospective follow-up study. *J Hand Ther* 2000; 13:289-301.
- Byl NN, Roderick J, Mohamed O, Hanny M, Kotler J, Smith A, Tang M, Abrams G. Effectiveness of sensory and motor rehabilitation of the upper limb following the principles of the upper limb following the principles of neuroplasticity: patients stable poststroke. *Neurorehabil Neural Repair* 2003; 17(3):176-191.
- Byl NN. What can we learn from animal models of focal hand dystonia? *Rev Neurol (Paris)* 2003; 159(Pt 1):857-873.
- Callahan AD. Sensibility testing: clinical methods. In: Hunter JM, Schneider LH, Mackin EJ, Callahan AD, eds. Rehabilitation of the hand. St. Louis: CV Mosby, 1990:600-602.
- Cameron DM, Bohannon RW, Garrett GE, Owen SV, Cameron DA. Physical impairments related to kinetic energy during sit-to-stand and curb-climbing following stroke. *Clin Biomech (Bristol, Avon)* 2003; 18(4):332-340.
- Camicioli R, Licis L. Motor impairment predicts falls in specialized Alzheimer care units. *Alzheimer Dis Assoc Disord* 2004;18: 214-218.
- Camicioli R, Howieson D, Lehman S. Talking while walking: the effects of a dual task on aging and Alzheimer's disease. *Neurology* 1997; 48:955-958.
- Campbell AJ, Borrie MJ, Spears GF. Risk factors for falls in a community-based prospective study of people 70 years and older. *J Gerontol* 1989; 44:M112-M117.
- Campbell AJ, Reinken J, Allen BC, Martiniz GS. Falls in old age: A study of frequency and related clinical factors. *Age Ageing* 1981; 10:264-279.
- Campbell C, Rowse J, Ciol MA, Shumway-Cook A. The effect of attentional demands on the Timed Up and Go test in older adults with and without Parkinson's disease. *Neurol Rep* 2003; 3:2-7.
- Campbell SK. Measurement of motor performance in cerebral palsy. In: Forssberg H, Hirschfeld H, eds. Movement disorders in children. Basel: Karger, 1991:264-271.
- Campbell SK, Wilhelm IJ. Development from birth to 3 years of age of 15 children at high risk for central nervous system dysfunction. *Phys Ther* 1985; 65:463-469.
- Cannon N. Manual of hand splinting. New York: Churchill Livingstone, 1985.
- Capute AJ, Accardo PJ, Vining EPG, et al. Primitive reflex profile. Baltimore: University Park Press, 1978.
- Capute AJ, Wachtel RC, Palmer FB, Shapiro BK, Accardo PJ. A prospective study of three postural reactions. *Dev Med Child Neurol* 1982; 24:314-320.
- Carey L, Matyas T, Oke L. Sensory loss in stroke patients: effective training of tactile and proprioceptive discrimination. *Arch Phys Med Rehabil* 1993; 74:602-611.
- Carlsoo A. The initiation of walking. *Acta Anat* 1966; 65:1-9.
- Carlton LG. Processing visual feedback information for movement control. *J Exp Psychol Hum Percept* 1981; 7:1019-1030.
- Carpenter MG, Allum JH, Honegger F. Vestibular influences on human postural control in combinations of pitch and roll planes reveal differences in spatiotemporal processing. *Exp Brain Res* 2001; 140:95-111.
- Carpenter MG, Allum JH, Adkin AL, Bloem BR. Postural abnormalities to multidirectional stance perturbations in Parkinson's

- disease. *J Neurol Neurosurg Psychiatry* 2004; 75:1245-1254.
- Carr JH, Shephard RB. Neurologic rehabilitation: optimizing motor performance. Oxford: Butterworth and Heinemann, 1998.
- Carr JH, Shepherd RB. Motor relearning programme for stroke, 2nd ed. Rockville, MD: Aspen, 1992.
- Carswell A, McColl MA, Baptiste S, Law M, Polatajko H, Pollock N. The Canadian Occupational Performance Measure: a research and clinical literature review. *Can J Occup Ther* 2004; 71(4):210-222.
- Case-Smith J. Effectiveness of school-based occupational therapy intervention on handwriting. *Am J Occup Ther* 2002; 56(1): 17-25.
- Case-Smith J. Fine motor outcomes in preschool children who receive occupational therapy services. *Am J Occup Ther* 1996; 50(1):52-61.
- Case-Smith J, Fisher AG, Bauer D. An analysis of the relationship between proximal and distal motor control. *Am J Occup Ther* 1989; 43:657-662.
- Cass SP, Borello-France D, Furman JM. Functional outcome of vestibular rehabilitation in patients with abnormal sensory organization testing. *Am J Otol* 1996; 17:581-594.
- Castiello U. The neuroscience of grasping. *Nat Rev Neurosci* 2005; 6:726-736.
- Catalano JF, Kleiner BM. Distant transfer and practice variability. *Percept Mot Skills* 1984; 58:851-856.
- Cattaneo D, DeNuzzo C, Fascia T, Macallini M, Pisoni I, Cardinia R. Risks of falls in subjects with multiple sclerosis. *Arch Phys Med Rehabil* 2002; 83(6):864-867.
- Cauraugh JH, Kim SB. Stroke motor recovery: active neuromuscular stimulation and repetitive practice schedules. *J Neurol Neurosurg Psychiatry* 2003; 74:1562-1566.
- Cauraugh JH, Kim SB, Duley A. Coupled bilateral movements and active neuromuscular stimulation: intralimb transfer evidence during bimanual aiming. *Neurosci Lett* 2005; 382(1-2):39-44. Epub 2005, March 17.
- Cauraugh JH, Summers JJ. Neural plasticity and bimanual movements: a rehabilitation approach for chronic stroke. *Prog Neurobiol* 2005; 75:309-320.
- Cavagna GA, Franzetti P. The determinants of the step frequency in walking in humans. *J Physiol (Lond)* 1986; 373:235-242.
- Cavanagh PR, Gregor RJ. Knee joint torques during the swing phase of normal treadmill walking. *J Biomech* 1975; 8:337-344.
- Cham R, Redfern MS. Changes in gait when anticipating slippery floors. *Gait Posture* 2002; 15:159-171.
- Chambers HG. The surgical treatment of spasticity. *Muscle Nerve* 1997; Suppl 6: S121-S125.
- Chandler JM, Hadley EC. Exercise to improve physiologic and functional performance in old age. In: Studenski S. Clinics in geriatric medicine: gait and balance disorders, vol. 12. Philadelphia: Saunders, 1996: 761-784.
- Chandler LS, Skillen M, Swanson MW. Movement assessment of infants, a manual. Rolling Bay, WA: Authors, 1980.
- Chang HA, Krebs DE. Dynamic balance control in elders: gait initiation assessment as a screening tool. *Arch Phys Med Rehabil* 1999; 80:490-494.
- Chaparro A, Rogers M, Fernandez J, Bohan M, Choi SD, Stumpfhauser L. Range of motion of the wrist: implications for designing computer input devices for the elderly. *Disabil Rehabil* 2000; 22(13-14): 633-637.
- Chapman SB, McKinnon L. Discussion of developmental plasticity: factors affecting cognitive outcome after pediatric traumatic brain injury. *J Commun Disord* 2000; 33:333-344.
- Chari VR, Kirby RL. Lower limb influence on sitting balance while reaching forward. *Arch Phys Med Rehabil* 1986; 67: 730-733.
- Charles J, Gordon AM. Constraint-induced therapy in children with hemiplegic cerebral palsy. Poster presentation made at the Combined Sections Meeting of The American Physical Therapy Association, Seattle, 1999.
- Charles J, Gordon AM. A critical review of constraint-induced movement therapy and forced use in children with hemiplegia. *Neural Plast* 2005; 12(203):245-261.
- Charles J, Lavender G. Modification of the Motor Activity Log for Children with Hemiplegia. Personal communication, 1997, Teachers College, Columbia University.
- Charles J, Lavender G, Gordon A. Effects of constraint-induced therapy on hand function in children with hemiplegic cerebral palsy. *Pediatr Phys Ther* 2001; 13:68-76.
- Charness A. Stroke/head injury: a guide to functional outcomes in physical therapy management. Rockville, MD: Aspen, 1986.
- Charness AL. Management of the upper extremity in the patient with hemiplegia. Course syllabus for the annual meeting of the Washington Physical Therapy Association, 1994.
- Chen CC, Granger CV, Peimer CA, Moy OJ, Wald S. Manual Ability Measure (MAM-16): a preliminary report on a new patient-centered and task-oriented outcome measure of hand function. *J Hand Surg [Br]* 2005; 30(2):207-216.
- Chen H, Ashton-Miller JA, Alexander NB, Schultz AB. Stepping over obstacles: gait patterns of healthy young and old adults. *J Gerontol* 1991; 46:M196-M203.
- Chen HC, Schultz AB, Ashton-Miller JA et al. Stepping over obstacles: dividing attention impairs performance of old more than young adults. *J Gerontol* 1996; 51(3):M116-M122.
- Chen HC. Factors underlying balance restoration after tripping: biomechanical model analyses. Doctoral dissertation, University of Michigan, 1993.
- Chen R, Cohen LG, Hallett M. Nervous system reorganization following injury. *Neuroscience* 2002; 4:761-773.
- Cherng R, Su FC, Chen JJ, Kuan TS. Performance of static standing balance in children with spastic diplegic cerebral palsy under altered sensory conditions. *Am J Phys Med Rehabil* 1999; 78:336-343.
- Cho B, Scarpone D, Alexander NB. Tests of stepping as indicators of mobility, balance and fall risk in balance-impaired older adults. *J Am Geriatr Soc* 2004; 52: 1168-1173.
- Chong R, Horak F, Woollacott M. Parkinson's disease impairs the ability to change set quickly. *J Neurol Sci* 2000; 175:57-70.
- Chong RKY, Horak FB, Frank J, Kaye J. Sensory organization for balance: specific deficits in Alzheimer's but not in Parkinson's disease. *J Gerontol A Biol Sci Med Sci* 1999; 54:M122-M128.
- Chou L-S, Kaufman KR, Brey RH, Drafanich LF. Motion of the whole body's center of mass when stepping over obstacles of different heights. *Gait Posture* 2001; 13: 17-26.
- Chou L-S, Kaufman KR, Hahn ME, Brey RH. Medio-lateral motion of the center of mass during obstacle crossing distinguishes elderly patients with imbalance. *Gait Posture* 2003; 18:125-133.
- Clark J, Lampeau A, Riddick C. The effects of videogame playing on the response selection processing of elderly adults. *J Gerontol* 1987; 42:82-85.
- Clark JE, Whitall J. Changing patterns of locomotion: from walking to skipping. In: Woollacott MH, Shumway-Cook A, eds. Development of posture and gait across the lifespan. Columbia: University of South Carolina, 1989:128-151.
- Claverie P, Alexandre F, Nichol J, Bonnet F, Cahuzac M. L'activité tonique reflexe du nourrisson. *Pediatrie* 1973; 28:661-679.
- Cohen H, Blatchly CA, Gombash LL. A study of the clinical test of sensory interaction and balance. *Phys Ther* 1993a; 73: 346-51.
- Cohen LG, Bandinelli S, Findlay TW, Hallett M. Motor reorganization after upper limb amputation in man: a study with focal magnetic stimulation. *Brain* 1991; 114: 615-627.
- Cole KJ. Grasp force control in older adults. *J Mot Behav* 1991; 23:251-258.
- Cole KJ, Rotella DL. Old age impairs the use of arbitrary visual cues for predictive control of fingertip forces during grasp. *Exp Brain Res* 2002; 143:35-41.
- Cole KJ, Rotella DL, Harper JG. Mechanisms for age-related changes of fingertip forces during precision gripping and lifting in adults. *J Neurosci* 1999; 19:3228-3247.
- Cole KJ, Rotella DL, Harper JG. Tactile impairments cannot explain the effect of age on a grasp and lift task. *Exp Brain Res* 1998; 121:263-269.
- Collen FM, Wade DT, Bradshaw CM. Mobility after stroke: reliability of measures of im-

- pairment and disability. *Int Disabil Studies* 1990; 12:6-9.
- Collen FM, Wade DT, Robb GF, Bradshaw CM. The Rivermead Mobility Index: a further development of the Rivermead Motor Assessment. *Int Disabil Studies* 1991; 13:50-54.
- Colon-Emeric CS, Sloane R, Hawkes WG, et al. The risk of subsequent hip fracture in community-dwelling men and male veterans with hip fracture. *Am J Med* 2000; 109:324-326.
- Connolly KJ. The development of competence in motor skills. In: Nadeau CH, Halliwell WR, Newell KM, Roberts GC, eds. *Psychology of motor behavior and sport*. Champaign, IL: Human Kinetics, 1979:229-250.
- Cook T, Cozzens B. Human solutions for locomotion: 3. The initiation of gait. In: Herman RM, Grillner S, Stein PSG, Stuart DG, eds. *Neural control of locomotion*. New York: Plenum, 1976:65-76.
- Corbetta D, Mounoud P. Early development of grasping and manipulation. In: Bard C, Fleury M, Hay L, eds. *Development of eye-hand coordination across the lifespan*. Columbia: University of South Carolina Press, 1990:188-213.
- Cordo P, Nashner L. Properties of postural adjustments associated with rapid arm movements. *J Neurophysiol* 1982; 47:287-302.
- Cornhill H, Case-Smith J. Factors that relate to good and poor handwriting. *Am J Occup Ther* 1996; 50(9):732-9.
- Corriveau H, Hebert R, Prince F, Raiche M. Postural control in the elderly: an analysis of test-retest and interrater reliability of the COP-COM variable. *Arch Phys Med Rehabil* 2001; 82: 80-85.
- Corriveau H, Prince F, Hebert R, Raiche M, Tessier D, Maheux P, Ardilouze JL. Evaluation of postural stability in elderly with diabetic neuropathy. *Diabetes Care* 2000; 23(8):1187-1191.
- Coryall J, Henderson A. Role of the asymmetrical tonic neck reflex in hand visualization in normal infants. *Am J Occup Ther* 1979; 33:255-260.
- Costner W, Deeney T, Haltiwanger J, Haley S. *School Function Assessment (SFA)*. San Antonio: The Psychological Corporation of Harcourt Brace & Co., 1998.
- Cote L, Crutcher MD. The basal ganglia. In: Kandel E, Schwartz JH, Jessel TM, eds. *Principles of neuroscience*, 3rd ed. New York: Elsevier, 1991:647-659.
- Craik R. Changes in locomotion in the aging adult. In: Woollacott MH, Shumway-Cook A, eds. *Development of posture and gait across the lifespan*. Columbia: University of South Carolina, 1989:176-201.
- Craik RL. Clinical correlates of neural plasticity. *Phys Ther* 1982; 62:1452-1462.
- Craik RL. Recovery processes: maximizing function. In: *Contemporary management of motor control problems*. Proceedings of the II Step Conference. Alexandria, VA: American Physical Therapy Association, 1992:165-173.
- Craik RL, Cozzens BA, Freedman W. The role of sensory conflict on stair descent performance in humans. *Exp Brain Res* 1982; 45:399-409.
- Cramer S. Stroke recovery: how the computer reprograms itself. *Mol Med Today* 2000; 6:301-303.
- Crenna P, Inverno M. Objective detection of pathophysiological factors contributing to gait disturbance in supraspinal lesions. In: Fedrizzi E, Avanzini G, Crenna P, eds. *Motor development in children*. New York: Libbey, 1994:103-118.
- Crenna P. Spasticity and "spastic" gait in children with cerebral palsy. *Neurosci Biobehav Rev* 1998; 22:571-578.
- Criscimagna-Hemminger SE, Donchin O, Gazzaniga MS, Shadmehr R. Learned dynamics of reaching movements generalize from dominant to nondominant arm. *J Neurophysiol* 2003; 89:168-176.
- Crisostomo EA, Duncan PW, Propst MA, et al. Evidence that amphetamine with physical therapy promotes recovery of motor function in stroke patients. *Ann Neurol* 1988; 23:94-97.
- Crocker MD, Mackay-Lyons M, McDonnell E. Forced use of the upper extremity in cerebral palsy: a single case design. *Am J Occup Ther* 1997; 51(10):824-833.
- Crossman ERFW, Goodeve PJ. Feedback control of hand-movement and Fitts' law. *Q J Exp Psychol* 1983; 35A:251-278.
- Crowe TK, Dietz JC, Richardson PK, Atwater SW. Interrater reliability of the pediatric clinical test of sensory interaction for balance. *Phys Occup Ther Pediatr* 1990; 10:1-27.
- Cruickshank DA, O'Neill DL. Upper extremity inhibitory casting in a boy with spastic quadriplegia. *Am J Occup Ther* 1990; 6:552-555.
- Cubo E, Leurgans S, Goetz CG. Short term and practice effects of metronome pacing in Parkinson's disease patients with gait freezing while in the on state: randomized single blind evaluation. *Parkinsonism Relat Disord* 2004; 10(8):507-510.
- Cup EH, Scholte op Reimer WJ, Thijssen MC, van Kuyk-Minis MA. Reliability and validity of the Canadian Occupational Performance Measure in stroke patients. *Clin Rehabil* 2003; 17(4):402-409.
- Cupps C, Plescia MG, Houser C. The Landau reaction: a clinical and electromyographic analysis. *Dev Med Child Neurol* 1976; 18:41-53.
- Cyarto EV, Myers AM, Tudor-Locke C. Pedometer accuracy in nursing home and community-dwelling older adults. *Med Sci Sports Exerc* 2004; 36:205-209.
- Daley K, Mayo N, Danys I, et al. The Stroke Rehabilitation Assessment of Movement: refining and validating content. *Phys Ther Can* 1997; 49:269-278.
- Daley K, Mayo N, Wood-Dauphinee S. Reliability of scores on the Stroke Rehabilitation Assessment of Movement (Stream). *Phys Ther* 1999; 79(1):8-19.
- Damiano DL, Abel MF. Functional outcomes of strength training in spastic cerebral palsy. *Arch Phys Med Rehabil* 1998; 79:119-125.
- Daniels GL, Newell KM. Attentional focus influences the walk-run transitions in human locomotion. *Biol Psychol* 2003; 63:163-178.
- Dannenbaum R, Dykes R. Sensory loss in the hand after sensory stroke: therapeutic rationale. *Arch Phys Med Rehabil* 1988; 69:833-839.
- Das P, McCollum G. Invariant structure in locomotion. *Neuroscience* 1988; 25: 1023-1034.
- Davies P. Aging and Alzheimer's disease: new light on old problems. Paper presented at the annual meeting of the Neuroscience Society, New Orleans, 1987.
- Davies PM. Steps to follow. New York: Springer Verlag, 1985.
- Day BL, Steiger MJ, Thompson PD, Marsden CD. Effect of vision and stance width on human body motion when standing: implications for afferent control of lateral sway. *J Physiol* 1993; 469:479-499.
- Dean CM, Richards CL, Malouin F. Task-related circuit training improves performance of locomotor tasks in chronic stroke: a randomized, controlled pilot trial. *Arch Phys Med Rehabil* 2000; 81:409-17.
- Dean CM, Richards CL, Malouin F. Walking speed over 10 meters overestimates locomotor capacity after stroke. *Clin Rehabil* 2001; 15:415-421.
- Dean CM, Shepherd RB. Task-related training improves performance of seated reaching tasks after stroke: a randomized controlled trial. *Stroke* 1997; 28:722-728.
- DeBolt LS, McCubbin JA. The effects of home-based resistance exercise on balance, power and mobility in adult with multiple sclerosis. *Arch Phys Med Rehabil* 2004; 85:290-297.
- Decety J, Sjoholm H, Ryding E, et al. The cerebellum participates in mental activity: tomographic measurements of regional cerebral blood flow. *Brain Res* 1990; 535:313-317.
- DeFabio R, Badke MB. Relationship of sensory organization to balance function in patients with hemiplegia. *Phys Ther* 1990; 70:542-560.
- Dehaene S, Changeux J-P. Neural mechanisms for access to consciousness. In: Gazzaniga MS, ed. *The cognitive neurosciences III*. Cambridge, MA: MIT Press, 2004:1145-1157.
- DeJersey MC. Report on a sensory programme for patients with sensory deficits. *Aust J Physiother* 1979; 25:165-70.
- DeKleijn A. Experimental physiology of the labyrinth. *J Laryngol Otol* 1923; 38: 646-663.
- Delacour J. Neurobiology of consciousness: an overview. *Behav Brain Res* 1997; 85:127-141.

- Dellen TV, Kalverboer AF. Single movement control and information processing, a developmental study. *Behav Brain Res* 1984; 12:237-238.
- Dellon A, Kallman C. Evaluation of functional sensation in the hand. *J Hand Surgery* 1983; 8:865-870.
- Dellon AL, Curtis RM, Edgerton MT. Reeducation of sensation in the hand following nerve injury. *Plast Reconstr Surg* 1974; 53:297-305.
- Delong M. The basal ganglia. In: Kandel ER, Schwartz JH, Jessel TM, eds. *Principles of neural Science*, 4th ed. New York: Elsevier. 2000:853-867.
- Del Rey P, Whitehurst M, Wood J. Effects of experience and contextual interference on learning and transfer. *Percept Mot Skills* 1983; 56:581-582.
- Perry J. *Gait analysis: normal and pathological function*. Thorofare, NJ: Slack, 1992.
- Desrosiers J. Validation of the box and block test as a measure of dexterity of elderly: reliability, validity and norms study. *Arch Phys Med Rehabil* 1994; 75:751-5.
- Desrosiers J, Bourbonnais D, Bravo G, Roy PM, Guay M. Performance of the unaffected upper extremity of elderly stroke patients. *Stroke* 1996; 27:1564-1570.
- Desrosiers J, Bourbonnais D, Corriveau H, Gosselin S, Bravo G. Effectiveness of unilateral and symmetrical bilateral task training for arm during the subacute phase after stroke: a randomized controlled trial. *Clin Rehabil* 2005; 19(6):581-593.
- Desrosiers J, Bravo G, Hebert R, Dutil E. Normative data for grip strength of elderly men and women. *Am J Occup Ther* 1995; 49(7):637-644.
- Deuschl G, Bain P, Brin M. Consensus statement of the Movement Disorder Society on tremor. *Mov Disord* 1998; 13:2-23.
- Devita P, Hortobagyi T. Age causes a redistribution of joint torques and powers during gait. *J Appl Physiol* 2000; 88:1804-1811.
- De Vries JJP, Visser GH, Prechtel HFR. The emergence of fetal behavior: 1. Qualitative aspects. *Early Hum Dev* 1982; 7:301-322.
- DeWeerd WJG, Harrison MA. Measuring recovery of arm-hand function in stroke patients: a comparison of the Brunnstrom-Fugl-Meyer test and the Action Research Arm Test. *Physiother Can* 1985; 37:65-70.
- Dicken DC, Rose DJ. Sensory organization abilities during upright stance in late onset Alzheimer's-type dementia. *Exp Aging Res* 2004; 30:373-90.
- Dickstein R, Peterka RJ, Horak FB. Effects of light fingertip touch on postural responses in subjects with diabetic neuropathy. *J Neurol Neurosurg Psychiatry* 2003; 74:620-626.
- Dickstein R, Shefi S, Marcovitz E, Villa Y. Anticipatory postural adjustments in selected trunk muscles in post stroke hemiparetic patients. *Arch Phys Med Rehabil* 2004a; 85:261-267.
- Dickstein R, Shupert CL, Horak FB. Fingertip touch improves postural stability in patients with peripheral neuropathy. *Gait Posture* 2001; 14:238-247.
- Diedrichsen J, Verstynen T, Lehman S, Ivry R. Cerebellar involvement in anticipating the consequences of self-produced actions during bimanual movements. *J Neurophysiol* 2005; 93:801-812.
- Diener HC, Dichgans J, Bruzek W, Selinka H. Stabilization of human posture during induced oscillations of the body. *Exp Brain Res* 1982; 45:126-132.
- Diener HC, Dichgans J, Guschlbauer B, Mau H. The significance of proprioception on postural stabilization as assessed by ischemia. *Brain Res* 1984; 296:103-109.
- Dierick F, Lefebvre C, van den Hecke A, De trembleur C. Development of displacement of centre of mass during independent walking in children. *Dev Med Child Neurol*. 2004; 46:533-9.
- Dietz V, Ketelsen UP, Berger W, Quintern J. Motor unit involvement in spastic paresis: relationship between leg muscle activation and histochemistry. *J Neurol Sci* 1986; 75:89-103.
- Dietz V, Schmidbleicher D, Noth J. Neuronal mechanisms of human locomotion. *J Neurophysiol* 1979; 42:1212-1222.
- Dietz V, Schubert M, Discher M, Trippel M. Influence of visuoprorioceptive mismatch on postural adjustments. *Gait Posture* 1994; 2:147-155.
- Dietz V, Trippel M, Horstmann GA. Significance of proprioceptive and vestibulo-spinal reflexes in the control of stance and gait. In: Patla AE, ed. *Adaptability of human gait*. Amsterdam: Elsevier, 1991:37-52.
- DiFabio RP, Badke MB, Duncan PW. Adapting human postural reflexes following a localized cerebrovascular lesion: analysis of bilateral long latency responses. *Brain Res* 1986; 363:257-264.
- DiFabio R, Badke MB. Relationship of sensory organization to balance function in patients with hemiplegia. *Phys Ther* 1990; 70:543-552.
- DiFabio RP, Badke MB. Stance duration under sensory conflict conditions in patients with hemiplegia. *Arch Phys Med Rehabil* 1991; 72:292-295.
- Dimitrova D, Horak FB, Nutt JG. Postural muscle responses to multidirectional translations in patients with Parkinson's disease. *J Neurophysiol* 2004a; 91:489-501.
- Dimitrova D, Nutt J, Horak FB. Abnormal force patterns for multidirectional postural responses in patients with Parkinson's disease. *Exp Brain Res* 2004b; 156:183-195.
- Dobkin BH. *Neurologic rehabilitation*. Philadelphia: FA Davis, 1996.
- Dobrossy MD, Dunnett SB. The influence of environment and experience on neural grafts. *Nat Rev Neuroscience* 2001; 2(12):871-879.
- Dodd KJ, Taylor NF, Damiano DL. A systematic review of the effectiveness of strength-training programs for people with cerebral palsy. *Arch Phys Med Rehabil*. 2002; 83:1157-1164.
- Dodwell PC, Muir D, Difranco D. Responses of infants to visual presented objects. *Science* 1976; 194:209-211.
- Donoghue JP. Plasticity of adult sensorimotor representations. *Curr Opin Neurobiol*. 1995; 5:749-754.
- Donovan JM, VanLeit BJ, Crowe TK, Keefe EB. Occupational goals of mothers of children with disabilities: influence of temporal, social, and emotional contexts. *Am J Occup Ther* 2005; 59(3):249-261.
- Dowling JE. *The retina: an approachable part of the brain*. Cambridge, MA: Belknap, 1987.
- Drillis R. The influence of aging on the kinematics of gait: the geriatric amputee. Washington, DC: National Academy of Science, National Research Council, 1961. Publication 919.
- Dubost V, Beauchet O, Manckoundia P, Hermann F, Mourey F. Decreased trunk angular displacement during sitting down: an early feature of aging. *Phys Ther* 2005; 85:404-412.
- Duff SV, Gordon AM. Learning of grasp control in children with hemiparetic cerebral palsy. *Dev Med Child Neurol* 2003; 45:746-757.
- Duff SV, Charles J. Enhancing prehension in infants and children: fostering neuromotor strategies. *Phys Occup Ther Pediatr* 2004; 24:129-172.
- Duffy CJ, Wurtz RH. Medial superior temporal area neurons respond to speed patterns in optic flow. *J Neurosci* 1997; 17:2839-2851.
- Duhamel JR, Colby CL, Goldberg ME. The updating of the representation of visual space in parietal cortex by intended eye movements. *Science* 1992a; 255:90-92.
- Duhamel JR, Goldberg ME, Fitzgibbon EJ, et al. Saccadic dysmetria in a patient with a right frontoparietal lesion. *Brain* 1992b; 115:1387-1402.
- Duncan P, Badke MB. Stroke rehabilitation: the recovery of motor control. Chicago: Year Book, 1987.
- Duncan P, Richards L, Wallace D, et al. A randomized, controlled pilot study of a home-based exercise program for individuals with mild and moderate stroke. *Stroke* 1998; 29:2055-2060.
- Duncan P, Studenski S, Chandler J, Prescott B. Functional reach: a new clinical measure of balance. *J Gerontol* 1990; 45: M192-M197.
- Duncan P, Studenski S, Richards L, et al. Randomized clinical trial of therapeutic exercise in subacute stroke. *Stroke* 2004; 34(9): 2173-2180.
- Duncan PW, Chandler J, Studenski S, et al. How do physiological components of balance affect mobility in elderly men? *Arch Phys Med Rehabil* 1993; 74:1343-1349.
- Duncan PW, Weiner DK, Chandler J, Studenski S. Functional reach: a new clinical measure of balance. *J Gerontol* 1990; 45:M195.

- Dunn W, Brown C, McGuigan A. The ecology of human performance: a framework for considering the effect of context. *Am J Occup Ther* 1994; 48:595-607.
- Duncan P, Studenski S, Richards L, et al. Randomized clinical trial of therapeutic exercise in subacute stroke. *Stroke* 2003;34: 2173-2180. Epub 2003, August 14.
- Duong TT, Englander J, Wright J, Cifu DX, Greenwald BD, Brown AW. Relationship between strength, balance and swallowing deficits and outcome after traumatic brain injury: a multicenter analysis. *Arch Phys Med Rehabil* 2004; 85:1291-1297.
- Dupont Salter AC, Richmond FJ, Loeb GE. Effects of muscle immobilization at different lengths on tetrodotoxin induced disuse atrophy. *IEEE Trans Neural Syst Rehabil Eng* 2003; 11:209-217.
- Ebersbach G, Dimitrijevic MR, Poewe W. Influence of concurrent tasks on gait: a dual-task approach. *Percept Mot Skills* 1995; 81:107-113.
- Edwards AS. Body sway and vision. *J Exp Psychol* 1946; 36:526-535.
- Edwards JM, Elliott D, Lee TD. Contextual interference effects during skill acquisition and transfer in Down's syndrome adolescents. *Adapt Physical Activity Q* 1986; 3:250-258.
- Eichorn J, Orner J, Rickard K, Craik R. Aging effects on dual-task methodology using walking and verbal reaction time. *Issues Aging* 1998; 21:8-12.
- Einkauf DK, Gohdes ML, Jensen GM, Jewell MJ. Changes in spinal mobility with increasing age in women. *Phys Ther* 1987; 67:370-375.
- Einspeler C, Precht HFR. Precht's assessment of general movements: a diagnostic tool of the functional assessment of the young nervous system. *Ment Retard Dev Disabil Res Rev* 2005; 11:61-67.
- Elbert T, Candia V, Altenmuller E, Rau H, Sterr A, Rockstroh B, Pantev C, Taub E. Alteration of digital representations in somatosensory cortex in focal hand dystonia. *Neuroreport* 1998; 9:3571-3575.
- Elble RJ, Leffler K. Pushing and pulling with the upper extremities while standing: the effects of mild Alzheimer's dementia and Parkinson's disease. *Mov Disord* 2000; 15:255-68.
- Eliasson AC, Gordon AM. Impaired force coordination during object release in children with hemiplegic cerebral palsy. *Dev Med Child Neurol* 2000; 42(4):228-234.
- Eliasson AC, Krumlinde-Sundholm L, Shaw K, Wang C. Effects of constraint-induced movement therapy in young children with hemiplegic cerebral palsy: an adapted model. *Dev Med Child Neurol* 2005; 47(4):266-275.
- Ellis T, deGoed CJ, Feldman RG, Wolters EC, Kwakkel G, Wagenaar RC. Efficacy of a physical therapy program in patients with Parkinson's disease: a randomized controlled trial. *Arch Phys Med Rehabil* 2005; 86:626-632.
- Eng JJ, Winter DA, Patla AE. Intralimb dynamics simplify reactive control strategies during locomotion. *J Biomech* 1997; 30:581-588.
- Eng JJ, Winter DA, Patla AE. Strategies for recovery from a trip in early and late swing during human walking. *Exp Brain Res* 1994; 102:339-349.
- Engardt M, Knutsson E, Jonsson M, Sternhag M. Dynamic muscle strength training in stroke patients: effects on knee extension torque, electromyographic activity, and motor function. *Arch Phys Med Rehabil* 1995; 76:419-425.
- Enoka R. Neuromechanics of human movement, 3rd ed. Champaign, IL: Human Kinetics, 2002.
- Era P, Schroll M, Ytting H, Gause-Nilsson I, Heikkinen E, Steen B. Postural balance and its sensory-motor correlates in 75-year-old men and women: a cross-national comparative study. *J Gerontol Med Sci* 1996; 51A:53-63.
- Erhardt RP. Developmental hand dysfunction: theory, assessment and treatment. Tucson: Therapy Skill Builders, 1982.
- Erhardt RP. Erhardt Developmental Prehension Assessment. Laurel, MD: Ramsco, 1984.
- Evarts EV. Relation of pyramidal tract activity to force exerted during voluntary movement. *J Neurophysiol* 1968; 31:14-27.
- Exner C. Content validity of the In-Hand Manipulation Test. *Am J Occup Ther* 1993; 47(6):505-513.
- Exner C. In-hand manipulation skills in normal young children: a pilot study. *Occup Ther Pract* 1990; 1(4):63-72.
- Exner CE. Development of hand functions. In: Pratt PN, Allen AS, eds. Occupational therapy for children. St. Louis: CV Mosby, 1989.
- Exner CE, Henderson A. Cognition and motor skill. In: Henderson A, Pehoski C, eds. Hand function in the child: foundations for remediation. Philadelphia: Mosby, 1995.
- Fagg AH, Arbib MA. Modeling parietal-premotor interactions in primate control of grasping. *Neural Networks* 1998; 11:1277-1303.
- Fahn S. An open trial of high-dosage antioxidants in early Parkinson's disease. *Am J Clin Nutr* 1991; 53(1 Suppl):380S-382S.
- Fahn S, Marsden CD. The treatment of dystonia. In: Marsden CD, Fahn S, eds. Movement disorders 2. London: Butterworth, 1987.
- Fahn S, Marsden DC, Caine DB. Classification and investigation of dystonia. In: Marsden CD, Fahn S, eds. Movement disorders 2. London: Butterworth, 1987.
- Falduto L, Baron A. Age-related effects of practice and task complexity on card sorting. *J Gerontol* 1986; 41:659-661.
- Farley CT, Ferris DP. Biomechanics of walking and running: center of mass movements to muscle action. *Exerc Sport Sci Rev* 1998; 26:253-285.
- Farley CT, Taylor CR. A mechanical trigger for the trot-gallop transition in horses. *Science* 1991; 253:306-308.
- Farrell K, Johnson A, Duncan H, Offenbacher T, Curry C. The intertester and intratester reliability of hand volumetrics. *J Hand Ther* 2003; 16(4):292-299.
- Fasoli SE, Krebs HI, Stein J, Frontera WR, Hughes R, Hogan N. Robotic therapy for chronic motor impairments after stroke: follow-up results. *Arch Phys Med Rehabil* 2004; 85(7): 1106-1111.
- Fasoli SE, Trombly CA, Tickle-Degnen L, Verfaillie MH. Effect of instructions on functional reach in persons with and without cerebrovascular accident. *Am J Occup Ther* 2002; 56(4): 380-390.
- Favilla M. Reaching movements in children: accuracy and reaction time development. *Exp Brain Res* 2005; 21:1-4.
- Fedrizzi E, Pagliano E, Adnreucci E, Oleari G. Hand function in children with hemiplegic cerebral palsy: prospective follow-up and functional outcome in adolescence. *Dev Med Child Neurol* 2003; 45:85-91. Erratum in: *Dev Med Child Neurol* 2003;45(3): 206.
- Feeney DM. Pharmacological modulation of recovery after brain injury: a reconsideration of diaschisis. *J Neurol Rehabil* 1991; 5:113-128.
- Feeney DM, Baron JC. Diaschisis. *Stroke* 1986; 17:817-830.
- Feeney DM, Gonzalez A, Law WA. Amphetamine haloperidol and experience interact to affect the rate of recovery after motor cortex injury. *Science* 1982; 217:855-857.
- Feeney DM, Gonzalez A, Law WA. Amphetamine restores locomotor function after motor cortex injury in the rat. *Proc West Pharmacol Soc* 1981; 24:15-17.
- Feeney DM, Sutton RL. Pharmacology for recovery of function after brain injury. *Crit Rev Neurobiol* 1987; 3:135-185.
- Feeney DM, Sutton RL, Boyeson MG, et al. The locus-coeruleus and cerebral metabolism: recovery of function after cortical injury. *Physiol Psych* 1985; 13:197-203.
- Feigin L, Sharon B, Czaczkes B, Rosin AJ. Sitting equilibrium 2 weeks after stroke can predict walking ability after 6 months. *Gerontology* 1996; 42:348-353.
- Feldman AG. Change in the length of the muscle as a consequence of a shift in equilibrium in the muscle-load system. *Biofizika* 1974; 19:534-538.
- Fellows SJ, Noth J, Schwarz M. Precision grip and Parkinson's disease. *Brain* 1998; 121:1171-1184.
- Fentress JC. Development of grooming in mice with amputated forelimbs. *Science* 1973; 179:704.
- Fernie GR, Gryfe CI, Holliday PJ, Llewellyn A. The relationship of postural sway in standing: the incidence of falls in geriatric subjects. *Age Ageing* 1982; 11:11-16.

- Ferris DP, Louie M, Farley CT. Running in the real world: adjusting leg stiffness for different surfaces. *Proc Biol Sci* 1998; 265:989-994.
- Fess E. Assessment of the upper extremity: instrumentation criteria. *Occup Ther Pract* 1990; 1:1-11.
- Fess EE. A method for checking Jamar dynamometer calibration. *J Hand Ther* 1987; 1:28-32.
- Fess EE. Documentation: essential elements of an upper extremity assessment battery. In: Hunter JM, ed. *Rehabilitation of the hand*, 2nd ed. St. Louis: CV Mosby, 1990:53-81.
- Fess EE. Grip strength. In: Casanova JS, ed. *Clinical assessment recommendations*, 2nd ed. Chicago: American Society of Hand Therapists, 1992:41-45.
- Fetter M. Vestibular system disorders. In: Herdman S, ed. *Vestibular rehabilitation*, 2nd ed. Philadelphia: FA Davis, 2000: 91-102.
- Fiatarone MA, O'Neill EF, Ryan ND, et al. Exercise training and nutritional supplementation for physical frailty in very elderly people. *N Engl J Med* 1994; 330:1769-1775.
- Fiatarone MA, Marks EC, Ryan ND, Meredith CN, Lipsitz LA, Evans WJ. High-intensity strength training in nonagenarians: effects on skeletal muscle. *JAMA* 1990; 263:3029-3034.
- Fiez JA, Petersen SE, Cheney MK, Raichle ME. Impaired non-motor learning and error detection associated with cerebellar damage. *Brain* 1992; 115:155-178.
- Finch L, Barbeau H, Arsenault B. Influence of body weight support on normal human gait: development of a gait retraining strategy. *Phys Ther* 1991; 71:842-856.
- Finley FR, Cody KA. Locomotive characteristics of urban pedestrians. *Arch Phys Med Rehabil* 1970; 51:423-426.
- Finley FR, Cody KA, Finizie RV. Locomotion patterns in elderly women. *Arch Phys Med Rehabil* 1969; 50:140-146.
- Fisher AG. *Assessment of motor and process skills manual*. Fort Collins, CO: Colorado State University, 1994.
- Fishkind M, Haley SM. Independent sitting development and the emergence of associated motor components. *Phys Ther* 1986; 66:1509-1514.
- Fisk JD. Sensory and motor integration in the control of reaching. In: Bard C, Fleury M, Hay L, eds. *Developmental of eye-hand coordination across the lifespan*. Columbia: University of South Carolina Press, 1990:75-98.
- Fisk JD, Goodale MA. The organization of eye and limb movements during unrestricted reaching to targets in contralateral and ipsilateral visual space. *Exp Brain Res* 1985; 60:159-178.
- Fitts PM. Perceptual-motor skill learning. In: Melton AW, ed. *Categories of human learning*. New York: Academic Press, 1964: 243-285.
- Fitts PM. The information capacity of the human motor system in controlling the amplitude of movement. *J Exp Psychol* 1954; 47:381-391.
- Fitts PM, Posner MI. *Human performance*. Belmont, CA: Brooks/Cole, 1967.
- Florence SL, Kaas JH. Large-scale reorganization at multiple levels of the somatosensory pathway follows therapeutic amputation of the hand in monkeys. *J Neurosci* 1995; 15:8083-8095.
- Forster O. The motor cortex in man in the light of Huglings Jackson's Doctrines. In: Payton OD, Hirt S, Newman, R, eds. *Scientific bases for neurophysiologic approaches to therapeutic exercise*. Philadelphia: FA Davis, 1977:13-18.
- Folio RM, Fewell RR. *Peabody Developmental Motor Scales*. Allen TX: DLM Teaching Resources, 1983.
- Folstein MF, Folstein SE, McHugh PR. Mini-mental state: a practical method for grading the cognitive states for the clinician. *J Psychiatr Res* 1975; 12:188-198.
- Ford-Smith CD, VanSant AF. Age differences in movement patterns used to rise from a bed in subjects in the third through fifth decades of age. *Phys Ther* 1993; 73: 300-309.
- Forlander DA, Bohannon RW. Rivermead Mobility Index: a brief review of research to date. *Clin Rehabil* 1999; 13:97-100.
- Forssberg H, Grillner S, Rossignol S. Phase dependent reflex reversal during walking in chronic spinal cats. *Brain Res* 1975; 85:103-107.
- Forssberg H. Motor learning: a neurophysiological review. In: Berg K, Eriksson B, eds. *Children and exercise*, vol. 9. Baltimore: University Park Press, 1980:13-22.
- Forssberg H. Ontogeny of human locomotor control: I. Infant stepping, supported locomotion, and transition to independent locomotion. *Exp Brain Res* 1985; 57: 480-493.
- Forssberg H, Eliasson AC, Kinoshita H, Johansson RS, Westling G. Development of human precision grip: I. Basic coordination of forces. *Exp Brain Res* 1991; 85:451-457.
- Forssberg H, Grillner S, Rossignol S. Phasic gain control of reflexes from the dorsum of the paw during spinal locomotion. *Brain Res* 1977; 132:121-139.
- Forssberg H, Hirschfeld H. Postural adjustments in sitting humans following external perturbations: muscle activity and kinematics. *Exp Brain Res* 1994; 97: 515-527.
- Forssberg H, Kinoshita H, Eliasson AC, Johansson RS, Westling G, Gordon AM. Development of human precision grip II. Anticipatory control of isometric forces targeted for object's weight. *Exp Brain Res* 1992; 90:393-398.
- Forssberg H, Nashner L. Ontogenetic development of postural control in man: adaptation to altered support and visual conditions during stance. *J Neurosci* 1982; 2:545-552.
- Forsstrom A, von Hofsten C. Visually directed reaching in children with motor impairments. *Dev Med Child Neurol* 1982; 24(5):653-61.
- Forster A, Young J. Incidence and consequences of falls due to stroke: a systematic inquiry. *BMJ* 1995; 311:83-86.
- Foster E, Sveistrup H, Woollacott MH. Transitions in visual proprioception: a cross-sectional developmental study of the effect of visual flow on postural control. *J M Behav* 1996; 28:101-112.
- Foudriat BA, Di Fabio RP, Anderson JH. Sensory organization of balance responses in children 3-6 years of age: a normative study with diagnostic implications. *Int J Pediatr Otorhinolaryngol* 1993; 27: 255-271.
- Frank JS, Patla AE, Brown JE. Characteristics of postural control accompanying voluntary arm movement in the elderly. *Soc Neurosci Abstr* 1987; 13:335.
- Franssen EH, Souren LE, Torossian CL, Risberg B. Equilibrium and limb coordination in mild cognitive impairment and mild Alzheimer's disease. *J Am Geriatr Soc* 1999; 47:463-469.
- Frascarelli M, Mastrogregori L, Conforti L. Initial motor unit recruitment in patients with spastic hemiplegia. *Electromyogr Clin Neurophysiol* 1998; 38:267-271.
- Fraser C, Wing A. A case study of reaching by a user of a manually-operated artificial hand. *Prosthet Orthot Int* 1981; 5: 151-156.
- Fredericks CM, Saladin LK. Clinical presentations in disorders of motor function. In: Fredericks CM, Saladin LK, eds. *Pathophysiology of the motor systems: principles and clinical presentations*. Philadelphia: FA Davis, 1996.
- Freedland RL, Festa C, Sealy M, McBean A, Elghazaly P, Capan A, Brozicki L, Nelson AJ, Rothman J. The effects of pulsed auditory stimulation on various gait measurements in persons with Parkinson's Disease. *Neurorehabilitation* 2002; 17(1):81-87.
- Friel KM, Nudo RJ. Recovery of motor function after focal cortical injury in primates: compensatory movement patterns used during rehabilitative training. *Somatosens Mot Res* 1998; 15: 173-189.
- Fries JF. Successful aging: an emerging paradigm of gerontology. *Clin Geriatr Med* 2002; 18:371-382.
- Fries W, Danek A, Scheidtmann K, Hamberger C. Motor recovery following capsular stroke: role of descending pathways from multiple motor areas. *Brain* 1993; 116:369-382.
- Frontera W, Meredith C, O'Reilly KP, et al. Strength conditioning in older men: skeletal muscle hypertrophy and improved function. *J Appl Physiol* 1988; 64:1038-1044.
- Frontera WR, Hughes VA, Fielding RA, Fiatarone MA, Evans WJ, Roubenoff R. Aging of skeletal muscle: a 12 yr longitudinal study. *J Appl Physiol* 2000; 88:1321-1326.

- Fugl-Meyer AR, Jaasko L, Leyman I, et al. The post-stroke hemiplegic patient: a method for evaluation of physical performance. *Scand J Rehabil Med* 1975; 7:13-31.
- Fujii N, Mushiake H, Tanji J. An oculomotor representation area within the ventral premotor cortex. *Proc Natl Acad Sci USA* 1998; 95:12034-12037.
- Fujiwara T, Sonoda S, Okajima Y, Chino N. The relationship between trunk function and findings of transcranial magnetic stimulation among patients with stroke. *J Rehabil Med* 2001; 33: 249-55.
- Fukuda T. Studies on human dynamic postures from the viewpoint of postural reflexes. *Acta Otolaryngol (Suppl)* 1961; 161:1-52.
- Fuster JM. The prefrontal cortex: anatomy, physiology and neuropsychology of the frontal lobe, 2nd ed. New York: Raven, 1989.
- Gabell A, Nayak USL. The effect of age on variability in gait. *J Gerontol* 1984; 39:662-666.
- Gabell A, Simons MA, Nayak USL. Falls in the healthy elderly: predisposing causes. *Ergonomics* 1985; 28:965-975.
- Gagnon I, Swaine B, Friedman D, Forget R. Children show decreased dynamic balance after mild traumatic brain injury. *Arch Phys Med Rehabil* 2004; 85:444-452.
- Gahery Y, Massion J. Coordination between posture and movement. *Trends Neurosci* 1981; 4:199-202.
- Gallahue DL. Understanding motor development: infants, children, adolescents. Indianapolis: Benchmark, 1989.
- Gallicchio JE. Pharmacologic management of spasticity following stroke. *Phys Ther* 2004; 84:973-981.
- Gard SA, Childress DS. The effect of pelvic list on the vertical displacement of the trunk during normal walking. *Gait Posture* 1997; 5:233-238.
- Gard SA, Childress DS. The influence of stance-phase knee flexion on the vertical displacement of the trunk during normal walking. *Arch Phys Med Rehabil* 1999; 80:26-32.
- Gardner EP, Kandel ER. Touch. In: Kandel ER, Schwartz JH, Jessell TM, eds. Principles of neural science, 4th ed. New York: McGraw-Hill, 2000:451-471.
- Gardner EP, Martin JH, Jessell TM. The bodily senses. In: Kandel ER, Schwartz JH, Jessell TM, eds. Principles of neural science, 4th ed. New York: McGraw-Hill, 2000:430-450.
- Gardner MF. Test of visual-perceptual skills (N-m) revised. Hydesville, CA: Ann Arbor Publishers, 1996.
- Garland SJ, Willems DA, Ivanova TD, Miller KJ. Recovery of standing balance and functional mobility after stroke. *Arch Phys Med Rehabil* 2003; 84:1753-1759.
- Garraghty PE, Hanes DP, Florence SL, Kaas JH. Pattern of peripheral deafferentation predicts reorganizational limits in adult primate somatosensory cortex. *Somatotons Mot Res* 1994; 11:109-117.
- Gauthier GM, Nommay D, Vercher JL. The role of ocular muscle proprioception in visual localization of targets. *Science* 1990; 249:58-61.
- Gauthier GM, Vercher JL, Ivaldi FM, Marchetti E. Oculo-manual tracking of visual targets: control learning, coordination control and coordination model. *Exp Brain Res* 1988; 73:127-137.
- Gehlsen GM, Whaley MH. Falls in the elderly: Part I, gait. *Arch Phys Med Rehabil* 1990; 71:735-738.
- Gentile A. Skill acquisition: action movement, and neuromotor processes. In: Carr J, Shepherd R, Gordon J, eds. Movement science: foundations for physical therapy in rehabilitation. Rockville, MD: Aspen, 1987.
- Gentile AM. Movement organization and delayed alternation behavior of monkeys following selective ablation of frontal cortex. *Acta Neurobiol Exp (Wars)* 1972; 32(2):277-304.
- Gentile AM, Beheshti Z, Held JM. Enrichment versus exercise effects on motor impairments following cortical removals in rats. *Behav Neural Biol* 1987; 7(3):321-323.
- Georgiou, N, Iansek R, Bradshaw JL, et al. An evaluation of the role of internal cues in the pathogenesis of Parkinsonian hypokinesia. *Brain* 1993; 116:1575-1587.
- Georgopoulos AP, Kalaska JF, Caminiti R, Massey JT. On the relations between the direction of two-dimensional arm movements and cell discharge in primate motor cortex. *J Neurosci* 1982; 2:1527-1537.
- Gesell A. Behavior patterns of fetal-infant and child. In: Hooker D, Kare C, eds. Genetics and inheritance of neuropsychiatric patterns. *Res Publ Assoc Res Nerv Ment Dis* 1954; 33:114-126.
- Gesell A. The ontogenesis of infant behavior. In: Carmichael L, ed. Manual of child psychology. New York: Wiley, 1946:335-373.
- Gesell A, Amatruda CS. Developmental diagnosis, 2nd ed. New York: Paul B. Hoeber, 1947.
- Gesell A, Halverson HM, Thompson H, Ilg FL, Castner BM, Ames LB, Amatruda CS. The first five years of life. New York: Harper & Row, 1940.
- Geurts AC, Mulder TW, Nienhuis B, Rijken RA. Dual-task assessment of reorganization of postural control in persons with lower limb amputation. *Arch Phys Med Rehabil* 1991; 72(13): 1059-1064.
- Ghez C. The cerebellum. In: Kandel E, Schwartz JH, Jessell TM, eds. Principles of neuroscience. 3rd ed. New York: Elsevier, 1991:633.
- Ghez C. The cerebellum. In: Kandel E, Schwartz JH, Jessell TM, eds. Principles of neuroscience, 4th ed. New York: McGraw-Hill, 2000:653-673.
- Ghez C, Thatch WT. The cerebellum. In: Kandel E, Schwartz J, Jessel T, eds. Principles of neuroscience, 4th ed. New York: McGraw-Hill, 2000:832-852.
- Gibson E, Walker AS. Development of knowledge of visual-tactile affordance of substance. *Child Dev* 1984; 55:453-460.
- Gibson JJ. The senses considered as perceptual systems. Boston: Houghton Mifflin, 1966.
- Gibson, AR, Horn, KM & Van Kan, PLE. In: Bennett KMB, Castiello U, eds. Insights into the reach to grasp movement. Amsterdam: Elsevier, 1994:129-150.
- Gilbert PFC, Thatch WT. Purkinje cell activity during motor learning. *Brain Res* 1977; 128:309-328.
- Gill-Body KM, Popat RA, Parker SW, Krebs DE. Rehabilitation of balance in two patients with cerebellar dysfunction. *Phys Ther* 1997; 77:534-551.
- Gillespie LD, Gillespie WJ, Robertson MC, et al. Interventions for preventing falls in elderly people. *Cochrane Database Syst Rev* 2003; 4:CD000340.
- Gilliam J, Barstow IK. Joint range of motion. In: Van Deusen J, Brunt D, eds. Assessment in occupational and physical therapy. Philadelphia: Saunders, 1997:49-77.
- Gioux M, Petit J. Effects of immobilizing the cat peroneus longus muscle on the activity of its own spindles. *J Appl Physiol* 1993; 75:2629-2635.
- Giuliani CA. Dorsal rhizotomy for children with cerebral palsy: support for concepts of motor control. *Phys Ther* 1991; 71(3):248-259.
- Godges JJ, MacRae PG, Engelke KA. Effects of exercise on hip range of motion, trunk muscle performance and gait economy. *Phys Ther* 1993; 73:468-477.
- Goldberg ME, Hudspeth AJ. The vestibular system. In: Kandel ER, Schwartz JH, Jessel TM, eds. Principles of neural science, 4th ed. New York: McGraw-Hill, 2000:801-815.
- Goldstein LB. Basic and clinical studies of pharmacologic effects on recovery from brain injury. *J Neural Transplant Plast* 1993; 4:175-192.
- Goldstein LB. Neuropharmacology of TBI-induced plasticity. *Brain Injury* 2003; 17(8):685-694.
- Goldstein LB. Pharmacology of recovery after stroke. *Stroke* 1990; 21(Suppl III):139-142.
- Goldstein LB, Davis JN. Physician prescribing patterns after ischemic stroke. *Neurology* 1988; 38:1806-1809.
- Gollhofer A, Schmidbleicher D, Quintem J, Dietz V. Compensatory movements following gait perturbations: changes in kinematic and muscular activation patterns. *Int J Sports Med* 1986; 7:325-329.
- Gonshor A, Melville-Jones G. Short-term adaptive changes in the human vestibulo-ocular reflex arc. *J Physiol (Lond)* 1976; 256:361-379.

- Goodale MA, Milner AD. Separate visual pathways for perception and action. *Trends Neurosci* 1992; 15:20-25.
- Goodale MA, Milner AD, Jakobson LS, Carey DP. A neurological dissociation between perceiving objects and grasping them. *Nature* 1991; 349: 154-156.
- Goode SL. The contextual interference effect in learning an open motor skill. Unpublished doctoral dissertation, Louisiana State University, Baton Rouge, 1986.
- Goodwin GM, McCloskey DI, Matthews PBC. The contribution of muscle afferents to kinesthesia shown by vibration induced illusions of movement and by the effects of paralysing joint afferents. *Brain* 1972; 95:705-748.
- Gordon AM, Charles J, Duff SV. Fingertip forces during object manipulation in children with hemiplegic cerebral palsy: II. Bilateral coordination. *Dev Med Child Neurol* 1999; 41:176-185.
- Gordon AM, Charles J, Wolf SL. Methods of constraint-induced movement therapy for children with hemiplegic cerebral palsy: development of a child-friendly intervention for improving upper-extremity function. *Arch Phys Med Rehabil* 2005; 86(4): 837-844.
- Gordon AM, Duff SV. Fingertip forces during object manipulation in children with hemiplegic cerebral palsy: I. Anticipatory scaling. *Dev Med Child Neurol* 1999a; 41:166-175.
- Gordon AM, Duff SV. (1999). Relationships between clinical measures and fine manipulative control in children with hemiplegic cerebral palsy. *Dev Med Child Neurol* 1999b; 41:586-591.
- Gordon AM, Ingvarsson PE, Forssberg H. Anticipatory control of manipulative forces in Parkinson's disease. *Exp Neurol* 1997; 145:477-488.
- Gordon AM, Lewis S, Eliasson AC, Duff SV. Object release under varying task constraints in children with hemiplegic cerebral palsy. *Dev Med Child Neurol* 2003; 45(4):240-248.
- Gordon J. Assumptions underlying physical therapy intervention: theoretical and historical perspectives. In: Carr JH, Shepherd RB, Gordon J, et al., eds. *Movement sciences: foundations for physical therapy in rehabilitation*. Rockville, MD: Aspen, 1987: 1-30.
- Gordon J. Motor control workshop for physical therapists, Umea, Sweden, June 1997.
- Gordon J, Ghez C. Muscle receptors and spinal reflexes: the stretch reflex. In: Kandel E, Schwartz JH, Jessell TM, eds. *Principles of neuroscience*, 3rd ed. New York: Elsevier, 1991:564-580.
- Gormley ME, O'Brien CF, Yablon SA. A clinical overview of treatment decisions in the management of spasticity. *Muscle Nerve* 1997; Suppl 6:S14-S20.
- Gottschall J, Kram R. Energy cost and muscular activity required for propulsion during walking. *J Appl Physiol* 2003; 94: 1766-1772.
- Gowland C, deBruin H, Basmajian JV, Plews N, Burcea I. Agonist and antagonist activity during voluntary upper-limb movement in patients with stroke. *Phys Ther* 1992; 72:624-633.
- Gracies JM, Eloic E, McGuire J, Simpson D. Traditional pharmacological treatments for spasticity: 1. Local treatments. *Muscle Nerve* 1997a; Suppl 6:S61-S83.
- Gracies JM, Eloic E, McGuire J, Simpson D. Traditional pharmacological treatments for spasticity: 2. General and regional treatments. *Muscle Nerve* 1997b; Suppl 6:S92-S97.
- Gracies JM. Pathophysiology of spastic paresis. I: Paresis and soft tissue changes. *Muscle Nerve* 2005a; 31:535-551.
- Gracies JM. Pathophysiology of spastic paresis. II: Emergence of muscle overactivity. *Muscle Nerve* 2005b; 31:552-571.
- Graham Brown T. The intrinsic factors in the act of progression in the mammal. *Proc R Soc Lond B* 1911; 84:308-319.
- Granger CV, Albrecht GL, Hamilton BB. Outcome of comprehensive medical rehabilitation: measurement of PULSES profile and the Barthel index. *Arch Phys Med Rehabil* 1979; 60:145-154.
- Granger CV, Hamilton BB, Sherwin FS. Guide for use of the Uniform Data Set for medical rehabilitation. Buffalo, NY: Buffalo General Hospital, 1986.
- Grasso R, Assaiante C, Prevost P, Berthoz A. Development of anticipatory orienting strategies during locomotor task in children. *Neurosci Biobehav Rev* 1998; 22:533-539.
- Gray P, Hildebrand K. Fall risk factors in Parkinson's disease. *J Neurosci Nurs* 2000; 32:222-228.
- Green LN, Williams K. Differences in developmental movement patterns used by active vs sedentary middle-aged adults coming from a supine position to erect stance. *Phys Ther* 1992; 72:560-568.
- Gregson JM, Leathley M, Moor AP, et al. Reliability of the Tone Assessment Scale and the Modified Ashworth Scale as clinical tools for assessing poststroke spasticity. *Arch Phys Med Rehabil* 1999; 80: 1013-1016.
- Gresty MA. Coordination of head and eye movements to fixate continuous and intermittent targets. *Vision Res* 1974; 14:395-403.
- Grillner S. Control of locomotion in bipeds, tetrapods, and fish. In: Brooks VB, ed. *Handbook of physiology: the nervous system*, vol. 2. Motor control. Baltimore: Williams & Wilkins, 1981:1179-1236.
- Grillner S. Locomotion in the spinal cat. In: Stein RB, Pearson KG, Smith RS, Redford JB, eds. *Control of posture and locomotion*. New York: Plenum, 1973:515-535.
- Grillner S, Deliagnina T, Ekeburg O, El Manira A, Hill RH, Lansner A, Orlovsky GN, Wallen P. Neural networks that co-ordinate locomotion and body orientation in lamprey. *Trends Neurosci* 1995; 18: 270-280.
- Grillner S, Halbertsma J, Nilsson J, Thorstensson A. The adaptation to speed in human locomotion. *Brain Res* 1979; 165:177-182.
- Grillner S, Rossignol S. On the initiation of the swing phase of locomotion in chronic spinal cats. *Brain Res* 1978; 146:269-277.
- Grillner S, Zangger P. On the central generation of locomotion in the low spinal cat. *Exp Brain Res* 1979; 34:241-261.
- Gronley JK, Perry J. Gait analysis techniques: Rancho Los Amigos Hospital gait laboratory. *Phys Ther* 1984; 64:1831-1837.
- Guccione AA. Physical therapy diagnosis and the relationship between impairments and function. *Phys Ther* 1991; 71:499-504.
- Guide for the Functional Independence Measure for Children (WeeFIM) of the Uniform Data System for Medical Rehabilitation. Version 4.0. Buffalo, NY: State University of New York at Buffalo, 1993.
- Guralnik JM, Ferrucci L, Pieper CF, et al. Lower extremity function and subsequent disability: consistency across studies, predictive models, and value of gait speed alone compared with the Short Physical Performance Battery. *J Gerontol A Biol Sci Med Sci* 2000; 55:M221-M231.
- Guralnik JM, LaCroix AZ, Everett DF, Kovar MG. Aging in the eighties: the prevalence of comorbidity and its association with disability. *Vital Health Stat* 1989; 17:1-8.
- Guralnik JM, Simonsick EM, Ferrucci L, et al. A short physical performance battery assessing lower extremity function: association with self-reported disability and prediction of mortality and nursing home admission. *J Gerontol A Biol Sci Med Sci* 1994; 49:M85-M94.
- Gurfinkel VS, Levik YS. Perceptual and automatic aspects of the postural body scheme. In: Paillard J, ed. *Brain and space*. New York: Oxford Science, 1991.
- Gurfinkel VS, Levik YS. Sensory complexes and sensorimotor integration. *Fiziolog Cheloveka* 1978; 5:399-414.
- Gurfinkel VS, Lipshits MI, Popov KE. Is the stretch reflex the main mechanism in the system of regulation of the vertical posture of man? *Biophysics* 1974; 19:761-766.
- Haaland KY, Prestopnik JL, Knight RT, Lee RR. Hemispheric asymmetries for kinematic and positional aspects of reaching. *Brain* 2004; 127(Pt 5):1145-1158.
- Hadders-Algra M, Brogren E, Forssberg H. Ontogeny of postural adjustments during sitting in infancy: variation, selection and modulation. *J Physiol* 1996a; 493:273-288.
- Hadders-Algra M, Brogren E, Forssberg H. Training affects the development of postural adjustments in sitting infants. *J Physiology* 1996b; 493:289-298.
- Haffenden AM, Goodale MA. The effect of pictorial illusion on prehension and perception. *J Cogn Neurosci* 1998; 10:122-136.
- Hahn ME, Chou LS. Age-related reduction in sagittal plane center of mass motion during obstacle crossing. *J Biomech* 2004; 37:837-844.

- Hahn ME, Chou L-S. Can motion of individual body segments identify dynamic instability in the elderly? *Clin Biomech* 2003; 18:737-744.
- Haley S. Sequential analyses of postural reactions in nonhandicapped infants. *Phys Ther* 1986; 66:531-536.
- Haley SM, Coster WJ, Binda-Sundberg K. Measuring physical disablement: the contextual challenge. *Phys Ther* 1994; 74: 443-451.
- Haley SM, Coster WJ, Ludlow LH, Haltiwanger JT, Andrellos PJ. *Pediatric Evaluation of Disability Inventory (PEDI)*. Boston: New England Medical Center Hospitals, 1992.
- Haley SM, Jette AM, Coster WJ, et al. Late life function and disability instrument: II. Development and evaluation of the disability component. *J Gerontol A Biol Sci Med Sci* 2002; 57A:M217-M222.
- Hallet M. Transcranial magnetic stimulation and the human brain. *Nature* 2000; 406:147-150.
- Hallett M, Shahani BT, Young RR. EMG analysis of stereotyped voluntary movements in man. *J Neurol Neurosurg Psychiatry* 1975; 38:1154-1162.
- Hallett M. Overview of human tremor physiology. *Mov Disord* 1998; 13:43-48.
- Hallett M. Physiology of basal ganglia disorders: an overview. *Can J Neurol Sci* 1993; 20(3):177-183.
- Hamman R, Longridge NS, Mekjavić I, Dickinson J. Effect of age and training schedules on balance improvement exercises using visual feedback. *J Otolaryngol* 1995; 24:221-229.
- Hanisch C, Konczak J, Dohle C. The effect of the Ebbinghaus illusion on grasping behaviour of children. *Exp Brain Res* 2001; 137:237-245.
- Hanlon RE. Motor learning following unilateral stroke. *Arch Phys Med Rehabil* 1996; 77:811-815.
- Hanna SE, Law MC, Rosenbaum PL, King GA, Walter SD, Plock N, Russell DJ. Development of hand function among children with cerebral palsy: growth curve analysis for ages 16 to 70 months. *Dev Med Child Neurol* 2003; 45:448-455.
- Harbourne RT, Giuliani C, MacNeela, J. A kinematic and electromyographic analysis of the development of sitting posture in infants. *Dev Psychobiol* 1993; 26:51-64.
- Harbourne RT, Stergiou N. Nonlinear analysis of the development of sitting postural control. *Dev Psychobiol* 2003; 42:368-377.
- Harris JE, Eng JJ, Marigold DS, Tokuno CD, Louis CL. Relationship of balance and mobility to fall incidence in people with chronic stroke. *Phys Ther* 2005; 85: 150-158.
- Harris ML, Polkey MI, Bath PM, Moxham J. Quadriceps muscle weakness following acute hemiplegic stroke. *Clin Rehabil* 2001; 15:274-281.
- Hase K, Stein RB. Turning strategies during human walking. *J Neurophysiology* 1999; 81:2914-2922.
- Hass G, Diener HC, Bacher M, Dichgans J. Development of postural control in children: short-, medium-, and long-latency EMG responses of leg muscles after perturbation of stance. *Exp Brain Res* 1986; 64: 127-132.
- Hass G, Diener HC. Development of stance control in children. In: Amblard B, Berthoz A, Clarac F, eds. *Development, adaptation and modulation of posture and gait*. Amsterdam: Elsevier, 1988:49-58.
- Hauer K, Pfisterer M, Weber C, Wezler N, Kliegel M, Oster P. Cognitive impairment decreased postural control during dual tasks in geriatric patients with a history of severe falls. *J Am Geriatr Soc* 2003; 51:1638-1644.
- Hausdorff JM, Edelberg HK, Mitchell SL, Goldberger AL, Wei JY. Increased gait unsteadiness in community-dwelling elderly fallers. *Arch Phys Med Rehabil* 1997; 78:278-283.
- Hausdorff JM, Rios DA, Edelberg HK. Gait variability and fall risk in community-living older adults: a 1-year prospective study. *Arch Phys Med Rehabil* 2001; 82:1050-1056.
- Hay L. Accuracy of children on an open-loop pointing task. *Percept Mot Skills* 1978; 47:1079-1082.
- Hay L. Developmental changes in eye-hand coordination behaviors: Preprogramming versus feedback control. In: Bard C, Fleury M, Hay L, eds. *Development of eye-hand coordination across the lifespan*. Columbia: University of South Carolina, 1990: 217-244.
- Hay L. Spatial-temporal analysis of movements in children: motor programs versus feedback in the development of reaching. *J Mot Behav* 1979; 11:189-200.
- Hay L, Bard C, Fleury M. Visuo-manual coordination from 6 to 10: specification, control and evaluation of direction and amplitude parameters of movement. In: Wade MG, Whiting HTA, eds. *Motor development in children: aspects of coordination and control*. Dordrecht: Martinus Nijhoff, 1986.
- Hayes KC, Riach CL. Preparatory postural adjustments and postural sway in young children. In: Woollacott MH, Shumway-Cook A, eds. *Development of posture and gait across the life span*. Columbia: University of South Carolina, 1989:97-127.
- Heathcock JC, Bhat AN, Lobo MA, Galloway JC. The performance of infants born preterm and full-term in the mobile paradigm: learning and memory. *Phys Ther* 2004; 84:808-821.
- Hedberg A, Forssberg H, Hadders-Algra M. Postural adjustments due to external perturbations during sitting in 1-month-old infants: evidence for the innate origin of direction specificity. *Exp Brain Res* 2004; 157:10-17.
- Hedberg A, Carlberg EB, Forssberg H, Hadders-Algra M. Development of postural adjustments in sitting position during the first half year of life. *Dev Med Child Neurol* 2005; 47:312-320.
- Hein A, Held R. Dissociation of the visual placing response into elicited and guided components. *Science* 1967; 158:390-392.
- Heinemann AW, Linacre JM, Wright BD, Hamilton BB, Granger CV. Relationships between impairment and physical disability as measured by the functional independence measure. *Arch Phys Med Rehabil* 1993; 74:566-573.
- Heitmann DK, Gossman MR, Shaddeau SA, Jackson JR. Balance performance and step width in non-institutionalized elderly female fallers and nonfallers. *Phys Ther* 1989; 69:923-931.
- Helbostad JL. Treadmill training and/or body weight support may not improve walking ability following stroke: commentary. *Aust J Physiol* 2003; 49:278.
- Held JM. Environmental enrichment enhances sparing and recovery of function following brain damage. *Neurol Report* 1998; 12:74-78.
- Held JM. Recovery of function after brain damage: theoretical implications for therapeutic intervention. In: Carr JH, Shepherd RB, Gordon J, et al., eds. *Movement sciences: foundations for physical therapy in rehabilitation*. Rockville, MD: Aspen, 1987:155-177.
- Held JM, Gordon F, Gentile AM. Environmental influences on locomotor recovery following cortical lesions in rats. *Behav Neurosci* 1985; 99:678-690.
- Held R, Hein A. Movement-produced stimulation in the development of visually guided behavior. *J Comp Physiol Psychol* 1963; 56:872-876.
- Hellebrandt FA, Schode M, Carns ML. Methods of evoking the tonic neck reflexes in normal human subjects. *Am J Phys Med* 1962; 41:90-139.
- Henry SM, Fung J, Horak FB. EMG responses to maintain stance during multidirectional surface translations. *J Neurophysiol* 1998; 80:1939-1950.
- Herdman S. *Vestibular rehabilitation*, 2nd ed. Philadelphia: FA Davis, 2000.
- Herdman SJ. Canalith repositioning maneuver. *Otolaryngol Head Neck Surg* 1994; 111:691-692.
- Herdman SJ. Exercise strategies for vestibular disorders. *Ear Nose Throat J* 1989; 68:961-964.
- Herman R. Augmented sensory feedback in control of limb movement. In: Fields WS, ed. *Neural organization and its relevance to prosthetics*. New York: Intercontinental Medical Book, 1973.
- Herman R, Cook T, Cozzens B, Freedman W. In: Stein RB, Pearson KG, Smith RS, Redford JB, eds. *Control of posture and locomotion*. New York: Plenum, 1973: 363-388.
- Herman R, Wirta R, Bampton S, Finley FR. Human solutions for locomotion: 1. Single limb analysis. In: Herman R, Grillner S, Stein P, Stuart D, eds. *Neural control of locomotion*. New York: Plenum, 1976: 13-49.

- Hermsdorfer J, Laimgruber K, Kerkhoff G, Mai N, Goldenberg G. Effects of unilateral brain damage on grip selection, coordination, and kinematics of ipsilesional prehension. *Exp Brain Res* 1999; 128(1-2): 41-51.
- Hesse S, Bertelt C, Jahnke MT, et al. Treadmill training with partial body weight support compared with physiotherapy in non ambulatory hemiparetic patients. *Stroke* 1995; 26:976-981.
- Hesse S, Bertelt C, Schaffrin A, et al. Restoration of gait in non ambulatory hemiparetic patients by treadmill training with partial weight support. *Arch Phys Med Rehabil* 1994; 75:1087-1093.
- Hesse S, Konrad M, Uhlenbroch D. Treadmill walking with partial body weight support versus floor walking in hemiparetic subjects. *Arch Phys Med Rehabil* 1999; 80:421-427.
- Higgins JR, Spaeth RA. Relationship between consistency of movement and environmental conditions. *Quest* 1979; 17:61-69.
- Higgins CI, Campos JJ, Kermode R. Effect of self-produced locomotion on infant postural compensation to optic flow. *Dev Psychol* 1996; 32:836-841.
- Hird JS, Landers DM, Thomas JR, Horan JJ. Physical practice is superior to mental practice in enhancing cognitive and motor task performance. *J Sport Exer Psychol* 1991; 13:281-293.
- Hirschfeld H. On the integration of posture, locomotion and voluntary movement in humans: normal and impaired development. Dissertation. Karolinska Institute, Stockholm, 1992.
- Hirschfeld H, Forssberg H. Epigenetic development of postural responses for sitting during infancy. *Exp Brain Res* 1994; 97:528-540.
- Hirt S. The tonic neck reflex mechanism in the normal human adult. *Am J Phys Med* 1967; 46:56-65.
- Hodges PW, Gurfinkel VS, Brumagne S, Smith TC, Cordo PC. Coexistence of stability and mobility in postural control: evidence from postural compensation for respiration. *Exp Brain Res* 2002; 144: 293-302.
- Hoehn MM, Yahr MD. Parkinsonism: onset, progression and mortality. *Neurology* 1967; 17:433-450.
- Hoffer MM, Feiwel E, Perry R, et al. Functional ambulation in patients with myelomeningocele. *J Bone Joint Surg Am* 1973; 55:137-148.
- Hogan N, Krebs HI. Interactive robots for neuro-rehabilitation. *Restor Neurol Neurosci*. 2004; 22(3-5):349-358.
- Hogan N, Bizzi E, Mussa-Ivaldi FA, Flash T. Controlling multijoint motor behavior. *Exerc Sport Sci Rev* 1987; 15:153-190.
- Holden MK, Dettwiler A, Dyer T, Niemann G, Bizzi E. Retraining movement in patients with acquired brain injury using a virtual environment. *Stud Health Technol Inform* 2001; 81:192-8.
- Holden MK, Gill KM, Magliozi MR, et al. Clinical gait assessment in the neurologically impaired: reliability and meaningfulness. *Phys Ther* 1984; 64:35-40.
- Hollerbach JM. Planning of arm movements. In: Osherson DN, Kosslyn SM, Hollerbach JM, eds. *Visual cognition and action: an invitation to cognitive science*, vol. 2. Cambridge, MA: MIT Press, 1990:183-211.
- Horak F. Assumptions underlying motor control for neurologic rehabilitation. In: *Contemporary management of motor control problems*. Proceedings of the II Step Conference. Alexandria, VA: American Physical Therapy Association, 1991:11-27.
- Horak F. Clinical measurement of postural control in adults. *Phys Ther* 1987; 67:1881-1885.
- Horak F, Diener HC. Cerebellar control of postural scaling and central set in stance. *J Neurophysiol* 1994; 72:479-493.
- Horak F, Diener HC, Nashner LM. Influence of central set on human postural responses. *J Neurophysiol* 1989a; 62:841-853.
- Horak F, Jones-Rycewicz C, Black FO, Shumway-Cook A. Effects of vestibular rehabilitation on dizziness and imbalance. *Otolaryngol Head Neck Surg* 1992; 106:175-180.
- Horak F, Moore S. Lateral postural responses: the effect of stance width and perturbation amplitude. *Phys Ther* 1989; 69:363.
- Horak F, Nashner L. Central programming of postural movements: adaptation to altered support surface configurations. *J Neurophysiol* 1986; 55:1369-1381.
- Horak F, Shumway-Cook A, Black FO. Are vestibular deficits responsible for developmental disorders in children? *Insights Otolaryngol* 1988; 3:2.
- Horak F, Shumway-Cook A. Clinical implications of postural control research. In: Duncan P, ed. *Balance: proceedings of the APTA Forum*. Alexandria, VA: American Physical Therapy Association, 1990:105-111.
- Horak F, Shupert C. The role of the vestibular system in postural control. In: Herdman S, ed. *Vestibular rehabilitation*. New York: FA Davis, 1994:22-46.
- Horak F, Shupert C, Mirka A. Components of postural dyscontrol in the elderly: a review. *Neurobiol Aging* 1989c; 10:727-745.
- Horak FB. Adaptation of automatic postural responses. In: Bloedel JR, Ebner TJ, Wise SP, eds. *The acquisition of motor behavior in vertebrates*. Cambridge MA: MIT Press, 1996:57-85.
- Horak FB. Comparison of cerebellar and vestibular loss on scaling of postural responses. In: Brandt T, Paulus IO, Bles W, et al., eds. *Disorders of posture and gait*. Stuttgart: George Thieme Verlag, 1990: 370-373.
- Horak FB, Anderson M, Esselman P, Lynch K. The effects of movement velocity, mass displaced and task certainty on associated postural adjustments made by normal and hemiplegic individuals. *J Neurol Neurosurg Psychiatry* 1984; 47:1020-1028.
- Horak FB, Dimitrova D, Nutt JG. Directional-specific postural instability in subjects with Parkinson's disease. *Exp Neurology* 2005; 193:504-521.
- Horak FB, Earhart GM, Dietz V. Postural responses to combinations of head and body displacements: vestibular and somatosensory interactions. *Exp Brain Res* 2001; 141:410-414.
- Horak FB, Hlavacka F. Somatosensory loss increases vestibulospinal sensitivity. *J Neurophysiol* 2001; 86:575-585.
- Horak FB, Macpherson JM. Postural orientation and equilibrium. In: Shepard J & Rowell L, eds. *Handbook of physiology*, section 12. Exercise: regulation and integration of multiple systems. New York, Oxford University, 1996:255-292.
- Horak FB, Nutt JG, Nashner LM. Postural inflexibility in Parkinsonian subjects. *J Neurol Sci* 1992; 111:46-58.
- Horak FB, Nashner LM, Diener HC. Postural strategies associated with somatosensory and vestibular loss. *Exp Brain Res* 1990; 82:167-177.
- Horak FB, Shupert CL, Dietz V, Horstmann G. Vestibular and somatosensory contributions to responses to head and body displacements in stance. *Exp Brain Res*. 1994; 100:93-106.
- Hore J, Wild B, Diener HC. Cerebellar dysmetria at the elbow, wrist, and fingers. *J Neurophysiol* 1991; 65(3):563-571.
- Horowitz L, Sharby N. Development of prone extension postures in healthy infants. *Phys Ther* 1988; 68:32-39.
- Hovda DA, Feeney DM. Haloperidol blocks amphetamine induced recovery of binocular depth perception after bilateral visual cortex ablation in the cat. *Proc West Pharmacol Soc* 1985; 28:209-211.
- Hoy MG, Zernicke RF. Modulation of limb dynamics in the swing phase of locomotion. *J Biomech* 1985; 18:49-60.
- Hoy MG, Zernicke RF. The role of intersegmental dynamics during rapid limb oscillations. *J Biomech* 1986; 19:867-877.
- Hoy MG, Zernicke RF, Smith JL. Contrasting roles of inertial and muscle moments at knee and ankle during paw-shake response. *J Neurophysiol* 1985; 54:1282-1294.
- Hoyle G. *Muscles and their neural control*. New York: Wiley, 1983.
- Hoyt DF, Taylor CR. Gait and energetics of locomotion in horses. *Nature* 1981; 292: 239-240.
- Hreljac A. Determinants of the gait transition speed during human locomotion: kinetic factors. *Gait Posture* 1993b; 1:217-223.
- Hreljac A. Determinants of the gait transition speed during human locomotion: kinematic factors. *J Biomech* 1995a; 28: 669-677.
- Hreljac A. Effects of physical characteristics on the gait transition speed during human locomotion. *Hum Mov Sci* 1995b; 14:205-216.

- Hreljac A. Preferred and energetically optimal gait transition speeds in human locomotion. *Med Sci Sports Exerc* 1993a; 25:1158-1162.
- Hsieh CL, Cheu CF, Hsueh IP, Wang CH. Trunk control as an early predictor of comprehensive activities of daily living function in stroke patients. *Stroke* 2002; 33:2626-2630.
- Hsueh IP, Lee MM, Hsieh CL. The psychometric characteristics of the Barthel ADL index in stroke patients. *J Formos Med Assoc* 2001; 100:526-532.
- Hu M, Woollacott M. Multisensory training of standing balance in older adults: 1. Postural stability and one-leg stance balance. *J Gerontol* 1994a; 49:M52-M61.
- Hu M, Woollacott M. Multisensory training of standing balance in older adults: 2. Kinetic and electromyographic postural responses. *J Gerontol* 1994b; 49:M62-M71.
- Hubel DH. Eye, brain and vision. New York: Scientific American, 1988.
- Hubel DH, Wiesel TN. Receptive fields of single neurones in the cat's striate cortex. *J Physiol Lond* 1959; 148:574-591.
- Hubel DH, Wiesel TN. Receptive fields, binocular interaction and functional architecture in the cat's visual cortex. *J Physiol Lond* 1962; 160:106-154.
- Hughes RE, Johnson ME, O'Driscoll SW, An KN. Age-related changes in normal isometric shoulder strength. *Am J Sports Med* 1999a; 27(5):651-657.
- Hughes RE, Johnson ME, O'Driscoll SW, An KN. Normative values of agonist-antagonist shoulder strength ratios of adults aged 20 to 78 years. *Arch Phys Med Rehabil* 1999b; 80:1324-1326.
- Hughes VA, Frontera WR, Wood M, Evans WJ, Dallal GE, Roubenoff R, Fiatarone Singh MA. Longitudinal muscle strength changes in older adults: influence of muscle mass, physical activity and health. *J Gerontol Biol Sci* 2001; 56A:B209-B217.
- Hugon M, Massion J, Wiesendanger M. Anticipatory postural changes induced by active unloading and comparison with passive unloading in man. *Pflugers Arch* 1982; 393:292-296.
- Hulliger M, Nordh E, Thelin AE, Vallbo AB. The responses of afferent fibers from the glabrous skin of the hand during voluntary finger movements in man. *J Physiol* 1979; 291:233-249.
- Humm JL, Kozlowski DA, Bland ST, James DC, Schallert T. Progressive expansion of brain injury by extreme behavior pressure: is glutamate involved? *Exp Neurol* 1999; 157:349-358.
- Hummel F, Celnik P, Giroux P, Floel A, Wu WH, Gerloff C, Cohen LG. Effects of non-invasive cortical stimulation on skilled motor function in chronic stroke. *Brain* 2005; 128:490-499.
- Humphrey NK, Weiskrantz L. Vision in monkeys after removal of the striate cortex. *Nature* 1969; 215:595-597.
- Hung YC, Charles J, Gordon AM. Bimanual coordination during a goal-directed task in children with hemiplegic cerebral palsy. *Dev Med Child Neurol* 2004; 46:746-753.
- Hwang I, Tung L, Yang J, Chen Y, Yeh C, Wang C. Electromyographic analyses of global synkinesis in the paretic upper limb after stroke. *Phys Ther* 2005; 85:755-765.
- Hyndman D, Ashburn A. "Stops Walking When Talking" as a predictor of falls in people with stroke living in the community. *J Neurol Neurosurg Psychiatry* 2004; 75:994-997.
- Hyndman D, Ashburn A. People with stroke living in the community: attention deficits, balance, ADL ability, and falls. *Disabil Rehabil* 2003; 25:817-822.
- Ikai T, Kamikubo T, Takehara I, Nishi M, Miyano S. Dynamic postural control in patients with hemiparesis. *Am J Phys Med Rehabil* 2003; 82:463-469.
- Imms FJ, Edholm OG. Studies of gait and mobility in the elderly. *Age Ageing* 1981; 10:147-156.
- Inglis B, Woollacott MH. Age-related changes in anticipatory postural adjustments associated with arm movements. *J Gerontol* 1988; 43:M105-M113.
- Inglis JT, Horak FB, Shupert CL, Rycewicz C. The importance of somatosensory information in triggering and scaling automatic postural responses in humans. *Exp Brain Res* 1994; 101: 159-164.
- Ingvarsson PE, Gordon AM, Forssberg H. Co-ordination of manipulative forces in Parkinson's disease. *Exp Neuro*; 1997; 145: 489-501.
- Inkster LM, Eng JJ. Postural control during a sit to stand task in individuals with mild Parkinson's disease. *Exp Brain Res* 2004; 154: 33-38.
- Inman VT, Ralston H, Todd F. Human walking. Baltimore: Williams & Wilkins, 1981.
- Isles RC, Choy NL, Steer M, Nitz JC. Normal values of balance tests in women aged 20-80. *J Am Geriatr Soc* 2004; 52: 1367-1372.
- Ito M, Araki A, Tanaka H, Tasaki T, Cho K, Yamazaki R. Muscle histopathology in spastic cerebral palsy. *Brain Dev* 1996; 18:299-303.
- Ito M. The cerebellum and neural control. New York: Raven, 1984.
- Ivanenko YP, Dominici N, Cappellini G, Dan B, Cheron G, Lacquaniti F. Development of pendulum mechanism and kinematic coordination from the first unsupported steps in toddlers. *J Exp Biol.* 2004; 207:3797-3810.
- Ivanenko YP, Dominici N, Cappellini G, Lacquaniti F. Kinematics in newly walking toddlers does not depend upon postural stability. *J Neurophysiol* 2005; 94:754-763.
- Ivry R. Representational issues in motor learning: phenomena and theory. In: Keele S, Heuer H, eds. Handbook of perception and action: motor skills. New York: Academic, 1997.
- Ivry RB, Keele SW. Timing functions of the cerebellum. *J Cogn Neurosci* 1989; 1:136-152.
- Jackson RT, Epstein CM, De L'Amme WR. Abnormalities in posturography and estimations of visual vertical and horizontal in multiple sclerosis. *Am J Otol* 1995; 16:88-93.
- Jacobs R, Macpherson J. Two functional muscle groupings during postural equilibrium tasks in standing cats. *J Neurophysiol* 1996; 76:2402-2411.
- Jaffee R, Farney-Mokris S. Volumeter. In: Casanova J, ed. Clinical assessment recommendations, 2nd ed. Chicago: American Society of Hand Therapists, 1992: 13-19.
- Jeannerod M. Reaching and grasping: parallel specification of visuomotor channels. In: Handbook of perception and action, vol. 2. London: Academic Press, 1996: 405-460.
- Jeannerod M. The formation of finger grip during prehension: a cortically mediated visuomotor pattern. *Behav Brain Res* 1986; 19:99-116.
- Jeannerod M. The neural and behavioral organization of goal-directed movements. Oxford: Clarendon Press, 1990.
- Jeannerod M. The timing of natural prehension movements. *J Mot Behav* 1984; 16:235-254.
- Jeannerod M, Arbib MA, Rizzolatti G, Sakata H. Grasping objects: the cortical mechanisms of visuomotor transformation. *Trends Neurosci* 1995; 18:314-320.
- Jebson RH, Taylor N, Trieschmann RB, Trotter MJ, Howard L. An objective and standard test of hand function. *Arch Phys Med Rehabil* 1969; 50:311-319.
- Jedlinsky BP, McCarthy CF, Michel TH. Validating pediatric pain measurement: sensory and affective components. *Ped Phys Ther* 1999; 11:83-88.
- Jeka J, Kiemel T, Creath R, Horak F, Peterka R. Controlling human upright posture: velocity information is more accurate than position or acceleration. *J Neurophysiol* 2004; 92:2368-2379.
- Jeka J, Lackner JR. Fingertip contact influences human postural control. *Exp Brain Res* 1994; 100:495-502.
- Jeka JJ, Easton RD, Bentzen BL, Lackner JR. Haptic cues for orientation and postural control in sighted and blind individuals. *Percept Psychophys* 1996; 58:409-423.
- Jeka JJ, Lackner JR. The role of haptic cues from rough and slippery surfaces in human postural control. *Exp Brain Res* 1995; 103:267-276.
- Jeka JJ. Light touch contact as a balance aid. *Phys Ther* 1997; 77:477-487.
- Jenkins WM, Merzenich MM. Reorganization of neocortical representations after brain injury: a neurophysiological model of the bases of recovery from stroke. *Prog Brain Res* 1987; 71:249-266.

- Jenkins WM, Merzenich MM, Och MT, et al. Functional reorganization of primary somatosensory cortex in adult owl monkeys after behaviorally controlled tactile stimulation. *J Neurophysiol* 1990; 63:82-104.
- Jensen JL, Bothner KE, Wollacott MH. Balance control: the scaling of the kinetic response to accommodate increasing perturbation magnitudes. *J Sport Exer Psychol* 1996; 18:S45.
- Jette AM. Assessing disability in studies on physical activity. *Am J Prev Med* 2003; 25 (3 Suppl 2):122-128.
- Jette AM. The changing language of disablement. *Phys Ther* 2005; 85(2):118-9.
- Jette AM. Diagnosis and classification by physical therapists: a special communication. *Phys Ther* 1989; 69:967-969.
- Jette AM. Physical disablement concepts for physical therapy research and practice. *Phys Ther* 1994; 74:380-386.
- Jette AM, Haley SM, Coster WJ, et al. Late life function and disability instrument: II. Development and evaluation of the function component. *J Gerontol A Biol Sci Med Sci* 2002; 57A:M209-M216.
- Jims C. Foot placement pattern, an aid in gait training: suggestions from the field. *Phys Ther* 1977; 57:286.
- Johansson BB. Brain plasticity in health and disease. *Keio J Med* 2004; 53(4):231-246.
- Johansson RS. Sensory control of dexterous manipulation in humans. In: Wing AM, Haggard P, Flanagan J, eds. *Hand and brain: the neurophysiology and psychology of hand movements*. New York: Academic Press, 1996:381-414.
- Johansson RS, Edin BB. Neural control of manipulation and grasp. In: Forssberg H, Hirschfeld H, eds. *Movement disorders in children*. Basel: Karger, 1992:107-112.
- Johnson GR. Outcome measures in spasticity. *Eur J Neurol* 2002; 9:10-16.
- Jordan T, Rabbitt P. Response times to stimuli of increasing complexity as a function of ageing. *Br J Psychol* 1977; 68:189-201.
- Jouen F. Early visual-vestibular interactions and postural development. In: Bloch H, Bertenthal BI, eds. *Sensory-motor organizations and development in infancy and early childhood*. Dordrecht: Kluwer, 1990:199-215.
- Jouen F. Titres et travaux en vue de l'habilitation à diriger des recherches. State doctoral thesis, Université Paris IV Paris, 1993:104.
- Jouen F. Visual-vestibular interactions in infancy. *Infant Behav Dev* 1984; 7:135-145.
- Jouen F, Lepecq J-C, Gepenne O, Bertenthal BI. Optic flow sensitivity in neonates. *Infant Behav Dev* 2000; 23:271-284.
- Judge J, Whipple R, Wolfson L. Effects of resistive and balance exercises on isokinetic strength in older persons. *J Am Geriatr Soc* 1994; 42:937-946.
- Judge JO, Underwood M, Gennosa T. Exercise to improve gait velocity. *Arch Phys Med Rehabil* 1993; 74:400-406.
- Kaas JH, Florence SL, Jain N. Reorganization of sensory systems of primates after injury. *Neuroscientist* 1997; 3:123-130.
- Kafri M, Dickstein R. Activation of selected frontal trunk and extremities muscles during rolling from supine to sidelying in healthy subjects and in post stroke hemiparetic subjects. *Neurorehabilitation* 2005; 20:125-31.
- Kaiser ML, Braun M, Rhyner C. [Utilization of the Canadian Occupational Performance measure (COPM) among children and their parents: a Swiss experience] [in French]. *Can J Occup Ther* 2005; 72(1):30-36.
- Kallin K, Gustafson Y, Sandman PO, Karlsson S. Factors associated with falls among older, cognitively impaired people in geriatric care settings: a population based study. *Am J Geriatr Psychiatry* 2005; 13:501-509.
- Kaminski T, Bock C, Gentile AM. The coordination between trunk and arm motion during pointing movements. *Exp Brain Res* 1995; 106:457-466.
- Kamm K, Thelen E, Jensen J. A dynamical systems approach to motor development. In: Rothstein JM, ed. *Movement science*. Alexandria, VA: American Physical Therapy Association, 1991:11-23.
- Kandel E. Brain and behavior. In: Kandel E, Schwartz JH, Jessell TM, eds. *Principles of neuroscience*, 3rd ed. New York: Elsevier, 1991a:5-17.
- Kandel E. Cellular mechanisms of learning and the biological basis of individuality. In: Kandel ER, Schwartz JH, Jessell TM, eds. *Principles of neural science*, 4th ed. New York: McGraw-Hill, 2000: 1247-1279.
- Kandel ER. Cellular basis of behavior: an introduction to behavioral neurobiology. San Francisco: Freeman, 1976.
- Kandel ER. Cellular mechanisms of learning and the biological basis of individuality. In: Kandel ER, Schwartz JH, Jessell TM, eds. *Principles of neuroscience*, 3rd ed. New York: Elsevier, 1991b:1009-1031.
- Kandel ER. Genes, nerve cells, and the remembrance of things past. *J Neuropsychiatry* 1989; 1:103-125.
- Kandel ER. The brain and behavior. In: Kandel ER, Schwartz JH, Jessell TM, eds. *Principles of neural science*, 4th ed. New York: McGraw-Hill, 2000:5-17.
- Kandel ER, Kupfermann I, Iversen S. Learning and memory. In: Kandel ER, Schwartz JH, Jessell TM, eds. *Principles of neural science*, 4th ed. New York: McGraw-Hill, 2000:1227-1246.
- Kandel ER, Schwartz JH. Molecular biology of learning: modulation of transmitter release. *Science* 1982; 218:433-443.
- Kandel ER, Schwartz JH, Jessell TM, eds. *Principles of neuroscience*, 3rd ed. New York: Elsevier, 1991.
- Kandel ER, Siegelbaum SA. Synaptic integration. In: Kandel ER, Schwartz JH, Jessell TM, eds. *Principles of neural science*, 4th ed. New York: McGraw-Hill, 2000: 207-228.
- Kane RA, Kane RL. Assessing the elderly: a practical guide to measurement. Lexington, MA: Lexington Books, 1981.
- Kapteyn TS. Afterthought about the physics and mechanics of postural sway. *Agrosologie* 1973; 14:27-35.
- Karasik D, Demissie S, Cupples A, Kiel D. Disentangling the genetic determinants of human aging: biological age as an alternative to the use of survival measures. *J Gerontol Biol Sci* 2005; 60A:574-587.
- Karman N, Maryles J, Baker RW, Simpser E, Berger-Gross P. Constraint-induced movement therapy for hemiplegic children with acquired brain injuries. *J Head Trauma Rehabil* 2003; 18(3):259-267.
- Katz R, Rymer Z. Spastic hypertonia: mechanisms and measurement. *Arch Phys Med Rehabil* 1989; 70:144-155.
- Katz RT, Rovai GP, Brait C, Rymer WZ. Objective quantification of spastic hypertonia: correlation with clinical findings. *Arch Phys Med Rehabil* 1992; 73(4):339-347.
- Katz S, Downs TD, Cash JR, Grotz RC. Progress in development of the index of ADL. *Gerontologist* 1970:20-30.
- Kavounoudias A, Gilhodes JC, Roll R, Roll JP. From balance regulation to body orientation: two goals for muscle proprioceptive information processing? *Exp Brain Res* 1999; 124:80-88.
- Kazennikov O, Perrig S, Wiesendanger M. Kinematics of a coordinated goal-directed bimanual task. *Behav Brain Res* 2002; 134(1-2):83-91.
- Kearney K, Gentile AM. Prehension in young children with Down syndrome. *Acta Psychol (Amst)* 2003; 112(1):3-16.
- Keele S. Movement control in skilled motor performance. *Psychol Bull* 1968; 70: 387-403.
- Keele S, Ivry R. Does the cerebellum provide a common computation for diverse tasks? A timing hypothesis. In: Diamond A, ed. *Developmental and neural bases of higher cognitive function*. New York: New York Academy of Sciences, 1990:179-207.
- Keele SW. Behavioral analysis of movement. In: Brooks VB, ed. *Handbook of physiology*: I. The nervous system, vol. 2. Motor control, part 2. Baltimore: Williams & Wilkins, 1981:1391-1414.
- Keele SW. Motor control. In: Kaufman L, Thomas J, Boff K, eds. *Handbook of perception and performance*. New York: Wiley, 1986:1-30.
- Keele SW, Posner MI. Processing visual feedback in rapid movement. *J Exp Psychol* 1968; 77:155-158.
- Keith RA, Granger CV, Hamilton BB, Sherwin FS. The functional independence measure: a new tool for rehabilitation. In: Eisentberg MG, Grzesiak RC, eds. *Advances in clinical rehabilitation*, vol. 1. New York: Springer Verlag, 1987:6-18.
- Kelly VE, Hyngstrom AS, Rundle MM, Bastian AJ. Interaction of levodopa and cues on voluntary reaching in Parkinson's disease. *Mov Disord* 2002; 17(1):28-44.

- Kelso JA, Holt KG, Rubin P, Kugler PN. Patterns of human interlimb coordination emerge from the properties of non-linear, limit cycle oscillatory processes: theory and data. *J Mot Behav* 1981; 13(4): 226-261.
- Kelso JAS, Holt KJ. Exploring a vibratory systems analysis of human movement production. *J Neurophysiol* 1980; 43: 1183-1196.
- Kelso JAS, Southard DL, Goodman D. On the coordination of two-handed movements. *J Exp Psychol Hum Percept* 1979; 5:229-238.
- Kelso JAS, Tuller B. A dynamical basis for action systems. In: Gazanniga MS, ed. *Handbook of cognitive neuroscience*. New York: Plenum, 1984:321-356.
- Kendall FP, McCreary EK. *Muscles: testing and function*, 3rd ed. Baltimore: Williams & Wilkins, 1983.
- Kennard MA. Cortical reorganization of motor function: studies on a series of monkeys of various ages from infancy to maturity. *Arch Neurol Psychiatr* 1942; 48:27-240.
- Kennard MA. Relation of age to motor impairment in man and in sub-human primates. *Arch Neurol Psychiatry* 1940; 44:377-398.
- Kenshalo DR. Aging effects on cutaneous and kinesthetic sensibilities. In: Han SS, Coons DH, eds. *Special senses in aging*. Ann Arbor: University of Michigan, 1979.
- Kepple T, Siegel KL, Stanhope SJ. Relative contributions of the lower extremity joint moments to forward progression and support during gait. *Gait Posture* 1997; 6:1-8.
- Kerns K, Mateer CA. Walking and chewing gum: the impact of attentional capacity on everyday activities. In: Sbordone RJ, Long CJ, eds. *Ecological validity of neuropsychological testing*. Delray Beach, FL: GR Press, 1996.
- Kerr B, Condon SM, McDonald LA. Cognitive spatial processing and the regulation of posture. *J Exp Psychol* 1985; 11:617-622.
- Kerr R. Movement control and maturation in elementary-grade children. *Percept Mot Skills* 1975; 41:151-154.
- Kerr R, Booth B. Skill acquisition in elementary school children and schema theory. In: Landers DM, Christina RW, eds. *Psychology of motor behavior and sport*, vol. 2. Champaign, IL: Human Kinetics, 1977.
- Kerrigan DC, Schaufele M, Wen MN. Gait analysis. In: DeLisa JA, Gans BM, eds. *Rehabilitation medicine: principles and practice*, 3rd ed. Philadelphia: Lippincott-Raven, 1998.
- Kessler RM, Hertling D. Management of common musculoskeletal disorders. Philadelphia: Harper & Row, 1983.
- Ketelaar M, Vermeet A, Helders P. Functional motor abilities of children with CP: a systematic literature review of assessment measures. *Clin Rehabil* 1998; 12:369-380.
- Kim CM, Eng JJ. The relationship of lower extremity muscle torque to locomotor performance in people with stroke. *Phys Ther* 2003; 83:49-57.
- Kinoshita H, Francis PR. A comparison of prehension force control in young and elderly individuals. *Eur J Appl Physiol Occup Physiol* 1996; 74:450-460.
- Kirshenbaum N, Riach CL, Starkes JL. Non-linear development of postural control and strategy use in young children: a longitudinal study. *Exp Brain Res* 2001; 140:420-431.
- Klatzky RL, McCloskey B, Doherty S, et al. Knowledge about hand shaping and knowledge about objects. *J Mot Behav* 1987; 19:187-213.
- Kleim JA, Cooper NR, VandenBerg PM. Exercise induces angiogenesis but does not alter movement representations within rat motor cortex. *Brain Res* 2002; 934:1-6.
- Kleim JA, Jones TA, Schallert T. Motor enrichment and the induction of plasticity before or after brain injury. *Neurochem Res* 2003; 28:1757-1769.
- Kleim JA, Swain RA, Armstrong Kam, Napper RM, Jones TA, Greenough WT. Selective synaptic plasticity within the cerebellar cortex following complex motor skill learning. *Neurobiol Learn Mem* 1998; 69:274-289.
- Kleim JA, Vij K, Ballard DH, Greenough WT. Learning dependent synaptic modifications in the cerebellar cortex of the adult rat persist for at least four weeks. *J Neurosci* 1997; 17:717-71.
- Kluzik J, Fetters L, Coryell J. Quantification of control: a preliminary study of effects of neurodevelopmental treatment on reaching in children with spastic cerebral palsy. *Phys Ther* 1990; 2:65-78.
- Knapp HD, Taub E, Berman J. Movements of monkeys with deafferented forelimbs. *Exp Neurol* 1963; 7:305-315.
- Knutsson E, Richards C. Different types of disturbed motor control in gait of hemiparetic patients. *Brain* 1979; 102: 405-430.
- Kobayashi M, Hutchinson S, Theoret H, Schlaug G, Pascual-Leone A. Repetitive TMS of the motor cortex improves ipsilateral sequential simple finger movements. *Neurology* 2004; 62:91-98.
- Koester J, Siegelbaum SA. Membrane potential. In: Kandel ER, Schwartz JH, Jessell TM, eds. *Principles of neural science*, 4th ed. New York: McGraw-Hill, 2000: 125-139.
- Konczak J, Borutta M, Dichgans J. The development of goal-directed reaching in infants: 2. Learning to produce task-adequate patterns of joint torque. *Exp Brain Res* 1997; 113:465-474.
- Konczak J, Borutta M, Topka H, Dichgans J. The development of goal-directed reaching in infants: hand trajectory formation and joint torque control. *Exp Brain Res* 1995; 106:156-168.
- Konczak J, Dichgans J. The development toward stereotypic arm kinematics during reaching in the first 3 years of life. *Exp Brain Res* 1997; 117:346-354.
- Konczak J, Jansen-Osmann P, Kalveram KT. Development of force adaptation during childhood. *J Mot Behav* 2003; 35:41-52.
- Kosnik W, Winslow L, Kline D, Rasinski K, Sekuler R. Visual changes in daily life throughout adulthood. *J Gerontol* 1988; 43:P63-P70.
- Kots YM, Syroveci AV. Fixed set of variants of interactions of the muscles to two joints in the execution of simple voluntary movements. *Biophysics* 1966; 11:1212-1219.
- Kozlowski DA, James DC, Schallert T. Use-dependent exaggeration of neuronal injury after unilateral sensorimotor cortex lesions. *J Neurosci* 1996; 16:4776-4786.
- Krakauer J, Ghez C. Voluntary movement. In: Kandel ER, Schwartz JH, Jessell TM, eds. *Principles of neural science*, 4th ed. New York: McGraw-Hill, 2000:756-779.
- Kram R, Domingo A, Ferris D. Effect of reduced gravity on the preferred walk-run transition speed. *J Exp Biol* 1997; 200:821-826.
- Kramer PL, Mineta M, Klein C, Schilling K, de Leon D, Farlow MR, Breakefield XO, Bressman SB, Dobyns WB, Ozelius LJ, Brashear A. Rapid-onset dystonia-parkinsonism: linkage to chromosome 19q13. *Ann Neurol* 1999; 6(2):176-182.
- Krebs DE, Edelstein JE, Fishman S. Reliability of observational kinematic gait analysis. *Phys Ther* 1985; 65:1027-1033.
- Krebs DE, Jette AM, Assmann SF. Moderate exercise improves gait stability in disabled elders. *Arch Phys Med Rehabil* 1998; 79:1489-1495.
- Kriellaars DJ, Brownstone RM, Noga BR, Jordan LM. Mechanical entrainment of fictive locomotion in the decerebrate cat. *J Neurophysiol* 1994; 71:2074-2086.
- Kristinsdottir EK, Fransson PA, Magnusson M. Changes in postural control in healthy elderly subjects are related to vibration sensation, vision and vestibular asymmetry. *Act Otolaryngol* 2001; 121:700-706.
- Krumlinde-Sundholm L, Eliasson AC. Development of the assisting hand assessment: a Rasch-built measure intended for children with unilateral upper limb impairments. *Scand J Occup Ther* 2003; 10(1):16-26.
- Krumlinde-Sundholm L, Holmefur M, Eliasson AC. The assisting hand assessment: evidence of validity, reliability and responsiveness to change. Workshop presented at the American Academy for Cerebral Palsy and Developmental Medicine, Orlando, FL, 2005.
- Kugler PN, Kelso JAS, Turvey MT. On the concept of coordinative structures as dissipative structures: 1. Theoretical line. In: Stelmach GE, Requin J, eds. *Tutorials in motor behavior*. Amsterdam: North-Holland, 1980:3-37.
- Kugler PN, Kelso JAS, Turvey MT. On the control and coordination of naturally developing systems. In: Kelso JAS, Clark JE, eds. *The development of movement control and coordination*. New York: Wiley, 1982:5-78.

- Kugler PN, Turvey MT. Information, natural law and self assembly of rhythmic movement. Hillsdale, NJ: Erlbaum, 1987.
- Kuhtz-Buschbeck JP, Stolze H, Johnk K, Boczek-Funcke A, Illert M. Development of prehension movements in children: a kinematic study. *Exp Brain Res* 1998; 122:424-432.
- Kunesch E, Schnitzler A, Tyercha C, Knecht S, Stelmach G. Altered force release control in Parkinson's disease. *Behav Brain Res* 1995; 67:43-49.
- Kunkel A, Kopp B, Müller G, Villringer K, Villringer A, Taub E, Flor H. Constraint-induced movement therapy for motor recovery in chronic stroke patients. *Arch Phys Med Rehabil* 1999; 80:624-628.
- Kuo AD, Speers RA, Peterka RJ, Horak FB. Effect of altered sensory conditions on multivariate descriptors of human postural sway. *Exp Brain Res* 1998; 122:185-195.
- Kupfermann I. Localization of higher cognitive and affective functions: the association cortices. In: Kandel E, Schwartz JH, Jessell TM, eds. Principles of neuroscience, 3rd ed. New York: Elsevier, 1991a:823-838.
- Kuypers HGJM. Anatomy of the descending pathways. In: Brookhart JM, Mountcastle VB, eds. Handbook of physiology: the nervous system, part II. Bethesda, MD: American Physiological Society 1981:597-666.
- Kuypers HGJM. Corticospinal connections: postnatal development in rhesus monkey. *Science* 1962; 138:678-680.
- Kuypers HGJM. The descending pathways to the spinal cord, their anatomy and function. In: Eccles JC, ed. Organization of the spinal cord. Amsterdam: Elsevier, 1964.
- Kwakkel G, Wagenaar RC, Kollen BJ, Lankhorst GJ. Predicting disability in stroke: a critical review of the literature. *Age Ageing* 1996; 25:479-89.
- Lackner JR, DiZio P. Sensory-motor calibration processes constraining the perception of force and motion during locomotion. In: Woollacott MH, Horak FB, eds. Posture and gait: control mechanisms. Eugene, OR: University of Oregon, 1992:92-96.
- Lackner JR, DiZio P. Visual stimulation affects the perception of voluntary leg movements during walking. *Perception* 1988; 17:71-80.
- Lafortune MA, Hennig EM, Lake MJ. Dominant role of interface over knee angle for cushioning impact loading and regulating initial leg stiffness. *J Biomech* 1996; 29:1523-1529.
- Lajoie Y, Teasdale N, Bard C, Fleury M. Attentional demands for static and dynamic equilibrium. *Exp Brain Res* 1993; 97:139-144.
- Lamb SE, Ferrucci L, Volapto S. Risk factors for falling in home dwelling older women with stroke: the Womens Health and Aging Study. *Stroke* 2003; 34:494-501.
- Lamontagne A, Malouin F, Richards CL, Dumas RF. Mechanisms of disturbed motor control in ankle weakness during gait after stroke. *Gait Posture* 2002; 15: 244-255.
- Lamontagne A, Malouin F, Richards CL. Locomotor specific measure of spasticity of plantarflexor muscles after stroke. *Arch Phys Med Rehabil* 2001; 82:1696-1704.
- Lance JW. Symposium synopsis. In: Feldman RG, Young RR, Koella WP, eds. Spasticity: disordered motor control. Chicago: Year Book, 1980.
- Lang CE, Schieber MH. Reduced muscle selectivity during individuated finger movements in humans after damage to the motor cortex or corticospinal tract. *J Neurophysiol* 2004; 91:1722-1733.
- Lang W, Obrig H, Lindinger G, et al. Supplementary motor area activation while tapping bimanually different rhythms in musicians. *Exp Brain Res* 1990; 79:504-514.
- Larson MA, Lee SL, Vasque DE. Comparison of ATNR presence and developmental activities in 2-4 month old infants. Alexandria, VA: American Physical Therapy Association conference proceedings, June, 1990.
- Larsson LE. Neural control of gait in man. In: Eccles J, Dimitrijevic MR, eds. Recent achievements in restorative neurology. Basel: Karger, 1985:185-198.
- Lashley KS. Brain mechanism and intelligence. Chicago: University of Chicago, 1929.
- Lashley KS. In search of the engram. *Symp Soc Exp Biol* 1950; 4:454-482.
- Latash ML, Gelfand IM, Li ZM, Zatsiorsky VM. Changes in the force-sharing pattern induced by modifications of visual feedback during force production by a set of fingers. *Exp Brain Res* 1998; 123(3): 255-262.
- Latash ML, Aruin AS, Neyman I, Nicholas JJ. Anticipatory postural adjustments during self inflicted and predictable perturbations in Parkinson's disease. *J Neurol Neurosurg Psychiatry* 1995; 58(3):326-334.
- Laufer Y. Effect of age on characteristics of forward and backward gait at preferred and accelerated walking speed. *J Gerontology* 2005; 60A:627-632.
- Lavindar G, Gentile AM. Constraint-induced therapy in children with hemiplegic cerebral palsy. Poster presentation at the Annual Conference, Teacher's College, Columbia University, New York, 1998.
- Lavery JJ. Retention of simple motor skills as a function of type of knowledge of results. *Can J Psychol* 1962; 16:300-311.
- Law M, Baptiste S, McColl M, Opzoomer A, Polatajko H, Pollock N. The Canadian Occupational Performance Measure: an outcome measure for occupational therapy. *Can J Occup Ther* 1990; 57(2):82-87.
- Lawrence DG, Hopkins DA. Developmental aspects of pyramidal motor control in the rhesus monkey. *Brain Res* 1972; 40: 117-118.
- Lawton MP. The functional assessment of elderly people. *J Am Geriatr Soc* 1971; 19:465-481.
- Lazarus JC. Associated movement in hemiplegia: the effects of force exerted, limb usage and inhibitory training. *Arch Phys Med Rehabil* 1992; 73:1044-1049.
- Lebiedowska MK, Syczewska M. Invariant sway properties in children. *Gait Posture* 2000; 12:200-204.
- Lebedt A, Bril B, Breniere Y. The build-up of anticipatory behavior: an analysis of the development of gait initiation in children. *Exp Brain Res* 1998; 120:9-17.
- Lebedt A, Bril B, Wiener-Vacher S. Trunk and head stabilization during the first months of independent walking. *NeuroReport* 1995; 6:1737-1740.
- Lee DN, Aronson E. Visual proprioceptive control of standing in human infants. *Percept Psychophys* 1974; 15:529-532.
- Lee DN, Lishman R. Visual proprioceptive control of stance. *J Hum Mov Studies* 1975; 1:87-95.
- Lee DN, Young DS. Gearing action to the environment. Experiments in Brain Research, Series 15. Berlin: Springer Verlag, 1986:217-230.
- Lee I, Manson J, Hennekens C, Paffenbarger R. Body weight and mortality: a 27 year follow up of middle aged men. *JAMA* 1993; 270:2623-2628.
- Lee RG, van Donkelaar P. Mechanisms underlying functional recovery following stroke. *Can J Neurol Sci* 1995; 22: 257-263.
- Lee TD. Transfer-appropriate processing: a framework for conceptualizing practice effects in motor learning. In: Meijer OG, Roth K, eds. Complex movement behavior: the motor-action controversy. Amsterdam: North Holland, 1988.
- Lee W, Buchanan T, Rogers M. Effects of arm acceleration and behavioral conditions on the organization of postural adjustments during arm flexion. *Exp Brain Res* 1987; 66:257-270.
- Lekhel H, Marchand AR, Assaiante C, Cremieux J, Amblard B. Cross-correlation analysis of the lateral hip strategy in unperturbed stance. *Neuroreport*. 1994; 5:1293-1296.
- Lemon RN, Mantel GWH, Muir RB. Corticospinal facilitation of hand muscles during voluntary movements in the conscious monkey. *J Physiol* 1986; 381:497-527.
- Lemsky C, Miller CJ, Nevitt M, Winograd C. Reliability and validity of a physical performance and mobility examination for hospitalized elderly. *Soc Gerontol* 1991; 31:221.
- Lerner-Frankiel MB, Vargas S, Brown MB, et al. Functional community ambulation: what are your criteria? *Clin Manag* 1990; 6:12-15.
- Levin MF. Interjoint coordination during pointing movements is disrupted in spastic hemiparesis. *Brain*. 1996 Feb; 119 (Pt 1): 281-93.
- Levin MF, Horowitz M, Jurrius C, et al. Trajectory formation and interjoint coordina-

- tion of drawing movements in normal and hemiparetic subjects. *Neurosci Abstr* 1993; 19:990.
- Levin MF, Michaelsen SM, Cirstea CM, Rob-Brami A. Use of the trunk for reaching targets placed within and beyond the reach in adult hemiparesis. *Exp Brain Res* 2002; 143(2):171-180.
- Lewis C, Bottomly J. Musculoskeletal changes with age. In: Lewis C, ed. *Aging: health care's challenge*, 2nd ed. Philadelphia: FA Davis, 1990:145-146.
- Lewis C, Phillipi L. Postural changes with age and soft tissue treatment. *Phys Ther Forum* 1993; 9:4-6.
- Lewis CB, Bottomley JM. *Geriatric physical therapy: a clinical approach*. Norwalk, CT: Appleton & Lange, 1994:69-111.
- Lewis GN, Byblow WD. Bimanual coordination dynamics in post stroke hemiparesics. *J Mot Behav* 2004; 36:174-186.
- Lezak MD. *Neuropsychological assessment*. New York: Oxford University Press, 1976.
- Lieber RL, Runesson E, Einarsson F, Friden J. Inferior mechanical properties of spastic muscle bundles due to hypertrophic but compromised extracellular matrix material. *Muscle Nerve* 2003; 28:464-471.
- Lieber RL, Steinman S, Barash IA, Chambers H. Structural and functional changes in spastic skeletal muscle. *Muscle Nerve* 2004; 29:615-627.
- Liebesman JL, Carafelli E. Physiology of range of motion in human joints: a critical review. *Crit Rev Phys Med Rehabil* 1994; 6:131-160.
- Liepert J, Miltner WH, Bauder H, et al. Motor cortex plasticity during constraint-induced movement therapy in stroke patients. *Neurosci Lett* 1998; 250:5-8.
- Lin MR, Hwang H, Hu M, Wu HI, Want Y, Huang F. Psychometric comparisons of the Timed Up and Go, One-leg Stand, Functional Reach, and Tinetti Balance measures in community dwelling older people. *J Am Geriatr Soc* 2004; 52: 1343-1348.
- Lin SI, Woollacott MH. Differentiating postural responses following dynamically changing balance threats in young adults, healthy older adults and unstable older adults: electromyography. *J Mot Behav* 2002; 34:37-44.
- Lin SI, Woollacott MH, Jensen J. Differentiating postural responses following dynamically changing balance threats in young adults, healthy older adults and unstable older adults: kinematics and kinetics. *Ag-ing Clin Exp Res* 2004; 16:369-374.
- Lindberg P, Schmitz C, Forssberg H, Engardt M, Borg J. Effects of passive-active movement training on upper limb motor function and cortical activation in chronic patients with stroke: a pilot study. *J Rehabil Med* 2004; 36(3):117-123.
- Lindenberger U, Marsiske M, Baltes PB. Memorizing while walking: increase in dual-task costs from young adulthood to old age. *Psychol Aging* 2000; 15:417-436.
- Lindholm L. Weight-bearing splint: a method for managing upper extremity spasticity. *Phys Ther Forum* 1985; 5:3.
- Lipsitz LA, Jonsson PV, Kelley MM, Koestner JS. Causes and correlates of recurrent falls in ambulatory frail elderly. *J Gerontol* 1991; 46:M114-M122.
- Liu W, Lipsitz LA, Montero-Odasso M, Bean J, Kerrigan DC, Collins JJ. Noise-enhanced vibrotactile sensitivity in older adults, patients with stroke, and patients with diabetic neuropathy. *Arch Phys Med Rehabil* 2002; 83:171-176.
- Livingstone M, Hubel D. Segregation of form, color, movement and depth: anatomy, physiology, perception. *Science* 1988; 240: 740-749.
- Lloyd DG. Environmental requirements for elderly people to have stability underfoot while walking. *Proceedings of the National Forum on Prevention of Falls and Injuries amongst Older People*. Sydney, 1990.
- Lockhart TE, Woldstad JC, Smith JL. Effects of age-related gait changes on the biomechanics of slips and falls. *Ergonomics* 2003; 46:1136-1160.
- Loewen SC, Anderson BA. Predictors of stroke outcomes using objective measurement scales. *Stroke* 1990; 21:78-81.
- Lord S, Sherrington C, Menz HB. Falls in older people. Cambridge: Cambridge University Press, 2001:68.
- Lord S, Ward J, Williams P, Anstey K. An epidemiological study of falls in older community dwelling women: the Randwick falls and fracture study. *Aust J Public Health* 1993; 17:240-245.
- Lord SE, Halligan PW, Wade DT. Visual gait analysis: the development of a clinical assessment and scale. *Clin Rehabil* 1998; 12:107-119.
- Lord SE, McPherson K, McNaughton HK, Rochester L, Weatherall M. Community ambulation after stroke: how important and obtainable is it and what measures appear predictive? *Arch Phys Med Rehabil* 2004; 85:234-239.
- Lord SE, Rochester L. Measurement of community ambulation after stroke: current status and future developments. *Stroke* 2005; 36:1457-1461.
- Lord SR, Lloyd DG, Li SK. Sensorimotor function, gait patterns and falls in community-dwelling women. *Age Ageing* 1996a; 25:292-299.
- Lovejoy CO. Evolution of human walking. *Sci Am* 1988; 5:121.
- Lovely RG, Gregor RJ, Edgerton VR. Effects of training on the recovery of full-weight-bearing stepping in the adult spinal cat. *Exp Neurol* 1986; 92:421-435.
- Luft AR, Waller S, Forrester L, Smith GV, Whitall J, Macko RF, Schulz JB, Hanley DF. Lesion location alters brain activation in chronically impaired stroke survivors. *Neuroimage* 2004; 21:924-935.
- Lum PS, Burgar CG, Shor PC. Evidence for improved muscle activation patterns after retraining of reaching movements with the MIME robotic system in subjects with post-stroke hemiparesis. *IEEE Trans Neural Syst Rehabil Eng* 2004; 12(2):186-194.
- Lundborg G, Bjorkman A, Hansson T, Nylander L, Nyman T, Rosen B. Artificial sensibility of the hand based on cortical audio-tactile interaction: a study using functional Magnetic resonance imaging. *Scand J Plast Reconstr Surg Hand Surg* 2005; 39(6): 370-372.
- Lundgren-Lindquist B, Aniansson A, Rundgren A. Functional studies in 79 year olds: 3. Walking performance and climbing ability. *Scand J Rehabil Med* 1983; 12:107-112.
- Lundin-Olsson L, Nyberg L, Gustafson Y. Stops walking when talking as a predictor of falls in elderly people. *Lancet* 1997; 349:617.
- Ly DH, Lockhart DJ, Lerner RA, Schultz PG. Mitotic misregulation and human aging. *Science* 2000; 287:2486-2492.
- Lyle RC. A performance test for assessment of upper limb function in physical rehabilitation treatment and research. *Int J Rehabil Res* 1981; 4:483-492.
- Ma HI, Trombly CA. A synthesis of the effects of occupational therapy for persons with stroke, Part II: Remediation of impairments. *Am J Occup Ther* 2002; 56(3): 260-274.
- MacKay DG. The problem of flexibility, fluency, and the speed-accuracy trade-off in skilled behavior. *Psychol Rev* 1982; 89:48-506.
- Macpherson J. The neural organization of postural control: do muscle synergies exist? In: Amblard B, Berthoz A, Clarac F, eds. *Posture and gait: development, adaptation and modulation*. Amsterdam: Elsevier, 1988: 381-390.
- Macpherson JM, Fung J. Weight support and balance during postural stance in the chronic spinal cat. *J Neurophysiol* 1999; 82:3060-3081.
- Macpherson JM, Fung J, Jacobs R. Postural orientation, equilibrium and the spinal cord. In: Seil FJ, ed. *Advances in neurology*, vol 72: *Neuronal regeneration, reorganization, and repair*. Philadelphia: Lippincott-Raven, 1997:227-232.
- Maddox WT, Ashby FG. Dissociating explicit and procedural-learning based systems of perceptual category learning. *Behav Proc* 2004; 66:309-332.
- Magee DJ. *Orthopedic physical assessment*. Philadelphia: Saunders, 1987.
- Magill RA, Hall KG. A review of the contextual interference effect in motor skill acquisition. *Hum Mov Sci* 1990; 9:241-289.
- Magnus R. Animal posture (Croonian lecture). *Proc R Soc Lond* 1925; 98:339.
- Magnus R. Some results of studies in the physiology of posture. *Lancet* 1926; 2: 531-585.
- Magnusson M, Enbom H, Johansson R, Wiklund J. Significance of pressor input from the human feet in lateral postural control:

- the effect of hypothermia on galvanically induced body-sway. *Acta Otolaryngol*. 1990; 110:321-327.
- Mahoney FI, Barthel DW. Functional evaluation: the Barthel Index. *Md State Med J* 1965; 14:61-65.
- Maki B, Holliday PJ, Topper AK. Fear of falling and postural performance in the elderly. *J Gerontol* 1991; 46:M123-M131.
- Maki B, McIlroy W, Perry S. Compensatory responses to multi-directional perturbations. In: Taguchi K, Igarashi M, Mori S, eds. *Vestibular and neural front*. Amsterdam: Elsevier, 1994b: 437-440.
- Maki BE, Holliday PJ, Topper AK. A prospective study of postural balance and risk of falling in an ambulatory and independent elderly population. *J Gerontol* 1994a; 49:M72-M84.
- Malick M. Manual on static hand splinting. Pittsburgh: Harmarville Rehab Center, 1980.
- Mallet J. Obstetrical paralysis of the brachial plexus. II. Therapeutics. Treatment of sequelae. Priority for the treatment of the shoulder. Method for the expression of results. *Rev Chir Orthop Reparatrice Appar Mot* 1972; 58(Suppl 1):166-168.
- Man'kovskii NB, Mints AY, Lysenyuk VP. Regulation of the preparatory period for complex voluntary movement in old and extreme old age. *Hum Physiol Moscow* 1980; 6:46-50.
- Manchester D, Woollacott M, Zederbauer-Hylton N, Marin O. Visual, vestibular and somatosensory contributions to balance control in the older adult. *J Gerontol* 1989; 44:M118-M127.
- Manheim CJ, Lavett DK. The myofascial release manual. Thorofare, NJ: Slack, 1989.
- Mann RA, Hagy JL, White V, Liddell D. The initiation of gait. *J Bone Joint Surg Am* 1979; 61:232-239.
- Mannheimer JS, Lampe GN. Clinical transcutaneous electrical nerve stimulation. Philadelphia: FA Davis, 1984.
- Marchese R, Bove M, Abbruzzese G. Effect of cognitive and motor tasks on postural stability in Parkinson's disease: a posturographic study. *Mov Disord* 2003; 18(6): 652-658.
- Margaria R. Biomechanics and energetics of muscular exercise. Oxford: Clarendon, 1976:67-74.
- Marigold DS, Eng JJ, Dawson AS, Inglis JT, Harris JE, Gylfadottir S. Exercise leads to faster postural reflexes, improved balance and mobility, and fewer falls in older persons with chronic stroke. *J Am Geriatr Soc* 2005; 53:416-423.
- Marigold DS, Eng JJ, Tokuno CD, Donnelly CA. Contribution of muscle strength and integration of afferent input to postural instability in persons with stroke. *Neurorehab Neural Repair* 2004; 18(4):222-229.
- Marigold DS, Patla AE. Strategies for dynamic stability during locomotion on a slippery surface: effects of prior experience and knowledge. *J Neurophysiol* 2002; 88:339-353.
- Marque P, Felez A, Puel M, et al. Impairment and recovery of left motor function in patients with right hemiplegia. *J Neurol Neurosurg Psychiatry* 1997; 62:77-81.
- Marsden CD. Slowness of movement in Parkinson's disease. *Mov Disord* 1989; 4:26-37.
- Marsden CD, Merton PA, Morton HB. Anticipatory postural responses in the human subject. *J Physiol* 1977; 275:47P-48P.
- Marsden CD, Quinn NP. The dystonias. *BMJ*. 1990; 300:139-144.
- Marteniuk RG, Leavitt JL, Mackenzie CL, Athenes S. Functional relationships between grasp and transport components in a prehension task. *Hum Mov Sci* 1990; 9:149-176.
- Marteniuk RG, Mackenzie CL, Jeannerod M, et al. Constraints on human arm movements trajectories. *Can J Psychol* 1987; 41:365-368.
- Martin JP. The basal ganglia and posture. London: Pitman, 1967.
- Mission J. Movement, posture and equilibrium: interaction and coordination. *Prog Neurobiol* 1992; 38(1):35-36.
- Mission J. Role of motor cortex in postural adjustments associated with movement. In: Asanuma H, Wilson VJ, eds. *Integration in the nervous system*. Tokyo: Igaku-Shoin, 1979:239-260.
- Mission J, Woollacott M. Normal balance and postural control. In: Bronstein AM, Brandt T, Woollacott M. *Clinical aspects of balance and gait disorders*. London: Edward Arnold, 2004.
- Mathias S, Nayak U, Issacs B. Balance in elderly patients: the "Get-up and Go" test. *Arch Phys Med Rehabil* 1986; 67: 387-389.
- Mathiowetz V, Bolding DJ, Trombly CA. Immediate effects of positioning devices on the normal and spastic hand measured by electromyography. *Am J Occup Ther* 1983; 37(4):247-254.
- Mathiowetz V, Kashmann N, volland G, Weber K, Dowe M, Rogers S. Grip and pinch strength: Normative data for adults. *Arch Phys Med Rehabil* 1985; 66(2):69-74.
- Mathiowetz V, Rogers SL, Dowe-Keval M, Donahue L, Rennells C. The Purdue Pegboard: norms for 14 to 19 year olds. *Am J Occup Ther* 1986; 40:174-179.
- Maurer GL, Jezek SM. Pain assessment in clinical assessment recommendations, 2nd ed. Chicago: American Society of Hand Therapists, 1992.
- Mayer NH. Clinicophysiological concepts of spasticity and motor dysfunction in adults with upper motoneuron lesion. *Muscle Nerve* 1997; 6(Suppl):S1-S13.
- Mayer NH, Esquenazi A, Childers MK. Common patterns of clinical motor dysfunction. *Muscle Nerve* 1997; 6:S21-S35.
- Maynard CJ. Sensory reeducation following peripheral nerve injury. In: Hunter JM, Schneider LH, Mackin EJ, Bell JA, eds. *Rehabilitation of the hand*. St. Louis: CV Mosby, 1978:318-323.
- Mayston M. The Bobath concept: evolution and application. In: Forssberg H, Hirschfeld H, eds. *Movement disorders in children*. Medicine and Sport Science vol. 36. Basel: S. Karger, 1992:1-6.
- McCarter RJ, Kelly NG. Cellular basis of aging in skeletal muscle. In: Coe RM, Perry HM, eds. *Aging, musculoskeletal disorders and care of the frail elderly*. New York: Springer, 1993:45-60.
- McCombe Waller S, Whitall J. Fine motor control in adults with and without chronic hemiparesis: baseline comparison to nondisabled adults and effects of bilateral arm training. *Arch Phys Med Rehabil* 2004; 85:1076-1083.
- McCombe Waller S, Whitall J. Hand dominance and side of stroke affect rehabilitation in chronic stroke. *Clin Rehabil* 2005; 19(5):544-551.
- McConvey J, Bennett SE. Reliability of the dynamic gait index in individuals with multiple sclerosis. *Arch Phys Med Rehabil* 2005; 86:130-133.
- McCoy AO, Van Sant AF. Movement patterns of adolescents rising from a bed. *Phys Ther* 1993; 73:182-193.
- McCullagh P, Weiss MR, Ross D. Modeling considerations in motor skill acquisition and performance: an integrated approach. *Exer Sport Sci Rev* 1989; 17:475-513.
- McDonnell PM. Patterns of eye-hand coordination in the first year of life. *Can J Psychol* 1979; 33:253-267.
- McFadyen BJ, Malouin F, Dumas F. Anticipatory locomotor control for obstacle avoidance in mid-childhood aged children. *Gait Posture* 2001; 13:7-16.
- McFadyen BJ, Winter DA. An integrated biomechanical analysis of normal stair ascent and descent. *J Biomech* 1988; 21:733-744.
- McGavin CR, Gupta SP, McHardy GJR. Twelve minute walking test for assessing disability in chronic bronchitis. *BMJ* 1976; 1:822-823.
- McGough E. A Comparison of clinical reasoning strategies used by expert versus novice physical therapists during gait analysis, unpublished Master's thesis, University of Washington, 2005.
- McGraw M. The neuromuscular maturation of the human infant. New York: Hafner Press, 1945.
- McGraw MB. From reflex to muscular control in the assumption of an erect posture and ambulation in the human infant. *Child Dev* 1932; 3:291.
- McGuire BA, Gilbert CD, Rivlin PK, Wiesel TN. Targets of horizontal connections in macaque primary visual cortex. *J Comp Neurol* 1991; 305:370-392.
- McHorney CA, Haley SM, Ware JE. Evaluation of the MOS SF-36 Physical Functioning Scale (PF-10): II. Comparison of relative precision using Likert and Rasch scoring methods. *J Clin Epidemiol* 1997; 50(4):451-461.

- McIlroy W, Maki B. Do anticipatory adjustments precede compensatory stepping reactions evoked by perturbation? *Neurosci Lett* 1993; 164:199-202.
- McKee KJ, Orbell S, Austin CA, et al. Fear of falling, falls efficacy, and health outcomes in older people following hip fracture. *Disabil Rehabil* 2002; 24(6):327-333.
- McKinnon CD, Winter DA. Control of body balance in the frontal plane during human walking. *J Biomech* 1993; 26:633-644.
- McLellan DL. Co-contraction and stretch reflex in spasticity during treatment with baclofen. *Neurol Neurosurg Psychiatry* 1973; 40:30-38.
- McMahon TA. Muscles, reflexes and locomotion. Princeton, NJ: Princeton University, 1984.
- McPherson J, Schild R, Spaulding SJ, Barsamian, Transon C, White SC. Analysis of upper extremity movement in four sitting positions: a comparison of persons with and without cerebral palsy. *Am J Occup Ther* 1991; 2:123-129.
- Medina JJ. The clock of ages. New York, Cambridge University, 1996.
- Meier A. Rehabilitation following falls of undetermined etiology: results of an intervention study. *Schweiz Rundsch Med Prax* 1992; 81:1405-1410.
- Melville-Jones G, Mandl G. Neurobionomics of adaptive plasticity: integrating sensorimotor function with environmental demands. In: Desmedt JE, ed. Motor control mechanisms in health and disease. *Adv Neurol* 1983; 39:1047-1071.
- Melzack R. The McGill Pain Questionnaire: major properties and scoring methods. *Pain* 1975; 1:277-299.
- Merbitz C, Morris J, Grip C. Ordinal scales and foundations of misinference. *Arch Phys Med Rehabil* 1989; 70:308-312.
- Merskey H, Lindblom U, Mumford JM, et al. Classification of chronic pain: descriptions of chronic pain syndromes and definitions of pain terms. *Pain* 1986; Suppl 3:S215-S221.
- Merzenich MM, Jenkins WM. Reorganization of cortical representation of the hand following alterations of skin inputs induced by nerve injury, skin island transfers & experience. *J Hand Ther* 1993; 6(2):89-104.
- Merzenich MM, Kaas JH, Wall J, Nelson RJ, Sur M, Felleman D. Topographic reorganization of somatosensory cortical areas 3b and 1 in adult monkeys following restricted deafferentation. *Neuroscience* 1983a; 8:33-55.
- Merzenich MM, Kaas JH, Wall JT, et al. Progression of change following median nerve section in the cortical representation of the hand in areas 3b and 1 in adult owl and squirrel monkeys. *Neuroscience* 1983b; 10:639-665.
- Messier S, Bourbonnais D, Desrosiers J, Roy Y. Dynamic analysis of trunk flexion after stroke. *Arch Phys Med Rehabil* 2004; 85:1619-1624.
- Meyer DE, Abrams RA, Kornblum S, et al. Optimality in human motor performance: ideal control of rapid aimed movements. *Psychol Rev* 1988; 95:340-370.
- Micera S, Carpaneto J, Postoraro F, Cenciotti L, Popovic M, Dario P. Characterization of upper arm synergies during reaching tasks in able-bodied and hemiparetic subjects. *Clin Biomech* 2005; 20:939-946.
- Michaelsen SM, Dannenbaum R, Levin MF. Task-specific training with trunk restraint on arm recovery in stroke: randomized control trial. *Stroke* 2006; 37:186-192.
- Michaelsen SM, Jacobs S, Roby-Braimi, Levin MF. Compensation for distal impairments of grasping in adults with hemiparesis. *Exp Brain Res* 2004; 157:162-173.
- Michaelsen SM, Levin MF. Short-term effects of practice with trunk restraint on reaching movements in patients with chronic stroke: a controlled trial. *Stroke* 2004; 35:1914-1919.
- Michlovitz S, Ziskin MC. Therapeutic ultrasound. In: Michlovitz S, ed. Thermal agents in rehabilitation. Philadelphia: FA Davis, 1986:141-176.
- Middleton FA, Strick PL. Anatomical evidence for cerebellar and basal ganglia involvement in higher cognitive function. *Science* 1994; 266:458-461.
- Milani-Comparetti A, Gidoni EA. Pattern analysis of motor development and its disorders. *Dev Med Child Neurol* 1967; 9:625-630.
- Milczarek JJ, Kirby RL, Harrison ER, MacLeod DA. Standard and four footed canes: their effect on the standing balance of patients with hemiparesis. *Arch Phys Med Rehabil* 1993; 74:281-285.
- Millington PJ, Myklebust BM, Shambes GM. Biomechanical analysis of the sit-to-stand motion in elderly persons. *Arch Phys Med Rehabil* 1992; 73:609-617.
- Milner AD, Goodale MA. Visual pathways to perception and action. *Prog Brain Res* 1993; 95:317-337.
- Milner AD, Ockleford EM, Dewar W. Visuospatial performance following posterior parietal and lateral frontal lesions in stump-tail macaques. *Cortex* 1977; 13:350-360.
- Milner B. Amnesia following operation on the temporal lobes. In: Whitty CWM, Zangwill OL, eds. Amnesia. London: Butterworths, 1966:109-133.
- Miltner W, Bauder H, Sommer M, et al. Effects of constraint-induced movement therapy on patients with chronic motor deficits after stroke. *Stroke* 1999; 30:586-592.
- Mirbagheri MM, Barbeau H, Ladouceur M, Kearney RE. Intrinsic and reflex stiffness in normal and spastic, spinal cord injured subjects. *Exp Brain Res* 2001; 141:446-459.
- Mishkin M, Ungerleider LG. Contribution of striate inputs to the visuospatial functions of parieto-preoccipital cortex in monkeys. *Behav Brain Res* 1982; 6:57-77.
- Miszko TA, Cress ME, Slade JM, Covey CJ, Agrawal SK, Doerr CE. Effect of strength and power training on physical function in community-dwelling older adults. *J Gerontol A Biol Sci Med Sci* 2003; 58:171-175.
- Miyai I, Fujimoto Y, Yamamoto H, Ueda Y, Saito T, Nozaki S, Kang J. Long term effect of body weight supported treadmill training in Parkinson's disease: a randomized controlled trial. *Arch Phys Med Rehabil* 2002; 83:1370-1373.
- Möberg E. The unsolved problem—how to test the functional value of hand sensibility. *J Hand Ther* 1991; 4:105-110.
- Mochon S, McMahon TA. Ballistic walking. *J Biomech* 1980; 13:49-57.
- Mok NW, Brauer SG, Hodges PW. Hip strategy for balance control in quiet standing is reduced in people with low back pain. *Spine* 2004; 29:E107-E112.
- Molen HH. Problems on the evaluation of gait. Dissertation, Free University, Institute of Biomechanics and Experimental Rehabilitation, Amsterdam, 1973.
- Molinari M, Leggio MG, Solida A. Cerebellum and procedural learning: evidence from focal cerebellar lesions. *Brain* 1997; 120:1753-1762.
- Molnar GE. Analysis of motor disorder in retarded infants and young children. *Am J Ment Defic* 1978; 83:213-222.
- Molnar GE, Gordon SU. Cerebral palsy: predictive value of selected clinical signs for early prognostication of motor function. *Arch Phys Med Rehabil* 1976; 57(4): 153-158.
- Monger C, Carr JH, Fowler V. Evaluation of a home-based exercise and training programme to improve sit-to-stand in patients with chronic stroke. *Clin Rehabil* 2002; 16:361-367.
- Montgomery J. Assessment and treatment of locomotor deficits in stroke. In: Duncan PW, Badke MB. Stroke rehabilitation: the recovery of motor control. Chicago: Year Book, 1987:223-259.
- Monzee J, Lamarre Y, Smith AM. The effects of digital anesthesia on force control using a precision grip. *J Neurophysiol* 2003; 89:672-683.
- Monzee J, Smith AM. Responses of cerebellar interpositus neurons to predictable perturbations applied to an object held in a precision grip. *J Neurophysiol* 2004; 91:1230-1239.
- Moore S, Brunt D, Nesbitt ML, Juarez T. Investigation of evidence for anticipatory postural adjustments in seated subjects who performed a reaching task. *Phys Ther* 1992a; 72:335-343.
- Moore SP, Rushmer DS, Windus SL, Nashner LM. Human automatic postural responses: responses to horizontal perturbations of stance in multiple directions. *Exp Brain Res* 1988; 73:648-658.
- Morasso P. Spatial control of arm movements. *Exp Brain Res* 1981; 42:223-227.
- Morgan M, Phillips JG, Bradshaw JL, et al. Age-related motor slowness: simply strategic? *J Gerontol* 1994; 49:M133-M139.

- Morgan P. The relationship between sitting balance and mobility outcomes in stroke. *Aust J Physiother* 1994; 40:91-96.
- Morris DM, Uswatte G, Crago JE, Cook EW 3rd, Taub E. The reliability of the Wolf motor function test for assessing upper extremity function after stroke. *Arch Phys Med Rehabil* 2001; 82: 750-755.
- Morris JC, Rubin EH, Morris EJ. Senile dementia of the Alzheimer's type: an important risk factor for serious falls. *J Gerontol* 1987; 42:412-417.
- Morris ME, Iansek R, Matyas TA, Summers JJ. Stride length regulation in Parkinson's disease: normalization strategies and underlying mechanisms. *Brain* 1996a; 119: 551-569.
- Morris ME, Iansek R, Smithson F, Husham F. Postural instability in Parkinson's disease: a comparison with and without a concurrent task. *Gait Posture* 2000; 12:205-216.
- Morris RGM, Anderson E, Lynch GS, Baudry M. Selective impairment of learning and blockage of long-term potentiation by an N-methyl-D-aspartate receptor antagonist, AP5. *Nature* 1986; 319:774-776.
- Morris SL, Dodd KJ, Morris ME. Outcomes of progressive resistance strength training following stroke: a systematic review. *Clin Rehabil* 2004; 18(1):27-39.
- Mortenson PA, Eng JJ. The use of casts in the management of joint mobility and hypertonia following brain injury in adults: a systematic review. *Phys Ther* 2003; 83:648-658.
- Moseley AM, Stark A, Cameron ID, Pollock A. Treadmill training and body weight support for walking after stroke. The Cochrane Database of Systematic Reviews 2003, Issue 3. Article no. CD002840. DOI: 10.1002/14651858.CD002840.
- Mott FW, Sherrington CS. Experiments upon the influence of sensory nerves upon movement and nutrition of the limbs: preliminary communication. *Proc R Soc Lond Biol* 1895; 57:481-488.
- Mouchnino L, Aurenty R, Massion J, Pedotti A. Coordination between equilibrium and head-trunk orientation during leg movement: a new strategy built up by training. *J Neurophysiol* 1992; 67:1587-1599.
- Mourey F, Grishin A, d'Athis P, Pozzo T, Stapley P. Standing up from a chair as a dynamic equilibrium task: a comparison between young and elderly subjects. *J Gerontol* 2000; 55:B425-B31.
- Msall, ME, DiGaudio K, Rogers BT, LaForest S, Catanzaro NL, Cambell J, Wilczenski F, Duffy LC. Functional Independence Measure for Children (Wee-FIM). Conceptual basis and pilot use in children with developmental disabilities. *Clin Pediatr* 1994; 33: 421-430.
- Mudie MH, Matyas TA. Responses of the densely hemiplegic upper extremity to bilateral training. *Neurorehabil Neural Repair* 2001; 15:129-140.
- Mudie MH, Matyas TA. Can simultaneous bilateral movement involve the undamaged hemisphere in reconstruction of neural networks damaged by stroke? *Disabil Rehabil*. 2000; 22(1-2):23-37.
- Muir RB, Lemon RN. Corticospinal neurons with a special role in precision grip. *Brain Res* 1983; 261:312-316.
- Mulcahey MJ, Betz RR, Kozin SH, Smith BT, Hutchinson D, Lutz C. Implantation of the Freehand System during initial rehabilitation using minimally invasive techniques. *Spinal Cord* 2004a; 42(3):46-55.
- Mulcahey MJ, Smith BT, Betz RR. Psychometric rigor of the Grasp and Release Test for measuring functional limitation of persons with tetraplegia: a preliminary analysis. *J Spinal Cord Med* 2004b; 27(1):41-46.
- Mulder T, Berndt H, Pauwels J, Nienhuis B. Sensorimotor adaptability in the elderly and disabled. In: Stelmach G, Homberg V, eds. *Sensori-motor impairment in the elderly*. Dordrecht: Kluwer, 1993.
- Muratori LM, Dapul G, Bartels MN, Gordon AM. Effect of object transport on grasp coordination in multiple system atrophy. *Mov Disord* 2005; [Epub ahead of print].
- Murray M, Kory R, Sepic S. Walking patterns of normal women. *Arch Phys Med Rehabil* 1970; 51:637-650.
- Murray MP. Gait as a total pattern of movement. *Am J Phys Med* 1967; 46:290-333.
- Murray MP, Kory RC, Clarkson BH, Sepic SB. Comparison of free and fast speed walking patterns of normal men. *Am J Phys Med* 1966; 45:8-24.
- Murray MP, Kory RC, Clarkson BH. Walking patterns in healthy older men. *J Gerontol* 1969; 24:169-178.
- Murray MP, Mollinger LA, Gardner GM, Sepic SB. Kinematic and EMG patterns during slow, free, and fast walking. *J Orthop Res* 1984; 2:272-280.
- Mushiake H, Inase M, Tanji J. Neuronal activity in the primate premotor, supplementary and precentral motor cortex during visually guided and internally determined sequential movements. *J Neurophysiol* 1991; 66:705-718.
- Mushiake H, Strick P. Preferential activity of dentate neurons during limb movements guided by vision. *J Neurophysiol* 1993; 70:2660-2664.
- Nadeau S, Gravel D, Arsenault AB, Bourdonnais D, Goyette M. Dynamometric assessment of the plantarflexors in hemiparetic subjects: relations between muscular, gait and clinical parameters. *Scand J Rehabil Med* 1997; 29:137-146.
- Nagi SZ. Some conceptual issues in disability and rehabilitation. In: Sussman MD, ed. *Sociology and rehabilitation*. Washington: American Sociological Association, 1965:100-113.
- Napier JR. The prehensile movement of the human hand. *J Bone Joint Surg Br* 1956; 38:902-913.
- Nashner L. Adapting reflexes controlling the human posture. *Exp Brain Res* 1976; 26:59-72.
- Nashner L, Woollacott M. The organization of rapid postural adjustments of standing humans: an experimental-conceptual model. In: Talbott RE, Humphrey DR, eds. *Posture and movement*. New York: Raven, 1979:243-257.
- Nashner L, Woollacott M, Tuma G. Organization of rapid responses to postural and locomotor-like perturbations of standing man. *Exp Brain Res* 1979; 36:463-476.
- Nashner LM. Adaptation of human movement to altered environments. *Trends Neurosci* 1982; 5:358-361.
- Nashner LM. Balance adjustment of humans perturbed while walking. *J Neurophysiol* 1980; 44:650-664.
- Nashner LM. Fixed patterns of rapid postural responses among leg muscles during stance. *Exp Brain Res* 1977; 30:13-24.
- Nashner LM. Sensory, neuromuscular, and biomechanical contributions to human balance. In: Duncan P, ed. *Balance: Proceedings of the APTA Forum*. Alexandria, VA: American Physical Therapy Association, 1989:5-12.
- Nashner LM, Shumway-Cook A, Marin O. Stance posture control in select groups of children with cerebral palsy: deficits in sensory organization and muscular coordination. *Exp Brain Res* 1983; 49: 393-409.
- Negrotti A, Secchi C, Gentilucci M. Effects of disease progression and L-dopa therapy on the control of reaching and grasping in Parkinson's disease. *Neuropsychologia* 2005; 43:450-459.
- Neistadt ME. A critical analysis of occupational therapy approaches for perceptual deficits in adults with brain injury. *Am J Occup Ther* 1990; 44(4):299-304.
- Nelson SR, DiFabio RP, Anderson JH. Vestibular and sensory interaction deficits assessed by dynamic platform posturography in patients with multiple sclerosis. *Ann Otol Rhinol* 1995; 104:62-68.
- Neuhaus BE, Ascher B, Couillon M, et al. A survey of rationales for and against hand splinting in hemiplegia. *Am J Occup Ther* 1981; 35:83-95.
- Neumann O. Automatic processing: a review of recent findings and a plea for an old theory. In: Prinz W, Sanders AF, eds. *Cognition and motor processes*. Berlin: Springer Verlag, 1984:255-293.
- Nevvitt MC, Cummings SR, Kidd S, Black D. Risk factors for reMW recurrent nonsyncope falls. *JAMA* 1989; 261:2663-2668.
- Newell K. Degrees of freedom and the development of center of pressure profiles. In: Newell KM, Molenaar PMC, eds. *Applications of nonlinear dynamics to developmental process modeling*. Hillsdale, NJ: Erlbaum, 1997:63-84.
- Newell A, Rosenbloom PS. Mechanisms of skill acquisition and the law of practice. In: Anderson JR, ed. *Cognitive skills and their acquisition*. Hillsdale, NJ: Erlbaum, 1981:1-55.
- Newell K, van Emmerik REA. The acquisition of coordination: preliminary analysis of learning to write. *Hum Mov Sci* 1989; 8:17-32.

- Newell KM. Motor skill acquisition. *Annu Rev Psychol* 1991; 42:213-237.
- Newell KM, Kennedy JA. Knowledge of results and children's motor learning. *Dev Psychol* 1978; 14:531-536.
- Newton RA. Validity of the Multi-Directional Reach Test: a practical measure for limits of stability in older adults. *J Gerontol Med Sci* 2001; 56A(4):M248-M252.
- Ng SS, Hui-Chan CW. The Timed Up and Go Test: its reliability and association with lower limb impairments and locomotor capacities in people with chronic stroke. *Arch Phys Med Rehabil* 2005; 86: 1641-1647.
- Nitsche MA, Fricke K, Henschke U, Schlitterlau A, Liebetanz D, Lang N, Henning S, Tergau F, Paulus W. Pharmacological modulation of cortical excitability shifts induced by transcranial direct current stimulation in humans. *J Physiol*. 2003; 553:293-301.
- Noronha J, Bundy A, Groll J. The effect of positioning on the hand function of boys with cerebral palsy. *Am J Occup Ther* 1989; 43:507-512.
- Norton BJ, Bromze HE, Saurmann SA, Eliasson SG. Correlation between gait speed and spasticity at the knee. *Phys Ther* 1975; 55:355-359.
- Noth J. Trends in the pathophysiology and pharmacotherapy of spasticity. *J Neurol* 1991; 238:131-139.
- Novacheck TF, Stout JS, Tervo R. Reliability and validity of the Gillette Functional Assessment Questionnaire as an outcome measure in children with walking disabilities. *J Pediatr Orthop* 2000; 20(1):75-86.
- Nowak DA, Glasauer S, Hermsdorfer J. Grip force efficiency in long-term deprivation of somatosensory feedback. *Neuroreport* 2003a; 14:1803-1807.
- Nowak DA, Hermsdorfer J, Topka H. Deficits of predictive grip force control during object manipulation in acute stroke. *J Neurol* 2003b; 250:850-860.
- Nowak DA, Topka H, Risch S, Hariz M, Limousin P, Rothwell JC. The beneficial effects of subthalamic nucleus stimulation on manipulative finger force control in Parkinson's disease. *Exp Neurol* 2005; 193(2):427-436.
- Nudo RJ, Milliken GW, Jenkins WM, Merzenich MM. Use-dependent alterations of movement representations in primary motor cortex of adult squirrel monkeys. *J Neurosci* 1996; 16:785-807.
- Ochs AL, Newberry J, Lenhardt ML, Harkins SW. Neural and vestibular aging associated with falls. In: Birren JE, Schaie KW, eds. *Handbook of psychology of aging*. New York: Van Nostrand & Reinholdt, 1985:378-399.
- Oczkowski WJ, Barreca S. The Functional Independence Measure: its use to identify rehabilitation needs in stroke survivors. *Arch Phys Med Rehabil* 1993; 74:1291-1294.
- Ogden R, Franz SI. On cerebral motor control: the recovery from experimentally produced hemiplegia. *Psychobiology* 1917; 1:33-49.
- Oie KS, Kiemel T, Jeka JJ. Human multisensory fusion of vision and touch: detecting nonlinearity with small changes in the sensory environment. *Neurosci Lett* 2001; 315:113-116.
- Oie KS, Kiemel T, Jeka JJ. Multisensory fusion: simultaneous re-weighting of vision and touch for the control of human posture. *Cogn Brain Res* 2002; 14:164-176.
- Okamoto T, Kumamoto M. Electromyographic study of the learning process of walking in infants. *Electromyography* 1972; 12:149-158.
- Okamoto T, Okamoto K. Electromyographic characteristics at the onset of independent walking in infancy. *Electromyogr Clin Neurophysiol* 2001; 41:33-41.
- Okamoto T, Okamoto K, Andrew PD. Electromyographic study of newborn stepping in neonates and young infants. *Electromyogr Clin Neurophysiol* 2001; 41:289-296.
- O'Keefe J, Dostrovsky J. The hippocampus as a spatial map: preliminary evidence from unit activity in the freely-moving rat. *Brain Res* 1971; 34:171-175.
- O'Keefe ST, Kazeem H, Philpott RM, Playfer JR, Gosney M, Lye M. Gait disturbance in Alzheimer's disease: a clinical study. *Age Ageing* 1996; 25:313-316.
- Oliver D, Britton M, Seed P, et al. Development and evaluation of evidence based risk assessment tool (STRATIFY) to predict which elderly inpatients will fall: case-control and cohort studies. *BMJ* 1997; 315:1049-1053.
- Oliver D, Daly F, Martin FC, McMurdo ME. Risk factors and risk assessment tools for falls in hospital in-patients: a systematic review. *Age Ageing* 2004; 33(2):122-130.
- Olney SJ, Griffin MP, McBride ID. Temporal, kinematic and kinetic variables related to gait speed in subjects with hemiplegia: a regression approach. *Phys Ther* 1994; 74:872-885.
- Olney SJ, Griffin MP, Monga TN, McBride ID. Work and power in gait of stroke patients. *Arch Phys Med Rehabil* 1991; 72:309-314.
- Olsen JZ. Handwriting without tears, 7th ed. Potomac MD: Olsen Publishing, 1998.
- Orendurff MS, Segal AD, Klute GK, Berge JS, Rohr ES, Kadel NJ. The effect of walking speed on center of mass displacement. *J Rehabil Res Dev* 2004; 41:829-834.
- Ornitz E. Normal and pathological maturation of vestibular function in the human child. In: Romand R, ed. *Development of auditory and vestibular systems*. New York: Academic, 1983:479-536.
- O'Shea S, Morris ME, Iansek R. Dual task interference during gait in people with Parkinson's disease: effects of motor versus cognitive secondary tasks. *Phys Ther* 2002; 82:888-897.
- Ostir GV, Volpatto S, Fried LP, Chaves P, Guralnik JM. Reliability and sensitivity to change assessed for a summary measure of lower body function: results from the Women's Health and Aging Study. *J Clin Epidemiol* 2002; 55:916-921.
- O'Sullivan S. Parkinson's disease: physical rehabilitation. In: O'Sullivan S, Schmitz T. *Physical rehabilitation: assessment and treatment*, 4th ed. Philadelphia: FA Davis, 2001.
- O'Sullivan SB, Schmitz TJ. *Physical rehabilitation assessment and treatment*, 4th ed. Philadelphia: FA Davis, 2001.
- Ouellette M, LeBrasseur NK, Beam JF, Phillips E, Stein J, Frontera WR, Fielding RA. High intensity resistance training improves muscle strength, self-reported function and disability in long term stroke survivors. *Stroke* 2004; 35:1404-1409.
- Overstall PW, Exton-Smith AN, Imms FJ, Johnson AL. Falls in the elderly related to postural imbalance. *BMJ* 1977; 1:261-264.
- Page S, Levine P. Forced use after TBI: promoting plasticity and function through practice. *Brain Injury* 2003; 17:675-684.
- Pai Y-C, Maki BE, Iqbal K, McIlroy WE, Perry SD. Thresholds for step initiation induced by support-surface translation: a dynamic center-of-mass model provides much better prediction than a static model. *J Biomech* 2000; 33:387-392.
- Pai Y-C, Naughton BJ, Chang RW, Rogers MW. Control of body center of mass momentum during sit-to-stand among young and elderly adults. *Gait Posture* 1994; 2:109-116.
- Pai Y-C, Wening JD, Runtz EF, Iqbal K, Pavol MJ. Role of feedforward control of movement stability in reducing slip-related balance loss and falls among older adults. *J Neurophysiol* 2003; 90:755-762.
- Paillard J. Cognitive versus sensorimotor encoding of spatial information. In: Ellen P, Thinus-Blanc C, eds. *Cognitive processes and spatial orientation in animal and man: neurophysiology and developmental aspects*, NARO ASI Series 37. Hague: Martinus Nijhoff, 1987:43-77.
- Paillard J. The contribution of peripheral and central vision to visually guided reaching. In: Ingle DJ, Goodale MA, Mansfield RJW, eds. *Analysis of visual behavior*. Cambridge, MA: MIT Press, 1982:367-385.
- Palisano R, Rosenbaum P, Walter S, Russell D, Wood E, Galuppi B. Development and validation of a gross motor function classification system for children with cerebral palsy. *Dev Med Child Neurol* 1997; 39:214-223.
- Palisano RJ. Neuromotor and developmental assessment. In: Wilhelm J, ed. *Physical therapy assessment in early infancy*. New York: Churchill Livingstone, 1993: 173-224.
- Pandy AD, Price CIM, Rodgers H, Barnes MP, Johnson GR. Biomechanical examination of a commonly used measure of spasticity. *Clin Biomechanics* 2001; 16:859-65.
- Papa E, Cappozzo A. Sit-to-stand motor strategies investigated in able-bodied young and elderly subjects. *J Biomed* 2000; 33:1113-1122.
- Pare M, Dugas C. Developmental changes in prehension during childhood. *Exp Brain Res* 1999; 125:239-247.

- Parker TM, Osterling LR, Lee HJ, Donkelaar P, Chou LS. The effect of divided attention on gait stability following concussion. *Clin Biomech* 2005; 20:389-395.
- Pascual-Leone A, Cammarota A, Wassermann EM, Brasil-Neto JP, Cohen LG, Hallett M. Modulation of motor cortical outputs to the reading hand of Braille readers. *Ann Neurol*. 1993; 34:33-37.
- Pascual-Leone A, Grafman J, Hallett M. Modulation of cortical motor output maps during development of implicit and explicit knowledge. *Science* 1994; 263:1287-1289.
- Passingham RE. Premotor cortex: sensory cues and movement. *Behav Brain Res* 1985; 18:175-185.
- Passingham RE, Chen YC, Thaler D. Supplementary motor cortex and self-initiated movement. In: Ito M, ed. *Neural programming*. Tokyo: Japan Scientific Society, 1989;13-24.
- Pastalan LA, Mantz RK, Merrill J. The simulation of age-related sensory losses: a new approach to the study of environmental barriers. In: Preiser WFE, ed. *Environment design research*, vol. 1. Stroudsberg, PA: Dowden, Hutchinson & Ross, 1973:383-390.
- Patla AE. Age-related changes in visually guided locomotion over different terrains: major issues. In: Stelmach G, Homberg V, eds. *Sensorimotor impairment in the elderly*. Dordrecht: Kluwer, 1993:231-252.
- Patla AE. Understanding the control of human locomotion: a prologue. In: Patla AE, ed. *Adaptability of human gait*. Amsterdam: North-Holland, 1991:3-17.
- Patla AE. Understanding the roles of vision in the control of human locomotion. *Gait Posture* 1997; 5:54-69.
- Patla AE, Adkin A, Martin C, Holden R, Prentice S. Characteristics of voluntary visual sampling of the environment for safe locomotion over different terrains. *Exp Brain Res* 1996; 112:513-522.
- Patla AE, Practor J, Morson B. Observations on aspects of visual gait assessment: a questionnaire study. *Physiother Can* 1987; 39:311-316.
- Patla AE, Prentice SD, Martin C, Rietdyk S. The bases of selection of alternate foot placement during locomotion in humans. In: *Posture and gait: control mechanisms*. Woollacott MH, Horak F, eds. Eugene: University of Oregon, 1992:226-229.
- Patla AE, Shumway-Cook A. Dimensions of mobility: defining the complexity and difficulty associated with community mobility. *J Aging Phys Activity* 1999; 7:7-19.
- Patla AE, Winter DA, Frank JS, et al. Identification of age-related changes in the balance-control system. In: Duncan P, ed. *Balance: Proceedings of the APTA Forum*, Alexandria, VA: American Physical Therapy Association, 1990:43-55.
- Patton HD, Fuchs A, Hille B, et al. *Textbook of physiology*, vol 1, 21st ed. Philadelphia: Saunders, 1989.
- Patton JL, Stoykov ME, Kovic M, Mussa-Ivaldi FA. Evaluation of robotic training forces that either enhance or reduce error in chronic hemiplegic stroke survivors. *Exp Brain Res* 2005; 26:1-16.
- Paulignan Y, McKenzie C, Marteniuk R, Jeannerod M. The coupling of arm and finger movements during prehension. *Exp Brain Res* 1990; 79:431-436.
- Paulus W, Straube A, Brandt T. Visual stabilisation of posture. *Brain* 1984; 107: 1143-1163.
- Pause M, Kunesch E, Binkofski F, Freund HG. Sensorimotor disturbances in patients with lesions of the parietal cortex. *Brain* 1989; 112:1599-1625.
- Pavol MJ, Owings TM, Foley KT, Grabiner MD. The sex and age of older adults influence the outcome of induced trips. *J Gerontol* 1999; 54A:M103-M108.
- Payton O, Melson C, Ozer M. Patient participation in program planning: a manual for therapists. Philadelphia: FA Davis, 1990.
- Pearson K, Gordon J. Locomotion. In: Kandel E, Schwartz JH, Jessell TM, eds. *Principles of neural science*, 4th ed. New York: McGraw-Hill, 2000a:737-755.
- Pearson KG. Proprioceptive regulation of locomotion. *Curr Opin Neurobiol* 1995; 5:786-791.
- Pearson KG, Ramirez JM, Jiang W. Entrainment of the locomotor rhythm by group Ib afferents from ankle extensor muscles in spinal cats. *Exp Brain Res* 1992; 90:557-566.
- Pehoski C. Object manipulation in infants and children. In: Henderson A, Pehoski C., eds. *Hand function in the child: foundations for remediation*. St.Louis: Mosby, 1995:136-153.
- Peiperl A. *Cerebral functions in infancy and childhood*. New York: Consultants Bureau, 1963.
- Penfield W, Rasmussen T. *The cerebral cortex of man: a clinical study of localization of function*. New York: Macmillan, 1950.
- Penfield W. Functional localization in temporal and deep Sylvian areas. *Res Publ Assoc Res Nerv Ment Dis* 1958; 36:210-226.
- Perell KL, Nelson A, Goldman RL, et al. Fall risk assessment measures: an analytic review. *J Gerontol A Biol Sci Med Sci* 2001; 56:M761-M766.
- Perenin MT, Jeannerod M. Residual vision in cortically blind hemifields. *Neuropsychologia* 1975; 13:1-7.
- Perry J. *Gait analysis: normal and pathological function*. Thorofare, NJ: Slack, 1992.
- Perry J, Garrett M, Gronley JK, Mulroy SJ. Classification of walking handicap in the stroke population. *Stroke* 1995; 26:982-989.
- Perry RJ, Hodges JR. Attention and executive deficits in Alzheimer's disease: a critical review. *Brain* 1999; 122:383-406.
- Perry SB. Clinical implications of a dynamical systems theory. *Neurol Rep* 1998; 22:4-10.
- Peterka RJ, Black FO. Age-related changes in human posture control: sensory organization tests. *J Vestib Res* 1990; 1:73-85.
- Petit J, Giroux-Metges MA, Gioux M. Power developed by motor units of the peroneus tertius muscle of the cat. *J Neurophysiol* 2003; 90:3095-3104.
- Pettersson AG, Engardt M, Wahlund LO. Activity level and balance in subjects with mild Alzheimer's disease. *Dement Geriatr Cogn Disord* 2002; 13:213-216.
- Pettersson AF, Olsson E, Wahlund LO. Motor function in subjects with mild cognitive impairment and early Alzheimer's disease. *Dement Geriatr Cogn Disord* 2005; 19(5-6):299-304.
- Peurala SH, Pitkanen K, Sivenius J, Tarkka IM. Cutaneous electrical stimulation may enhance sensorimotor recovery in chronic stroke. *Clin Rehabil* 2002; 16:709-716.
- Pfeiffer E. Short portable mental status questionnaire. *J Am Geriatric Soc* 1975; 23:433-441.
- Pham TM, Winblad B, Granholm AC, Mohammed AH. Environmental influences on brain neurotrophins in rats. *Pharmacol Biochem Behav* 2002; 73:167-175.
- Piaget J. *The origins of intelligence in children*. New York: WW Norton, 1954.
- Pierce SR, Buxbaum IJ. Treatments of unilateral neglect: a review. *Arch Phys Med Rehabil* 2002; 83(2):256-268.
- Pierce SR, Daly K, Gallagher KG, Gershkoff AM, Schaumburg SW. Constraint-induced therapy for a child with hemiplegic cerebral palsy: a case report. *Arch Phys Med Rehabil* 2002; 83:1462-1463.
- Pierce SR, Gallagher KG, Schaumburg SW, Gershkoff AM, Gaughan JP, Shutter L. Home forced use in an outpatient rehabilitation program for adults with hemiplegia: a pilot study. *Neurorehabil Neural Repair* 2003; 17(4):214-219.
- Pijnappels M, Bobbert MF, van Dieen JH. Control of support limb muscles in recovery after tripping in young and older subjects. *Exp Brain Res* 2005; 160:326-333.
- Pitts DG. The effects of aging on selected visual functions: dark adaptation, visual acuity, stereopsis, and brightness contrast. In: Sekular R, Kline D, Dismukes K, eds. *Modern aging research: aging and human visual function*. New York: Alan R. Liss, 1982:131-160.
- Platt JR. Strong inference. *Science* 1964; 146:347-352.
- Platz T, Eickhof C, Nuyens G, Vuadens P. Clinical scales for the assessment of spasticity, associated phenomena, and function: a systematic review of the literature. *Disabil Rehabil* 2005; 27:7-18.
- Podsiadlo D, Richardson S. The timed "Up and Go" test: a test of basic functional mobility for frail elderly persons. *J Am Geriatr Soc* 1991; 39:142-148.
- Pohl PS, McDowd JM, Filion DL, Richards LG, Stiers W. Implicit learning of a perceptual motor skill after stroke. *Phys Ther* 2001; 81:1780-1789.

- Pohl PS, Weinstein CJ. Practice effects on the less-affected upper extremity after stroke. *Arch Phys Med Rehabil* 1999; 80:668-675.
- Pohl PS, Weinstein CJ, Fisher BE. The locus of age-related movement slowing: sensory processing in continuous goal-directed aiming. *J Gerontol* 1996; 51:P94-P102.
- Poincaré H. Science and hypothesis. Dover, New York, 1952.
- Polit A, Bizzi E. Characteristics of motor programs underlying arm movements in monkeys. *J Neurophysiol* 1979; 42:183-194.
- Pons TP, Garraghty PE, Mishkin M. Lesion induced plasticity in the second somatosensory cortex of adult macaques. *Proc Natl Acad Sci U S A* 1988; 85:5279-5281.
- Powell J, Pandyan AD, Granat M, et al. Electrical stimulation of wrist extensors in poststroke hemiplegia. *Stroke* 1999; 30:1384-1389.
- Powell LE, Myers AM. The Activities-specific Balance Confidence (ABC) Scale. *J Gerontol Med Sci* 1995; 50A(1):M28-M34.
- Powers RK, Campbell DL, Rymer WZ. Stretch reflex dynamics in spastic elbow flexor muscles. *Ann Neurol* 1989; 25:32-42.
- Powers RK, Rymer WZ. Effects of acute dorsal spinal demisection on motor neuron discharge in the medial gastrocnemius of the decerebrate cat. *J Neurophysiol* 1988; 59:1540-1556.
- Pozzo T, Berthoz A, Lefort L. Head stabilization during various locomotor tasks in humans: 1. Normal subjects. *Exp Brain Res* 1990; 82:97-106.
- Pozzo T, Levik Y, Berthoz A. Head stabilization in the frontal plane during complex equilibrium tasks in humans. In: Woollacott M, Horak F, eds. Posture and gait: control mechanisms. Eugene: University of Oregon, 1992:97-100.
- Prechtl HFR. Prenatal motor development. In: Wade MC, Whiting HTA, eds. Motor development in children: aspects of coordination and control. Dordrecht: Martinus Nijhoff, 1986:53-64.
- Prechtl HF, Cioni G, Einspieler C, Bos AF, Ferrari F. Role of vision on early motor development: lessons from the blind. *Dev Med Child Neurol* 2001; 43:198-201.
- Prechtl HFR. Continuity and change in early neural development. In: Prechtl HFR, ed. Continuity of neural functions from prenatal to postnatal life. *Clinics in Developmental Medicine* 94. Oxford: Blackwell Scientific, 1984:1-15.
- Price DD, McGrath PA, Rafii A, Buckingham B. The validation of visual analogue scales as ratio scale measure for chronic and experimental pain. *Pain* 1983; 17:45-56.
- Prigatano GP, Fordyce DJ. Cognitive dysfunction and psychological adjustment after brain injury. In: GP Prigatano, ed. Neuropsychological rehabilitation after brain injury. Baltimore: Johns Hopkins University Press, 1986.
- Priplata A, Niemi J, Salen M, Harry J, Lipsitz LA, Collins JJ. Noise enhanced human balance control. *Phys Rev Lett* 2002; 89(23):238101.
- Prokop T, Berger W. Influence of optic flow on locomotion in normal subjects and patients with Parkinson's disease. *Electroencephalogr Clin Neurophysiol* 1996; 99:402.
- Provine M, Hadley E, Hornbrook M, et al. The effects of exercise on falls in elderly patients: a preplanned meta-analysis of the FICSIT Trials. *JAMA* 1995; 273:1341-1347.
- Pyoria O, Talvitie U, Villberg J. The reliability, distribution and responsiveness of the postural control and Balance For Stroke Test. *Arch Phys Med Rehabil* 2005; 86:296-302.
- Quaney BM, Perera S, Maletsky R, Luchies CW, Nudo RJ. Impaired grip force modulation in the ipsilesional hand after unilateral middle cerebral artery stroke. *Neurorehabil Neural Repair* 2005; 19(4): 338-349.
- Quinn L, Gordon J. Functional outcomes: documentation for rehabilitation. Philadelphia: Saunders, 2003.
- Quintana LA. Evaluation of perception and cognition. In: Trombly CA, ed. Occupational therapy for physical dysfunction. Baltimore: Williams & Wilkins, 1995.
- Rabbit P, Rogers M. Age and choice between responses in a self-paced repetitive task. *Ergonomics* 1965; 8:435-444.
- Rabbitt P, Birren JE. Age and responses to sequences of repetitive and interruptive signals. *J Gerontol* 1967; 22:143-150.
- Rademaker GGJ. De Betekenis der Roode Kernen en van de overige Mesencephalon voor Spiertonus, Lichaamshouding en Labyrinthaire Reflexen. Leiden: Eduarol Ijdo, 1924.
- Raghavan P, Petra E, Krakauer JW, Gordon AM. Patterns of impairment in digit independence after subcortical stroke. *J Neurophysiol* 2006; 95:369-378.
- Raiert M. Symmetry in running. *Science* 1986; 231:1292-1294.
- Ralston HJ. Energetics of human walking. In: Herman RM, Grillner S, Stein PSG, Stuart DG, eds. Neural control of locomotion. New York: Plenum, 1976:77-98.
- Ramachandran VS, Stewart M, Rogers-Ramachandran DC. Perceptual correlates of massive cortical reorganization. *NeuroReport* 1992; 3:583-586.
- Ramon y Cajal S. Degeneration and regeneration of the nervous system. May RM, trans. London: Oxford University, 1928.
- Rand Report to Centers for Medicare and Medicaid Services. Healthy Aging Initiative: Evidence Report. Falls Prevention Interventions in the Medicare Population. 2003.
- Rankin JK, Woollacott MH, Shumway-Cook A, Brown LA. Cognitive influence on postural stability: a neuromuscular analysis in young and older adults. *J Gerontol* 2000; 55A:M112-M119.
- Rantanen T, Guralnik JM, Ferrucci L, Leveille S, Fried LP. Coimpairments: strength and balance as predictors of severe walking disability. *J Gerontology* 1999; 54A:M172-M176.
- Reber RJ, Squire LR. Encapsulation of implicit and explicit memory in sequence learning. *J Cogn Neurosci* 1998; 10:248-263.
- Redfern MS, Jennings JR, Martin C, Furman JM. Attention influences sensory integration for postural control in older adults. *Gait Posture* 2001; 14:211-216.
- Redfern MS, Muller MLTM, Jennings JR, Furman JM. Attentional dynamics in postural control during perturbations in young and older adults. *J Gerontol Biol Sci* 2002; 57A:298-303.
- Reed ES. An outline of a theory of action systems. *J Mot Behav* 1982; 14:98-134.
- Regnault JP, David D, Daniel O, Smail DB, Combeaud M, Bussel B. Evidence for cognitive processes involved in the control of steady state of walking in healthy subjects and after cerebral damage. *Neurorehabil Neural Repair* 2005; 19(2):125-132.
- Reimers J. Clinically based decision making for surgery. In: Sussman M, ed. The diplegic child. Rosemont, IL: American Academy of Orthopedic Surgeons, 1992:155, 156, 158.
- Remple MS, Bruneau RM, Vandenberg PM, Goertzen C, Kleim JA. Sensitivity of cortical movement representations to motor experience: evidence that skill learning but not strength training induces cortical reorganization. *Behav Brain Res* 2001; 123:133-141.
- Rey A. Le freinage volontaire du mouvement graphique chez l'enfant. In: Epreuves d'intelligence pratique et de psychomotricité. Neuchâtel: Delachaux & Niestle, 1968.
- Riach CL, Starkes JL. Velocity of center of pressure excursions as an indicator of postural control systems in children. *Gait Posture* 1994; 2:167-172.
- Rice MS, Newell KM. Interlimb coupling and left hemiplegia because of right cerebral vascular accident. *Occup Ther J Res* 2001; 21:12-28.
- Rice MS, Newell KM. Upper extremity interlimb coupling in persons with left hemiplegia due to stroke. *Arch Phys Med Rehabil* 2004; 85:629-634.
- Richards CL, Malouin F, Bravo G, Dumas F, Wood-Dauphinee S. The role of technology in task-oriented training in persons with subacute stroke: a randomized controlled trial. *Neurorehabil Neural Repair* 2004; 18(4):199-211.
- Richards CL, Malouin F, Dumas F, et al. Early and intensive treadmill locomotor training for young children with cerebral palsy: a feasibility study. *Pediatr Phys Ther* 1997; 9:158-165.
- Richards CL, Malouin F, Dumas F, et al. Gait velocity as an outcome measure of locomotor recovery after stroke. In: Craik RL and Oatis C, eds. Gait analysis: theory and applications. St. Louis: Mosby, 1995: 355-364.

- Richards CL, Malouin F, Wood-Dauphinee S, et al. Task-specific physical therapy for optimization of gait recovery in acute stroke patients. *Arch Phys Med Rehabil* 1993; 74:612-620.
- Richardson D. Physical therapy in spasticity. *Eur J Neurol* 2002; 9:17-26.
- Richardson PK, Atwater SW, Crowe TK, Dietz JC. Performance of preschoolers on the Pediatric Clinical Test of Sensory Interaction for Balance. *Am J Occup Ther* 1992; 46:793-800.
- Richter A, Loscher W. Pathophysiology of idiopathic dystonia: findings from genetic animal models. *Progr Neurobiol* 1998; 54:633-677.
- Richter RR, VanSant AF, Newton RA. Description of adult rolling movements and hypothesis of developmental sequences. *Phys Ther* 1989; 69:63-71.
- Ricken AX, Bennett SJ, Savelsbergh GJ. Coordination of reaching in children with spastic hemiparetic cerebral palsy under different task demands. *Motor Control* 2005; 9(4):357-371.
- Rikli R, Jones CJ. Senior Fitness Test Manual. Champaign, IL: Human Kinetics, 2001.
- Rine RM, Braswell J, Disher D, Joyce K, Kalar K, Shaffer M. Improvement of motor development and postural control following intervention in children with sensorineural hearing loss and vestibular impairment. *Int J Pediatr Otorhinolaryngol* 2004; 68(90):1133-1232.
- Ring C, Nayak USL, Isaacs B. Balance function in elderly people who have and who have not fallen. *Arch Phys Med Rehabil* 1988; 69:261-264.
- Riolo L, Fisher K. Is there evidence that strength training could help improve muscle function and other outcomes without reinforcing abnormal movement patterns or increasing reflex activity in a man who has had a stroke? *Phys Ther* 2003; 83:844-851.
- Risedal A, Zeng J, Johansson BB. Early training may exacerbate brain damage after focal brain ischemia in the rat. *J Cereb Blood Flow Metab* 1999; 19:997-1003.
- Rizzolatti G, Camarda R, Fogassi L, et al. Functional organization of inferior area 6 in the macaque monkey. *Exp Brain Res* 1988; 71:491-597.
- Roberts TDM. Neurophysiology of postural mechanisms. London: Butterworths, 1979.
- Robertson C, Flowers KA. Motor set in Parkinson's disease. *J Neurol Neurosurg Psychiatry* 1990; 53:583-92.
- Robertson SL, Jones LA. Tactile sensory impairments and prehensile function in subjects with left-hemisphere cerebral lesions. *Arch Phys Med Rehabil* 1994; 75:1108-1117.
- Robinson JL, Schmidt GL. Quantitative gait evaluation in the clinic. *Phys Ther* 1981; 61:351-353.
- Rochester L, Hetherington V, Jones B, Nieuwboer A, Willems A, Kwakkel G, vanWegen E. Attending to the task: interference effects of functional tasks on walking in Parkinson's disease and the roles of cognition, depression, fatigue and balance. *Arch Phys Med Rehabil* 2004; 85: 1578-1585.
- Rogers MW. Control of posture and balance during voluntary movements in Parkinson's disease. In: Duncan P, ed. Balance: proceedings of the APTA Forum. Alexandria, VA: American Physical Therapy Association, 1990:79-86.
- Rogers MW. Motor control problems in Parkinson's disease. In: Contemporary management of motor control problems. Proceedings of the II Step Conference. Alexandria, VA: American Physical Therapy Association, 1991:195-208.
- Roland PE, Larsen B, Lassen NA, Skinhof E. Supplementary motor area and other cortical areas in organization of voluntary movements in man. *J Neurophysiol* 1980; 43:118-136.
- Roll JP, Bard C, Paillard J. Head orienting contributes to directional accuracy of aiming at distant targets. *Hum Mov Sci* 1986; 5:359-371.
- Roll JP, Roll R. From eye to foot: a proprioceptive chain involved in postural control. In: Amblard B, Berthoz A, Clarac F, eds. Posture and gait: development, adaptation and modulation. Amsterdam: Elsevier, 1988:155-164.
- Romberg MH. Manual of nervous diseases of man. London: Sydenham Society, 1853:395-401.
- Roncesvalles MN, Woollacott MW, Burtner PA. Neural factors underlying reduced postural adaptability in children with cerebral palsy. *Neuroreport* 2002; 13:2407-2410.
- Roncesvalles MNC, Jensen J. The expression of weight-bearing ability in infants between four and seven months of age. *Sport Exer Psychol* 1993; 15:568.
- Roncesvalles MNC, Woollacott MH, Jensen JL. The development of compensatory stepping skills in children. *J Mot Behav* 2000; 32:100-111.
- Roncesvalles MNC, Woollacott MH, Jensen JL. Development of lower extremity kinetics for balance control in infants and young children. *J Mot Behav* 2001; 33:180-192.
- Roncesvalles N, Woollacott M, Brown N, Jensen J. An emerging postural response: is control of the hip possible in the newly walking child? *J Mot Behav* 2003; 36:147-159.
- Rosander I, von Hofsten C. Visual-vestibular interaction in early infancy. *Exp Brain Res* 2000; 133:321-333.
- Rosander K, von Hofsten C. Development of gaze tracking of small and large objects. *Exp Brain Res* 2002; 146:257-264.
- Rose D. Fall proof: a comprehensive balance and mobility program. Champaign, IL: Human Kinetics, 2003.
- Rose DJ. A multilevel approach to the study of motor control and learning. Boston: Allyn & Bacon, 1997.
- Rose DK, Winstein CJ. Bimanual training after stroke: are two hands better than one? *Top Stroke Rehabil* 2004; 11:20-31.
- Rose SJ. Physical therapy diagnosis: role and function. *Phys Ther* 1989; 69:535-537.
- Rosen B, Lundborg G. Early use of artificial sensibility to improve sensory recovery after repair of the median and ulnar nerve. *Scand J Plast Reconstr Surg Hand Surg* 2003; 37(1):54-57.
- Rosenbaum D. Human motor control. New York: Academic Press, 1991.
- Rosenhall U, Rubin W. Degenerative changes in the human vestibular sensory epithelia. *Acta Otolaryngol* 1975; 79:67-81.
- Rosenrot P, Wall JC, Charteris J. The relationship between velocity, stride time, support time and swing time during normal walking. *J Hum Mov Stud* 1980; 6:323-335.
- Rosenthal RB, Deutsch SD, Miller W, et al. A fixed-ankle, below-the-knee orthosis for the management of genu recurvatum in spastic cerebral palsy. *J Bone Joint Surg Am* 1975; 57:545-547.
- Roskies A. The binding problem. *Neuron* 1999; 24:7-9.
- Ross SA, Engsberg JR. Relation between spasticity and strength in individuals with spastic diplegic cerebral palsy. *Dev Med Child Neurol* 2002; 44(3):148-157.
- Rothstein J. Disability and our identity. *Phys Ther* 1994; 74:375-377.
- Rothstein JM, Echternach JL. Hypothesis-oriented algorithm for clinicians: a method for evaluation and treatment planning. *Phys Ther* 1986; 66:1388-1394.
- Rothwell JC. Brainstem myoclonus. *Clin Neurosci* 1995-1996; 3(4):214-218.
- Rothwell JC. Cerebral cortex. In: Rothwell JC, ed. Control of human voluntary movement, 2nd ed. 1994:293-286.
- Rothwell JC, Traub MM, Day BL, et al. Manual motor performance in a deafferented man. *Brain* 1982; 105:515-542.
- Rovee-Collier CK, Sullivan MW. Organization of infant memory. *J Exp Psychol [Hum Learn]* 1980; 6:798-807.
- Rowe JW, Kahn RL. Successful aging. New York: Pantheon, 1998.
- Rozendal RH. Biomechanics of standing and walking. Amsterdam: Elsevier, 1986.
- Rubenstein LZ, Josephson KR. Guidelines for prevention of falls in older persons. *J Am Geriatr Soc* 2001; 49:664-672.
- Rubenstein LZ, Robbins AS, Schulman BL, et al. Falls and instability in the elderly. *J Am Geriatr Soc* 1988; 36:266-278.
- Ruff HA. Infants' manipulative exploration of objects: effects of age and object characteristics. *Dev Psychol* 1984; 20:9-20.
- Runge CF, Shupert CL, Horak FB, Zajac FE. Postural strategies defined by joint torques. *Gait Posture* 1999; 10:161-170.
- Russell DJ, Rosenbaum PL, Gowland C, et al. Manual for the gross motor function measure. Hamilton, ON: McMaster University, 1993.

- Rymer W, Katz RT. Mechanisms of spastic hypertension. In: Katz RT, ed. *Spasticity: state of the art review*. vol. 8. Philadelphia: Hanley & Belfus, 1994:441-154.
- Saboe LA, Darrah JM, Pain KS, Guthrie J. Early predictors of functional independence 2 years after spinal cord injury. *Arch Phys Med Rehabil* 1997; 78(6):644-650.
- Sahrman SA. Diagnosis by the physical therapist: a prerequisite for treatment. *Phys Ther* 1988; 68: 1703-1706.
- Sahrman SA, Norton BJ. The relationship of voluntary movement to spasticity in the upper motor neuron syndrome. *Arch Neurol* 1977; 2:460-465.
- Sainburg RL. Handedness: differential specializations for control of trajectory and position. *Exer Sport Sci Rev* 2005; 33(4): 206-213.
- Sainburg RL. Evidence for a dynamic-dominance hypothesis of handedness. *Exp Brain Res* 2002; 142(2):241-258.
- Sainburg RL, Duff SV. Does motor lateralization have implications for stroke rehabilitation? *J Rehabil Res Dev* (in press).
- Sainburg RL, Kalakanis D. Differences in control of limb dynamics during dominant and non-dominant reaching. *J Neurophysiol* 2000; 83:2661-2675.
- Sainburg RL, Schaefer SY. Interlimb differences in control of movement extent. *J Neurophysiol* 2004; 92:1374-1383.
- Sainburg RL, Wang J. Interlimb transfer of visuo-motor rotations: independence of direction and final position information. *Exp Brain Res* 2002; 145(4):437-47.
- Sakata H, Shibusaki H, Kawano K, Harrington TL. Neural mechanisms of space vision in the parietal association cortex of the monkey. *Vision Res* 1985; 25:453-463.
- Salbach NM, Mayo NE, Higgins J, Ahmed S, Finch LE, Richards CL. Responsiveness and predictability of gait speed and other disability measures in acute stroke. *Arch Phys Med Rehabil* 2001; 82:1204-1212.
- Salbach NM, Mayo NE, Wood-Dauphinee S, Hanley JA, Richards CL, Cote R. A task oriented intervention enhances walking distance and speed in the first year post stroke: a randomized controlled trial. *Clin Rehabil* 2004; 18:509-519.
- Salimi I, Brochier T, Smith AM. Neuronal activity in somatosensory cortex of monkeys using a precision grip. II. Responses to object texture and weights. *J Neurophysiol* 1999a; 81:835-844.
- Salimi I, Brochier T, Smith AM. Neuronal activity in somatosensory cortex of monkeys using a precision grip. III. Responses to altered friction perturbations. *J Neurophysiol* 1999b; 81: 845-857.
- Salmoni AW, Schmidt RA, Walter CB. Knowledge of results and motor learning: a review and critical reappraisal. *Psychol Bull* 1984; 95:355-386.
- Sandin KJ, Smith BS. The measure of balance in sitting in stroke rehabilitation prognosis. *Stroke* 1990; 21:82-86.
- Sanes JN, LeWitt PA, Mauritz KH. Visual and mechanical control of postural and kinetic tremor in cerebellar system disorders. *J Neurol Neurosurg Psychiatry* 1988; 51:934-943.
- Satkunam LE. Rehabilitation medicine: 3. Management of adult spasticity CMJ 2003; 169(11)1173-1179.
- Saunders D. Evaluation, treatment and prevention of musculoskeletal disorders. Minneapolis: Viking Press, 1991.
- Saunders JB, Inman VT, Eberhart HD. The major determinants in normal and pathological gait. *J Bone Joint Surg Am* 1953; 35:543-558.
- Sauvage LR, Myklebust BM, Crow-Pan J, et al. A clinical trial of strengthening and aerobic exercise to improve gait and balance in elderly male nursing home residents. *Am J Phys Med Rehabil* 1992; 71:333-342.
- Schaechter JD, Kraft E, Hilliard TS, Dijkhuizen RM, Benner T, Finklestein SP, Rosen BR, Cramer S. Motor recovery and cortical reorganization after constraint-induced movement therapy in stroke patients: a preliminary study. *Neurorehabil Neural Repair* 2002; 16(4):1-13.
- Schallert T, Leisure JL, Kolb B. Experience associated structural events, subependymal cellular proliferative activity and functional recovery after injury to the central nervous system. *J Cereb Blood Flow Metab* 2000; 20:1513-1528.
- Schallert T, Fleming SM, Woodlee MT. Should the injured and intact hemispheres be treated differently during the early phases of physical restorative therapy in experimental stroke or parkinsonism? *Phys Med Rehabil Clin* 2003; 14:1-20.
- Schaltenbrand G. The development of human motility and motor disturbances. *Arch Neurol Psychiatry* 1928; 20:720.
- Schauer M, Mauritz KH. Musical motor feedback (MMF) in walking hemiparetic stroke patients: randomized trials of gait improvement. *Clin Rehabil.* 2003; 17: 713-722.
- Scheker LR, Chesher SP, Ramirez S. Neuromuscular electrical stimulation and dynamic bracing as a treatment for upper extremity spasticity in children with cerebral palsy. *Br J Hand Surg* 1999; 2: 226-232.
- Schenkman M. Interrelationships of neurological and mechanical factors in balance control. In: Duncan P, ed. *Balance: proceedings of the APTA Forum*. Alexandria, VA: American Physical Therapy Association, 1990:29-41.
- Schenkman M, Butler RB. "Automatic Postural Tone" in posture, movement, and function. Forum on physical therapy issues related to cerebrovascular accident. Alexandria, VA: American Physical Therapy Association, 1992:16-21.
- Schenkman M, Butler RB. A model for multi-system evaluation, interpretation, and treatment of individuals with neurologic dysfunction. *Phys Ther* 1989; 69: 538-547.
- Schenkman MA, Berger RA, Riley PO, et al. Whole-body movements during rising to standing from sitting. *Phys Ther* 1990; 10:638-651.
- Schillings AM, van Wezel BM, Mulder T, Duyse J. Muscular responses and movement strategies during stumbling over obstacles. *J Neurophysiol* 2000; 83:2093-2102.
- Schloon H, O'Brien MJ, Scholten CA, Prechtel HE. Muscle activity and postural behavior in newborn infants: a polygraphic study. *Neuropadiatrie* 1976; 7:384-415.
- Schmidt R. Motor and action perspectives on motor behaviour. In: Meijer OG, Roth K, eds. *Complex movement behavior: the motor-action controversy*. Amsterdam: Elsevier, 1988:3-44.
- Schmidt RA. A schema theory of discrete motor skill learning. *Psychol Rev* 1975; 82:225-260.
- Schmidt RA. Motor control and learning, 2nd ed. Champaign, IL: Human Kinetics, 1988.
- Schmidt RA. Motor learning principles for physical therapy. Contemporary management of motor control problems. *Proceedings of the II Step Conference*. Alexandria, VA: American Physical Therapy Association, 1991.
- Schmidt RA, Lee TD. Motor control and learning: a behavioral emphasis, Champaign, IL: Human Kinetics, 2005.
- Schmidt RA, Young DE, Swinnen S, Shapiro DC. Summary knowledge of results for skill acquisition: support for the guidance hypothesis. *J Exp Psychol Learn Mem Cogn* 1989; 15:352-359.
- Schmitz TJ. Coordination assessment. In: O'Sullivan SB, Schmitz TJ. *Physical rehabilitation assessment and treatment*, 4th ed. Philadelphia: FA Davis, 2001.
- Schmitz TJ. Gait training with assistive devices. In: O'Sullivan S, Schmitz TM, eds. *Physical rehabilitation: assessment and treatment*, 2nd ed. Philadelphia: FA Davis 1998.
- Schneck CM, Henderson A. Descriptive analysis of the developmental progression of grip position for pencil and crayon control in nondysfunctional children. *Am J Occup Ther* 1990; 44:893-900.
- Schneiberg S, Sveistrup H, McFadyen B, McKinley P, Levin MF. The development of coordination for reach-to-grasp movements in children. *Exp Brain Res* 2002; 146(2):142-154.
- Schultz A, Alexander NB, Gu MJ, Boismier T. Postural control in young and elderly adults when stance is challenged: clinical versus laboratory measurements. *Ann Otol Rhinol Laryngol* 1993; 102:508-517.
- Schultz AB. Muscle function and mobility biomechanics in the elderly: an overview of some recent research. *J Gerontol* 1995; 50A(special issue): 60-63.
- Schwab RS. Progression and prognosis in Parkinson's disease. *J Nerv Ment Dis* 1960; 130:556-572.
- Sea MJC, Henderson A, Cermak SA. Patterns of visual spatial inattention and their func-

- tional significance in stroke patients. *Arch Phys Med Rehabil* 1993; 74:355-360.
- Seeger BR, Caudrey DJ, O'Mara NA. Hand function in cerebral palsy: the effect of hip flexion angle. *Dev Med Child Neurol* 1984; 26:601-606.
- Seidel B, Krebs DE. Base of support is not wider in chronic ataxic and unsteady patients. *J Rehabil Med* 2002; 34(6):288-292.
- Serrien DJ, Nirkkko AC, Wiesendanger M. Role of the corpus callosum in bimanual coordination: a comparison of patients with congenital and acquired callosal damage. *Eur J Neurosci* 2001; 14:1897-1905.
- Serrien DJ, Wiesendanger M. Temporal control of a bimanual task in patients with cerebellar dysfunction. *Neuropsychologia* 2000; 38(5):558-565.
- Shaltenbrand G. The development of human motility and motor disturbances. *Arch Neurol Psychiatr* 1928; 20:720-730.
- Shambes GM, Gibson JM, Welker W. Fractured somatotopy in granule cell tactile areas of rat cerebellar hemispheres revealed by micromapping. *Brain Behav Evol* 1978; 15:94-140.
- Shapiro DC, Schmidt RA. The schema theory: recent evidence and developmental implications. In: Kelso FAS, Clark JE, eds. *The development of movement control and coordination*. New York: Wiley, 1982:113-173.
- Shaughnessy M, Michael KM, Sorkin JD, Macko RF. Steps after stroke: capturing ambulatory recovery. *Stroke* 2005; 36(6):1305-7.
- Shea CH, Shebilske W, Worchsel S. Motor learning and control. Englewood Cliffs, NJ: Prentice Hall, 1993.
- Shea SL, Aslin RN. Oculomotor responses to step-ramp targets by young infants. *Vision Res* 1990; 30: 1077-1092.
- Sheldon JH. On the natural history of falls in older age. *BMJ* 1960; 4:1685-1690.
- Sheldon JH. The effect of age on the control of sway. *Gerontol Clin* 1963; 5:129-138.
- Shellenkens JM, Scholten CA, Kalverboer AF. Visually guided hand movements in children with minor neurological dysfunction: Response time and movement organization. *J Child Psych Psychiatry* 1983; 24:89-102.
- Shepard K. Theory: criteria, importance and impact. In: *Contemporary management of motor control problems: proceedings of the II Step Conference*. Alexandria, VA: American Physical Therapy Association, 1991:5-10.
- Shepherd RB, Crosbie J, Squires T. The contribution of the ipsilateral leg to postural adjustments during fast voluntary reaching in sitting. Abstract of International Society for Biomechanics, 14th Congress, Paris, 1993.
- Sherrard RM, Bower AJ. BDNF and NT3 extend the critical period for developmental climbing fiber plasticity. *Neuroreport* 2001; 12:2871-2874.
- Sherrington CS. Decerebrate rigidity, and reflex coordination of movements. *J Physiol Lond* 1898; 22:319-332.
- Sherrington, C. *The integrative action of the nervous system*. New Haven: Yale University, 1906.
- Sherrington, C. *The integrative action of the nervous system*, 2nd ed. New Haven: Yale University, 1947.
- Shik ML, Severin FV, Orlovsky GN. Control of walking and running by means of electrical stimulation of the mid-brain. *Bio-physics* 1966; 11:756-765.
- Shumway-Cook A. Equilibrium deficits in children. In: Woollacott M, Shumway-Cook A, eds. *Development of posture and gait across the life span*. Columbia: University of South Carolina, 1989:229-252.
- Shumway-Cook A, Anson D, Haller S. Postural sway biofeedback for pretraining postural control following hemiplegia. *Arch Phys Med Rehabil* 1988a; 69:395-400.
- Shumway-Cook A, Baldwin M, Pollisar N, Gruber W. Predicting the probability of falls in community dwelling older adults. *Phys Ther* 1997a; 77:812-819.
- Shumway-Cook A, Brauer S, Woollacott M. Predicting the probability for falls in community-dwelling older adults using the Timed Up and Go Test. *Phys Ther* 2000; 80:896-903.
- Shumway-Cook A, Ciol M, Gruber W, Robinson C. Incidence and risk factors for falls following hip fracture in community dwelling older adults. *Phys Ther* 2005; 85:648-655.
- Shumway-Cook A, Gruber W, Baldwin M, Liao S. The effect of multidimensional exercises on balance, mobility and fall risk in community dwelling older adults. *Phys Ther* 1997b; 77:46-57.
- Shumway-Cook A, Horak F. Assessing the influence of sensory interaction on balance. *Phys Ther* 1986; 66:1548-1550.
- Shumway-Cook A, Horak F. Balance rehabilitation in the neurologic patient: course syllabus. Seattle: Neuroscience Education and Research Associates, 1992.
- Shumway-Cook A, Horak FB. Rehabilitation strategies for patients with vestibular deficits. *Neurol Clin* 1990; 8:441-457.
- Shumway-Cook A, Horak FB. Vestibular rehabilitation: an exercise approach to managing symptoms of vestibular dysfunction. *Semin Hearing* 1989; 10:196-205.
- Shumway-Cook A, McCollum G. Assessment and treatment of balance disorders in the neurologic patient. In: Montgomery T, Connolly B, eds. *Motor control and physical therapy: theoretical framework and practical applications*. Chattanooga, TN: Chattanooga, 1990:123-138.
- Shumway-Cook A, Olmscheid R. A systems analysis of postural dyscontrol in traumatically brain-injured patients. *J Head Trauma Rehabil* 1990; 5:51-62.
- Shumway-Cook A, Patla A, Stewart A, Ferucci L, Cioc MA, Guralnik JM. Assessing environmentally determined mobility disability: self-report versus observed community mobility. *J Am Geriatr Soc* 2005; 53:700-704.
- Shumway-Cook A, Patla A, Stewart A, Ferucci L, Cioc MA, Guralnik JM. Environmental components of mobility disability in community-living older persons. *J Am Geriatr Soc* 2003; 51:393-398.
- Shumway-Cook A, Patla A, Stewart A, Ferucci L, Cioc MA, Guralnik JM. Environmental demands associated with community mobility in older adults with and without mobility disability. *Phys Ther* 2002; 82:670-681.
- Shumway-Cook A, Woollacott M. Attentional demands and postural control: the effect of sensory context. *J Gerontology* 2000; 55A:M10-M16.
- Shumway-Cook A, Woollacott M. Attentional demands and postural control: new insights for assessing and treating instability in older adults. Talk given at the annual meeting of the American Physical Therapy Association, June, 1997.
- Shumway-Cook A, Woollacott M. Postural control in the Down's syndrome child. *Phys Ther* 1985b; 9:211-235.
- Shumway-Cook A, Woollacott M. The growth of stability: postural control from a developmental perspective. *J Mot Behav* 1985a; 17:131-147.
- Shumway-Cook A, Woollacott M. Theoretical issues in assessing postural control. In: Wilhelm I, ed. *Physical therapy assessment in early infancy*. New York: Churchill Livingstone, 1993:161-171.
- Shumway-Cook A, Woollacott M, Baldwin M, Kerns K. The effects of cognitive demands on postural control in elderly fallers and non-fallers. *J Gerontol* 1997c; 52:M232-M240.
- Shumway-Cook A, Woollacott M, Hutchinson S, Kartik D, Price R. The Effect of balance training on recovery of stability in children with cerebral palsy. *Dev Med Child Neurol* 2003; 45:591-602.
- Silsupadol P, Siu K-C, Shumway-Cook A, Woollacott M. Training of balance under single and dual task conditions in older adults with balance impairment: three case reports. *Phys Ther* 2006; 86: 269-281.
- Simoneau GG, Cavanagh PR, Ulbrecht JS, et al. The influence of visual factors on fall-related kinematic variables during stair descent by older women. *J Gerontol* 1991; 46:188-195.
- Simonsick EM, Kasper JD, Guralnik JM, et al. Severity of upper and lower extremity functional limitation: scale development and validation with self-report and performance-based measures of physical function. Women's Health and Aging Study Research Group. *J Gerontol B Psychol Sci Soc Sci* 2001; 56:S10-S19.
- Singer RN. Motor learning and human performance, 3rd ed. New York: Macmillan, 1980.

- Sinkjaer T, Magnussen I. Passive, intrinsic and reflex mediated stiffness in the ankle extensors of hemiparetic patients. *Brain* 1994; 117:355-363.
- Sjostrom M, Fugl-Meyer AR, Nordin G, Wahly L. Post stroke hemiplegia: muscle strength and structure. *Scand J Rheumatol* 1980; 7:53-67.
- Slijper H, Latash ML, Rao N, Aruin AS. Task-specific modulation of anticipatory postural adjustments in individuals with hemiparesis. *Clin Neurophysiol* 2002; 113:642-655.
- Sloane P, Baloh RW, Honrubia V. The vestibular system in the elderly. *Am J Otolaryngol* 1989; 1:422-429.
- Slobounov SM, Moss SA, Slobounova ES, Newell KM. Aging and time to instability of posture. *J Gerontol Biol Sci* 1998; 53:71-78.
- Small SL, Hlustik P, Noll DC, Genovese C, Solodkin A. Cerebellar hemispheric activation ipsilateral to the paretic hand correlates with functional recovery after stroke. *Brain* 2002; 125:1544-1557.
- Smania N, Martini MC, Gambina G, et al. The spatial distribution of visual attention in hemineglect and extinction patients. *Brain* 1998; 121:1759-1770.
- Smidt GL, Rogers MW. Factors contributing to the regulation and clinical assessment of muscular strength. *Phys Ther* 1982; Sep;62(9):1283-1290.
- Smith BT, Mulcahey MJ, Betz RR. An implantable upper extremity neuroprosthesis in a growing child with a C5 spinal cord injury. *Spinal Cord* 2001; 39: 118-123.
- Smith BT, Mulcahey MJ, Betz RR. Quantitative comparison of grasp and release abilities with and without functional neuromuscular stimulation in adolescents with tetraplegia. *Paraplegia* 1996; 34:16-23.
- Smith JL. Programming of stereotyped limb movements by spinal generators. In: Stelmach GE, Requin J, eds. *Tutorials in motor behavior*. Amsterdam: North-Holland, 1980:95-115.
- Smith JL, Smith LA, Dahms KL. Motor capacities of the chronic spinal cat: recruitment of slow and fast extensors of the ankle. *Neurosci Abstr* 1979; 5:387.
- Smith JL, Zernicke RF. Predictions for neural control based on limb dynamics. *Trends Neurosci* 1987; 10:123-128.
- Smith LH, Harris SR. Upper extremity inhibitory casting for a child with cerebral palsy. *Phys Occup Ther Ped* 1985; 5:71-79.
- Smith-Zuzovsky N, Exner CE. The effect of seated positioning quality on typical 6- and 7-year-old children's object manipulation skills. *Am J Occup Ther* 2004; 58(4):380-388.
- Snow BJ, Tsui JK, Bhart MH, et al. Treatment of spasticity with botulinum toxin: a double blind study. *Ann Neurol* 1990; 28:512-515.
- Sohlberg MM, Mateer CA. Introduction to cognitive rehabilitation. New York: Guilford Press, 1989.
- Sollerman C. Assessment of grip function: evaluation of a new method. Sweden: MITAB, 1984.
- Son K, Miller JAA, Schultz AB. The mechanical role of the trunk and lower extremities in a seated weight moving task in sagittal plane. *J Biomech Eng* 1988; 110:97-103.
- Southard D, Higgins T. Changing movement patterns: effects of demonstration and practice. *Res Q Exer Sport* 1987; 58:77-80.
- Speechley M, Tinetti M. Assessment of risk and prevention of falls among elderly persons: role of the physiotherapist. *Physiother Can* 1990; 2:75-79.
- Speechley M, Tinetti M. Falls and injuries in frail and vigorous community elderly persons. *J Am Geriatr Soc* 1991; 39:46-52.
- Sperle PA, Ottenbacher KJ, Braun SL, Lane SJ, Nochański S. Equivalence reliability of the functional independence measure for children (WeeFIM) administration methods. *Am J Occup Ther* 1997; 51(1): 35-41.
- Spirduso W, Francis K, MacRae PG. Physical dimensions of aging. Champaign, IL: Human Kinetics, 2005.
- Squire LR. Mechanisms of memory. *Science* 1986; 232:1612-1619.
- Steenbergen B, Hulstijn W, Lemmens IHL, Meulenbroek RGJ. The timing of prehensile movements in subjects with cerebral palsy. *Dev Med Child Neurol* 1998; 40:108-114.
- Stehouwer DJ, Farel PB. Development of hindlimb locomotor behavior in the frog. *Dev Psychobiol* 1984; 17:217-232.
- Stein DG, Brailowsky S, Will B. *Brain repair*. New York: Oxford, 1995.
- Stein J, Krebs HI, Frontera WR, Fasoli SE, Hughes R, Hogan N. Comparison of two techniques of robot-aided upper limb exercise training after stroke. *Am J Phys Med Rehabil* 2004; 83:720-728.
- Stein RB. Reflex modulation during locomotion: functional significance. In: Patla A, ed. *Adaptability of human gait*. Amsterdam: North Holland, 1991:21-36.
- Steinfeld EH, Danford GS. Environment as a mediating factor in functional assessment. In: Dittmar SS, Gresham GE, eds. *Functional assessment and outcome measures for the rehabilitation health professional*. Gaithersburg, MD: Aspen, 1997:37-56.
- Stern EB. Stability of the Jebsen-Taylor hand function test across three test sessions. *Am J Occup Ther* 1992; 7:647-649.
- Stevens JA, Stoykov ME. Simulation of bilateral movement training through mirror reflection: a case report demonstrating an occupational therapy technique for hemiparesis. *Top Stroke Rehabil* 2004; 11(1):59-66.
- Steward O. Reorganization of neuronal connections following CNS trauma: principles and experimental paradigms. *J Neurotrauma* 1989; 6:99-151.
- Stillman B, McMeeken J. A video-based version of the pendulum test: technique and normal response. *Arch Phys Med Rehabil* 1995; 76(2):166-176.
- Stockmeyer S. An interpretation of the approach of Rood to the treatment of neuromuscular dysfunction. *Am J Phys Med* 1967; 46:950-955.
- Stoffregen TA, Adolph K, Thelen T, et al. Toddlers' postural adaptations to different support surfaces. *Mot Control* 1997; 1: 119-137.
- Stoffregen TA, Pagulayan RJ, Bardy BG, Hettinger IJ. Modulating postural control to facilitate visual performance. *Hum Mov Sci* 2000; 19:203-220.
- Stoffregen TA, Riccio GE. An ecological theory of orientation and the vestibular system. *Psychol Rev* 1988; 95(1):3-14.
- Stone JH. Sensibility. In: Casanova J, ed. *Clinical assessment recommendations*, 2nd ed. Chicago: American Society of Hand Therapists, 1992:71-84.
- Stone MH, O'Bryant H, Garhammer J. A hypothetical model for strength training. In: Fleck S, Kraemer W, eds. *Designing resistance training programs*. Champaign IL: Human Kinetics, 1997:103.
- Stoykov ME, Stojakovich M, Stevens JA. Beneficial effects of postural intervention on prehensile action for an individual with ataxia resulting from brainstem stroke. *Neurorehabilitation* 2005; 20(2): 85-89.
- Strick PL. Anatomical organization of multiple areas of frontal lobe: implications for recovery of function. *Adv Neurol* 1988; 47:293-312.
- Strub RL, Black FW. The mental status examination in neurology. Philadelphia: FA Davis, 1977.
- Strupp M, Arbusow V, Pereira DB, Dieterich M, Brandt T. Subjective straight ahead during neck muscle vibration: effect of aging. *Neuroreport* 1999; 10:3191-3194.
- Studenski S, Duncan PW, Chandler J. Postural responses and effector factors in persons with unexplained falls: results and methodologic issues. *J Am Geriatr Soc* 1991; 39:229-234.
- Sudarsky L, Ronthal M. Gait disorders among elderly patients: a survey study of 50 patients. *Arch Neurol* 1983; 40:740-743.
- Sudarsky L, Ronthal M. Gait disorders in the elderly: assessing the risk for falls. In: Velas B, Toupet M, Rubenstein L, et al., eds. *Falls, balance and gait disorders in the elderly*. Amsterdam: Elsevier, 1992: 117-127.
- Sudsawad P, Trombly CA, Henderson A, Tickle-Degnen L. Testing the effect of kinesthetic training on handwriting performance in first-grade students. *Am J Occup Ther* 2002; 56(1):26-33.
- Sudsawad P, Trombly CA, Henderson A, Tickle-Degnen L. The relationship between the Evaluation Tool of Children's

- Handwriting and teacher's perceptions of handwriting legibility. *Am J Occup Ther* 2001; 55(5):518-523.
- Sugden DA. Movement speed in children. *J Mot Behav* 1980; 12:125-132.
- Sullivan JE, Hedman LD. A home program of sensory and neuromuscular electrical stimulation with upper-limb task practice in a patient 5 years after a stroke. *Phys Ther* 2004; 84:1045-1054.
- Sullivan KJ, Knowlton BJ, Dobkin BH. Step training with body weight support: effect of treadmill speed and practice paradigms on poststroke locomotor recovery. *Arch Phys Med Rehabil* 2002; 83(5):683-91.
- Sundermeier L, Woollacott M, Jensen J, Moore S. Postural sensitivity to visual flow in aging adults with and without balance problems. *J Gerontol A Biol Sci Med Sci* 1996; 51:M45-M52.
- Sundermeier L, Woollacott M, Roncesvalles N, Jensen J. The development of balance control in children: comparisons of EMG and kinetic variables and chronological and developmental groupings. *Exp Brain Res* 2001; 136:340-350.
- Sur M, Pallas SL, Roe AW. Cross-modal plasticity in cortical development: differentiation and specification of sensory neocortex. *Trends Neurosci* 1990; 13:227-233.
- Surberg PR. Aging and effect of physical-mental practice upon acquisition and retention of a motor skill. *J Gerontol* 1976; 31:64-67.
- Surrey LR, Hodson J, Robinson E, Schmidt S, Schulhof J, Stoll L, Wilson-Diekhoff N. Pinch strength norms for 5-to 12-year-olds. *Phys Occup Ther Pediatr* 2001; 21(1):37-49.
- Sutherland DH, Olshen R, Cooper L, Woo S. The development of mature gait. *J Bone Joint Surg Am* 1980; 62:336-353.
- Suzuki E, Chen W, Kondo T. Measuring unilateral spatial neglect during stepping. *Arch Phys Med Rehabil* 1997; 78:173-178.
- Sveistrup H, Woollacott M. Can practice modify the developing automatic postural response? *Exp Brain Res* 1997; 114:33-43.
- Sveistrup H, Woollacott MH. Longitudinal development of the automatic postural response in infants. *J Mot Behav* 1996; 28:58-70.
- Sveistrup H, Woollacott MH. Systems contributing to the emergence and maturation of stability in postnatal development. In: Savelsbergh GJP, ed. *The development of coordination in infancy*. Amsterdam: Elsevier, 1993:324.
- Swanson AB, Goran-Hagert C, Swanson, GD. Evaluation of impairment of hand function. In: Hunter JM, Schneider LH, Mackin EJ, Bell JA, eds. *Rehabilitation of the hand*. St. Louis: Mosby, 1978:31-69.
- Sweatt JD, Kandel ER. Persistent and transcriptionally-dependent increase in protein phosphorylation in long-term facilitation of Aplysia sensory neurons. *Nature* 1989; 339:51-54.
- Taguchi K, Tada C. Change of body sway with growth of children. In: Amblard B, Berthoz A, Clarac F, eds. *Posture and gait: development, adaptation and modulation*. Amsterdam: Elsevier, 1988: 59-65.
- Taira M, Milne S, Georgopoulos AP, et al. Parietal cortex neurons of the monkey related to the visual guidance of hand movement. *Exp Brain Res* 1990; 83:29-36.
- Takakusaki K, Saito K, Harada H, Kashiyamagami M. Role of the basal ganglia-brainstem pathways in the control of motor behaviors. *Neurosci Res* 2004; 50:137-151.
- Takebe D, Kukulka C, Narayan G, et al. Peroneal nerve stimulator in rehabilitation of hemiplegic patients. *Arch Phys Med Rehabil* 1975; 56:237-239.
- Tang A, Rymer WZ. Abnormal force-EMG relations in paretic limbs of hemiparetic human subjects. *J Neurol Neurosurg Psychiatry* 1981; 44:690-698.
- Tang PF, Woollacott MH. Inefficient postural responses to unexpected slips during walking in older adults. *J Gerontol* 1998; 53:M471-M480.
- Tang PF, Woollacott MH. Phase-dependent modulation of proximal and distal postural responses to slips in young and older adults. *J Gerontol* 1999; 54:M89-M102.
- Tang PF, Woollacott MH, Chong RKY. Control of reactive balance adjustments in perturbed human walking: roles of proximal and distal postural muscle activity. *Exp Brain Res* 1998; 119: 141-152.
- Tardieu C, Lespargot A, Tabary C, Bret MD. For how long must the soleus muscle be stretched each day to prevent contracture? *Dev Med Child Neurol* 1988; 30(1):3-10.
- Taub E. Motor behavior following deafferentation in the developing and motorically mature monkey. In: Herman S, Grillner R, Ralston HJ, et al., eds. *Neural control of locomotion*. New York: Plenum, 1976:675-705.
- Taub E. Some anatomical observations following chronic dorsal rhizotomy in monkeys. *Neuroscience* 1980; 5:389-401.
- Taub E. Technique to improve chronic motor deficit after stroke. *Arch Phys Med Rehabil* 1993; 74: 347-354.
- Taub E, Berman AJ. Movement and learning in the absence of sensory feedback. In: Freedman SJ, ed. *The neurophysiology of spatially oriented behavior*. Homewood, NJ: Dorsey, 1968:173-192.
- Taub E, Crago JE, Uswatte G.. Constraint-induced movement therapy: a new approach to treatment in physical rehabilitation. *Rehab Psychol* 1998; 43(2):152-170.
- Taub E, Miller NE, Novack TA, et al. Technique to improve chronic motor deficit after stroke. *Arch Phys Med Rehabil* 1993; 74:347-354.
- Taub E, Ramey SL, DeLuca S, Echols K. Efficacy of constraint-induced movement therapy for children with cerebral palsy with asymmetric motor impairment. *Pediatrics* 2004; 113(2):305-12.
- Taylor N, Sand PL, Jebsen RH. Evaluation of hand function in children. *Arch Phys Med Rehabil* 1973; 54(3):129-135.
- Teasdale N, Bard C, LaRue J, Fleury M. On the cognitive penetrability of postural control. *Exp Aging Res* 1993; 19:1-13.
- Teasdale N, Simoneau M. Attentional demands for postural control: the effects of aging and sensory reintegration. *Gait Posture* 2001; 14:203-210.
- Teasdale N, Stelmach GE, Breunig A. Postural sway characteristics of the elderly under normal and altered visual and support surface conditions. *J Gerontol* 1991; 46:B238-B244.
- Teixiera-Salmela LF, Olney SJ, Nadeau S, Brouwer B. Muscle strengthening and physical conditioning to reduce impairment and disability in chronic stroke survivors. *Arch Phys Med Rehabil* 1999; 80:1211-1218.
- Tessier-Lavigne M. Visual processing by the retina. In: Kandel ER, Schwartz JH, Jessel TM, eds. *Principles of neural science*, 4th ed. New York: McGraw-Hill, 2000: 507-522.
- Teulings H, Contreras-Vidal JL, Stelmach GE, Adler CH. Parkinsonism reduces coordination of fingers, wrist, and arm in fine motor control. *Exp Neurol* 1997; 146:159-170.
- Thelen DG, Schultz AB, Alexander NB, Ashton-Miller JA. Effects of age on rapid ankle torque development. *J Gerontol Med Sci* 1996; 51:M226-M232.
- Thelen E, Corbett D, Kamm K, et al. The transition to reaching: mapping intention and intrinsic dynamics. *Child Dev* 1993; 64:1058-1098.
- Thelen E, Fisher DM. Newborn stepping: an explanation for a disappearing reflex. *Dev Psychol* 1982; 18:760-775.
- Thelen E, Fisher DM, Ridley-Johnson R. The relationship between physical growth and a newborn reflex. *Infant Behav Dev* 1984; 7:479-493.
- Thelen E, Kelso JAS, Fogel A. Self-organizing systems and infant motor development. *Dev Rev* 1987; 7:39-65.
- Thelen E, Spencer JP. Postural control during reaching in young infants: a dynamic systems approach. *Neurosci Biobehav Rev* 1998; 22:507-514.
- Thelen E, Ulrich BD. Hidden skills: a dynamic systems analysis of treadmill stepping during the first year. *Monogr Soc Res Child Dev* 1991; 56(1):1-104.
- Thelen E, Ulrich BD, Jensen JL. The developmental origins of locomotion. In: Woollacott MH, Shumway-Cook A, eds. *Development of posture and gait across the life span*. Columbia: University of South Carolina, 1989:25-47.
- Thielman GT, Dean CM, Gentile AM. Rehabilitation of reaching after stroke: task-related training versus progressive resistive exercise. *Arch Phys Med Rehabil* 2004; 85:1613-1618.

- Thilmann AF, Fellows SJ, Garmi E. The mechanism of spastic muscle hypertonus. *Brain* 1991; 114:233-244.
- Thorstensson A, Robertsson H. Adaptations to changing speed in human locomotion: speed of transition between walking and running. *Acta Physiol Scand* 1987; 131:211-214.
- Tiffin J. *Purdue Pegboard Examiner Manual*. Chicago: Science Research Associates, 1968.
- Timiras P. Aging of the skeleton, joints and muscles. In: Timiras PS, ed. *Physiological basis of aging and geriatrics*, 2nd ed. Ann Arbor, MI: CRC Press, 1994.
- Tinetti ME. Performance-oriented assessment of mobility problems in elderly patients. *J Am Geriatr Soc* 1986; 34:119-126.
- Tinetti ME, Ginter SF. Identifying mobility dysfunctions in elderly patients: standard neuromuscular examination or direct assessment? *JAMA* 1988; 259: 1190-1193.
- Tinetti ME, Richman D, Powell L. Falls efficacy as a measure of fear of falling. *J Gerontol* 1990; 45:P239-P243.
- Tinetti ME, Speechley M, Ginter SF. Risk factors for falls among elderly persons living in the community. *N Engl J Med* 1988; 319:1701-1707.
- Tinetti ME, Williams TF, Mayewski R. Fall risk index for elderly patients based on numbers of chronic disabilities. *Am J Med* 1986; 80:429-434.
- Tinetti ME, Doucette JT, Claus EB. The contribution of predisposing and situational risk factors to serious fall injuries. *J Am Geriatr Soc* 1995; Nov 43(11):1207-1213.
- Titus MND, Gall NG, Yerxa EJ, Robertson TA, Mack W. Correlation of perceptual performance and activities of daily living in stroke patients. *Am J Occup Ther* 1991; 45:410-418.
- Toffola ED, Sparpaglione D, Pistorio A, Buonocore M. Myoelectric manifestations of muscle changes in stroke patients. *Arch Phys Med Rehabil* 2001; 82:661-665.
- Tokizane T, Murao M, Ogata T, Kondo T. Electromyographic studies on tonic neck, lumbar and labyrinthine reflexes in normal persons. *Jpn J Physiol* 1951; 2:130-146.
- Toro B, Nester CJ, Farren PC. The status of gait assessment among physiotherapists in the United Kingdom. *Arch Phys Med Rehabil* 2003; 84:1878-1884.
- Torres-Aleman I. Insulin like growth factors as mediators of functional plasticity in the adult brain. *Horm Metab Res* 1999; 31:114-119.
- Toupet M, Gagey PM, Heuschen S. Vestibular patients and aging subjects lose use of visual input and expend more energy in static postural control. In: Vellas B, Toupet M, Rubenstein L, et al., eds. *Falls, balance and gait disorders in the elderly*. Paris: Elsevier, 1992:183-198.
- Travis AM, Woolsey CN. Motor performance of monkeys after bilateral partial and total cerebral decortication. *Am J Phys Med* 1956; 35:273-310.
- Treisman A. Solutions to the binding problem: progress through controversy and convergence. *Neuron* 1999; 24:105-110, 111-125.
- Trombly C. Anticipating the future: assessment of occupational function. *Am J Occup Ther* 1993; 47(3):253-257.
- Trombly CA. Theoretical foundations for practice. In: Trombly CA, ed. *Occupational therapy for physical dysfunction*, 4th ed. Baltimore: Williams & Wilkins, 1995:15-28.
- Trombly CA, Ma HI. A synthesis of the effects of occupational therapy for persons with stroke. Part I: Restoration of roles, tasks, and activities. *Am J Occup Ther* 2002; 56(3):250-259.
- Trombly CA, Radomski MV, Trexel C, Burnett-Smith SE. Occupational therapy and achievement of self-identified goals by adults with acquired brain injury: phase II. *Am J Occup Ther* 2002; 56(5): 489-498.
- Twitchell T. Reflex mechanisms and the development of prehension. In: Connolly K, ed. *Mechanisms of motor skill development*. New York: Academic, 1970.
- Tyson SF. The support taken through walking aids during hemiplegic gait. *Clin Rehabil* 1998; 12:395-401.
- Ullman MT. Contributions of memory circuits to language: the declarative/procedural model. *Cognition* 2004; 92:231-270.
- Ulrich DA, Ulrich BD, Angulo-Kinzler RM, Yun J. Treadmill training of infants with Down syndrome: evidence-based developmental outcomes. *Pediatrics* 2001; 108(5):E84.
- Ungerleider LG, Brody BA. Extrapeople spatial orientation: the role of posterior parietal, anterior frontal, and inferotemporal cortex. *Exp Neurol* 1977; 56:265-280.
- Van der Fits IB, Lip AW, van Eykern LA, Hadders-Algra M. Postural adjustments during spontaneous and goal-directed arm movements in the first half year of life. *Behav Brain Res* 1999; 106:75-90.
- Van der Heide JC, Begeer C, Fock JM, Otten B, Stremmelar E, van Eykern LA, Hadders-Algra M. Postural control during reaching in preterm children with cerebral palsy. *Dev Med Child Neurol* 2004; 46:253-66.
- Van der Putten JJMF, Hobart JC, Freeman JA. Measuring change in disability after inpatient rehabilitation: comparison of the responsiveness of the Barthel Index and the Functional Independence Measure. *J Neurol Neurosurg Psychiatry* 1999; 66:480-484.
- Vandervoort AA, Chesworth BM, Cunningham DA, Paterson DH, Rechnitzer PA, Koval JJ. Age and sex effects on mobility of the human ankle. *J Gerontol* 1992; 47:17-21.
- Van Donkelaar P, Lee RG. Interactions between the eye and hand motor systems: disruptions due to cerebellar dysfunction. *J Neurophysiol* 1994; 72:1674-1684.
- Van Sant AF. Age differences in movement patterns used by children to rise from a supine position to erect stance. *Phys Ther* 1988a; 68:1130-1138.
- Van Sant AF. Concepts of neural organization and movement. In: Connolly BH, Montgomery PC, eds. *Therapeutic exercise in developmental disabilities*. Chattanooga, TN: Chattanooga, 1987:1-8.
- Van Sant AF. Life-span development in functional tasks. *Phys Ther* 1990; 70:788-798.
- Van Sant AF. Rising from a supine position to erect stance: description of adult movement and a developmental hypothesis. *Phys Ther* 1988b; 68:185-192.
- Van Woerkom TC, Minderhoud JM, Gottschal T, Miclai G. Neurotransmitters in the treatment of patients with severe head injuries. *Eur Neurol* 1982; 21:227-234.
- Vattanasilp W, Ada L, Crosbie J. Contribution of thixotropy, spasticity, and contracture to ankle stiffness after stroke. *J Neurol Neurosurg Psychiatry* 2000; 69:34-39.
- Vaughan CL, Sussman MD. Human gait: From clinical interpretation to computer simulation. In: Grabiner MD, ed. *Current issues in biomechanics*. Champaign, IL: Human Kinetics, 1993:53-68.
- Venglar M. Case report: Tai Chi and Parkinsonism. *Physiother Res Int* 2005; 10(2): 116-121.
- Verbrugge L, Jette A. The disablement process. *Soc Sci Med* 1994; 38:1-14.
- Vercher JL, Gauthier GM, Guedon O, et al. Self-moved target eye tracking in control and deafferented subjects: roles of arm motor command and proprioception in arm-eye coordination. *J Neurophysiol* 1996; 76:1133-1144.
- Vereijken B, van Emmerik REA, Whiting HTA, Newell KM. Freezing degrees of freedom in skill acquisition. *J Mot Behav* 1992; 24:133-142.
- Vilis T, Hore J. Central neural mechanisms contributing to cerebellar tremor produced by limb perturbations. *J Neurophysiol* 1980; 43:279-291.
- Vinograd A, Taylor E, Grossmand S. Sensory retraining of the hemiplegic hand. *Am J Occup Ther* 1962; 5:246-256.
- Vinter A. Manual imitations and reaching behaviors: an illustration of action control in infancy. In: Bard C, Fleury M, Hay L, eds. *Development of eye-hand coordination across the lifespan*. Columbia: University of South Carolina, 1990:157-187.
- Viosca E, Martinez JL, Almagro PL, Gracia A, Gonzalez C. Proposal and validation of a new functional ambulation classification scale for clinical use. *Arch Phys Med Rehabil* 2005; 86:1234-1238.
- Visser H. Gait and balance in senile dementia of Alzheimer's type. *Age Ageing* 1983; 12:296-301.
- von Hofsten C. Developmental changes in the organization of pre-reaching movements. *Dev Psychol* 1984; 3:378-388.

- von Hofsten C. Eye-hand coordination in the newborn. *Dev Psychol* 1982; 18:450-461.
- von Hofsten C. On the development of perception and action. In: Valsiner J, Connolly K, eds. *Handbook of developmental psychology*. Thousand Oaks, CA: Sage, 2003.
- von Hofsten C. Studying the development of goal-directed behavior. In: Kalverboer AF, Hopkins B, Geuze R, eds. *Motor development in early and later childhood: longitudinal approaches*. Cambridge, UK: Cambridge University, 1993:109-124.
- von Hofsten C, Fazel-Zandy S. Development of visually guided hand orientation in reaching. *J Exp Child Psychol* 1984; 38:208-219.
- von Hofsten C, Lindhagen K. Observations on the development of reaching for moving objects. *J Exp Child Psychol* 1979; 28:158-173.
- von Hofsten C, Ronngvist L. Preparation for grasping an object: a developmental study. *J Exp Psychol* 1988; 14:610-621.
- von Hofsten C, Rosander K. Development of smooth pursuit tracking in young infants. *Vision Res* 1997; 37:1799-1810.
- von Hofsten C, Rosander K. The development of gaze control and predictive tracking in young infants. *Vision Res* 1996; 36:81-96.
- von Hofsten C, Woollacott M. Anticipatory postural adjustments during infant reaching. *Neurosci Abstr* 1989; 15:1199.
- von Wright JM. A note on the role of "guidance" in learning. *Br J Psychol* 1957; 48:133-137.
- Voss D, Ionata M, Myers B. Proprioceptive neuromuscular facilitation: patterns and techniques. 3rd ed. Philadelphia: Harper & Row, 1985.
- Vrtunski PB, Patterson MB. Psychomotor decline can be described by discontinuities in response trajectories. *Int J Neurosci* 1985; 27:265-275.
- Vygotsky LS. *Mind in society: the development of higher psychological processes*. Cambridge, MA: Harvard University Press, 1978.
- Waagfjord J, Levangie PK, Certo CME. Effects of treadmill training on gait in a hemiparetic patient. *Phys Ther* 1990; 70: 549-558.
- Wade MG, Lindquist R, Taylor JR, Treat-Jacobson D. Optical flow, spatial orientation, and the control of posture in the elderly. *J Gerontol* 1995; 50B:P51-P58.
- Wadsworth PT, Krishman R. Intrarater reliability of manual muscle testing and hand held dynamometric muscle testing. *Physiol Rev* 1987; 67:1342-1347.
- Wagenaar RC, Beek WJ. Hemiplegic gait: a kinematic analysis using walking speed as a basis. *J Biomech* 1992; 25:1007-1015.
- Wakslik K, Levy R. An approach to seating for the cerebral palsied. *Can J Occup Ther* 1979; 46:147-152.
- Walker-Batson D, Smith P, Unwin H, et al. Use of amphetamine in the treatment of aphasia. *Restor Neurol Neurosci* 1992; 4:47-50.
- Wallace PS, Whishaw IQ. Independent digit movements and precision grip patterns in 1-5-month-old human infants: hand-babbling, including vacuous then self-directed hand and digit movements, precedes targeted reaching. *Neuropsychologia* 2003; 41:1912-1918.
- Wallace SA, Weeks DL, Kelso JAS. Temporal constraints in reaching and grasping behavior. *Hum Mov Sci* 1990; 9:69-93.
- Wallen P. Cellular bases of locomotor behaviour in lamprey: coordination and modulatory control of spinal circuitry. In: Ferrell WR, Proske U, eds. *Neural control of movement*. New York: Plenum, 1995:125-133.
- Wang CH, Hsieh CL, Dai MH, Chen CH, Lai YF. Interrater reliability and validity of the Stroke Rehabilitation Assessment of Movement (STREAM) instrument. *J Rehabil Med* 2002; 34(1):20-24.
- Wang J, Sainburg RL. Interlimb transfer of novel inertial dynamics is asymmetrical. *J Neurophysiol* 2004a; 92:349-360.
- Wang J, Sainburg RL. Limitations in interlimb transfer of visuomotor rotations. *Exp Brain Res* 2004b; 155:1-8.
- Wang J, Sainburg RL. Mechanisms underlying interlimb transfer of visuomotor rotations. *Exp Brain Res* 2003; 149:520-525.
- Wang J, Sainburg RL. The symmetry of interlimb transfer depends on workspace locations. *Exp Brain Res*. November 23, 2005 [Epub ahead of print].
- Wanning T. Healing and the mind/body arts: massage, acupuncture, yoga, t'ai chi, and Feldenkrais. *AAOHN J* 1993; 41(7): 349-351.
- Warburg CL. Assessment and treatment planning strategies for perceptual deficits. In: O'Sullivan S, Schmitz T, eds. *Physical rehabilitation: assessment and treatment*, 2nd ed. Philadelphia: FA Davis, 1994.
- Ward AB. A summary of spasticity management—a treatment algorithm. *Eur J Neurol* 2002; 9:48-55.
- Ward NS, Cohen LG. Mechanisms underlying recovery of motor function after stroke. *Arch Neurol* 2004; 61:1844-1848.
- Ward NS, Brown MM, Thompson AJ, Frackowiak RS. Neural correlates of motor recovery after stroke: a longitudinal fMRI study. *Brain* 2003; 126:2476-2496.
- Warren WH. Action modes and laws of control for the visual guidance of action. In: Meijer OG, Roth K, eds. *Complex movement behavior: The motor-action controversy*. Amsterdam: North-Holland, 1988: 339-380.
- Washington K, Shumway-Cook A, Price R, Ciol M, Kartin D. Muscle responses to seated perturbations for infants who are typically developing and those at risk for motor delays. *Dev Med Child Neurol* 2004; 46:681-688.
- Wartenberg R. Pendulousness of the legs as a diagnostic test. *Neurology* 1951; 1:8-24.
- Waters R, McNeal DR, Tasto J. Peroneal nerve conduction velocity after chronic electrical stimulation. *Arch Phys Med Rehabil* 1975; 56:240-243.
- Waters RL, Wilson DJ, Savinelli R. Rehabilitation of the upper extremity following stroke. In: Hunter J, Schneider LH, Mackin EJ, Bell JA, eds. *Rehabilitation of the hand*. St. Louis: Mosby, 1978:505-520.
- Weber PC, Cass SP. Clinical assessment of postural stability. *Am J Otol* 1993; 14:566-569.
- Weiller C, Chollet F, Friston KJ, et al. Functional reorganization of the brain in recovery from striato-capsular infarction in man. *Ann Neurol* 1992; 31:463-472.
- Weiller C, Ramsay SC, Wise RJS, et al. Individual patterns of functional reorganization in the human cerebral cortex after capsular infarction. *Ann Neurol* 1993; 33:181-189.
- Weindruch R. Diet restriction. In: Maddox G, ed. *The encyclopedia of aging*, 2nd ed. New York: Springer, 1995:276-279.
- Weiskrantz L, Warrington ER, Sanders MD, Marshall J. Visual capacity in the hemianopic field following a restricted occipital ablation. *Brain* 1974; 97:709-728.
- Weiss S. Studies in equilibrium reaction. *J Nerv Ment Dis* 1938; 88:150-162.
- Welford AT. Motor performance. In: Birren G, Schaie K, eds. *Handbook of the psychology of aging*. New York: Van Nostrand Reinhold, 1977:3-20.
- Welford AT. Motor skills and aging. In: Mortimer J, Pirozzolo FJ, Maletta G, eds. *The aging motor system*. New York: Praeger, 1982:152-187.
- Werner C, vonFrankenberg S, Treig T, Konrad M, Hesse S. Treadmill training with partial body weight support and an electromechanical gait trainer for restoration of gait in subacute stroke patients. *Stroke* 2002; 33:2895-2901.
- Westling G, Johansson RS. Factors influencing the force control during precision grip. *Exp Brain Res* 1984; 53:277-284.
- Wetter S, Poole JL, Haaland KY. Functional implications of ipsilesional motor deficits after unilateral stroke. *Arch Phys Med Rehabil* 2005; 86(4):776-781.
- Whanger A, Wang HS. Clinical correlates of the vibratory sense in elderly psychiatric patients. *J Gerontol* 1974; 29:39-45.
- Whipple RH, Wolfson LI, Amerman PM. The relationship of knee and ankle weakness to falls in nursing home residents: an isokinetic study. *J Am Geriatr Soc* 1987; 35:13-20.
- Whitall J, McCombe Waller S, Silver KH, Macko RF. Repetitive bilateral arm training with rhythmic auditory cueing improves motor function in chronic hemiparetic stroke. *Stroke* 2000; 31:2390-2395.
- White BL, Castle P, Held R. Observations on the development of visually-directed reaching. *Child Dev* 1964; 35:349-364.
- Whitney SL, Hudak MT, Marchetti GF. The dynamic gait index relates to self reported fall history in individuals with vestibular dysfunction. *J Vestib Res* 2000; 10: 99-105.
- Whitney SL, Wrisley DM. The influence of footwear on timed balance scores of the

- modified clinical test of sensory interaction and balance. *Arch Phys Med Rehabil* 2004; 85(3):439-443.
- Wickens CD. Attention and skilled performance. In: Holding DH, ed. *Human skills*. New York: Wiley, 1989:71-105.
- Wielinski CL, Erickson-Davis C, Wichmann R, Walde-Douglas M, Parashos SA. Falls and injuries resulting from falls among patients with Parkinson's disease and other Parkinsonian syndromes. *Mov Disord* 2005; 20(4):410-415.
- Wiesendanger M, Serrien DJ. Neurological problems affecting hand dexterity. *Brain Res Rev* 2001; 36:161-168.
- Wiley ME, Damiano DL. Lower-extremity strength profiles in spastic cerebral palsy. *Dev Med Child Neurol* 1998; 40:100-107.
- Wilk K. Dynamic muscle strength testing. In: Amundsen LR, ed. *Muscle strength testing: instrumented and non-instrumented systems*. New York: Churchill Livingstone, 1990.
- Williams H. Aging and eye-hand coordination. In: Bard C, Fleury M, Hay L, eds. *Development of eye-hand coordination across the lifespan*. Columbia: University of South Carolina, 1990: 327-357.
- Wilson DM. The central nervous control of flight in a locust. *J Exp Biol* 1961; 38:471-490.
- Wing AM, Frazer C. The contribution of the thumb to reaching movements. *Q J Exp Psychol* 1983; 35A:297-309.
- Winograd CH, Lemsky CM, Nevitt MC, et al. Development of a physical performance and mobility examination. *J Am Geriatr Soc* 1994; 42:743-749.
- Winstein C, Gardner ER, McNeal DR, et al. Standing balance training: effect on balance and locomotion in hemiparetic adults. *Arch Phys Med Rehabil* 1989; 70:755-762.
- Winstein CJ. Designing practice for motor learning: clinical implications: contemporary management of motor control problems. Proceedings of the II Step Conference. Alexandria, VA: American Physical Therapy Association, 1991.
- Winstein CJ, Merians AS, Sullivan KJ. Motor learning after unilateral brain damage. *Neuropsychologia* 1999; 37:975-987.
- Winstein CJ, Miller JP, Blanton S, Taub E, Uswatee G, Morris D, Nichols D, Wolf S. Methods for a multisite randomized trial to investigate the effect of constraint-induced movement therapy in improving upper extremity function among adults recovering from a cerebrovascular stroke. *Neurorehabil Neural Repair* 2003; 17(3):137-172.
- Winstein CJ, Pohl PS. Effects of unilateral brain damage on the control of goal directed hand movements. *Exp Brain Res* 1995; 105:163-174.
- Winstein CJ, Rose DK, Tan SM, Lewthwaite R, Chui HC, Azen SP. A randomized controlled comparison of upper-extremity rehabilitation strategies in acute stroke: a pilot study of immediate and long-term outcomes. *Arch Phys Med Rehabil* 2004; 85(4): 620-628.
- Winstein CJ, Schmidt RA. Reduced frequency of knowledge of results enhances motor skill learning. *J Exp Psychol Learn Mem Cogn* 1990; 16:677-691.
- Winter D. Energy generation and absorption at the ankle and knee during fast, natural and slow cadences. *Clin Orthop Relat Res* 1983a; 175:147-154.
- Winter DA. Biomechanical motor patterns in normal walking. *J Mot Behav* 1983b; 15:302-330.
- Winter DA. Biomechanics and motor control of human movement. New York: Wiley, 1990:80-84.
- Winter DA. Kinematic and kinetic patterns of human gait: variability and compensating effects. *Hum Mov Sci* 1984; 3:51-76.
- Winter DA. Knowledge base for diagnostic gait assessments. *Med Prog Technol* 1993; 19:61-81.
- Winter DA. Overall principle of lower limb support during stance phase of gait. *J Biomech* 1980; 13:923-927.
- Winter DA, McFadyen BJ, Dickey JP. Adaptability of the CNS in human walking. In: Patla AE, ed. *Adaptability of human gait*. Amsterdam: Elsevier, 1991:127-144.
- Winter DA, Patla AE, Frank JS, Walt SE. Biomechanical walking pattern changes in the fit and healthy elderly. *Phys Ther* 1990; 70:340-347.
- Winter DA, Prince F, Frank JS, Powell C, Zabek KF. Unified theory regarding A/P and M/L balance in quiet stance. *J Neurophysiol* 1996; 75: 2334-2343.
- Winter DA, Prince F, Steriou P, Powell C. Medial-lateral and anterior-posterior motor responses associated with centre of pressure changes in quiet standing. *Neurosci Res Commun* 1993; 12:141-148.
- Winzeler-Mercay U, Mudie H. The nature of the effects of stroke on trunk flexor and extensor muscles during work and at rest. *Disabil Rehabil* 2002; 24:875-886.
- Wisleder D, Zernicke RF, Smith JL. Speed-related changes in hindlimb intersegmental dynamics during the swing phase of cat locomotion. *Exp Brain Res* 1990; 79:651-660.
- Withington DC, von Hofsten C, Rosander K, Robinette A, Woollacott MH, Bertenthal BI. The development of anticipatory postural adjustments in infancy. *Infancy* 2002; 3:495-517.
- Witney AG, Wing A, Thonnard JL, Smith AM. The cutaneous contribution to adaptive precision grip. *Trends Neurosci* 2004; 27:638-643.
- Wolf SL. A method for quantifying ambulatory activities. *Phys Ther* 1979; 59: 767-768.
- Wolf S, Kutner N, Green R, et al. The Atlanta FICSIT Study: two exercise interventions to reduce frailty in elders. *J Am Geriatr Soc* 1993; 41:329-332.
- Wolf SL, Barnhart HX, Kutner NG, et al. Reducing frailty and falls in older persons: an investigation of Tai Chi and computerized balance training. *J Am Geriatr Soc* 1996; 44:489-497.
- Wolf SL, Catlin PA, Ellis M, Archer AL, Morgan B, Piacentino A. Assessing Wolf Motor Function Test as outcome measure for research in patients after stroke. *Stroke* 2001; 32:1635.
- Wolf SL, LeCraw DE, Barton LA, Jann BB. Forced use of hemiplegic upper extremities to reverse the effect of learned nonuse among chronic stroke and head injured patients. *Exp Neurol* 1989b; 104(2):125-132.
- Wolf SL, LeCraw DE, Barton LA. Comparison of motor copy and targeted biofeedback training techniques for restitution of upper extremity function among patients with neurologic disorders. *Phys Ther* 1989a; 69:719-735.
- Wolf SL, Thompson PA, Morris DM, Rose DK, Winstein CJ, Taub E, Giuliani C, Pearson SL. The EXCITE trial: attributes of the Wolf motor function test in patients with subacute stroke. *Neurorehabil Neural Repair* 2005; 19(3):194-205.
- Wolfson L, Whipple R, Amerman P, et al. Gait and balance in the elderly. *Clin Geriatr Med* 1985; 1:649-659.
- Wolfson L, Whipple R, Amerman P, Tobin JN. Gait assessment in the elderly: a gait abnormality rating scale and its relation to falls. *J Gerontol* 1990; 45:M12-M19.
- Wolfson L, Whipple R, Derby CA, et al. A dynamic posturography study of balance in healthy elderly. *Neurology* 1992; 42: 2069-2075.
- Wolfson L, Whipple R, Derby C, et al. Balance strength training in older adults: Intervention gains and Tai Chi maintenance. *J Am Geriatr Soc* 1996; 44:498-506.
- Wong DL, Baker CM. Pain in Children: comparison of assessment scales. *Pediatr Nurs* 1988; 14:9-17.
- Wood BH, Bilclough JA, Bowron A, Walker RW. Incidence and prediction of falls in Parkinson's disease: a prospective multidisciplinary study. *J Neurol Neurosurg Psychiatry* 2002; 72(6): 721-725.
- Wood DE, Burridge JH, VanWijck FM, McFadden C, Hitchcock RA, Pandyan AD, Haugh A, Salazar-Torres JJ, Swain ID. Biomechanical approaches applied to the lower and upper limb for the measurement of spasticity: a systematic review of the literature. *Disabil Rehabil* 2005; 27:19-32.
- Woodford H, Walker R. Emergency hospital admissions in idiopathic Parkinson's disease. *Mov Disord* 2005; 20:1104-1108.
- Woollacott M. Unbounded potentialities of resonance—the dynamic interface between mind and brain: perspectives from neuroscience and meditative traditions, and research at their common frontiers. Masters thesis, University of Oregon, 2005.
- Woollacott M, Shumway-Cook A, Hutchinson S, Ciol M, Price R, Kartin D. The effect of balance training on the organization of muscle activity used in the recovery of sta-

- Alon, G, 542-543
Alternate heel to knee; heel to toe test, 118
Alternate nose to finger test, 118
Alzheimer's disease (AD) patients
 anticipatory balance control, 252
 walking speed, 377
Amacrine cells, 63
Amblard, B, 341
American Physical Therapy Association (APTA) model of practice, 138-140
American Society of Hand Therapists (ASHT), 532, 533
Amerman, P, 408
Amerman, PM, 277
Amiel-Tison, C, 470
Amphetamines, 93
Ampullary crest, 69
Amsterdam pedestrian survey, 345
Anatomy
 ascending sensory systems, 58
 basal ganglia, 78-79, 81
 cerebellum, 75-76
 cutaneous receptors, 57
 eye, 63
 Golgi tendon, 56
 locations of primary sensory areas, 61
 locomotion executing system, 80
 motor cortex, 71
 muscle spindle, 53
 muscle tone inhibitory system, 80
 nervous system, 48, 49
 pyramidal (corticospinal) tract, 72
 somatosensory cortex and association areas, 60
 vestibular system, 68
Anderson, JH, 206
Andrews, AW, 104
Andriacchi, TP, 430
Angulo-Kinzler, RM, 421
Aniansson, A, 346
Ankle
 ankle-foot orthoses (AFOs), 245-246
 anteroposterior stability strategy, 167
 gait performance, 413
 mobility, 364
 sensation, lost, 248-249
 sway, response to, 201, 225
 walk-run transition, 321-322
Ankle-foot orthoses (AFOs), 245-246
Anosognosia, 129
Anson, D, 285
Antagonist muscles
 coactivation of, 237-239
 falls, response to anticipated, 236
Anterolateral system, 57, 59
Anteroposterior stability
 ankle strategy, 167
 hip strategy, 168
 perturbed stance, movement strategies during, 167-169
 stepping strategy, 168-169
Anticipatory control
 aging, 228-229
 balance
 Alzheimer's disease patients, 252
 cognitive strategies, 290
 retraining, 288
 for grasping and lifting, 480, 528
 impaired, precision grip problems, 510-511
 postural
 arms, 207, 246
 cerebral palsy, 246
 clinical applications of research, 182-184
 motor coordination problems, 246-247
 research, 181-182
 stroke, 246-248
 precision grip formation, 456-457
 reach and grasp, retraining, 549-550
 sit-to-stand task, 229
 visual and somatosensory contributions, 453
Antigravity responses in infants, 195
Applied motor control physiologists, 4
Approximation, 115, 120
Apraxia, 129-130
 ipsilesional limb training, 540
 reach and grasp problems, 514-515
APTA (American Physical Therapy Association) model of practice, 138-140
Arbib, MA, 450
Archer, AL, 279
Arms
 anticipatory postural control and reaching, 207, 246
 CNS lesions and spasticity, 111
 coordinating with movement of eye and head, 447
 Arousal/level of consciousness, 132
Arsenault, AB, 370, 413
Asanuma, H, 91
Ascending neural pathways, 57-59
Ascending stairs, 322
Ashburn, A, 234, 251, 399
ASHT (American Society of Hand Therapists), 532, 533
Ashton-Miller, JA, 319, 353-354
Assaiante, C, 341
Assessment of Motor and Process Skills, 521
Assistance, continuum of, 25
Assisting Hand Assessment (AHA), 521-522
Assistive devices, 285-287, 428-429
Associated movements, 120
Association areas, 60
Association cortices, 61-62
Associative learning, 24-26, 32, 73
Asymmetric tonic neck reflex, 192
Ataxia
 gait, 375
 optic, 67
Athetoid movements, 120
Attention, 130, 184
 cognitive impairments, 129, 130
 effect on gait, 377-380
Parkinson's disease (PD), 379, 381-382, 399
 postural demands, 208-209, 229-231
 unilateral neglect and, 544
Attitudinal reflexes, 191
Attractor states (well), movement and, 14-15
Augmented feedback, 36
 electrical stimulation, 542-543
 robot-aided training, 542
 sensory reeducation, 542
 verbal and vibrotactile cues, 541
 virtual environments, 542
Austin, CA, 218
Autonomous stage of learning motor skills, 32
Avoidance strategies, step cycle, 318
Azen, SP, 540
B
Babbling, hand, 478
Baclofen, 113, 114
Badke, MB, 240, 250
BADLs (basic activities of daily living), 215, 391
Balance. *See also Center of Mass (COM)*
 control and risk of falls, 218
 fear of falling, 229, 231
 hip compensation in older adults, 221, 272
 hip threat, 201
 infants' response to changes, 194-195
 in older adults, studies of, 216
 recovery
 compensatory stepping skills, 340
 trips, 315
 rehabilitation, 276
 aerobic conditioning studies, 278
 multidimensional exercise programs, 279