

References

- Andrews, D. (1972). Plots of high-dimensional data. *Biometrics*, 28, 125–136.
- Bartlett, M. S. (1954). A note on multiplying factors for various chi-squared approximations. *Journal of the Royal Statistical Society, Series B*, 16, 296–298.
- Becker, R. A., Chambers, J. M., & Wilks, A. R. (1988). *The new S language. A programming environment for data analysis and graphics*. Pacific Grove, CA: Wadsworth & Brooks/Cole Advanced Books & Software.
- Belsley, D. A., Kuh, E., & Welsch, R. E. (1980). *Regression diagnostics*. New York: Wiley.
- Berndt, E. R. (1990). *The practice of econometrics: Classic and contemporary*. Reading: Addison-Wesley.
- Bock, R. D. (1975). *Multivariate statistical methods in behavioral research*. New York: McGraw-Hill.
- Bouroche, J.-M., & Saporta, G. (1980). *L'analyse des données*. Paris: Presses Universitaires de France.
- Breiman, L. (1973). *Statistics: With a view towards application*. Boston: Houghton Mifflin Company.
- Breiman, L., Friedman, J. H., Olshen, R., & Stone, C. J. (1984). *Classification and regression trees*. Belmont: Wadsworth.
- Bühlmann, P., & van de Geer, S. (2011). *Statistics for high-dimensional data*, Springer Series in Statistics. Heidelberg: Springer.
- Cabrera, J. L. O. (2012). *locpol: Kernel local polynomial regression*. R package version 0.6-0.
- Carr, D., Lewin-Koh, N., & Maechler, M. (2011). *hexbin: Hexagonal binning routines*. R package version 1.26.0.
- Chambers, J. M., Cleveland, W. S., Kleiner, B., & Tukey, P. A. (1983). *Graphical methods for data analysis*. Boston: Duxbury.
- Chambers, J. M., & Hastie, T. J. (1992). *Statistical models in S*. Boca Raton: Chapman & Hall/CRC.
- Chernoff, H. (1973). Using faces to represent points in k -dimensional space graphically. *Journal of the American Statistical Association*, 68, 361–368.
- Cook, D., Buja, A., & Cabrera, J. (1993). Projection pursuit indexes based on orthonormal function expansions. *Journal of Computational and Graphical Statistics*, 2(3), 225–250.
- Cook, R. D. (1998). *Regression graphics*. New York: Wiley.
- Cook, R. D., & Weisberg, S. (1991). Comment on sliced inverse regression for dimension reduction. *Journal of the American Statistical Association*, 86(414), 328–332.
- Duan, N., & Li, K.-C. (1991). Slicing regression: A link-free regression method. *Annals of Statistics*, 19(2), 505–530.

- Eddy, W. (1982). Convex hull peeling, in H. Caussinus, P. Ettinger, & R. Tomassone (Eds.), COMPSTAT 1982 5th Symposium held at Toulouse 1982 (pp. 42–47). Heidelberg: Physica-Verlag.
- Fahrmeir, L., Kneib, T., Lang, S., & Marx, B. (2013). *Regression: models, methods and applications*. New York: Springer.
- Feller, W. (1966). *An introduction to probability theory and its application* (Vol. 2). New York: Wiley.
- Flury, B., & Riedwyl, H. (1981). Graphical representation of multivariate data by means of asymmetrical faces. *Journal of the American Statistical Association*, 76, 757–765.
- Flury, B., & Riedwyl, H. (1988). *Multivariate statistics, a practical approach*. London: Chapman and Hall.
- Fox, J., & Weisberg, S. (2011). *An R companion to applied regression* (2nd ed.). Thousand Oaks, CA: Sage.
- Franke, J., Härdle, W., & Hafner, C. (2011). *Statistics of financial markets: An introduction* (3rd ed.). Berlin: Springer.
- Friedman, J., Hastie, T., & Tibshirani, R. (2010). Regularization paths for generalized linear models via coordinate descent. *Journal of Statistical Software*, 33(1), 1–22.
- Friedman, J. H., & Tukey, J. W. (1974). A projection pursuit algorithm for exploratory data analysis. *IEEE Transactions on Computers*, C23, 881–890.
- Genest, M., Masse, J.-C., & Plante, J.-F. (2012). *depth: Depth functions tools for multivariate analysis*. R package version 2.0-0.
- Hall, P., & Li, K.-C. (1993). On almost linearity of low dimensional projections from high dimensional data. *Annals of Statistics*, 21(2), 867–889.
- Härdle, W., Moro, R., & Schäfer, D. (2005). Predicting bankruptcy with support vector machines, in P. Čížek, W. Härdle, & R. Weron (Eds.), *Statistical Tools for Finance and Insurance* (pp. 225–248). Berlin: Springer.
- Härdle, W., Müller, M., Sperlich, S., & Werwatz, A. (2004). *Nonparametric and semiparametric models*. Berlin: Springer.
- Härdle, W., & Simar, L. (2015). *Applied multivariate statistical analysis* (4th ed.). Berlin: Springer.
- Harville, D. A. (1997). *Matrix algebra from a statistician's perspective*. New York: Springer.
- Harville, D. A. (2001). *Matrix algebra: Exercises and solutions*. New York: Springer.
- Hastie, T., Tibshirani, R., & Friedman, J. (2009). *The elements of statistical learning: Data mining, inference, and prediction*, Springer Series in Statistics (2nd ed.). New York: Springer.
- Hendrickson, A. E., & White, P. O. (1964). Promax: A quick method for rotation to oblique simple structure. *British Journal of Statistical Psychology*, 17(1), 65–70.
- Hlubinka, D., Kotík, L., & Vencálek, O. (2010). Weighted halfspace depth. *Kybernetika*, 46(1), 125–148.
- Hosmer, D. W., & Lemeshow, S. (1989). *Applied logistic regression*. New York: Wiley.
- Hui, G., & Lindsay, B. G. (2010). Projection pursuit via white noise matrices. *Sankhya B*, 72(2), 123–153. With a discussion by Surajit Ray and a rejoinder by the authors.
- Johnson, R. A., & Wichern, D. W. (1998). *Applied Multivariate Analysis* (4th ed.). Englewood Cliffs: Prentice Hall.
- Jones, M. C., & Sibson, R. (1987). What is projection pursuit? (with discussion). *Journal of the Royal Statistical Society, Series A*, 150(1), 1–36.
- Kaiser, H. F. (1985). The varimax criterion for analytic rotation in factor analysis. *Psychometrika*, 23, 187–200.
- Karatzoglou, A., Smola, A., Hornik, K., & Zeileis, A. (2004). kernlab—an S4 package for kernel methods in R. *Journal of Statistical Software*, 11(9), 1–20.
- Knight, K., & Fu, W. (2000). Asymptotics for Lasso-type estimators. *The Annals of Statistics*, 28(5), 1356–1378.
- Kötter, T. (1996). Entwicklung statistischer Software, Ph.D. thesis, Institut für Statistik und Ökonometrie, Humboldt-Universität zu Berlin.
- Kruskal, J. B. (1965). Analysis of factorial experiments by estimating a monotone transformation of data. *Journal of the Royal Statistical Society, Series B*, 27, 251–263.

- Lang, D. T., Swayne, D., Wickham, H., & Lawrence, M. (2012). *rggobi: Interface between R and GGobi*. R package version 2.1.19.
- Lebart, L., Morineau, A., & Fénelon, J. P. (1982). *Traitement des Données Statistiques: Méthodes et programmes*. Paris: Dunod.
- Li, K.-C. (1991). Sliced inverse regression for dimension reduction (with discussion). *Journal of the American Statistical Association*, 86(414), 316–342.
- Ligges, U., & Mächler, M. (2003). Scatterplot3d—an R package for visualizing multivariate data. *Journal of Statistical Software*, 8(11), 1–20.
- Liu, R. Y. (1988). On a notion of simplicial depth. *Proceedings of the National Academy of Sciences USA*, 85(6), 1732–1734.
- Liu, R. Y. (1990). On a notion of data depth based on random simplices. *The Annals of Statistics*, 18(1), 405–414.
- Lockhart, R., Taylor, J., Tibshirani, R. J., & Tibshirani, R. (2013). A significance test for the lasso. arXiv preprint arXiv:1301.7161.
- Lokhorst, J., Venables, B., Turlach, B., & Maechler, M. (2013). *lasso2: L1 constrained estimation aka lasso*. R package version 1.2-16.
- Lütkepohl, H. (1996). *Handbook of matrices*. Chichester: Wiley.
- Mardia, K. V., Kent, J. T., & Bibby, J. M. (1979). *Multivariate analysis*. Duluth/London: Academic.
- McCullagh, P., & Nelder, J. A. (1989). *Generalized linear models*, Monographs on Statistics and Applied Probability (2nd ed., Vol. 37). London: Chapman and Hall.
- Mizera, I., & Müller, C. H. (2004). Location-scale depth. *Journal of the American Statistical Association*, 99(468), 949–989. With comments and a rejoinder by the authors.
- Morrison, D. F. (1990). *Multivariate statistical methods*. New York: McGraw-Hill.
- Nenadic, O., & Greenacre, M. (2007). Correspondence analysis in R, with two- and three-dimensional graphics: The ca package. *Journal of Statistical Software*, 20(3), 1–13.
- Neter, J., Wasserman, W., Kutner, M. H., & Wasserman, W. (1996). *Applied linear statistical models*. (4 ed.). Chicago: Irwin.
- Olkin, I., & Veath, M. (1980). Maximum likelihood estimation in a two-way analysis with correlated errors in one classification. *Biometrika*, 68, 653–660.
- Osborne, M. R., Presnell, B., & Turlach, B. A. (2000). On the LASSO and its dual. *Journal of Computational and Graphical Statistics*, 9(2), 319–337.
- Puntanen, S., Styan, G. P. H., & Isotalo, J. (2011). *Matrix tricks for linear statistical models*. Heidelberg: Springer.
- R Core Team (2013). *R: A Language and Environment for Statistical Computing*, R Foundation for Statistical Computing, Vienna, Austria. www.R-project.org.
- Rousseeuw, P. J., Ruts, I., & Tukey, J. W. (1999). The bagplot: A bivariate boxplot. *The American Statistician*, 53(4), 382–387.
- Schott, J. R. (1994). Determining the dimensionality in sliced inverse regression. *Journal of the American Statistical Association*, 89(425), 141–148.
- Searle, S. R. (1982). *Matrix algebra useful for statistics*. Chichester: Wiley.
- Seber, G. A. F. (2008). *A matrix handbook for statisticians*. Hoboken, NJ: Wiley.
- SEC (2004). Archive of historical documents, Securities and Exchange Commission. www.sec.gov/cgi-bin/srch-edgar.
- Serfling, R. J. (2002). *Approximation theorems of mathematical statistics*. New York: Wiley.
- Setodji, C. M., & Cook, R. D. (2004). K-means inverse regression. *Technometrics*, 46(4), 421–429.
- Sobel, R. (1988). *Panic on Wall Street: A classic history of America's financial disasters with a new exploration of the crash of 1987*. New York: Truman Talley Books/Dutton.
- Swayne, D. F., Lang, D. T., Buja, A., & Cook, D. (2003). GGobi: Evolving from XGobi into an extensible framework for interactive data visualization. *Computational Statistics and Data Analysis*, 43(4), 423–444.
- Therneau, T. M., Atkinson, B., Ripley, B., Oksanen, J., & Deáth, G. (2012). *mvpart: Multivariate partitioning*. R package version 1.6-0.
- Tibshirani, R. (1996). Regression shrinkage and selection via the lasso. *Journal of the Royal Statistical Society, Series B*, 58(1), 267–288.

- Tibshirani, R. (2011). Regression shrinkage and selection via the lasso: A retrospective. *Journal of the Royal Statistical Society, Series B*, 73(3), 273–282.
- Trapletti, A., & Hornik, K. (2012). *tseries: Time series analysis and computational finance*. R package version 0.10-30.
- Tukey, J. W. (1975). Mathematics and the picturing of data, in *Proceedings of the International Congress of Mathematicians (Vancouver, B. C., 1974)* (Vol. 2, pp. 523–531). Montreal, QC: Canadian Mathematical Congress.
- Turlach, B. A., & Weingessel, A. (2011). *quadprog: Functions to solve quadratic programming problems*. R package version 1.5-4.
- Vapnik, V. N. (2000). *The nature of statistical learning theory* (2nd ed.). New York: Springer.
- Venables, W. N., & Ripley, B. D. (2002). *Modern applied statistics with S* (4th ed.). New York: Springer.
- Volle, V. (1985). *Analyse des Données*. Paris: Economica.
- Wand, M. (2012). *KernSmooth: Functions for kernel smoothing for Wand & Jones (1995)*. R package version 2.23-8.
- Wang, Y. (2012). Model selection, in J. E. Gentle, W. K. Härdle, & Y. Mori (Eds.), *Handbook of computational statistics* (2nd ed., pp. 469–498). Berlin: Springer.
- Ward, J. H. (1963). Hierarchical grouping methods to optimize an objective function. *Journal of the American Statistical Association*, 58, 236–244.
- Weisberg, S. (2002). Dimension reduction regression in R. *Journal of Statistical Software*, 7(1), 1–22.
- Wolf, P. (2012). *aplypack: Another Plot PACKAGE: stem.leaf, bagplot, faces, spin3R, and some slider functions*. R package version 1.2.7.
- Zeileis, A., & Grothendieck, G. (2005). *zoo: S3 infrastructure for regular and irregular time series*. *Journal of Statistical Software*, 14(6), 1–27.
- Zou, H., & Hastie, T. (2005). Regularization and variable selection via the elastic net. *Journal of the Royal Statistical Society, Series B*, 67(2), 301–320.
- Zuo, Y., & Serfling, R. (2000). General notions of statistical depth function. *The Annals of Statistics*, 28(2), 461–482.
- Zvára. (2008). *Regression (in Czech)*, Prague: Matfyzpress.