

Literatura

- LEGAULT, J. (2014): New evidence of the relationship between public transit and individual travel choice behavior in Montreal: Insights from McGill University. *Journal of Choice Modelling*, 18, 18–28.
- FARBER, S., MORANG, T. R. (2014): Discrete choice modeling of transit accessibilities. *Journal of Choice Modelling*, 18, 99–116.
- ADAMS, B., GAHEGAN, M., GUPTA, P., HOSKING, R. (2014): Geographic information observatories for supporting science. In: CEUR Workshop Proceedings. 32–39.
- AJZEN, I. (1991): The Theory of planned behaviour. *Organizational Behaviour and Human Decision Process*, 50, 179–211.
- ALSHALALFAH, B. W., SHALABY, A. S. (2007): Case Study: Relationship of Walk Access Distance to Transit with Service, Travel, and Personal Characteristics. *Journal of Urban Planning and Development*, 133, 2, 114–118.
- ALSNIH, R., HENSHER, D. A. (2003): The mobility and accessibility expectations of seniors in an aging population. *Transportation Research Part A: Policy and Practice*, 37, 10, 903–916.
- ANAS, A. (1983): Discrete choice theory, information theory and the multinomial logit and gravity models. *Transportation Research B*, 17, 1, 13–23.
- BAILEY, T., GATRELL, A. (1995): Interactive spatial data analysis. Essex, Longman Scientific & Technical.
- BARADARAN, S., RAMJERDI, F. (2001): Performance of Accessibility Measures in Europe. *Journal of Transportation and Statistics*, 4, 2–3, 31–48.
- BENENSON, I. (1998): Multi-agent simulations of residential dynamics in the city. *Computers, Environment and Urban Systems*, 22, 1, 25–42.
- BENENSON, I., TORRENS, P. M. (2006): Geosimulation: Automata-based Modeling of Urban Phenomena. Hoboken, John Wiley & Sons, New York.
- BENENSON, I., MARTENS, K., ROFÉ, Y., KWARTLER, A. (2011): Public transport versus private car GIS-based estimation of accessibility applied to the Tel Aviv metropolitan area. *Annals of Regional Science*, 47, 3, 499–515.
- BERTSEKAS, D. P., TSITSIKLIS, J. N. (1989): Parallel and Distributed Computation: Numerical Methods.
- BEST, H., LANZENDORF, M. (2005): Division of labour and gender differences in metropolitan car use. An empirical study in Cologne, Germany. *Journal of Transport Geography*, 13, 2, 109–121.
- BORSHCHEV, A. (2013): The Big Book of Simulation Modeling. Multimethod modeling with AnyLogic 6. AnyLogic North America.
- BORUTA, T., IVAN, I. (2010): Public transport in rural areas of the Czech Republic – case study of the Jeseník region. *Moravian Geographical Reports*, 18, 2, 2–15.
- BRANDS, T., DE ROMPH, E., VEITCH, T., COOK, J. (2014): Modelling Public Transport Route Choice, with Multiple Access and Egress Modes. In: *Transportation Research Procedia*. 12–23.
- BRINKE, J. (1999): Úvod do geografie dopravy. Karolinum, Praha.

- BROWN, A. L., AFFUM, J. K. (2002): A GIS-based environmental modelling system for transportation planners. *Computers, Environment and Urban Systems* 26. In: Brownson, R. C. a kol. (2009): Measuring the Built Environment for Physical Activity. *American journal of preventive medicine*, 36, 4, S99–S123, 577–590.
- BROWNSON, R. C., HOEHNER, C. M., DAY, K., FORSYTH, A., SALLIS, J. F. (2009): Measuring the Built Environment for Physical Activity. *American journal of preventive medicine*, 36, 4, S99–S123.
- BUEHLER, R. (2011): Determinants of transport mode choice: a comparison of Germany and the USA. *Journal of Transport Geography*, 19, 4, 644–657.
- BURIAN, J., ZAJÍČKOVÁ, L., TUČEK, P., VOŽENÍLEK, V., LANGROVÁ, B., BOORI, M. S. (2014): Traffic intensity changes and their influence on spatial distribution of suburbanization. In: 14th SGEM GeoConference on Informatics, Geoinformatics and Remote Sensing, 895–902.
- BURT, J. E., BARBER, G. (1996): Elementary statistics for geographers. Guilford, New York.
- CALABRESE, F. a kol. (2013): Understanding individual mobility patterns from urban sensing data: A mobile phone trace example. *Transportation Research Part C: Emerging Technologies*, 26, 301–313.
- CANTER, D., COFFEY, T., HUNTLEY, M., MISSEN, CH. (2007): Prioritizing Burglars: Comparing the Effectiveness of Geographical Profiling Methods. *Police Practice and Research*, 8. In: Leary, M. O. (2011): Modeling Criminal Distance Decay. *Cityscape: A journal of policy development and research*, 13, 3, 161–198.
- CASTRO, P. S., ZHANG, D. (2013): From Taxi GPS Traces to Social and Community Dynamics: A Survey. *ACM Computing Surveys*, 46, 2, 34.
- CDV (2007): Závěrečná výzkumná zpráva Studie o skutečném podílu cyklistické dopravy na celkové délce přepravní práce, [http://www.cyklodoprava.cz/file/vyzkum22-zaverec-nazprava \(7. 11. 2016\)](http://www.cyklodoprava.cz/file/vyzkum22-zaverec-nazprava (7. 11. 2016).).
- CELIK, H. M. (2010): Sample size needed for calibrating trip distribution and behavior of the gravity model. *Journal of Transport Geography*, 18, 1, 183–190.
- CIMLER, P., ZADRAŽILOVÁ, D., FILIPOVÁ, A., JINDRA, J., TURNEROVÁ, L., ZEMAN, J. (2007): Retail management. Management Press, Praha.
- COLEMAN, J. S. (1986): Social Theory, Social Research, and a Theory of Action. *The American Journal of Sociology*, 91, 6, 1309–1335.
- CURL, A., NELSON, J. D., ANABLE, J. (2011): Does accessibility planning address what matters? A review of current practice and practitioner perspectives. *Research in Transportation Business and Management*, 2, 3–11.
- CURRIE, G. (2010): Quantifying spatial gaps in public transport supply based on social needs. *Journal of Transport Geography*, 18, 1, 31–41.
- ČTYROKÝ, J., NOVOTNÝ, V., SOUKUP, M. (2016): Big Data Praha: Využití lokalizačních dat mobilních operátorů v hl. m. Praze. In: Sborník příspěvků Symposium GIS Ostrava 2016 – Geoinformatika pro společnost. Ostrava, 1–5.
- DANIELS, R., MULLEY, C. (2013): Explaining walking distance to public transport: The dominance of public transport supply. *Journal of Transport and Land Use*, 6, 2, 5.
- DE JONG, T., MUHAMMAD, S. (2007): Distance-Decay Parameter Behaviour While Modeling Telecommuting. Utrecht University, Utrecht.
- DE JONG, T., RITSEMA VAN ECK, J. R. (1996): Location profile-based measures as an improvement on accessibility modelling in GIS. *Computers, Environment and Urban Systems*, 20, 3, 181–190.
- DE VRIES, J. J., NIJKAMP, P., RIETVELD, P. (2004): Exponential or power distance-decay for commuting? An alternative specification. *SSRN Electronic Journal*.

- DRBOHĽAV, D. (1999): Geografické aspekty v rámci interdisciplinárneho výzkumu migrace obyvateľstva. *Geografia*, 104, 2, 73–88.
- EL-GENEIDY, A., GRIMSRUD, M., WASFI, R., TÉTREAULT, P., SURPRENANT-LEGAULT, J. (2014): New evidence on walking distances to transit stops: Identifying redundancies and gaps using variable service areas. *Transportation*, 41, 1, 193–210.
- ELURU, N., KHAKOUR, V., El-GENEIDY, A. (2012): Travel mode choice and transit route choice behavior in Montreal: Insights from McGill University members commute patterns. *Public Transport*, 4, 2, 129–149.
- FARBER, S., MORANG, M. Z., WIDENER, M. J. (2014): Temporal variability in transit-based accessibility to supermarkets. *Applied Geography*, 53, 149–159.
- FIK, T. J., MULLIGAN, G. F. (1990): Spatial flows and competing central places: towards a general theory of hierarchical interaction. *Environment and Planning A*, 22, 4, 527–549.
- FOJTÍK, D., IVAN, I., HORÁK, J. (2011): Database of public transport connections – Its creation and use. Proceedings of the 2011 12th International Carpathian Control Conference, ICCC'2011, 115–119.
- FOJTÍK, D. a kol. (2016): Smart Geocoding of Objects. Proceedings of the 2016 17th International Carpathian Control Conference, ICCC'2017.
- FORTHERINGHAM, S. (2014): Will Strava Metro turn data into profit? Cover story, 23.
- FORTHERINGHAM, A. S., O'KELLY, M. E. (1989): Spatial interaction models: formulation and applications. xix.
- FRANSEN, K., NEUTENS, T., FARBER, S., De MAEYER, P., DERUYTER, G., WITLOX, F. (2015): Identifying public transport gaps using time-dependent accessibility levels. *Journal of Transport Geography*, 48, 176–187.
- FRIED, M. J., HAVENS, J., THALL, M. (1977): Travel behavior – a synthesized theory, NCHRP, Transportation Research Board, Washington, DC, Final Report.
- GEURS, K. T., RITSEMA VAN ECK, J. R. (2001): Accessibility measures: review and applications. Evaluation of accessibility impacts of land-use transportation scenarios, and related social and economic impact. RIVM Report 408505006.
- GEURS, K. T., VAN WEE, B. (2004): Accessibility evaluation of land-use and transport strategies: Review and research directions. *Journal of Transport Geography*, 12, 2, 127–140.
- GOLLEDGE, R. G., STIMSON, R. J. (1997): Spatial behaviour: a geographic perspective. The Guilford Press.
- Google (2014): Google Maps Geocoding API, <https://developers.google.com/maps/documentation/geocoding/intro> (12. 12. 2014).
- Google (2016): Oblíbené časy, délka čekání a doba trvání návštěvy, <https://support.google.com/business/answer/6263531?hl=cs> (7. 1. 2016).
- GRANGE, L., TRONCOSO R., IBEAS, A., GONZÁLEZ, F. (2009): Gravity model estimation with proxy variables and the impact of endogeneity on transportation planning. *Transportation Research Part A* 43, 105–116.
- GRIGORYEV, I. (2016): AnyLogic 7 in three days. CreateSpace Independent Publishing Platform. Ilya Grigoryev.
- HADAS, Y. (2013): Assessing public transport systems connectivity based on Google Transit data. *Journal of Transport Geography*, 33, 105–116.
- HÄGERSTRAND, T. (1970): What about people in regional science? *Papers of the Regional Science Association*, 24, 7–21.
- HÁJEK, M. (2015): Dilema jednání a struktury. Syllabus, http://tucnak.fsv.cuni.cz/~hajek/ModerniSgTeorie/literatura/beha_lit.htm (15. 6. 2015).
- HALÁS, M., KLAPKA, P. (2015): Spatial influence of regional centres of Slovakia: analysis based on the distancedecayFunction. *Rend. Fis. Acc. Lincei*, 26, 2, 169–185.

- HALÁS, M., ZUSKÁČOVÁ, V. (2013): Travelling to services in the daily urban system of Olomouc. *Bulletin of Geography, Socio-economic Series*, 20, 23–41.
- HALÁS, M. a kol. (2014): Distance-decay functions for daily travel-to-work flows. *Journal of Transport Geography*, 35, 107–119.
- HALDEN, D., JONES, P., WIXEY, S. (2000): Accessibility Analysis Literature Review. Measuring accessibility as experienced by different socially disadvantaged groups, Working Paper 3. University of Westminster.
- HALDEN, D., JONES, P., WIXEY, S. (2005): Measuring Accessibility as Experienced by Different Socially Disadvantaged Groups. Accessibility Analysis Literature Review. Group, June.
- HAMPL, M. (2005): Geografická organizace společnosti v České republice: Trasformační procesy a jejich obecný kontext. Univerzita Karlova, Praha.
- HANDY, S. L., NIEMEIER, D. A. (1997): Measuring accessibility: An exploration of issues and alternatives. *Environment and Planning A*, 29, 7, 1175–1194.
- HANSEN, W. G. (1959): How Accessibility Shapes Land Use. *Journal of the American Institute of Planners*, 25, 2, 73–76.
- HAWELKA, B., SITKO, I., BEINAT, E., SOBOLEVSKY, S., KAZAKOPOULOS, P., RATTI, C. (2014): Geo-located Twitter as proxy for global mobility patterns. *Cartography and Geographic Information Science*, 41, 3, 260–271.
- HEISIG, J., BURIAN, J., MIŘIJOVSKÝ, J. (2011): Změny intenzity osobní automobilové dopravy a vliv na prostorovou diferenciaci suburbanizace. *Perner's Contacts*, 6, 1, 84–91.
- HENDERSON, K. (2000): Mistrovství v Transact-SQL. Computer Press, Praha.
- HENSHER, D. A., KING, J. (2001): Parking demand and responsiveness to supply, pricing and location in the Sydney central business district. *Transportation Research Part A: Policy and Practice*, 35, 3, 177–196.
- HIBBERT, J. D., BATTERSBY, S. E., LIESE, A. D. (2013): Prediction of Shopping Behavior Using a Huff Model Within a GIS Framework. In *Proceedings of Healthy Eating in Context*.
- HILLMAN, R., POOL, G. (1997): GIS-based innovations for modelling public transport accessibility. *Traffic Engineering and Control*, 38, 10, 554–559.
- HORÁK, J. (2006): Transport Accessibility Evaluation. *Geografie*, 111, 1, 115–132.
- HORÁK, J. (2015): Prostorová analýza dat. VŠB-TU, Ostrava.
- HORÁK, J. (2016): Prostorové simulační modelování dostupnosti. In: Nováček, A. a kol.: Geografické myšlení jako aktuální společenská výzva. Sborník příspěvků. Výroční konference České geografické společnosti, České Budějovice, 5.–7. září 2016, Jihočeská univerzita, České Budějovice, 152–160.
- HORÁK, J., IVAN, I., TESLA, J. (2014a): Improved Gravity Models of Commuting Conditions: a Czech Case Study. In proceedings of the International Conference on Traffic and Transport Engineering, ICTTE 2014 Belgrade, 171–179.
- HORÁK, J., IVAN, I., FOJtíK, D., BURIAN, J. (2014b): Large scale monitoring of public transport accessibility in the Czech Republic. In: Proceedings of the 2014 15th International Carpathian Control Conference, ICC 2014, 157–163.
- HORÁK, J., INSPEKTOR, T., CAHA, J., KUKULIAČ, P. (2015): Geokódování objektů podle adresy. In: GIS Ostrava 2015 – Současné výzvy geoinformatiky, http://gisak.vsb.cz/GIS_Ostrava/GIS_Ova_2015/sbornik/papers/gis2015541c4ad4ce8fc.pdf (26. 6. 2016).
- HORÁK, J., TESLA, J., INSPEKTOR, T. (2017): Hodnocení dopravní dostupnosti zaměstnanců. In: GIS Ostrava 2017 – Geoinformatika v pohybu. Sborník příspěvků. Ostrava, 22.–24. 3. 2017, http://gisak.vsb.cz/GIS_Ostrava/GIS_Ova_2015/sbornik/papers/gis2015541c4ba1dc74e.pdf (20. 10. 2017).

- HORÁK J., TESLA, J., IVAN, I. (2017): Hodnocení dojížďky do zaměstnání v Moravskoslezském kraji. In: GIS Ostrava 2017 – Geoinformatika v pohybu. Sborník příspěvků. Ostrava, 22.–24. 3. 2017, http://gisak.vsb.cz/GIS_Ostrava/GIS_Ova_2015/sbornik/papers/gis2015541c4ba1dc74e.pdf (20. 10. 2017).
- HORŇÁK, M., PŠENKA, T. (2013): Public transportation as an indicator of inter-urban relationships between towns and cities of Slovakia. *Geografický časopis*, 65, 2, 119–140.
- HORŇÁK, M., STRUHÁR, P., PŠENKA, T. (2015): Evaluation of high-standard public transport centres in the Slovak Republic. In: Szymańska, D., Biegańska, J. (eds.): *Bulletin of Geography. Socio-economic Series*, 30, 59–70.
- HOYLE, B. S., KNOWLES, R. (1998): *Modern Transport Geography*. Wiley.
- HUDEČEK, T. (2010): Dostupnost v Česku v období 1991–2001: vztah k dojížďce do zaměstnání a do škol. *Česká geografická společnost*, Edice Geographica, 4.
- HUDEČEK, T., CHURAŇ, R., KUFNER, J. (2011): Dostupnost Prahy při využití silniční dopravy v období 1920–2020. *Geografie*, 116, 3, 317–334.
- HUFF, D. L. (2003): Parameter Estimation in the Huff Model, <https://www.esri.com/news/arcuser/1003/files/huff.pdf> (7. 11. 2016).
- HŮRSKÝ, J. (1969): Metody grafického znázornění dojížďky za prací. *Rozpravy ČSAV*, 79, 3.
- HŮRSKÝ, J. (1978): Metody oblastního členění podle dopravního spádu. *Rozpravy ČSAV*, 88, 6.
- CHENG, C., AGRAWAL, A. W. (2010): TTSAT: A New Approach to Mapping Transit Accessibility. *Journal of Public Transportation*, 13, 1, 55–72.
- CHOOCCHARUKUL, K., VAN, H. T., FUJII, S. (2008): Psychological effects of travel behavior on preference of residential location choice. *Transportation Research Part A: Policy and Practice*, 42, 1, 116–124.
- INSPEKTOR, T. a kol. (2014): Mapping and monitoring unemployment hot spots towards identification of socially excluded localities: Case study of Ostrava. *Journal of Maps*, 10, 1, 35–46.
- IVAN, I. (2010a): Docházka na zastávku a její vliv na dojížďku do zaměstnání. *Geografie*, 115, 4, 393–412.
- IVAN, I. (2010b): Prostorové hodnocení zajištění dopravní obslužnosti zaměstnavatelů. Disertační práce. VŠB-TU, Ostrava.
- IVAN, I. (2016): Interchange nodes between suburban and urban public transport: A case study of the Czech Republic. *Acta Geographica Slovenica*, 56, 2, 221–233.
- IVAN, I., KOVÁŘ, J. (2016): Specifika jednotlivých částí Ostravy (sociodemografický profil a způsob bydlení). Příspěvky k dějinám a současnosti Ostravy a Ostravská, Ostrava, Statutární město Ostrava, Archiv města Ostravy.
- IVAN, I., BORUTA, T., HORÁK, J. (2012): Evaluation of railway surrounding areas: The case of Ostrava city. In: *WIT Transactions on the Built Environment*, 141–152.
- IVAN, I., HORÁK, J., FOJTÍK, D., INSPEKTOR, T. (2013): Evaluation of public transport accessibility at municipality level in the Czech republic. In: *13th SGEM GeoConference on Informatics, Geoinformatics And Remote Sensing*, 527–534.
- JÄPPINEN, S., TOIVONEN, T., SALONEN, M. (2013): Modelling the potential effect of shared bicycles on public transport travel times in Greater Helsinki: An open data approach. *Applied Geography*, 43, 13–24.
- JEDLIČKA, R. (2017): Analýza dostupnosti vybraných typů zařízení v Ostravě. Diplomová práce. VŠB-TU, Ostrava.
- KAHRIK, A., NOVÁK, J., TEMELOVÁ, J., KADARIK, K., TAMMARU, T. (2015): Patterns and Drivers of Inner City Social Differentiation in Prague and Tallinn. *Geografie*, 120, 2, 275–295.

- KHADAROO, J., SEETANAH, B. (2008): The role of transport infrastructure in international tourism development: A gravity model approach. *Tourism Management*, 29, 5, 831–840.
- KIMPEL, T. J., DUEKER, K. J., EL-GENEIDY, A. M. (2007): Using GIS to Measure the Effect of Overlapping Service Areas on Passenger Boardings at Bus Stops. *Urban and Regional Information Systems Association Journal*, 19, 1, 5–11.
- KLAPKA, P., ERLEBACH, M., KRÁL, O., LEHNERT, M., MIČKA, T. (2013): The footfall of shopping centres in Olomouc (Czech Republic): an application of the gravity model. *Moravian Geographical Report*, 21, 3, 12–26.
- KRAFT, S. (2011). Aktuální změny v dopravním systému České republiky: geografická analýza. Masarykova univerzita, Brno.
- KRAFT, S. (2014): Daily spatial mobility and transport behaviour in the Czech Republic: Pilot study in the Písek and Bystřice nad Pernštejnem regions. *Human Geographies. Journal of Studies and Research in Human Geography*, 8, 2, 51–67.
- KRAFT, S., BLAŽEK, M. (2012): Intraurbánní dostupnost zastávek městské hromadné dopravy a její hodnocení pomocí nástrojů GIS. In: Bartołomiejczyk, M., Połom, M. (eds.): Vybrané aspekty provozování veřejné dopravy ve střední a východní Evropě. Příklady z České republiky, Polska a Slovenska. Polskie Towarzystwo Geograficzne, Oddział Katowicki, Sosnowiec, 47–60.
- KRAFT, S., PERNER, J. (2014): Spatial aspects of transport behaviour in the Czech Republic after 1989. *Acta Universitatis Palackianae Olomucensis, Facultas Rerum Naturalium, Geographica*, 45, 2, 53–77.
- KRAFT, S., HALÁS, M., VANČURA, M. (2014): The delimitation of urban hinterlands based on transport flows: A case study of regional capitals in the Czech Republic. *Moravian Geographical Reports*, 22, 1, 24–32.
- KRIŽAN, F. (2007): Regionálna typológia územia Bratislavы na základe dostupnosti supermarketov a hypermarketov. *Geografický časopis*, 59, 4, 373–385.
- KRIŽAN, F., BILKOVÁ, K., KITA, P., HORŇÁK, M. (2015): Potential food deserts and food oases in a post-communist city: Access, quality, variability and price of food in Bratislava-Petržalka. *Applied Geography*, 62, 8–18.
- KUKULIAC, P., HORÁK, J., IVAN, I., RŮŽIČKOVÁ, K., MUDROŇ, I. (2013): The spatial concentration of the high-tech manufacturing industries in Ostrava. In: 13th SGEM Geo-Conference on Informatics, Geoinformatics And Remote Sensing, 989–996.
- KUKULIAČ, P. (2014): Modelování vývoje prostorové distribuce ekonomických aktivít. Disertační práce. HGF VŠB-TU, Ostrava.
- KUNC, J., FRANTÁL, B., TONEV, P., SZCZYRBA, Z. (2012): Spatial patterns of daily and non-daily commuting for retail shopping: the case of the Brno city, Czech Republic. *Moravian geographical reports*, 20, 4, 39–54.
- KWAN, M. (1998): Space-time and integral measures of individual accessibility: A Comparative Analysis Using a Point-based Framework. *GeoGraphical Analysis*, 30, 3, 191–216.
- KWAN, M. P., MURRAY, A. T., O'KELLY, M. O., TIEFELSDORF, M. (2003): Recent advances in accessibility research: Representation, methodology and applications. *Journal of Geographical Systems*, 5, 1, 129–138.
- LANGFORD, M., HIGGS, G., FRY, R. (2012a): Using floating catchment analysis (FCA) techniques to examine intra-urban variations in accessibility to public transport opportunities: The example of Cardiff, Wales. *Journal of Transport Geography*, 25, 1–14.
- LANGFORD, M., FRY, R., HIGGS, G. (2012b): Measuring transit system accessibility using a modified two-step floating catchment technique. *International Journal of Geographical Information Science*, 26, 2, 193–214.

- LEE, J. Y., KWAN, M. P. (2011): Visualisation of Socio-Spatial Isolation Based on Human Activity Patterns and Social Networks in Space-Time. *Tijdschrift voor economische en sociale geografie*, 102, 4, 468–485.
- LEI, T. L., CHURCH, R. L. (2010): Mapping transit-based access: integrating GIS, routes and schedules. *International Journal of Geographical Information Science*, 24, 2, 283–304.
- LEVIN, J., MILGROM, P. (2004): Introduction to Choice Theory, <https://web.stanford.edu/~jdlevin/Econ%20202/Choice%20Theory.pdf> (18. 6. 2016).
- LINE, T., CHATTERJEE, K., LYONS, G. (2010): The travel behaviour intentions of young people in the context of climate change. *Journal of Transport Geography*, 18, 2, 238–246.
- LIVERMAN, D., MORAN, E. F., RINDFUSS, R. R., STERN, P. C., HUNTER, L. M., LIVERMAN, D., STERN, P. C. (1998): *People and Pixels: Linking Remote Sensing and Social Science*. National Academies Press, Washington.
- MAIER, K., DRDA, F., MULÍČEK, O., SÝKORA, L. (2007): Dopravní dostupnost funkčních městských regionů a urbanizovaných zón v České republice. *Urbanismus a územní rozvoj*, Brno, 3, 75–80.
- MARADA, M., HUDEČEK, T. (2006): Accessibility of peripheral regions: a case of Czechia. *Europa XXI – Regional periphery in central and eastern Europe*, 15, Polish Academy of Sciences, Stanisław Leszczyccki Institute of Geography and Spatial Organization, Warszawa, 43–49.
- MARADA, M., KVĚTOŇ, V. (2006): Význam dopravní obslužnosti v rozvoji venkovských oblastí. *Sborník příspěvků z mezinárodní konference Venkov je náš svět*. Provozně-ekonomická fakulta, Česká zemědělská univerzita v Praze, 422–431.
- MARADA, M., KVĚTOŇ, V. (2008): Importance of transport possibilities in rural areas of Czechia. ČZU, Praha, 390–406.
- MARADA, M., KVĚTOŇ, V. (2010). Diferenciace nabídky dopravních příležitostí v českých obcích a sociogeografických mikroregionech. *Geografie*, 110, 1, 21–43.
- MARADA, M., KVĚTOŇ, V., VONDRAČKOVÁ, P. (2010): *Doprava a geografická organizace společnosti v Česku*. Edice Geographica, 2, Česká geografická společnost, Praha.
- MARCEAU, D. J., BENENSON, I. (2011): *Advanced Geo-Simulation Models*. Bentham Science Publishers.
- MARTIN, D., WRIGLEY, H., BARNETT, S., RODERICK, P. (2002): Increasing the sophistication of access measurement in a rural healthcare study. *Health Place*, 8, 1, 3–13.
- MARTIN, D. J., JORDAN, H., RODERICK, P. (2008): Taking the bus: Incorporating public transport timetable data into health care accessibility modelling. *Environment and Planning A*, 40, 10, 2510–2525.
- MARTÍNEZ, L. M., VIEGAS, J. M. (2013): A new approach to modelling distance-decay functions for accessibility assessment in transport studies. *Journal of Transport Geography*, 26, 87–96.
- MAVOA, S., WITTEN, K., McCREANOR, T., O'SULLIVAN, D. (2012): GIS based destination accessibility via public transit and walking in Auckland, New Zealand. *Journal of Transport Geography*, 20, 1, 15–22.
- McFADDEN, D. (1974): The Measurement of Urban Travel Demand. *Journal of Public Economics*, 3, 4, 303–328.
- MCNALLY, G. M. (2000): The Four-step Model. *Handbook of Transport Modelling*. Pergamon, Amsterdam, 35–52.
- MICROSOFT C (2016): Synchronization, [https://msdn.microsoft.com/en-us/library/windows/desktop/ms686353\(v=vs.85\).aspx](https://msdn.microsoft.com/en-us/library/windows/desktop/ms686353(v=vs.85).aspx) (7. 11. 2016).
- MICHNIAK, D. (2002): Accessibility of district towns as a criterion of preparation and assessment of the territorial-administrative division: case study of the Banská Bystrica region (Slovakia). *Moravian Geographical Reports*, 10, 1, 41–47.

- MICHNIAK, D. (2008): International linkages of individual districts in Slovakia based on direct transport connections. *Geografický časopis*, 60, 1, 45–61.
- MIKKONEN, M., LUOMA, M. (1999): The parameters of the gravity model are changing – how and why? *Journal of Transport Geography*, 7, 277–283.
- MILLER, E. J., HUNT, D. J., ABRAHAM, J. E., SALVINI, P. A. (2004): Microsimulating urban systems. *Computers, Environment and Urban Systems*, 28, 1–2, 9–44.
- MILLER, H. J. (1991): Modelling accessibility using space-time prism concepts within geographical information systems. *International Journal of Geographical Information Systems*, 5, 3, 287–301.
- MILLER, H. J. (2016): Geographic Information Science I: Geographic information observatories and opportunistic GIScience, *Progress in Human Geography*.
- MITRÍKOVÁ, J., ŠENKOVÁ, A., ANTOLIKOVÁ, S. (2015): Application of the Huff Model of Shopping Probability in the Selected Stores in Prešov (Prešov, the Slovak Republic). *Geographica Pannonica*, 19, 3, 110–121.
- MOLDAN, B. (2008): Analýza každodenního dopravního chování dospělého městského obyvatelstva a nástroje regulace dopravy. [online] Univerzita Karlova, Centrum pro otázky životního prostředí, http://www.czp.cuni.cz/urbantransport/deliverables/Zaverecna_zprava_souhrnna.pdf (10. 4. 2012).
- MONIRUZZAMAN, M., PÁEZ, A. (2012): Accessibility to transit, by transit, and mode share: application of a logistic model with spatial filters. *Journal of Transport Geography*, 24, 198–205.
- MURRAY, A. T., DAVIS, R., STIMSON, R. J., FERREIRA, L. (1998): Public transportation access. *Transportation Research Part D: Transport and Environment*, 3, 5, 319–328.
- MUSIL, J., MÜLLER, J. (2008): Vnitřní periferie v České republice jako mechanismus sociální exkluze. *Czech Sociological Review*, 44, 2, 321–348.
- NAESS, P. (2000): Urban structures and travel behaviour. Experiences from empirical research in Norway and Denmark. *Land Use and Travel Behaviour*, 1–24.
- NAESS, P. (2003): Urban structures and travel behaviour. Experiences from empirical research in Norway and Denmark, *European Journal of Transport and Infrastructure Research*, 3, 2, 155–178.
- NAESS, P., JENSEN, O. B. (2004): Urban structure matters, even in a small town. *Journal of Environmental Planning and Management*, 47, 1, 35–57.
- NEUTENS, T., SCHWANEN, T., WITLOX, F., De MAEYER, P. (2008): My space or your space? Towards a measure of joint accessibility. *Computers, Environment and Urban Systems*, 32, 5, 331–342.
- NOLAN, A. (2010): A dynamic analysis of household car ownership. *Transportation Research Part A: Policy and Practice*, 44, 6, 446–455.
- NORMAN, G., KESHA, N. (2015): Using smartphones for cycle planning. In: World class transport: smarter, stronger, safer: IPENZ Transportation Group Conference.
- NOVÁK, J., TEMELOVÁ, J. (2012): Everyday Life and Spatial Mobility of Young People in Prague: A Pilot Study Using Mobile Phone Location Data. *Sociologicky casopis-Czech sociological review*, 48, 5, 911–938.
- NOVÁK, J., AHAS, R., AASA, A., SILM, S. (2013): Application of mobile phone location data in mapping of commuting patterns and functional regionalization: a pilot study of Estonia. *Journal of Maps*, 9, 1, 10–15.
- O'SULLIVAN, D., PERRY, G. L. W. (2013): Spatial simulation: exploring pattern and process. John Wiley & Sons Inc., Chichester.
- O'SULLIVAN, D., MORRISON, A., SHEARER, J. (2000): Using desktop GIS for the investigation of accessibility by public transport: an isochrone approach. *International Journal of Geographical Information Science*, 14, 1, 85–104.

- OECD (2012): Redefining Urban: A new way to measure metropolitan areas. OECD Publishing.
- ÖSTH, J., REGGIANI, A., GALIAZZO, G. (2014): Novel methods for the estimation of cost-distance decay in potential accessibility models. In: Condeço-Melhorado, A., Reggiani, A. A, Gutiérrez, J. (eds.): Accessibility and Spatial Interaction, 15–37.
- PAVLÍK, Z., KÚHNL, K. (1981): Úvod do kvantitativních metod pro geografy. SPN, Praha.
- PELEGRI, J., ALBEROLA, J., LLARIO, V. (2002). Vehicle detection and car speed monitoring system using GMR magnetic sensors. In: IEEE 2002 28th Annual Conference of the Industrial Electronics Society, 1693–1695.
- RASOULI, S., TIMMERMANS, H. (2015): Bounded Rational Choice Behaviour: Applications in Transport. Emerald Group Publishing.
- REGGIANI, A., BUCCI, P., RUSSO, G., HAAS, A., NIJKAMP, P. (2011): Regional labour markets and job accessibility in City Network systems in Germany. Journal of Transport Geography, 19, 4, 528–536.
- REICHEL, J. (2009): Kapitoly metodologie sociálních výzkumů. Praha, Grada Publishing.
- RODOS (2014): Rozvoj dopravních systémů RODOS. VŠB – Technická univerzita Ostrava, <http://www.rodos-it4i.cz> (7. 11. 2016).
- RÖLC, R. (2000): Dopravní dostupnost a regionální význam krajských měst. Geografie, 106, 4, 222–233.
- RUMPEL, P., SLACH, O. (2012): Je Ostrava „smršťujícím se městem“? Sociologický časopis / Czech Sociological Review, 48, 5, 859–878.
- RŮŽIČKOVÁ, K. (2013): Modelování a simulace v geovědách, http://homel.vsb.cz/~ruz02/msg/prednasky/msg_skripta_v2.pdf (7. 11. 2016).
- ŘEHÁK, S., HALÁS, M., KLAPKA, P. (2009): Několik poznámek k možnostem aplikace Reillyho modelu. Geographia Moravica, 1, 47–58.
- ŘEZANKOVÁ, H. (2007): Analýza dat z dotazníkových šetření. Professional Publishing.
- SALGADO, D., JOLOVIC, D., MARTIN, P. T., ALDRETE, R. M. (2016): Traffic Microsimulation Models Assessment – A Case Study of International Land Port of Entry. In: Procedia Computer Science, 441–448.
- SALONEN, M., TOIVONEN, T. (2013): Modelling travel time in urban networks: Comparable measures for private car and public transport. Journal of Transport Geography, 31, 143–153.
- SAPIEZYNSKI, P., STOPCZYNISKI, A., GATEJ, R., LEHMANN, S. (2015): Tracking Human Mobility Using WiFi Signals. PloS one, 10, 7.
- SEIDENGLANZ, D. (2010): Transport relations among settlement centres In the eastern part of the Czech Republic as a potential for polycentricity. AUC-Geographica, 45, 1, 75–89.
- SHREWSBURY, J. (2012): Calibration of trip distribution by generalised linear models. NZ Transport Agency research report 473.
- SCHEINER, J. (2010): Interrelations between travel mode choice and trip distance: trends in Germany 1976–2002. Journal of Transport Geography, 18, 1, 75–84.
- SOLTANI, A. (2005): Exploring the impacts of built environments on vehicle ownership. In 6th Conference of the Eastern-Asia-Society-for-Transportation-Studies, 2151–2163.
- STROUD, A. H. (1971): Approximate calculation of multiple integrals, Prentice-Hall Inc.
- TAYLOR, P. J. (1971): Distance Transformation and Distance Decay Functions. Geographical Analysis, 3, 3, 109–123.
- TEMELOVÁ, J., NOVÁK, J., POSPÍŠILOVÁ, L., DVOŘÁKOVÁ, N. (2011): Každodenní život, denní mobilita a adaptační strategie obyvatel v periferních lokalitách. Sociologický časopis / Czech Sociological Review, 47, 4, 831–858.

- TESLA, J., HORÁK, J., IVAN, I. (2015): Frequency analysis of public transport between czech municipalities. In: 15th International Multidisciplinary Scientific GeoConference SGEM 2015, Book 2, 593–600.
- THILL, J. C., KIM, M. (2005): Trip making, induced travel demand, and accessibility. *Journal of Geographical Systems*, 7, 2, 229–248.
- TIBAUT, A., KAUČIČ, B., REBOLJ, D. (2012): A standardised approach for sustainable interoperability between public transport passenger information systems. *Computers in Industry*, 63, 8, 788–798.
- TLIG, M., BHOURI, N. (2011): A multi-agent system for urban traffic and buses regularity control. In: *Procedia – Social and Behavioral Sciences*, 896–905.
- TOUŠEK, V., KUNC, J., VYSTOUPIL, J. a kol. (2008): Ekonomická a sociální geografie. Vydavatelství a nakladatelství Aleš Čeněk, s. r. o., Plzeň.
- TRIBBY, C. P., ZANDBERGEN, P. A. (2012): High-resolution spatio-temporal modeling of public transit accessibility. *Applied Geography*, 34, 4, 345–355.
- TSEKERIS, T., STATHOPOULOS, A. (2006): Gravity models for dynamic transport planning: Development and implementation in urban networks. *Journal of Transport Geography*, 14, 2, 152–160.
- TURNER, A., PENN, A. (2002): Encoding Natural Movement as an Agent-Based System: An Investigation into Human Pedestrian Behaviour in the Built Environment. *Environment and Planning B: Urban Analytics and City Science*, 29, 4, 473–490.
- ÚAP MSK (2017): Územně analytické podklady Moravskoslezského kraje 2017. 4. úplná aktualizace. Moravskoslezský kraj, https://www.msk.cz/cz/uzemni_planovani/uzemne-analyticke-podklady-msk-2017-94779 (18. 9. 2018).
- UBØE, J. (2004): Aggregation of gravity models for journeys to work. *Environment and Planning A*, 36, 4, 715–729.
- VAISHAR, A., CETKOVSKÝ, S., KALLABOVÁ, E., KLUSÁČEK, P., KOLIBOVÁ, B., LACINA, J., MIKULÍK, O., ZAPLETALOVÁ, J. (2006): Urban Environment in European Big Cities. *Moravian Geographical Reports*, 14, 1, 46–62.
- VAN VUGT, M., VAN LANGE, P. A. M., MEERTENS, R. M. (1996): Commuting by car or public transportation? A social dilemma analysis of travel mode judgements. *European Journal of Social Psychology*, 26, 3, 373–395.
- VANDENBULCKE, G. A kol. (2009): Mapping accessibility in Belgium: a tool for land-use and transport planning? *Journal of Transport Geography*, 17, 1, 39–53.
- VASIC, J., RUSKIN, H. J. (2012): Agent-based space-time discrete simulation of urban traffic including bicycles. In: *Procedia Computer Science*, 860–865.
- VITON, P. A. (1995): Calibrating the Gravity Model, <http://facweb.knowlton.ohio-state.edu/pviton/courses2/crp5700/calibrating.pdf> (23. 6. 2015).
- VRABKOVÁ, I., VAŇKOVÁ, I., IVAN, I. (2016): The Efficiency and Public Transport Accessibility of Indirect State Administration in the Czech Republic. *Review of Economic Perspectives*, 16, 2, 135–156.
- VRTIC, M., FROHLICH, P., SCHUSSLER, N., AXHAUSEN, K.W., LOHSE, D., SCHILLER, C., TEICHERT, H. (2007): Two-dimensionally constrained disaggregate trip generation, distribution and mode choice model: Theory and application for a Swiss national model. *Transportation Research Part A* 41, 857–873.
- WAHLE, J., NEUBERT, L., ESSER, J., SCHRECKENBERG, M. (2001): A cellular automaton traffic flow model for online simulation of traffic. *Parallel Computing* 27, 5. In: Benenson, I. A., Torrens, P. M. (2006): Geosimulation: automata-based modeling of urban phenomena. Hoboken, John Wiley & Sons, New York, 1–287, 719–735.
- WAKABAYASHI, H., ASAOKA, K., IIDA, Y., KAMEDA, H. (2003): Mode choice model with travel time reliability and commuters' travel behavior before/after a major public

- transportation service closure. In: Network Reliability of Transport. Proceedings of the 1st International Symposium on Transportation Network Reliability (INSTR).
- WALKER, J. (2012): Human transit: How clearer thinking about public transit can enrich our communities and our lives. Island Press, Washington.
- WALLENTIN, G., OLOO, F. (2016): A Model-sensor Framework to Predict Homing Pigeon Flights in Real Time. *GI_Forum* 2016, 1, 41–52.
- WANG, X. (2013): Intelligent multi-camera video surveillance: A review. *Pattern Recognition Letters*, 34, 3–19.
- WELCH, T. F., MISHRA, S. (2013): A measure of equity for public transit connectivity. *Journal of Transport Geography*, 33, 29–41.
- WHITE, P. (2002): Public Transport: Its Planning, Management and Operation. Routledge.
- WILLIAMS, I. N. (1976): A comparison of some calibration techniques for doubly constrained models with an exponential cost function. *Transportation Research*, 10, 91–104.
- WILLIAMS, I. N. (1977): Algorithm 1: Three-point rational function interpolation for calibrating gravity models. *Environment and Planning* 9A, 215–221.
- WYLIE, B., CAMERON, G., MATTHEW, W., MCARTHUR, D. (1993): PARAMICS: Parallel Microscopic Traffic Simulator. Second European Connection Machine Users Meeting, Meudon, Paris. In: BENENSON, I., TORRENS, P. M. (2006): Geosimulation: automata-based modeling of urban phenomena. Hoboken, John Wiley & Sons, New York, 1–287.
- YIGITCANLAR, T., SIPE, N. G., EVANS, R., PITOT, M. (2007): A GIS-based land use and public transport accessibility indexing model. *Australian Planner*, 44, 3, 30–37.
- YU, Y., KAMEL, E. A., GONG, G., LI, F. (2014): Multi-agent based modeling and simulation of microscopic traffic in virtual reality system. *Simulation Modelling Practice and Theory*, 45, 62–79.
- ZAJÍČKOVÁ, L. (2012): Časové variace dojíždky do města Olomouc prostředky hromadné dopravy osob. Diplomová práce. Univerzita Palackého v Olomouci.
- ZAJÍČKOVÁ, L., VOZENILEK, V., BURIAN, J., TUCEK, P. (2014): Demand specifications for geodata within a public transport system. In: 14th SGEM GeoConference on Informatics, Geoinformatics and Remote Sensing, 555–562.

Tab. 11	Průměrné a maximální časy k nejbližším cílům v jednotlivých kategoriích v Ostravě v minutách	140
Tab. 12	Průměrné a maximální časy k nejbližším cílům v jednotlivých kategoriích na Olomoucku v minutách	144
Tab. 13	Průměrné a maximální časy k nejbližším cílům v jednotlivých kategoriích na Ostravsku v minutách	146
Tab. 14	Vybrané typy cílů pro hodnocení dostupnosti veřejné hromadné dopravy	153
Tab. 15	Ukázka zápisu časové distribuce pro osobu typu muž, zaměstnanec + OSVČ, v pracovní den, v Olomouci	180
Tab. 16	Parametry vybraných optimalizovaných vzdálenostních funkcí pro Olomouc	183
Tab. 17	Klasifikace dopravní dostupnosti ve městě (údaje za celý den)	188
Tab. 18	Klasifikace dopravní dostupnosti v regionu	188
Tab. 19	Vzdálenostní kategorie a podily výběru cílů pro Ostravsko	207
Tab. 20	Vzdálenostní kategorie a podily výběru cílů pro Olomoucko	207
Tab. 21	Pořadí obchodních center podle euklidovské vzdálenosti od startu, počet a podíl skutečně vybraných obchodních center	227
Tab. 22	Preference výběru obchodního centra v Olomouci, výjma nejbližšího obchodního centra	228
Tab. 23	Preference výběru obchodního centra v Ostravě, výjma nejbližšího obchodního centra	231